

**2010**

**Virginia Department of Transportation  
Daily Traffic Volume Estimates  
Including Vehicle Classification Estimates**

where available

**Jurisdiction Report**

**41**

Halifax County  
Town of South Boston  
Town of Halifax  
Town of Scottsburg  
Town of Virgilina

Prepared By

**Virginia Department of Transportation  
Traffic Engineering Division**

In Cooperation With

**U.S. Department of Transportation  
Federal Highway Administration**

Virginia Department of Transportation  
Traffic Engineering Division  
Traffic Monitoring Section

The Virginia Department of Transportation (VDOT) conducts a program where traffic count data are gathered from sensors in or along streets and highways and other sources. From these data, estimates of the average number of vehicles that traveled each segment of road are calculated. VDOT periodically publishes booklets listing these estimates.

One of these booklets, titled “Average Daily Traffic Volumes with Vehicle Classification Data, on Interstate, Arterial and Primary Routes” includes a list of each Interstate and Primary highway segment with the estimated Annual Average Daily Traffic (AADT) for that segment. AADT is the total annual traffic estimate divided by the number of days in the year. This booklet also includes information such as estimates of the percentage of the AADT made up by 6 different vehicle types, ranging from cars to double trailer trucks; estimated Annual Average Weekday Traffic (AAWDT), which is the number of vehicles estimated to have traveled the segment of highway during a 24 hour weekday averaged over the year; as well as Peak Hour and Peak Direction factors used by planners to formulate design criteria.

In addition to the Primary and Interstate publication, one hundred books are published periodically, one for each of 100 areas across the state defined by VDOT for record-keeping purposes. These books include traffic volume estimates for roads within the county, cities, and towns within the area. These books are titled “Daily Traffic Volumes Including Vehicle Classification Estimates, where available; Jurisdiction Report numbers 00 through 99”.

Also available are a number of reports summarizing the average Vehicle Miles Traveled (VMT) in selected jurisdictions and other categories of highways. There are many different ways to present traffic volume summary information. Because the user determines the value of each presentation, the reports have been redesigned based on user requests and feedback. The people of the VDOT Traffic Engineering Division Traffic Monitoring Section who produce these books welcome requests for other helpful ways of presenting the summary information.

A compact disc (CD) is available that includes files in the Adobe® Portable Document Format (PDF) that can be displayed, searched, and printed using common desktop computer equipment. The CD includes the publications described above as well as a number of other reports, including specialized VMT summaries and smaller AADT reports for each city and town separately.

## **Publication Notes**

### **Parallel Roads**

For road inventory and management purposes, some roadways are counted separately by direction and have separately published traffic estimates for each direction of travel. Examples of such roadways are the interstate system and routes with separated facilities and (usually) one-way traffic facilities in urban areas. In these publications, they are referred to as parallel roads. As a convenience for the users of the publication, the listing for segments of roads with parallel segments are published with both the traffic estimates for their own direction of travel (e.g. I-95 Northbound) as well as the estimate of the total of all traffic on the same route including parallel roadways (all directions of I-95). The publication will have a “Combined Traffic Estimates for Parallel Roadways on this Route” or “Combined Traffic” identifiers for the combined direction of travel estimates.

Roadways such as I-395 with a North segment, a South segment and a separate Reversible lane segment will have the estimate for more than two parallel roadways included in the entire combined traffic estimate.

Some routes have very complicated paths through cities and towns. These parallel paths may be too complex to allow a relationship between nearby sections of the opposite direction on the same route. In this case, to indicate that the traffic estimates for such a road segment may not include all directions of traffic on that route, the line that would list the combined values will indicate “NA” for not available.

---

VDOT’s traffic monitoring program includes more than 100,000 segments of roads and highways ranging from several mile sections of Interstate highways to very short sections of city streets. Due to problems experienced obtaining some traffic count data, and the level of quality necessary to maintain confidence in the data, no estimate is currently available for some segments of roadway. These segments are included in the publications indicating “NA” for not available. It is the intention of the VDOT Traffic Engineering Division Traffic Monitoring group to obtain the data necessary and to report traffic volume estimates on all road segments included in these publications.

Many of the road segments in this program are local secondary roads. The amount and detail of data collected on these roads are not as great as the data collected on higher volume roads. The vehicle classification, average weekday traffic volumes, and the theoretical design hour traffic volumes are not calculated for these roads. The publications indicate “NA” for the information that is not available.

This publication is based on a traffic monitoring program initiated in 1997. Because the data collection techniques and statistical evaluation processes are different than those used in previous years, comparison with previous publications may be misleading.

## Glossary of Terms:

**Route:** The Route Number assigned to this segment of roadway with the master inventory route number if this is an overlapping route, with official street or highway name if available.

**Length:** Length of the traffic segment in miles.

**AADT:** Annual Average Daily Traffic. The estimate of typical daily traffic on a road segment for all days of the week, Sunday through Saturday, over the period of one year.

### QA: Quality of AADT:

- A Average of Complete Continuous Count Data
- B Average of Selected Continuous Count Data
- F Factored Short Term Traffic Count Data
- G Factored Short Term Traffic Count Data with Growth Element
- H Historical Estimate
- M Manual Uncounted Estimate
- N AADT of Similar Neighboring Traffic Link
- O Provided By External Source
- R Raw Traffic Count, Unfactored

**4Tire:** Percentage of the traffic volume made up of motorcycles, passenger cars, vans and pickup trucks.

**Bus:** Percentage of the traffic volume made up of busses.

**2Axle Truck:** Percentage of the traffic volume made up of 2 axle single unit trucks (not including pickups and vans).

**3+Axle Truck:** Percentage of the traffic volume made up of single unit trucks with three or more axles.

**1Trail Truck:** Percentage of the traffic volume made up of units with a single trailer.

**2Trail Truck:** Percentage of the traffic volume made up of units with more than one trailer.

### QC: Quality of Classification Data:

- A Average of Complete Continuous Count Data
- B Average of Selected Continuous Count Data
- C Short Term Classified Traffic Count Data
- F Factored Short Term Traffic Count Data
- H Historical Estimate
- M Mass Collective Average
- N Classification Estimates of Similar Neighboring Traffic Link

**K Factor:** The estimate of the portion of the traffic volume traveling during the peak hour or design hour.

**QK:** Quality of the K Factor estimate:

- A Factor based on 30th Highest Hour Observed During at least 250 days of Continuous Traffic Data
- B Factor based on other Hour Observed During Less than 250 days of Continuous Traffic Data
- F Factor based on Highest Hour Collected at in a 48 Hour Weekday Period
- M Factor based on Manual Estimate of design hour
- N Design Hour Factor (K Factor) of Similar Neighboring Traffic Link
- O Provided by External Source

**Dir Factor:** The estimate of the portion of the traffic volume traveling in the peak direction during the peak hour..

**AAWDT:** Average Annual Weekday Traffic. The estimate of typical traffic over the period of one year for the days between Monday through Thursday inclusive.

**QW:** Quality of AAWDT:

- A Average of Complete Continuous Count Data
- B Average of Selected Continuous Count Data
- F Factored Short Term Traffic Count Data
- G Factored Short Term Traffic Count Data with Growth Element
- M Manual Uncounted Estimate
- N AAWDT of Similar Neighboring Traffic Link
- O Provided by External Source

**Year:** Year for which the published values are appropriate. If the Quality of AADT (QA) is "R", the year is the year that the raw traffic count was collected, and if available,

# Route Shield Legend

## Route Systems



Interstate Route

Traffic volume data for Interstate Routes and some other routes are reported separately by direction, as well as combined.



US Route



Virginia State Route



Frontage Road (F precedes frontage route number)



Secondary Route

## Special Routes



Bus - Business Route

Bypas - Bypass Route

Truck - Truck Route



ALT - Alternate Route

Wve - Wve Route connector



P - Parallel Route; Southbound or Westbound direction lanes of a numbered route where they are on a different road facility than the other direction.



The VDOT Maintenance Jurisdiction number is displayed below the Secondary Route Number if the Maintenance Jurisdiction is different than the jurisdiction in the title of the report.

Virginia Department of Transportation  
Traffic Engineering Division  
2010  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Halifax Maintenance Area

Route	Jurisdiction	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW
							2Axle	3+Axle	1Trail	2Trail						
34 Hodges St	From: North Main St															
	Town of South Boston	0.54	2100	G	98%	1%	1%	0%	0%	0%	C	0.102	F	0.535	2300	G
	To: US 360 John Randolph Blvd															
40 Stage Coach Rd	From: Pittsylvania County Line															
	Halifax County	4.16	730	G	85%	2%	2%	2%	9%	0%	F	0.098	F	0.534	780	G
	To: 41-638 Bull Creek Rd															
40 Stage Coach Rd	From: 41-638 Bull Creek Rd															
	Halifax County	5.96	820	G	88%	0%	2%	1%	9%	0%	C	0.096	F	0.643	870	G
	To: US 501 North of Halifax															
40 501 L P Bailey Memorial Hwy	From: US 501 Halifax															
	Halifax County	0.97	5000	G	92%	0%	1%	0%	6%	0%	C	0.084	F		5300	G
	To: Campbell County Line															
49 96 Florence Ave	From: North Carolina State Line															
	Town of Virgilina (Maint: 41)	0.13	1400	G	84%	1%	1%	1%	13%	0%	F	0.096	F	0.631	1600	G
	To: SR 96 Seventh St															
49 Seventh St	From: SR 96 Seventh St															
	Town of Virgilina (Maint: 41)	0.47	720	G	84%	1%	1%	1%	13%	0%	C	0.103	F	0.533	770	G
	To: ECL Virgilina															
49	From: ECL Virgilina															
	Halifax County	2.05	720	N	84%	1%	1%	1%	13%	0%	N	0.103	N	0.533	770	N
	To: Mecklenburg County Line															
57 Chatham Rd	From: Pittsylvania County Line															
	Halifax County	3.53	690	G	85%	2%	1%	1%	12%	0%	F	0.100	F	0.533	730	G
	To: 41-844 Tune Trail															
57 Chatham Rd	From: 41-844 Tune Trail															
	Halifax County	1.64	990	G	85%	2%	1%	1%	12%	0%	C	0.093	F	0.629	1100	G
	To: 41-845 Ed Mason Lane															
57 Chatham Rd	From: 41-845 Ed Mason Lane															
	Halifax County	3.62	1400	G	85%	2%	1%	1%	12%	0%	F	0.114	F	0.53	1500	G
	To: 41-676 Asbury Church Rd															
57 Chatham Rd	From: 41-676 Asbury Church Rd															
	Halifax County	4.06	1600	G	85%	2%	1%	1%	12%	0%	F	0.090	F	0.719	1700	G
	To: SR 360 Mountain Rd															
58 360 Philpott Rd	From: Pittsylvania County Line															
	Halifax County	3.48	8500	G	85%	1%	1%	1%	12%	1%	F	0.073	F		8500	G
	To: SR 119 Delila															
58 360 Philpott Rd	From: SR 119 Delila															
	Halifax County	6.58	7900	G	85%	1%	1%	1%	12%	1%	F	0.072	F		7900	G
	To: 41-658 Turbeville Rd															
58 360 Philpott Rd	From: 41-658 Turbeville Rd; Melon Rd															
	Halifax County	9.25	8600	A	85%	1%	1%	1%	12%	1%	C	0.098	A	0.526	8700	A
	To: US 501 Huell Matthews Hwy															
58 360 Bill Tuck Hwy	From: US 501 Huell Matthews Hwy															
	Town of South Boston	0.18	13000	G	85%	1%	1%	1%	12%	1%	F	0.077	F		13000	G
	To: ECL South Boston															
58 360 Bill Tuck Hwy	From: ECL South Boston															
	Halifax County	0.52	13000	N	85%	1%	1%	1%	12%	1%	N	0.077	N		13000	N
	To: US 360 John Randolph Blvd															

Virginia Department of Transportation  
Traffic Engineering Division  
2010  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Halifax Maintenance Area

Route	Jurisdiction	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	
							2Axle	3+Axle	1Trail	2Trail							
58 Bill Tuck Hwy	From:	US 360 John Randolph Blvd															
	Halifax County	5.00	6500	G	85%	1%	1%	1%	12%	1%	F	0.079	F		6600	G	
58 Bill Tuck Hwy	To:	41-601 Rockchoal Rd															
	Halifax County	5.57	5500	G	85%	1%	1%	1%	12%	1%	F	0.08	F		5500	G	
92 Clover Rd	From:	Charlotte County Line															
	Halifax County	4.19	480	G	95%	0%	1%	1%	3%	0%	F	NA			490	G	
92 Clover Rd	To:	NCL Clover															
	Clover (Maint: 41)	0.47	480	N	95%	0%	1%	1%	3%	0%	N	NA			490	N	
92 Clover Rd	From:	41-746; 41-1001															
	Clover (Maint: 41)	0.33	480	N	95%	0%	1%	1%	3%	0%	N	NA			490	N	
92 Clover Rd	To:	SCL Clover															
	Halifax County	0.80	480	N	95%	0%	1%	1%	3%	0%	N	NA			490	N	
96 Virgilina Rd	From:	US 501 S of Cluster Springs															
	Halifax County	7.11	1300	G	80%	1%	1%	1%	17%	0%	C	0.092	F	0.512	1300	G	
96	To:	WCL Virgilina															
	Town of Virgilina (Maint: 41)	0.59	1300	N	80%	1%	1%	1%	17%	0%	N	0.092	N	0.512	1300	N	
96 49 Florence Ave	From:	N SR 49															
	Town of Virgilina (Maint: 41)	0.13	1400	G	84%	1%	1%	1%	13%	0%	F	0.096	F	0.631	1600	G	
119 Calvary Rd	To:	North Carolina State Line															
	Halifax County	3.08	680	G	90%	1%	1%	1%	7%	0%	C	0.113	F	0.539	730	G	
129 North Main St	From:	US 501 P; Wilborn Ave; Main St															
	Town of South Boston	0.09	3400	G	99%	1%	0%	0%	0%	0%	F	0.096	F	0.793	3700	G	
129 North Main St	To:	US 501 Broad St															
	Town of South Boston	0.38	5200	G	99%	1%	0%	0%	0%	0%	C	0.096	F		5600	G	
129 North Main St	From:	SR 34 Hodges St															
	Town of South Boston	0.16	6200	G	99%	1%	0%	0%	0%	0%	F	0.094	F	0.519	6800	G	
129 North Main St	To:	Edmunds St															
	Town of South Boston	0.19	6500	G	99%	1%	0%	0%	0%	0%	F	0.095	F	0.574	7100	G	
129 North Main St	From:	College St															
	Town of South Boston	0.63	6100	G	99%	1%	0%	0%	0%	0%	F	0.099	F	0.567	6700	G	
129 North Main St	To:	Hamilton Blvd															
	Town of South Boston	0.88	10000	G	99%	1%	0%	0%	0%	0%	C	0.099	F		11000	G	
129 Old Halifax Rd	From:	NCL South Boston															
	Halifax County	0.85	13000	G	98%	1%	1%	0%	0%	0%	C	NA			14000	G	
	To:	US 501 Centerville															



Virginia Department of Transportation  
Traffic Engineering Division  
2010  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Halifax Maintenance Area

Route	Jurisdiction	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	
							2Axle	3+Axle	1Trail	2Trail							
	From: US 501 P; Main St																
304	Seymour Dr	Town of South Boston	0.08	2600	G	97%	0%	1%	1%	0%	0%	F	0.102	F	2800	G	
	To: US 501 Broad St																
304	Seymour Dr	Town of South Boston	0.38	3100	G	97%	0%	1%	1%	0%	0%	C	0.092	F	3400	G	
	To: Marshall St																
304	Seymour Dr	Town of South Boston	0.25	2700	G	97%	0%	1%	1%	0%	0%	F	0.092	F	0.574	2900	G
	To: US 360 John Randolph Blvd																
	From: SR 360 Bethel Rd																
344	Scottsburg Rd	Halifax County	1.58	1100	G	92%	2%	1%	2%	3%	0%	F	0.100	F	0.519	1200	G
	To: NCL Scottsburg																
344		Town of Scottsburg (Maint: 41)	0.75	1100	N	92%	2%	1%	2%	3%	0%	N	0.100	N	0.519	1200	N
	To: 41-720 Green Level Rd																
344	McDonald Rd	Town of Scottsburg (Maint: 41)	0.42	750	G	92%	2%	1%	2%	3%	0%	C	0.107	F	0.583	800	G
	To: ECL Scottsburg																
344		Halifax County	7.35	750	N	92%	2%	1%	2%	3%	0%	N	0.107	N	0.583	800	N
	To: Staunton River State Park																
344	McDonald Rd	Halifax County	2.18	100	G	92%	2%	1%	2%	3%	0%	F	0.126	F	0.733	100	G
	To: End of Route																
	From: SR 360 Mountain Rd																
349	Edmunds Blvd	Town of Halifax (Maint: 41)	0.12	680	G	94%	2%	3%	1%	0%	0%	C	0.154	F	0.533	730	G
	To: US 501 Main St																
	From: Pittsylvania County Line																
360 58	Philpott Rd	Halifax County	3.48	8500	G	85%	1%	1%	1%	12%	1%	F	0.073	F	8500	G	
	To: SR 119 Delila																
360 58	Philpott Rd	Halifax County	6.58	7900	G	85%	1%	1%	1%	12%	1%	F	0.072	F	7900	G	
	To: 41-658 Turbeville Rd; Melon Rd																
	From: 41-658																
360 58	Philpott Rd	Halifax County	9.25	8600	A	85%	1%	1%	1%	12%	1%	C	0.098	A	0.526	8700	A
	To: US 501 Huell Mathews Hwy																
	From: US 501 Riverdale																
360 58	Bill Tuck Hwy	Town of South Boston	0.18	13000	G	85%	1%	1%	1%	12%	1%	F	0.077	F	13000	G	
	To: CL South Boston																
360 58	Bill Tuck Hwy	Halifax County	0.52	13000	N	85%	1%	1%	1%	12%	1%	N	0.077	N	13000	N	
	To: E US 58																
	From: US 58 E, Bill Tuck Hwy																
360	John Randolph Blvd	Halifax County	0.45	9600	G	85%	1%	1%	1%	11%	1%	F	0.083	F	9400	G	
	To: SCL South Boston																
360	John Randolph Blvd	Town of South Boston (Maint: 41)	0.16	9600	G	85%	1%	1%	1%	11%	1%	F	0.083	F	9400	G	
	To: SR 304 Seymour Dr																
360	John Randolph Blvd	Town of South Boston	0.52	9100	G	85%	1%	1%	1%	11%	1%	F	0.085	F	8900	G	
	To: SR 34 Hodges St																

Virginia Department of Transportation  
Traffic Engineering Division  
2010  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Halifax Maintenance Area

Route	Jurisdiction	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW
							2Axle	3+Axle	1Trail	2Trail						
360 John Randolph Blvd	Town of South Boston	0.44	10000	G	85%	1%	1%	1%	11%	1%	F	0.085	F	10000	G	
360 John Randolph Blvd	Town of South Boston (Maint: 41)	0.09	7400	G	85%	1%	1%	1%	11%	1%	F	0.081	F	7200	G	
360 James D Hagood Hwy	Halifax County	1.43	7300	G	85%	1%	1%	1%	11%	1%	F	0.076	F	7100	G	
360 James D Hagood Hwy	Halifax County	5.28	6100	G	85%	1%	1%	1%	11%	1%	F	0.078	F	5900	G	
360 James D Hagood Hwy	Halifax County	2.40	7300	G	85%	1%	1%	1%	11%	1%	F	0.081	F	7100	G	
360 James D Hagood Hwy	Halifax County	2.79	6200	G	85%	1%	1%	1%	11%	1%	F	0.079	F	6100	G	
360 James D Hagood Hwy	Halifax County	2.73	5600	G	85%	1%	1%	1%	11%	1%	F	0.077	F	5500	G	
360 Mountain Rd	Halifax County	5.11	1100	G	93%	1%	1%	1%	4%	0%	C	0.091	F	0.535	1100	G
360 Mountain Rd	Halifax County	5.65	1900	G	93%	1%	1%	1%	4%	0%	F	0.093	F	0.605	2000	G
360 Mountain Rd	Halifax County	2.57	5400	G	93%	1%	1%	1%	4%	0%	F	0.084	F	0.64	5800	G
360 Mountain Rd	Halifax County	0.30	2200	N	93%	0%	1%	1%	5%	0%	N	0.089	N	0.58	2400	N
360 Mountain Rd	Town of Halifax (Maint: 41)	1.72	2200	G	93%	0%	1%	1%	5%	0%	C	0.089	F	0.58	2400	G
360 501 Main St	Town of Halifax (Maint: 41)	0.78	8800	G	97%	0%	1%	0%	2%	0%	F	0.091	F	9400	G	
360 Bethel Rd	Town of Halifax (Maint: 41)	0.26	4100	G	92%	0%	1%	1%	6%	0%	C	0.085	F	4400	G	
360 Bethel Rd	Halifax County	6.19	2800	G	86%	1%	1%	1%	11%	0%	C	0.084	F	3000	G	
501 Huell Matthews Hwy	Halifax County	2.46	3600	G	88%	1%	1%	3%	8%	0%	F	0.103	F	0.598	3800	G
501 Huell Matthews Hwy	Halifax County	3.84	4500	G	88%	1%	1%	3%	8%	0%	C	0.103	F	4800	G	

Virginia Department of Transportation  
Traffic Engineering Division  
2010  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Halifax Maintenance Area

Route	Jurisdiction	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	
							2Axle	3+Axle	1Trail	2Trail							
501	Huell Matthews Hwy	From: 41-658 Cluster Springs Rd To: Halifax County	4.64	6100	G	88%	1%	1%	3%	8%	0%	F	0.087	F	6500	G	
501	Main St	From: US 58, US 360; SCL South Boston To: Town of South Boston	0.53	18000	G	97%	0%	1%	0%	1%	0%	C	0.089	F	19000	G	
501	Broad St	From: US 501 P; Broad St To: US 501 P Main St	0.09	8600	G	97%	0%	1%	0%	1%	0%	F	0.098	F	9400	G	
		Combined Traffic Estimates for 2 Parallel Roadways on this Route:	16000	G	97%	1%	1%	0%	1%	0%	0%	F	NA		17000	G	
501	Broad St	From: SR 304 Seymour Dr To: Town of South Boston	0.22	8500	G	97%	0%	1%	0%	1%	0%	C	0.092	F	9200	G	
		Combined Traffic Estimates for 2 Parallel Roadways on this Route:	16000	G	97%	1%	1%	0%	1%	0%	0%	C	NA		18000	G	
501	Broad St	From: SR 129 North Main St To: Town of South Boston	0.26	6400	G	97%	0%	1%	0%	1%	0%	F	0.089	F	6900	G	
		Combined Traffic Estimates for 2 Parallel Roadways on this Route:	14000	G	97%	1%	1%	0%	1%	0%	0%	F	NA		15000	G	
501	Broad Street	From: Third St To: Town of South Boston	0.18	6100	G	97%	0%	1%	0%	2%	0%	C	0.101	F	6600	G	
501	Broad Street	From: Edmunds St To: Town of South Boston	0.41	6200	G	97%	0%	1%	0%	2%	0%	F	0.096	F	6700	G	
		Combined Traffic Estimates for 2 Parallel Roadways on this Route:	15000	G	97%	1%	1%	0%	1%	0%	0%	F	NA		16000	G	
501	Wilborn Ave	From: US 501 P Wilborn Ave To: US 501 P; Broad St	0.51	15000	G	97%	0%	1%	0%	2%	0%	F	0.087	F	16000	G	
501	Halifax Rd	From: Hamilton Blvd To: Town of South Boston	0.69	17000	G	97%	0%	1%	0%	2%	0%	F	0.09	F	18000	G	
501	Halifax Rd	From: Old NCL South Boston To: Town of South Boston	0.79	17000	G	97%	0%	1%	0%	2%	0%	F	0.091	F	19000	G	
501	Halifax Rd	From: SR 129 N, Old Halifax Rd To: Town of South Boston	0.38	25000	G	97%	0%	1%	0%	2%	0%	F	NA		25000	G	
501	Halifax Rd	From: NCL South Boston To: Halifax County	0.36	12000	G	95%	1%	1%	0%	2%	0%	C	0.088	F	12000	G	
501	Main St	From: SCL Halifax To: Town of Halifax (Maint: 41)	1.56	11000	G	95%	1%	1%	0%	2%	0%	C	0.085	F	12000	G	
501	360 Main St	From: SR 360 S, Mountain Rd To: Town of Halifax (Maint: 41)	0.78	8800	G	97%	0%	1%	0%	2%	0%	F	0.091	F	9400	G	
501	L P Bailey Memorial Hwy	From: SR 360 N, Bethel Rd To: Town of Halifax (Maint: 41)	0.67	4700	G	90%	1%	1%	1%	7%	0%	F	0.082	F	0.673	5000	G
501	L P Bailey Memorial Hwy	From: ECL Halifax To: Halifax County	6.56	4200	G	90%	1%	1%	1%	7%	0%	F	0.084	F	0.672	4500	G
		To: 41-642 Meadville Rd, Liberty Rd															

Virginia Department of Transportation  
 Traffic Engineering Division  
 2010  
 Annual Average Daily Traffic Volume Estimates By Section of Route  
 Halifax Maintenance Area

Route	Jurisdiction	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	
							2Axle	3+Axle	1Trail	2Trail							
501 L P Bailey Memorial Hwy	Halifax County	From: 41-642 Meadville Rd, Liberty Rd	5.85	3200	G	90%	1%	1%	1%	7%	0%	C	0.09	F	3500	G	
		To: 41-603 Cody Rd															
501 L P Bailey Memorial Hwy	Halifax County	From: 41-603 Volens Rd	2.57	2700	G	90%	1%	1%	1%	7%	0%	F	0.086	F	0.554	2900	G
		To: 41-645 State Shed Rd															
501 L P Bailey Memorial Hwy	Halifax County	From: 41-645 State Shed Rd	4.90	3200	G	90%	1%	1%	1%	7%	0%	F	0.088	F	0.502	3400	G
		To: SR 40 Stage Coach Rd															
501 40 L P Bailey Memorial Hwy	Halifax County	From: SR 40 Stage Coach Rd	0.97	5000	G	92%	0%	1%	0%	6%	0%	C	0.084	F	5300	G	
		To: Campbell County Line															
501 Main St	Town of South Boston	From: US 501 Broad St	0.07	7400	G	97%	1%	1%	0%	1%	0%	F	0.084	F	8000	G	
		Combined Traffic Estimates for 2 Parallel Roadways on this Route: 16000 G 97% 1% 1% 0% 1% 0% F NA 17000 G															
501 Main St	Town of South Boston	From: SR 304 Seymour Dr	0.18	7700	G	97%	1%	1%	0%	1%	0%	C	0.088	F	8400	G	
		Combined Traffic Estimates for 2 Parallel Roadways on this Route: 16000 G 97% 1% 1% 0% 1% 0% C NA 18000 G															
501 Wilborne Ave	Town of South Boston	From: SR 129 North Main St	0.26	7300	G	97%	1%	1%	0%	1%	0%	F	0.088	F	8000	G	
		Combined Traffic Estimates for 2 Parallel Roadways on this Route: 14000 G 97% 1% 1% 0% 1% 0% F NA 15000 G															
501 Wilborne Ave	Town of South Boston	From: Third St	0.57	9000	G	97%	1%	1%	0%	1%	0%	F	0.084	F	9700	G	
		To: US 501 Broad Street															

Virginia Department of Transportation  
Traffic Engineering Division  
2010  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Halifax Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Halifax County</b>																
(F831) Keystone Mill Rd	0.06	120	R								NA		NA			09/08/2008
(F1064)	0.19	60	R								NA		NA			08/13/2008
(600) Black Walnut Rd	4.55	410	R								NA		NA			09/07/2005
(600) Black Walnut Rd	1.39	360	R								NA		NA			09/07/2005
(601) Stevens Rd	0.31	80	R								NA		NA			09/19/2005
(601) Bucksheal Rd	0.40	600	R								NA		NA			08/11/2008
(601) Bucksheal Rd	1.60	610	R								NA		NA			08/11/2008
(601) Bucksheal Rd	1.20	380	R								NA		NA			08/11/2008
(601) Bucksheal Rd	1.00	160	R								NA		NA			08/11/2008
(601) Bucksheal Rd	1.00	140	R								NA		NA			08/11/2008
(601) Virgie Cole Rd	1.50	100	R								NA		NA			08/11/2008
(602) N Fork Church Rd	2.10	100	G	95%	2%	2%	0%	2%	0%	F	0.132	F	0.533	100	G	2010
(602) North Fork Church Rd	3.80	290	G	95%	2%	2%	0%	2%	0%	F	0.104	F	0.551	310	G	2010
(602) Hitesburg Church Rd	2.80	340	G	95%	2%	2%	0%	2%	0%	C	0.146	F	0.618	370	G	2010
(603) Cody Rd	3.73	1000	G	90%	1%	1%	0%	7%	0%	F	0.105	F	0.552	1100	G	2010
(603) Cody Rd	2.35	1500	G	90%	1%	1%	0%	7%	0%	C	0.096	F	0.571	1600	G	2010
(603) Volens Rd	3.50	430	G	81%	1%	1%	1%	16%	0%	F	0.095	F	0.518	460	G	2010
(603) Volens Rd	1.41	670	G	81%	1%	1%	1%	16%	0%	F	0.085	F	0.601	720	G	2010
(603) Lenning Rd	3.65	760	G	81%	1%	1%	1%	16%	0%	C	0.101	F	0.543	820	G	2010
(603) Hunting Creek Rd	5.20	510	G	81%	1%	1%	1%	16%	0%	F	0.101	F	0.532	550	G	2010
(603) Hunting Creek Rd	2.64	540	G	81%	1%	1%	1%	16%	0%	F	0.101	F	0.552	580	G	2010
(604) Rip Rap Rd	1.50	120	R								NA		NA			08/13/2008
(604) Rip Rap Rd	0.75	60	R								NA		NA			08/13/2008

Virginia Department of Transportation  
Traffic Engineering Division  
2010  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Halifax Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Halifax County</b>																
(604) Rip Rap Rd	0.55	60	R									NA		NA		08/13/2008
(604) Rip Rap Rd	0.20	60	R									NA		NA		10/03/2005
(605) Mill Rd	2.38	130	R									NA		NA		08/04/2008
(606) Rice School Rd	0.50	10	R									NA		NA		08/13/2008
(606) Rice School Rd	0.60	70	R									NA		NA		08/13/2008
(606) Rice School Rd	0.55	140	R									NA		NA		08/13/2008
(606) Rice School Rd	0.65	170	R									NA		NA		08/13/2008
(607) Rodgers Chapel Rd	4.96	1400	G	94%	1%	1%	1%	3%	0%	C	0.100	F	0.767	1500	G	2010
(608) Cole Lane	1.70	320	R									NA		NA		09/13/2005
(608) Rev Coleman Rd	1.70	290	R									NA		NA		08/04/2008
(609) Abbott Hill Rd	2.10	240	R									NA		NA		08/04/2008
(609) Abbott Hill Rd	1.30	430	R									NA		NA		08/04/2008
(609) West Store Rd	2.30	220	R									NA		NA		07/30/2008
(610) Murphy Grove Rd	1.67	190	R									NA		NA		08/06/2008
(610) Crystal Hill Rd	4.60	420	G	97%	1%	1%	0%	1%	0%	F	0.107	F	0.5	450	G	2010
(610) Clay's Mill Rd	2.00	280	G	97%	1%	1%	0%	1%	0%	F	0.116	F	0.563	300	G	2010
(610) Clays Mill Rd	2.35	430	G	97%	1%	1%	0%	1%	0%	F	0.166	F	0.606	460	G	2010
(610) Clays Mill Rd	2.39	800	G	97%	1%	1%	0%	1%	0%	C	0.097	F	0.738	860	G	2010
(611) Hundley Rd	2.43	280	R									NA		NA		08/04/2008
(611) Hundley Rd	0.60	240	R									NA		NA		08/04/2008
(612) Clays Mill School Rd	1.30	550	R									NA		NA		09/13/2005
(612) Clays Mill School Rd	0.60	40	R									NA		NA		09/13/2005

Virginia Department of Transportation  
Traffic Engineering Division  
2010  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Halifax Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Halifax County</b>																
(613) Marions Trail	0.70	210	R								NA			NA		09/13/2005
						From: 41-626 Howard P Johnson Hwy										
(613) Marions Trail	0.28	140	R								NA			NA		09/13/2005
						To: 41-893 James Trail										
(613) Wagstaff Lane	0.45	870	R								NA			NA		08/04/2008
						From: Dead End; Gap										
(613) Wagstaff Lane	0.36	280	R								NA			NA		09/13/2005
						From: 41-614 W, Burton Rd										
(613) Wagstaff Lane	0.30	190	R								NA			NA		08/04/2008
						From: 41-614 E, Burton Rd										
(613) Terrys Bridge Rd	3.30	420	G	98%	0%	1%	1%	0%	0%	C	0.126	F	0.536	450	G	2010
						From: SR 360 W, Bethel Rd										
(613) Terrys Bridge Rd	2.74	720	G	93%	1%	1%	1%	3%	0%	F	0.088	F	0.549	770	G	2010
						From: SR 360 E, Bethel Rd										
						To: US 360 James D Hagwood Hwy										
						To: WCL Scottsburg										
<b>Town of Scottsburg</b>																
(613) Terrys Bridge Rd	0.28	730	G	93%	1%	1%	1%	3%	0%	C	0.106	F	0.643	780	G	2010
						From: WCL Scottsburg										
						To: SR 344 Scottsburg Rd										
<b>Halifax County</b>																
(614) Love Shop Rd	2.07	2500	G	96%	1%	1%	2%	0%	0%	C	0.089	F	0.596	2700	G	2010
						From: 41-716 Rodgers Chapel Rd										
(614) Love Shop Rd	1.90	1900	G	96%	1%	1%	2%	0%	0%	F	0.085	F	0.609	2100	G	2010
						From: 41-651 Cowford Rd										
(614)	0.31	750	R								NA			NA		08/04/2008
						From: SR 360 Bethel Rd										
(614) Burton Rd	2.25	620	R								NA			NA		09/13/2005
						From: 41-613 E, Wagstaff Lane										
						To: 41-613 W, Wagstaff Lane										
						To: 41-610 Clays Mill Rd										
(615) Tucker Rd	2.30	310	R								NA			NA		09/13/2005
						From: US 501, L P Bailey Mem Hwy										
						To: 41-626 S, Howard P Johnson Hwy										
(615) Winns Creek Rd	2.30	610	R								NA			NA		09/13/2005
						From: 41-626 N, Howard P Johnson Hwy; Howard P Anderson										
						To: 41-610 Clays Mill Rd										
(616) Neals Corner Rd	2.50	150	R								NA			NA		07/30/2008
						From: 41-603 Hunting Creek Rd										
(616) Neals Corner Rd	0.50	120	R								NA			NA		07/30/2008
						From: 41-780 Lloyds Mill Rd										
(616) Neals Corner Rd	1.10	80	R								NA			NA		07/30/2008
						From: 41-617 Cove Rd										
(617) Cove Rd	0.90	110	R								NA			NA		07/28/2008
						From: 41-746 Mt Laurel Rd										
(617) Cove Rd	2.00	40	R								NA			NA		07/28/2008
						From: 41-616 Neals Corner Rd										
(617) Cove Rd	1.45	70	R								NA			NA		07/28/2008
						From: 41-618 Chester Rd										
(617) Cove Rd	0.01	10	R								NA			NA		09/01/2005
						From: 41-623 Mortons Ferry Rd										
						To: 1.45 MN 41-623 Mortons Ferry Rd										
(618) Chester Rd	1.60	60	R								NA			NA		09/01/2005
						From: 41-617 Cove Rd										
						To: 41-623 Mortons Ferry Rd										

Virginia Department of Transportation  
Traffic Engineering Division  
2010  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Halifax Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Halifax County</b>																
(619) Hardings Mill Rd	2.90	100	R								NA		NA			09/01/2005
			From:	41-603 Hunting Creek Rd												
			To:	41-623 Mortons Ferry Rd												
(620) Narrow Bridge Rd	0.20	60	R								NA		NA			09/01/2005
			From:	41-626 Clarkton Rd												
			To:	Charlotte County Line												
(621) Bradley Creek Rd	3.30	120	R								NA		NA			07/30/2008
			From:	41-647 Leda Grove Rd												
			To:	US 501, L P Bailey Mem Hwy												
(621) Beaver Pond Rd	1.10	110	R								NA		NA			07/30/2008
			From:	41-761 Boxwood Rd												
(621) Beaver Pond Rd	2.00	110	R								NA		NA			07/30/2008
			From:	41-642 Liberty Rd												
(621) Chilsolm Trail	0.80	100	R								NA		NA			07/30/2008
			From:	41-875 Moormans Lane												
(621) Chilsolm Trail	0.90	80	R								NA		NA			07/30/2008
			From:	Dead End; Gap												
(621) Hodges St	1.40	80	R								NA		NA			07/30/2008
			From:	41-626 N, Howard P Anderson Rd												
			To:	41-626 S, Howard P Anderson Rd												
(621) Newbill School Rd	3.40	180	G	96%	2%	0%	1%	0%	0%	C	0.105	F	0.546	190	G	2010
			From:	41-739, T N Snow Rd												
(621) Newbill School Rd	0.83	210	G	96%	2%	0%	1%	0%	0%	F	0.138	F	0.509	220	G	2010
			From:	41-609 Abbott Hill Rd												
(621) Newbill School Rd	3.30	250	G	96%	2%	0%	1%	0%	0%	F	0.119	F	0.567	270	G	2010
			From:	41-603 Hunting Creek Rd												
			To:	Dead End												
(622) Waltman Trail	1.00	80	R								NA		NA			08/04/2008
			From:	SR 360 Mtn Rd												
(623) Mortons Ferry Rd	2.72	180	R								NA		NA			07/28/2008
			From:	41-603 Hunting Creek Rd												
(623) Mortons Ferry Rd	0.24	200	R								NA		NA			07/28/2008
			From:	41-619 Hardings Mill Rd												
(623) Mortons Ferry Rd	1.01	410	R								NA		NA			09/01/2005
			From:	41-758 Crossroads Trail												
(623) Mortons Ferry Rd	2.47	190	R								NA		NA			09/01/2005
			From:	41-624 Coles Ferry Rd												
(623) Mortons Ferry Rd	1.09	100	R								NA		NA			09/01/2005
			From:	41-618 Chester Rd												
(623) Mortons Ferry Rd	0.65	10	R								NA		NA			07/28/2008
			From:	41-617 Cove Rd												
			To:	Dead End												
(624) Coles Ferry Rd	2.40	170	R								NA		NA			09/01/2005
			From:	41-626 Clarkton Rd												
			To:	41-625 Ellis Creek Rd												
(624) Coles Ferry Rd	5.48	150	R								NA		NA			09/01/2005
			From:	41-625 Ellis Creek R												
(624) Coles Ferry Rd	1.50	70	R								NA		NA			09/01/2005
			From:	41-623 Mortons Ferry Rd												
			To:	Dead End												
(625) Ellis Creek Rd	1.60	60	R								NA		NA			07/28/2008
			From:	41-626 Clarkton Rd												
			To:	41-624 Coles Ferry Rd												



Virginia Department of Transportation  
Traffic Engineering Division  
2010  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Halifax Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Halifax County</b>																
(626) Shiloh Church Rd	3.11	300	G	97%	0%	0%	1%	1%	0%	C	0.115	F	0.541	320	G	2010
						From: US 501 L P Bailey Mem Hwy										
						To: 41-632 Hog Wallow Rd										
(626) Clarkton Rd	4.10	220	G	97%	0%	0%	1%	1%	0%	F	0.135	F	0.563	230	G	2010
						From: 41-625 Ellis Creek Rd										
(626) Clarkton Rd	4.70	220	G	95%	4%	1%	0%	0%	0%	C	0.108	F	0.593	230	G	2010
						From: 41-603 E, Hunting Creek Rd										
						To: 41-603 W, Hunting Creek Rd										
(626) Howard P Anderson Rd	3.30	870	G	84%	1%	1%	0%	14%	0%	F	0.099	F	0.584	930	G	2010
						From: 41-610 S Clays Mill Rd										
(626) Howard P Anderson Rd	2.96	1000	G	84%	1%	1%	0%	14%	0%	F	0.093	F	0.737	1100	G	2010
						From: 41-615 N, Winns Creek Rd										
(626) Howard P Johnson Hwy	2.45	1800	G	84%	1%	1%	0%	14%	0%	C	0.085	F	0.524	1900	G	2010
						To: SR 360 Bethel Rd										
(627) Armistead Rd	2.40	60	R								NA		NA		07/28/2008	
						From: 41-603 Lenning Rd										
						To: 41-644 Stoney Ridge Rd										
(628) Chestnut Rd	4.90	390	R								NA		NA		08/29/2005	
						From: 41-647 Leda Grove Rd										
						To: US 501, L P Bailey Mem Hwy										
(629) Henrys Trail	0.70	150	R								NA		NA		07/28/2008	
						From: Dead End										
						To: 41-603 Lenning Rd										
(630) Doctor Merritt Rd	0.60	130	R								NA		NA		08/29/2005	
						From: 41-603 Lenning Rd										
						To: 41-631 Railroad Dr										
(630) Doctor Merritt Rd	0.80	48	R								NA		NA		08/29/2005	
						From: Dead End										
						To: 41-644										
(631) Railroad Dr	0.60	70	R								NA		NA		07/28/2008	
						From: 41-644										
						To: 41-630 Doctor Merritt Rd										
(632) Hog Wallow Rd	4.61	550	G	97%	1%	0%	0%	1%	0%	C	0.099	F	0.712	580	G	2010
						From: 41-626 Clarkton Rd										
						To: US 501; SR 40 LP Bailey Hwy										
(633) Turkey Track Lane	1.50	80	R								NA		NA		09/01/2005	
						From: 41-634 Elder Rd										
						To: Dead End										
(634) Elder Rd	1.30	20	R								NA		NA		07/28/2008	
						From: 41-632 Hog Wallow Rd										
						To: 41-633 Turkey Track Lane										
(634) Elder Rd	0.40	110	R								NA		NA		07/28/2008	
						From: 41-636 Childrey Rd; Childrey Church Rd										
(635) Loop Rd	2.50	80	R								NA		NA		10/24/2005	
						From: SR 360 Mtn Rd										
						To: 41-665 Nunnleys Bridge Rd										
(636) Thorntons Rd	1.50	250	R								NA		NA		07/28/2008	
						From: SR 40 Stage Coach Rd										
						To: 41-645 State Shed Rd										
(636) Thorntons Rd	1.62	80	R								NA		NA		07/28/2008	
						From: 1.62 ME 41-645 State Shed Rd										
(636) Thorntons Rd	0.07	90	R								NA		NA		07/28/2008	
						From: US 501 N, L P Bailey Mem Hwy										
						To: US 501 S, L P Bailey Mem Hwy										
(636) Childrey Church Rd	1.26	270	R								NA		NA		07/28/2008	
						From: 41-634 Elder Rd										

Virginia Department of Transportation  
Traffic Engineering Division  
2010  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Halifax Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Halifax County</b>																
(636) Childrey Rd	0.80	210	R													07/28/2008
(637) Cherry Creek Rd	1.80	80	R													07/28/2008
(638) Bull Creek Rd	0.80	170	R													07/28/2008
(638) Bull Creek Rd	0.90	110	R													07/28/2008
(638) Bull Creek Rd	3.79	230	R													07/28/2008
(638) Perth Rd	1.50	180	R													07/28/2008
(639) Rock Barn Rd	1.20	250	R													07/28/2008
(639) Rock Barn Rd	0.40	180	R													07/28/2008
(639) Rock Barn Rd	2.50	170	R													07/28/2008
(640) Buffalo Rd	1.00	290	R													07/28/2008
(640) Buffalo Rd	2.10	250	R													07/28/2008
(640) Buffalo Rd	3.20	180	R													07/28/2008
(641) Lower Liberty Rd	3.30	180	R													07/30/2008
(642) Meadville Rd	3.02	730	G	91%	2%	1%	1%	7%	0%	C	0.111	F	0.505	780	G	2010
(642) Liberty Rd	4.69	670	G	96%	1%	1%	1%	1%	0%	C	0.099	F	0.514	720	G	2010
(643) McKendree Church Rd	0.10	20	R													08/06/2008
(643) MeKendree Church Rd	0.40	70	R													08/06/2008
(643) Cedar Fork Rd	0.50	130	R													08/04/2008
(644)	1.20	790	G	94%	0%	2%	1%	3%	0%	C	0.100	F	0.529	840	G	2010
(644) Stoney Ridge Rd	2.75	110	R													07/28/2008
(644) Stoney Ridge Rd	0.60	100	R													07/28/2008

Virginia Department of Transportation  
Traffic Engineering Division  
2010  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Halifax Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year	
						2Axle	3+Axle	1Trail	2Trail								
<b>Halifax County</b>																	
(645) Acorn Rd	3.01	580	G	92%	0%	2%	1%	5%	0%	C	0.093	F	0.556	620	G	2010	
						From: 41-644											
						To: US 501 S, L P Bailey Mem Hwy											
(645) State Shed Rd	2.42	250	R									NA		NA		07/28/2008	
						From: US 501 N, L P Bailey Mem Hwy											
						To: 41-636 Thorntons Rd											
(646) Rabat Rd	2.08	220	R									NA		NA		07/28/2008	
						From: 41-645 Acorn Rd											
(646) Rabat Rd	0.34	290	R									NA		NA		07/28/2008	
						From: 41-811 Matts Trail											
						To: 41-626 Shiloh Church Rd											
(647) Leda Grove Rd	4.01	240	G	97%	2%	1%	0%	0%	0%	F	0.105	F	0.554	260	G	2010	
						From: 41-667 Leda Rd											
						To: 41-603 East Cody Rd											
(647) Tobacco Rd	2.18	270	G	97%	2%	1%	0%	0%	0%	F	0.108	F	0.508	290	G	2010	
						From: 41-603 West Cody Rd											
						To: 41-649 Golden Leaf Rd											
(647) Tobacco Rd	1.70	250	G	97%	2%	1%	0%	0%	0%	C	0.101	F	0.679	270	G	2010	
						From: SR 40 Stage Coach Rd											
						To: 41-696 Henderson Rd											
(648) Mason Chapel Rd	3.70	80	R									NA		NA		08/13/2008	
						From: 41-699 Mt Caramel Rd											
(649) Old Concord Rd	1.20	150	R									NA		NA		07/30/2008	
						From: 41-667 Leda Rd											
						To: 41-786 Runaway Rd											
(649) Old Concord Rd	1.50	140	R									NA		NA		07/30/2008	
						From: 41-603 S, Cody Rd											
						To: 41-603 N, Cody Rd											
(649)	2.90	210	R									NA		NA		07/28/2008	
						From: 41-647 Tobacco Rd											
						To: 71-650 Jennings Rd; 71-667 Hermosa Rd											
(650) Mulberry Rd	0.09	150	N									NA		NA		07/30/2008	
						From: 41-667 Leda Rd											
(650) Mulberry Rd	1.21	150	R									NA		NA		07/30/2008	
						From: 41-657 Felix Rd											
(650) Mulberry Rd	1.00	250	R									NA		NA		07/30/2008	
						From: 41-640 Buffalo Rd											
(650) Mulberry Rd	0.60	130	R									NA		NA		07/28/2008	
						From: 41-603 Cody Rd											
						To: 41-603 Cody Rd											
<b>Town of Halifax</b>																	
(651) Cowford Rd	0.11	1000	G	94%	0%	1%	4%	0%	0%	F	0.098	F	0.616	1100	G	2010	
						From: US 501 Main St											
						To: ECL Halifax											
<b>Halifax County</b>																	
(651) Cowford Rd	2.21	980	G	94%	0%	1%	4%	0%	0%	C	0.099	F	0.642	1000	G	2010	
						From: ECL Halifax											
						To: 41-614 Love Shop Rd											
<b>Town of Halifax</b>																	
(652) Academy St	0.44	80	R									NA		NA		09/08/2008	
						From: Dead End											
						To: SCL Halifax											
<b>Halifax County</b>																	
(652)	1.52	170	R									NA		NA		08/19/2002	
						From: SCL Halifax											
						To: SR 360 Mountain Rd											
(653) Ball Park Loop	1.60	110	R									NA		NA		09/08/2008	
						From: SR 360 EAST; 41-903											
						To: 41-880 Burns Trail											

Virginia Department of Transportation  
Traffic Engineering Division  
2010  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Halifax Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Halifax County</b>																
(653) Ball Park Loop	1.90	190	R			From: 41-880 Burns Trail					NA			NA		09/08/2008
						To: SR-360 W, Mountain Rd										
(654) Singi Rd	2.73	6200	G	98%	1%	From: SR 360 Mountain Rd				C	0.085	F		6600	G	2010
						To: US 501 Halifax Rd										
(655) Blane Rd	1.20	620	G	96%	2%	From: 41-711 Harmony Rd				C	0.102	F	0.5	660	G	2010
						To: 41-658 Turbeville Rd										
(656) Hackberry Rd	3.05	500	G	95%	0%	From: US 58 Philpott Rd				C	0.111	F	0.672	530	G	2010
						To: Pittsylvania County Line										
(657) Felix Rd	1.80	80	R			From: 41-667 Leda Rd					NA			NA		07/30/2008
						To: 41-650 Mulberry Rd										
(658) Melon Rd	1.80	240	R			From: Pittsylvania County Line					NA			NA		08/13/2008
(658)	3.76	470	N	92%	0%	From: 41-688 Kerns Mill Rd				N	0.129	N	0.669	500	N	2010
						To: 41-662 Ashton Hall Rd										
(658) Melon Rd	0.42	470	G	92%	0%	From: 41-662 Goodes Rd				F	0.129	F	0.669	500	G	2010
						To: 41-691 Stebbins Rd										
(658) Melon Rd	3.84	730	G	92%	0%	From: US-58 W, Philpott Rd				C	0.107	F	0.639	780	G	2010
						To: 41-773 Jeffress Trail										
(658) Turbeville Rd	2.80	460	G	98%	1%	From: 41-797 Traynham Grove Rd				F	0.117	F	0.564	500	G	2010
						To: 41-704 S, Black Walnut Church Rd										
(658) Turbeville Rd	1.96	500	G	98%	1%	From: 41-704 S, Black Walnut Church Rd				F	0.134	F	0.585	530	G	2010
						To: 41-797 Traynham Grove Rd										
(658) Cluster Springs Rd	0.63	1100	G	98%	1%	From: 41-708 Cedar Grove Rd				F	0.101	F	0.546	1100	G	2010
						To: 41-704 S, Black Walnut Church Rd										
(658) Cluster Springs Rd	3.56	1200	G	98%	1%	From: 41-704 S, Black Walnut Church Rd				F	0.093	F	0.548	1300	G	2010
						To: US 501 Huell Matthews Hwy										
(658) Cherry Hill Church Rd	0.80	1800	G	98%	1%	From: US 501 Huell Matthews Hwy				C	0.101	F	0.583	1900	G	2010
						To: 41-744 S, East Hyco Rd										
(658) Grady T Cole Memorial	3.52	600	G	93%	4%	From: 41-744 N, East Hyco Rd				F	0.127	F	0.627	640	G	2010
						To: 41-744 N, East Hyco Rd										
(658) Grady T Cole Memorial	0.12	180	G	93%	4%	From: 41-741 W, Wallace Cole Rd				C	0.134	F	0.704	200	G	2010
						To: 41-741 E, Wallace Cole Rd										
(658) Virgie Cole Rd	3.80	300	G	93%	4%	From: 41-741 E, Wallace Cole Rd				F	0.123	F	0.543	320	G	2010
						To: US 58 E; 41-601										
(659) Brooklyn Rd	1.58	270	G	96%	1%	From: Pittsylvania County Line				F	0.121	F	0.605	290	G	2010
						To: 41-688 Goodes Rd										
(659) River Rd	3.72	290	G	96%	1%	From: 41-688 Goodes Rd				F	0.126	F	0.578	310	G	2010
						To: 41-691 Stebbins Rd										
(659) River Rd	3.89	360	G	96%	1%	From: 41-691 Stebbins Rd				F	0.116	F	0.558	380	G	2010
						To: 41-683 Oak Level Rd										
(659) River Rd	1.74	630	G	96%	1%	From: 41-683 Oak Level Rd				C	0.113	F	0.608	680	G	2010
						To: 41-681 Union Church Rd										
(659) River Rd	5.48	850	G	98%	1%	From: 41-681 Union Church Rd				F	0.114	F	0.603	900	G	2010
						To: 41-682 S, Berry Hill Rd										

Virginia Department of Transportation  
Traffic Engineering Division  
2010  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Halifax Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Halifax County</b>																
(659) River Rd	0.09	2600	G	98%	1%	From: 41-682 S, Berry Hill Rd To: 41-682 N, Old Grubby Rd				F	0.104	F	0.515	2700	G	2010
(659) River Rd	1.27	2900	G	98%	1%	From: 41-654 Sinai Rd To: Pittsylvania County Line				C	0.097	F		3100	G	2010
(660) Glass Mill Rd	0.45	60	R			From: 41-661 High Point Rd To: 41-662 Birch Elmo Rd					NA			NA		08/04/2008
(660) Glass Mill Rd	0.40	90	R			From: 41-662 Birch Elmo Rd To: Pittsylvania County Line					NA			NA		08/04/2008
(661) High Point Rd	0.50	80	R			From: 41-660 Glass Mill Rd To: SR 360 Mtn Rd					NA			NA		08/04/2008
(662) Birch Elmo Rd	0.80	170	R			From: 41-684 Hummingbird Lane To: 41-660 Glass Mill Rd					NA			NA		08/04/2008
(662) Birch Elmo Rd	1.00	100	R			From: 41-660 Glass Mill Rd To: 41-685 Lewis Ferrell Rd					NA			NA		08/04/2008
(662) Birch Elmo Rd	3.80	110	R			From: 41-685 Lewis Ferrell Rd To: 41-659 E, River Rd					NA			NA		08/11/2008
(662) Birch Elmo Rd	0.40	220	R			From: 41-659 W, River Rd To: 41-658 Melon Rd					NA			NA		08/11/2008
(662) Ashton Hall Rd	2.40	80	G	94%	1%	2%	2%	1%	0%	C	0.16	F	0.583	80	G	2010
(663) Carlbrook Rd	2.10	60	R			From: SR 360 Mtn Rd To: 41-684 Hummingbird Lane					NA			NA		08/04/2008
(664) Johns Run Rd	2.00	30	R			From: Pittsylvania County Line To: 41-675; 41-807					NA			NA		08/04/2008
(665) Nunnleys Bridge Rd	0.70	210	R			From: 41-676 Thompson Store Rd To: 41-635 Loop Rd					NA			NA		10/24/2005
(665) Nunnleys Bridge Rd	1.90	170	R			From: 41-635 Loop Rd To: 41-675 Ridgeway Rd					NA			NA		09/15/2005
(666) East Elkhorn Rd	0.50	310	R			From: 41-667 Leda Rd To: 41-702 Logan Rd					NA			NA		09/15/2005
(666) East Elkhorn Rd	2.00	280	R			From: 41-702 Logan Rd To: Pittsylvania County Line					NA			NA		09/15/2005
(667) Leda Rd	2.65	250	G	90%	6%	From: SR 57 Chatham Rd To: 41-753 Beulah Road				F	0.103	F	0.698	270	G	2010
(667) Leda Rd	3.71	200	G	90%	6%	From: 41-753 Beulah Road To: 41-647 Leda Grove Rd				C	0.116	F	0.577	210	G	2010
(667) Leda Rd	3.48	250	G	90%	6%	From: 41-647 Leda Grove Rd To: 41-650 Mulberry Rd				F	0.112	F	0.586	270	G	2010
(668) Tower Lane	0.51	80	R			From: 41-603 Cody Rd To: SR 40; 41-640					NA			NA		07/28/2008
(668) Straightstone Rd	0.69	700	G	86%	1%	From: 41-640 Buffalo Rd To: Pittsylvania County Line				C	0.086	F	0.578	740	G	2010

Virginia Department of Transportation  
Traffic Engineering Division  
2010  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Halifax Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Halifax County</b>																
(669) Evergreen Rd	0.60	70	R			From: Pittsylvania County Line					NA			NA		07/28/2008
						To: 41-640 Buffalo Rd										
(670) Sandy Ridge Rd	1.00	130	R			From: SR 40 Stage Coach Rd					NA			NA		07/28/2008
						To: 41-637 Cherry Creek Rd										
(670) Sandy Ridge Rd	3.90	70	R			From: 41-639 Rock Barn Rd					NA			NA		07/28/2008
						To: Dead End										
(671) News Ferry Trail	0.90	70	R			From: 41-659 E, River Rd					NA			NA		08/06/2008
						To: 41-659 W, River Rd										
(671) Jones Ferry Rd	3.50	120	R			From: 41-679 Union Grove Rd; Deer Run Rd					NA			NA		08/06/2008
						To: SR-360 W, Mountain Rd										
(671) Swain Rd	2.90	140	R			From: SR 360 E, Mtn Rd					NA			NA		08/06/2008
						To: SR 57 Chatham Rd										
(672) Jones Trail	2.00	180	R			From: SR 57 Chatham Rd					NA			NA		07/30/2008
						To: 41-674 Blue Rock Trail										
(672) Plato Rd	1.10	100	R			From: 41-676 W, Ashbury Church Rd					NA			NA		07/30/2008
						To: 41-676 E, Ashbury Church Rd										
(672) Jones Trail	1.00	120	R			From: Dead End					NA			NA		07/30/2008
						To: SR 57 Chatham Rd										
(673) Farmer Trail	0.85	50	R			From: 41-936 McNear Trail					NA			NA		08/04/2008
						To: Dead End										
(674) Blue Rock Rd	1.70	120	R			From: 41-676 Ashbury Church Rd; Thompson Store Rd					NA			NA		10/24/2005
						To: 41-672 Jones Trail										
(674) Blue Rock Trail	0.90	40	R			From: Dead End					NA			NA		07/30/2008
						To: Pittsylvania County Line										
(675) Ridgeway Rd	0.60	120	R			From: 41-664; 41-807					NA			NA		09/15/2005
						To: 41-665 Nunleys Bridge Rd										
(675) Ridgeway Rd	1.80	110	R			From: 41-756 Cheerful Lane					NA			NA		09/15/2005
						To: SR 57 Chatham Rd										
(675) Ridgeway Rd	2.05	140	R			From: SR 57 Chatham Rd					NA			NA		09/15/2005
						To: Dead End										
(675) Ridgeway Rd	0.95	160	R			From: SR 360 Mtn Rd					NA			NA		08/04/2008
						To: 41-677 Ridge Rd										
(676) Thompson Store Rd	2.70	530	R			From: 41-674 Blue Rock Rd					NA			NA		10/24/2005
						To: 41-672 E, Jones Trail										
(676) Thompson Store Rd	0.80	300	R			From: 41-674 Blue Rock Rd					NA			NA		10/24/2005
						To: 41-672 E, Jones Trail										
(676) Ashbury Church Rd	2.60	260	R			From: 41-672 E, Jones Trail					NA			NA		10/24/2005
						To: 41-672 E, Jones Trail										

Virginia Department of Transportation  
Traffic Engineering Division  
2010  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Halifax Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Halifax County</b>																
(676) Ashbury Church Rd	1.14	500	R									NA		NA		10/26/2005
(677) Wilson Mem Trail	1.00	140	R									NA		NA		08/04/2008
(677) Wilson Mem Trail	1.40	320	R									NA		NA		08/04/2008
(677) Ridge Rd	1.60	360	R									NA		NA		10/24/2005
(677) Ridge Rd	1.60	150	R									NA		NA		10/24/2005
(678) Grubby Rd	0.80	790	G	98%	1%	1%	0%	0%	0%	C	0.096	F	0.825	850	G	2010
(678) Grubby Rd	3.50	220	R									NA		NA		09/08/2008
(679) Deer Run Rd	1.60	180	R									NA		NA		08/06/2008
(679) Union Grove Rd	1.70	330	R									NA		NA		08/06/2008
(680) Pleasant Grove Rd	3.00	90	R									NA		NA		08/06/2008
(680) Pleasant Grove Rd	1.40	240	R									NA		NA		08/06/2008
(681) Union Church Rd	2.90	110	R									NA		NA		08/06/2008
(681) Union Church Rd	0.45	530	R									NA		NA		08/06/2008
(681) Union Church Rd	2.15	400	G	97%	2%	0%	0%	0%	0%	C	0.099	F	0.636	430	G	2010
(682) Old Grubby Rd	3.17	840	G	99%	0%	0%	0%	0%	0%	F	0.105	F	0.573	900	G	2010
(682) Berry Hill Rd	1.06	2300	G	99%	0%	0%	0%	0%	0%	C	0.097	F	0.511	2400	G	2010
(683) Oak Level Rd	1.00	260	R									NA		NA		08/11/2008
(683) Oak Level Rd	3.80	160	R									NA		NA		08/11/2008
(683) Oak Level Rd	0.80	440	R									NA		NA		08/06/2008
(683) Oak Level Rd	1.50	670	R									NA		NA		08/06/2008
(684) Hummingbird Lane	1.80	130	R									NA		NA		08/04/2008
(684) Hummingbird Lane	1.80	240	R									NA		NA		08/04/2008

Virginia Department of Transportation  
Traffic Engineering Division  
2010  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Halifax Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Halifax County</b>																
(685) Lewis Ferrell Rd	4.70	170	R			From: 41-662 Birch Elmo Rd					NA		NA			08/06/2008
						To: 41-683; 41-771										
(686) Mercy Seat Rd	1.30	100	R			From: 41-689 Wooding Rd					NA		NA			10/17/2005
						To: 41-658										
(686) Mercy Seat Rd	0.60	80	R			From: Dead End					NA		NA			10/17/2005
						To: Dead End										
(687) Fire Tower Trail	0.16	150	R			From: 41-708 Cedar Grove Rd					NA		NA			10/13/2005
						To: Dead End										
(688) Kerns Mill Rd	3.08	320	R			From: Pittsylvania County Line					NA		NA			08/11/2008
						To: 41-658 Melon Rd										
(688) Kerns Mill Rd	1.90	100	R			From: 41-659 River Rd; Brooklyn Rd					NA		NA			08/11/2008
						To: Dead End										
(689) Wooding Rd	0.62	30	R			From: 0.62 ME Dead End					NA		NA			08/11/2008
						To: 41-686 Mercy Seat Rd										
(689) Wooding Rd	0.30	30	R			From: 41-658					NA		NA			08/11/2008
						To: 41-658										
(689) Wooding Rd	2.00	60	R			From: 41-603 Cody Rd					NA		NA			08/29/2005
						To: Dead End										
(690) Handy Bottom Trail	1.80	80	R			From: 41-658 Melon Rd					NA		NA			08/29/2005
						To: 41-659 River Rd										
(691) Stebbins Rd	2.00	260	R			From: Dead End					NA		NA			10/27/2005
						To: 41-751 Storys Creek Rd										
(692) Richardson Lane	0.45	70	R			From: North Carolina State Line WEST					NA		NA			10/12/2005
						To: 41-764 New Haven Rd										
(693) Pointer Rd	3.09	130	R			From: 41-829 Foster Rd; Samuel Rd					NA		NA			10/12/2005
						To: North Carolina State Line EAST										
(693) Pointer Rd	0.22	180	R			From: US 58; SR 119					NA		NA			08/13/2008
						To: 1.00 ME US 58										
(694) Medley Rd	0.55	40	R			From: Dead End					NA		NA			10/12/2005
						To: Dead End										
(695) Buckskin Trail	0.30	80	R			From: Dead End					NA		NA			07/28/2008
						To: 41-624 Coles Ferry Rd										
(696) Henderson Rd	0.20	48	R			From: North Carolina State Line					NA		NA			10/12/2005
						To: 41-712 Williamson Rd										
(696) Henderson Rd	1.90	150	R			From: 41-648 Mason Chapel Rd					NA		NA			10/12/2005
						To: 41-697 Coleman Dr										



Virginia Department of Transportation  
Traffic Engineering Division  
2010  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Halifax Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Halifax County</b>																
(696) Henderson Rd	0.61	230	R													10/12/2005
(697) Coleman Dr	0.60	20	R													08/13/2008
(697) Coleman Dr	1.40	70	R													10/12/2005
(697) Coleman Dr	1.80	210	R													10/12/2005
(698) Henrys Mill Rd	1.90	130	R													08/04/2008
(699)	0.40	560	R													08/13/2008
(699) Mt Caramel Rd	2.90	530	G	95%	1%	1%	0%	2%	0%	F	0.118	F	0.607	570	G	2010
(699) Wilkins Rd	3.00	410	G	95%	1%	1%	0%	2%	0%	C	0.106	F	0.544	430	G	2010
(700) McGees Mill Rd	0.30	600	G	94%	1%	2%	1%	2%	0%	C	0.109	F	0.581	640	G	2010
(701) Mill Pond Rd	1.90	120	R													08/13/2008
(702) Logan Rd	3.70	150	R													09/15/2005
(703) Sandy Beach Rd	0.83	220	R													08/11/2008
(703) Sandy Beach Rd	1.39	170	R													08/11/2008
(704) Black Walnut Church R	0.43	570	R													08/20/2008
(704) Old Cluster Springs Rd	3.23	500	G	98%	1%	1%	0%	0%	0%	F	0.117	F	0.543	540	G	2010
(704) Old Cluster Springs Rd	1.90	1300	G	98%	1%	1%	0%	0%	0%	C	0.107	F	0.58	1400	G	2010
(705) Link Puryear Rd	2.40	220	R													08/20/2008
(706) Bold Springs Rd	0.50	360	R													08/20/2008
(706) Bold Springs Rd	0.90	320	R													08/20/2008
(706) Bold Springs Rd	3.70	430	R													08/20/2008
(707) Paradise Rd	0.60	250	R													08/13/2008

Virginia Department of Transportation  
Traffic Engineering Division  
2010  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Halifax Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Halifax County</b>																
(707) Paradise Rd	2.07	340	R											NA		08/13/2008
(708) Cedar Grove Rd	0.08	340	R											NA		08/20/2008
(708) Cedar Grove Rd	2.80	270	R											NA		08/20/2008
(708) Cedar Grove Rd	1.00	490	R											NA		08/20/2008
(709) Blanes Mill Lane	0.80	30	R											NA		07/30/2008
(710) Bethel Hill Rd	2.10	70	R											NA		08/20/2008
(711) Alton Post Office Rd	3.83	370	G	92%	2%	1%	1%	5%	0%	F	0.129	F	0.561	400	G	2010
(711) Harmony Rd	4.10	240	G	92%	2%	1%	1%	5%	0%	C	0.112	F	0.724	260	G	2010
(711) Harmony Rd	0.20	270	G	92%	2%	1%	1%	5%	0%	F	0.115	F	0.62	290	G	2010
(711) Denniston Rd	2.79	200	G	92%	2%	1%	1%	5%	0%	F	0.111	F	0.52	210	G	2010
(712) Williamson Rd	2.32	70	R											NA		08/13/2008
(713) Turner Trail	0.70	50	R											NA		08/13/2008
(714) Woodsdale Rd	1.30	370	R											NA		08/13/2008
(715) Williams Rd	1.15	70	R											NA		09/07/2005
(715) Williams Rd	0.50	100	R											NA		09/07/2005
(716) Rodgers Chapel Rd	3.03	1300	G	93%	1%	1%	3%	3%	0%	C	0.103	F	0.511	1400	G	2010
(716) Wolf Trap Rd	2.50	500	G	97%	1%	1%	0%	0%	0%	C	0.109	F	0.679	530	G	2010
(716)	2.20	290	R											NA		08/06/2008
(716) Mosely Ferry Trail	5.10	30	R											NA		08/06/2008
(716) Dryburg Rd	4.15	160	G	95%	1%	2%	1%	1%	0%	F	0.127	F	0.619	170	G	2010
(716) Dryburg Rd	1.45	300	G	95%	1%	2%	1%	1%	0%	F	0.093	F	0.619	320	G	2010

Virginia Department of Transportation  
Traffic Engineering Division  
2010  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Halifax Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Halifax County</b>																
(716) Dryburg Rd	1.78	510	G	95%	1%	2%	1%	1%	0%	C	0.097	F	0.612	540	G	2010
						From: 41-721 Ashcake Creek Rd										
						To: US 360 James D Hagood Hwy										
(716) Mosely Ferry Rd	0.95	910	G	93%	1%	2%	1%	3%	0%	C	0.093	F	0.622	970	G	2010
						From: SCL Clover										
						To: SCL Clover										
<b>Clover</b>																
(716) Mosely Ferry Rd	0.17	960	G	93%	1%	2%	1%	3%	0%	F	0.097	F	0.529	1000	G	2010
						From: SR 92; 41-1004, S Main St										
						To: SCL Clover										
<b>Halifax County</b>																
(717) Hazelwood Mill Trail	0.25	60	R								NA		NA			08/04/2008
						From: 41-716 Dryburg Rd										
						To: Dead End										
(718) Snow Hill Rd	2.50	80	R								NA		NA			08/13/2008
						From: 41-707 Paradise Rd										
						To: 41-658 Cluster Springs Rd										
(719) Allens Mill Rd	3.70	30	R								NA		NA			08/06/2008
						From: SR 344										
						To: 41-716 Dryburg Rd										
<b>Town of Scottsburg</b>																
(720) Green Level Rd	0.46	390	R								NA		NA			08/06/2008
						From: SR 344; 41-724										
						To: ECL Scottsburg										
<b>Halifax County</b>																
(720) Green Level Rd	0.70	350	R								NA		NA			07/29/2002
						From: ECL Scottsburg										
						To: 41-827 Lee Syd Moore Rd										
(720) Green Level Rd	4.60	130	R								NA		NA			08/06/2008
						From: 41-721 Ashe Cake Creek Rd; Piney Creek Rd										
(720) Guill Town Rd	0.70	120	R								NA		NA			08/04/2008
						From: 41-722 Heath Rd										
(720) Guill Town Rd	1.10	140	R								NA		NA			08/04/2008
						From: US 360; SR 92										
						To: US 360 James D Hagood Hwy										
(721) Piney Creek Rd	0.25	160	R								NA		NA			08/06/2008
						From: 0.25 MW US 360										
(721) Piney Creek Rd	1.42	100	R								NA		NA			08/04/2008
						From: 41-722 Heath Rd										
(721) Piney Creek Rd	0.79	100	R								NA		NA			08/04/2008
						From: 41-720 Guill Town Rd; Green Level Rd										
(721) Ashe Cake Creek Rd	1.10	70	R								NA		NA			08/04/2008
						From: 1.10 MW 41-720										
(721) Ashe Cake Creek Rd	0.60	70	R								NA		NA			08/04/2008
						From: 41-716 Dryburg Rd										
						To: 41-721 Piney Creek Rd										
(722) Heath Rd	1.10	40	R								NA		NA			08/06/2008
						From: Dead End										
						To: 41-603 Hunting Creek Rd										
(724) Drybridge Rd	0.15	190	R								NA		NA			08/06/2008
						From: SR 344 N, Scottsburg Rd										
						To: 41-878 John B Scott Trail										
(724) Drybridge Rd	1.54	50	R								NA		NA			08/06/2008
						From: NCL Scottsburg										

Virginia Department of Transportation  
Traffic Engineering Division  
2010  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Halifax Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Town of Scottsburg</b>																
(724) Drybridge Rd	0.36	50	R								NA			NA		08/06/2008
						From: NCL Scottsburg										
						To: 0.36 MS of NCL										
(724) Drybridge Rd	0.17	70	R								NA			NA		08/06/2008
						From: SR 344 S; 41-720										
<b>Halifax County</b>																
(725) Charlie Lawson Rd	0.29	90	R								NA			NA		08/25/2008
						From: North Carolina State Line										
						To: SR 96 Virgilina Rd										
(726) Coleman Rd	2.30	250	R								NA			NA		08/06/2008
						From: 41-716 Mosely Ferry Trail										
						To: SR 344										
(727) North Nichols Ferry Trail	1.00	70	R								NA			NA		08/06/2008
						From: Dead End										
						To: 41-716 Wolf Trap Rd										
(728) Sams Trail	0.45	80	R								NA			NA		07/30/2008
						From: Dead End										
						To: 41-642 Liberty Rd										
(729) Bellevue Rd	2.72	1500	G	98%	1%	0%	0%	0%	0%	C	0.095	F	0.636	1600	G	2010
						From: 41-716; 41-1323 Dan River Church Rd										
						To: US 360 James D Hagood Hwy										
(729) Daniels Trail	0.77	270	R								NA			NA		09/19/2005
						From: Dead End										
(730) Ramble Rd	4.48	370	R								NA			NA		09/19/2005
						From: US 58 E, Bill Tuck Hwy										
						To: US 58 W, Bill Tuck Hwy										
(730) Ramble Rd	0.16	110	R								NA			NA		09/19/2005
						From: 41-601 Bucksheal Rd										
(731) Pools Mill Trail	0.30	40	R								NA			NA		08/13/2008
						From: US 58 Bill Tuck Hwy										
						To: Dead End										
(732) Aarons Creek Rd	3.60	400	G	93%	1%	0%	2%	4%	0%	C	0.111	F	0.674	430	G	2010
						From: 41-602 Hitesburg Church Rd										
						To: US 58 Bill Tuck Hwy										
(733) East Hitesburg Rd	1.80	60	R								NA			NA		08/13/2008
						From: 41-604 Rip Rap Rd										
(733) East Hitesburg Rd	2.10	160	R								NA			NA		08/11/2008
						From: 41-602 Hitesburg Church Rd										
						To: 41-734 S, Red Bank Rd										
(733) West Hitesburg Rd	0.80	60	R								NA			NA		08/25/2008
						From: 41-734 N, Red Bank Rd										
						To: 41-737 Hudson Rd										
<b>Town of Virgilina</b>																
(734) Florence Ave	0.56	830	G	97%	1%	1%	1%	1%	0%	C	0.101	F	0.582	890	G	2010
						From: SR 49; SR 96 Seventh St										
						To: NCL Virgilina										
<b>Halifax County</b>																
(734) Red Bank Rd	3.27	480	G	97%	1%	1%	1%	1%	0%	F	0.121	F	0.548	510	G	2010
						From: NCL Virgilina										
						To: 41-602 Hitesburg Church Rd										
(734) Red Bank Rd	0.17	230	R								NA			NA		08/11/2008
						From: 41-736 Bowen Rd										
(734) Red Bank Rd	2.22	170	R								NA			NA		08/11/2008
						From: 41-733 S, East Hitesburg Rd										
(734) Red Bank Rd	1.11	80	R								NA			NA		08/11/2008
						From: 41-601 Bucksheal Rd										

Virginia Department of Transportation  
Traffic Engineering Division  
2010  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Halifax Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Halifax County</b>																
(734) Hogan Rd	0.70	100	R								NA		NA			08/11/2008
(735) Gills Mountain Rd	2.20	90	R								NA		NA			08/13/2008
(736) Bowen Rd	2.20	70	R								NA		NA			08/13/2008
(737) Hudson Rd	0.30	110	R								NA		NA			08/13/2008
(737) Hudson Rd	2.10	90	R								NA		NA			08/25/2008
(737) Hudson Rd	2.10	190	R								NA		NA			08/25/2008
(738) Cemetery Rd	0.80	60	R								NA		NA			08/25/2008
(738) Cemetery Rd	3.70	140	R								NA		NA			08/25/2008
(738) Kingswood Rd	0.79	140	R								NA		NA			08/25/2008
(738) Kingswood Rd	3.82	110	R								NA		NA			08/25/2008
(739) T N Snow Rd	2.81	140	R								NA		NA			07/30/2008
(740) Christie Rd	0.56	190	R								NA		NA			10/03/2005
(740) Chistie Rd	0.26	290	R								NA		NA			10/03/2005
(740) Wilson Rd	1.55	240	R								NA		NA			10/03/2005
(740) Wilson Rd	2.75	170	R								NA		NA			10/03/2005
(741) Lowery Rd	4.22	180	R								NA		NA			08/25/2008
(741) Wallace Cole Rd	0.20	650	G	97%	1%	1%	1%	0%	0%	C	0.098	F	0.625	690	G	2010
(741)	0.22	530	R								NA		NA			08/19/2008
(742) Alphonse Dairy Rd	1.29	670	R								NA		NA			08/11/2008
(742) Alphonse Dairy Rd	0.90	150	R								NA		NA			08/11/2008
(743) Ponderosa Rd	2.20	310	R								NA		NA			09/22/2005

Virginia Department of Transportation  
Traffic Engineering Division  
2010  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Halifax Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Halifax County</b>																
(744) Stewart Trail	0.86	60	R								NA		NA			10/03/2005
						From: Dead End										
(744) Stewart Trail	0.04	80	R								NA		NA			10/03/2005
						To: 0.86 MN Dead End										
(744) Shady Grove Church Rd	2.71	220	R								NA		NA			10/03/2005
						From: SR 96 Virgilina Rd										
(744) East Hyco Rd	3.71	560	G	98%	0%	1%	1%	0%	0%	F	0.094	F	0.575	600	G	2010
						To: 41-602, N Fork Church Rd										
(744) East Hyco Rd	3.34	1800	G	98%	0%	1%	1%	0%	0%	C	0.113	F	0.553	1900	G	2010
						From: 41-602 North Fork Church Rd										
(744) Riverdale Dr	0.13	270	R								NA		NA			09/08/2008
						From: US 501 Huell Matthews Hwy										
(744) Riverdale Dr	0.41	320	R								NA		NA			09/08/2008
						To: 41-1405 Mem Dr										
(745) Loftis Rd	1.20	390	R								NA		NA			08/19/2008
						From: 41-658 Cherry Hill Church Rd										
						To: 41-744 East Hyco Rd										
<b>Clover</b>																
(746) Mt Laurel Rd	0.48	840	G	94%	1%	1%	1%	3%	0%	C	0.106	F	0.611	890	G	2010
						From: SR 92; 41-1001 S Main st										
						To: WCL Clover										
<b>Halifax County</b>																
(746) Mt Laurel Rd	4.15	510	G	94%	1%	1%	1%	3%	0%	F	0.105	F	0.541	540	G	2010
						From: WCL Clover										
(746) Mt Laurel Rd	3.92	660	G	86%	1%	1%	2%	10%	0%	C	0.102	F	0.671	710	G	2010
						To: 41-603 Hunting Creek Rd										
(746) Mt Laurel Rd	0.38	680	G	94%	1%	1%	1%	3%	0%	F	0.108	F	0.711	720	G	2010
						From: 41-616 Neals Comer Road										
						To: Charlotte County Line										
(747) Flints Rock Rd	1.06	100	R								NA		NA			10/12/2005
						From: US 58 E, Philpott Rd										
(747) Solomon Rd	2.10	90	R								NA		NA			10/12/2005
						To: US 58 W, Philpott Rd										
						To: Dead End										
(748) Slick Rock Rd	2.50	100	R								NA		NA			07/28/2008
						From: 41-603 Volens Rd										
						To: 41-644										
(749) Woods Creek Lane	1.20	110	R								NA		NA			09/13/2005
						From: Dead End										
						To: SR 360 Bethel Rd										
(750) Long Branch Lane	0.90	90	R								NA		NA			09/13/2005
						From: SR 360 Bethel Rd										
						To: Dead End										
(751) Piney Grove Rd	1.80	270	R								NA		NA			10/12/2005
						From: 41-699 Wilkins Rd; Mt Caramel Rd										
(751) Piney Grove Rd	0.45	180	R								NA		NA			08/11/2008
						To: US 58 Philpott Rd										
(751) Storys Creek Rd	2.95	120	R								NA		NA			08/11/2008
						From: 41-798 Three M Lane										
(751) Storys Creek Rd	0.80	260	R								NA		NA			08/11/2008
						From: 41-692 Richardson Lane										
						To: 41-658 Melon Rd										

Virginia Department of Transportation  
Traffic Engineering Division  
2010  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Halifax Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Halifax County</b>																
(752) Ham Tuck Trail	1.10	30	R											NA		08/11/2008
(753) Beulah Rd	2.60	120	R											NA		07/30/2008
(753) Beulah Rd	2.00	180	R											NA		07/30/2008
(754) Cora Watts Trail	0.65	30	R											NA		07/28/2008
(755) Bradley Rd	0.20	130	R											NA		10/31/2005
(756) Cheerful Lane	0.55	70	R											NA		09/15/2005
(756) Cheerful Lane	0.25	40	R											NA		07/28/2008
(757) Beales Lane	1.70	60	R											NA		07/30/2008
(757) Beales Lane	0.30	130	R											NA		07/30/2008
(758) Crossroads Trail	0.50	80	R											NA		07/28/2008
(759) Horseshoe Trail	1.68	100	R											NA		10/13/2005
(760) Ferry Trail	0.50	60	R											NA		09/13/2005
(761) Boxwood Rd	1.40	50	R											NA		07/30/2008
(761) Boxwood Rd	0.60	120	R											NA		08/29/2005
(762) Zion Hill Church Loop	0.30	100	R											NA		10/03/2005
(762) Zion Hill Church Loop	0.30	60	R											NA		10/03/2005
(763) Pine Ridge Trail	0.70	90	R											NA		10/24/2005
(764) New Haven Rd	0.64	110	R											NA		10/12/2005
(764) New Haven Rd	0.25	NA												NA		
(765) Clinton Rd	1.19	20	R											NA		07/30/2008

Virginia Department of Transportation  
Traffic Engineering Division  
2010  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Halifax Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Halifax County</b>																
(765) Clinton Rd	1.00	60	R				From: 1.19 ME Dead End				NA		NA		07/30/2008	
							To: 41-603 Cody Rd									
(766) Waltman Rd	1.10	80	R				From: Dead End				NA		NA		07/30/2008	
							To: 41-667 Leda Rd									
(767) Brandon Chapel Rd	0.55	180	R				From: Dead End				NA		NA		10/12/2005	
							To: SR 119 Calvary Rd									
(768) Hendricks Rd	0.75	80	R				From: Dead End				NA		NA		10/13/2005	
							To: 41-711 Alton Post Office Rd									
(769) New Bethel Rd	1.10	70	R				From: Dead End				NA		NA		10/12/2005	
							To: 41-751 Piney Grove Rd									
(770) High Rock Trail	1.20	80	R				From: Dead End				NA		NA		08/04/2008	
							To: 41-676 Thompson Store Rd									
(771) Deer Ridge Trail	0.80	80	R				From: Dead End				NA		NA		08/06/2008	
							To: 41-683; 41-685									
(772) Pierces Trail	1.15	60	R				From: 41-641 Lower Liberty Rd				NA		NA		07/30/2008	
							To: Dead End									
(773) Jeffress Trail	1.17	70	R				From: 41-658 Turbeville Rd				NA		NA		10/13/2005	
							To: Dead End									
(774) Peaks Trail	0.80	60	R				From: Dead End				NA		NA		07/30/2008	
							To: 41-667 Leda Rd									
(775) Newton Farm Rd	1.39	300	R				From: US 501 Huell Matthews Hwy				NA		NA		08/19/2008	
							To: 41-658 Cherry Hill Church Rd									
(776) Wilborn Rd	2.65	40	R				From: 41-734 Red Bank Rd				NA		NA		08/13/2008	
							To: 41-734 Red Bank Rd									
(777) Jennings Lane	1.30	140	R				From: SR 40 Stage Coach Rd				NA		NA		07/28/2008	
							To: Dead End									
(778) Green Valley Rd	4.80	190	R				From: 41-746 Mt Laurel Rd				NA		NA		09/07/2005	
							To: 41-600 Black Walnut Rd									
(779) Hudson Dr	0.80	150	R				From: 41-697 Coleman Dr				NA		NA		10/12/2005	
							To: US 58 Philpott Rd									
(780) Blounts Crossing Trail	1.00	70	R				From: Dead End				NA		NA		09/07/2005	
							To: 41-746 Mt Laurel Rd									
(780) Lloyds Mill Rd	1.40	70	R				From: 41-746 Mt Laurel Rd				NA		NA		09/07/2005	
							To: 41-616 Neals Corner Rd									
(781) Deer View Trail	1.75	80	R				From: Dead End				NA		NA		10/27/2005	
							To: 41-678 Grubby Rd									
(782)	2.25	160	R				From: SR 344 McDonald Rd				NA		NA		08/06/2008	
							To: Dead End									



Virginia Department of Transportation  
Traffic Engineering Division  
2010  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Halifax Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year	
						2Axle	3+Axle	1Trail	2Trail								
<b>Halifax County</b>																	
(783) Golf Course Rd	1.30	1100	G	99%	1%	0%	0%	0%	0%	C	0.117	F	0.647	1100	G	2010	
						From: US 501 Main St; Halifax Rd											
						To: 41-651 Cowford Rd											
(784) Mason Trail	1.70	50	R								NA			NA		07/28/2008	
						From: 41-626 Clarkton Rd											
						To: Dead End											
(785) Depot Lane	0.32	47	R								NA			NA		09/01/2005	
						From: 41-626 Clarkton Rd											
						To: Dead End											
(786) Runaway Rd	1.20	70	R								NA			NA		07/30/2008	
						From: 41-649 Old Concord Rd											
						To: 41-757 Beales Lane											
(787) Fowler Trail	0.65	80	R								NA			NA		08/11/2008	
						From: 41-703 Sandy Beach Rd											
						To: Dead End											
(788) St Mark Church Rd	0.40	60	R								NA			NA		08/13/2008	
						From: Dead End											
						To: 41-711 Alton Post Office Rd											
(789) Lacks Town Rd	1.00	100	R								NA			NA		09/07/2005	
						From: 41-746 Mt Laurel Rd											
						To: Dead End											
(790) Old Cedar Trail	1.30	30	R								NA			NA		07/30/2008	
						From: Dead End											
						To: 41-609 West Store Rd											
(791) Leighwood Trail	0.39	270	R								NA			NA		10/26/2005	
						From: SR 57 Chatham Rd											
						To: 41-840 Sweeney Trail											
(791) Leighwood Trail	0.60	190	R								NA			NA		10/26/2005	
						From: 0.60 ME 41-840 Sweeney Trail											
						To: Dead End											
(791) Leighwood Trail	0.60	120	R								NA			NA		10/26/2005	
						From: Dead End											
(792) Wade Pond Rd	1.95	140	R								NA			NA		08/11/2008	
						From: 41-658 Melon Rd											
						To: Dead End											
(793) Duck Trail	0.44	60	R								NA			NA		10/26/2005	
						From: SR 360 Mtn Rd											
						To: 0.44 MS SR 360											
(793) Duck Trail	0.36	46	R								NA			NA		10/26/2005	
						From: Dead End											
(794) White Oak Forks Rd	0.26	200	R								NA			NA		08/25/2008	
						From: 41-734 S, Red Bank Rd											
						To: 41-733 West Hitesburg Rd											
(794) White Oak Forks Rd	1.00	310	R								NA			NA		08/25/2008	
						From: 41-601 Bucksheal Rd											
						To: Dead End											
(795) Alchie Lane	1.40	230	R								NA			NA		07/30/2008	
						From: US 501, L P Bailey Mem Hwy											
						To: North Carolina State Line											
(796) Dabney Warren Rd	1.50	60	R								NA			NA		08/13/2008	
						From: 41-711 Harmony Rd											
						To: 41-711 Harmony Rd											
(797) Traynham Grove Rd	2.70	290	R								NA			NA		08/13/2008	
						From: 41-658 Cluster Springs Rd; Turbeville Rd											
						To: Dead End											
(798) Three M Lane	0.90	30	R								NA			NA		08/11/2008	
						From: 41-751 Storys Creek Rd; Piney Grove Rd											

Virginia Department of Transportation  
Traffic Engineering Division  
2010  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Halifax Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Halifax County</b>																
(799) Alex Lane	0.40	90	R								NA		NA			07/28/2008
(800) Three Fork Trail	0.50	80	R								NA		NA			07/30/2008
(802) Myers Rd	0.40	150	R								NA		NA			08/11/2008
(802) Myers Rd	0.75	130	R								NA		NA			08/11/2008
(803) Allen Trail	2.30	100	R								NA		NA			08/04/2008
(804) Stovall Trail	0.50	100	R								NA		NA			08/04/2008
(805) Boyds Ferry Trail	0.30	50	R								NA		NA			08/11/2008
(806) Walker Trail	0.31	60	R								NA		NA			08/06/2008
(807) Dunn Trail	0.80	50	R								NA		NA			08/04/2008
(808) McCulloch Lane	0.52	60	R								NA		NA			08/29/2005
(808) McCulloch Lane	0.48	70	R								NA		NA			08/29/2005
(809) German Creek Rd	1.90	220	R								NA		NA			08/20/2008
(810) Davmunds Trail	0.70	240	R								NA		NA			08/11/2008
(811) Matts Trail	0.90	60	R								NA		NA			09/01/2005
(812) Willie Moore Trail	0.20	60	R								NA		NA			10/26/2005
(812) Willie Moore Trail	0.01	50	R								NA		NA			10/26/2005
(813) Library Lane	0.20	30	R								NA		NA			09/08/2008
(814) Younger Rd	0.80	20	R								NA		NA			08/06/2008
(814) Younger Rd	0.50	70	R								NA		NA			08/06/2008
(815) Tinsley Trail	0.15	10	R								NA		NA			07/28/2008

Virginia Department of Transportation  
Traffic Engineering Division  
2010  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Halifax Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Halifax County</b>																
(816) Petes Trail	0.80	40	R								NA			NA		07/30/2008
(817) Arthur Ware Trail	0.70	170	R								NA			NA		08/19/2008
(818) Covington Trail	0.50	20	R								NA			NA		07/30/2008
(819) Jennys Ruff Trail	1.00	60	R								NA			NA		07/28/2008
(820) Jeremy Creek Rd	2.60	50	R								NA			NA		03/22/2010
(821) Shady Lane	0.60	130	R								NA			NA		08/06/2008
(822) Jesses Lane	0.38	120	R								NA			NA		07/28/2008
(824) Wilkerson Rd	0.91	30	R								NA			NA		08/13/2008
(825) Wilkerson Trail	0.70	45	R								NA			NA		08/20/2008
(826) Hendricks Rd	0.80	70	R								NA			NA		08/06/2008
(827) Lee Syd Moore Rd	1.50	80	R								NA			NA		08/06/2008
(828) Bethel Trail	0.70	50	R								NA			NA		08/06/2008
(829) Samuel Rd	0.30	20	R								NA			NA		08/13/2008
(829) Foster Rd	0.71	160	R								NA			NA		10/12/2005
(830) Clark Jordan Trail	0.40	70	R								NA			NA		08/20/2008
(831) Carr	0.50	110	R								NA			NA		08/04/2008
(833) Meadville Trail	0.38	60	R								NA			NA		08/04/2008
(834) Luethels Lane	0.63	70	R								NA			NA		07/28/2008
(835) Sawmill Trail	1.00	40	R								NA			NA		07/30/2008

Virginia Department of Transportation  
Traffic Engineering Division  
2010  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Halifax Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Halifax County</b>																
(836) Scale Rd	1.00	47	R								NA			NA		08/11/2008
(837) Billys Lane	1.00	100	R								NA			NA		08/06/2008
(838) Lilborn Trail	0.75	110	R								NA			NA		07/30/2008
(839) Piney Ridge Rd	0.50	150	R								NA			NA		07/28/2008
(840) Sweeney Trail	0.70	100	R								NA			NA		08/06/2008
(841) Garretts Trail	0.80	20	R								NA			NA		07/30/2008
(842) Bessie Marion Trail	0.25	120	R								NA			NA		08/06/2008
(843) Millstone Church Trail	0.52	90	R								NA			NA		08/29/2005
(844) Tune Trail	0.60	30	R								NA			NA		08/04/2008
(845) Ed Mason Lane	0.30	60	R								NA			NA		07/30/2008
(846) Toms Trail	1.00	50	R								NA			NA		07/30/2008
(847) Cherry St	0.06	390	R								NA			NA		09/22/2005
(848) Fox Trail	0.63	80	R								NA			NA		09/08/2008
(849) Coon Trail	0.30	50	R								NA			NA		08/04/2008
(850) Owen Walker Rd	0.62	50	R								NA			NA		08/13/2008
(851) Old Rd	0.22	20	R								NA			NA		08/19/2008
(852) Hunters Lane	0.82	100	R								NA			NA		08/19/2008
(853) Covered Bridge Trail	0.50	110	R								NA			NA		09/19/2005
(854) Belt Blvd	0.15	100	R								NA			NA		10/31/2005

Virginia Department of Transportation  
Traffic Engineering Division  
2010  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Halifax Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Halifax County</b>																
(854) Belt Blvd	0.09	70	R								NA			NA		10/31/2005
(854) Cage Trail	1.20	570	R								NA			NA		08/06/2008
(855) Fort Hill Trail	0.28	50	R								NA			NA		07/30/2008
(856) Quarles School Trail	0.60	40	R								NA			NA		07/28/2008
(857) Maplewood Dr	0.33	110	R								NA			NA		09/08/2008
(858) Whilow Trail	0.45	70	R								NA			NA		08/19/2008
(859) Farm Rd	0.60	310	R								NA			NA		10/27/2005
(860) Cherry Hill Trail	0.50	70	R								NA			NA		08/06/2008
(861) Browns Trail	0.80	40	R								NA			NA		07/30/2008
(862) Christie Circle	0.54	10	R								NA			NA		08/25/2008
(863) Comer Trail	0.48	50	R								NA			NA		08/25/2008
(864) Cousin Lane	1.60	60	R								NA			NA		07/30/2008
(865) Whitt Loop	0.50	70	R								NA			NA		08/19/2008
(866) Woody Loop	0.40	20	R								NA			NA		08/20/2008
(867) Paul James Rd	0.65	120	R								NA			NA		09/13/2005
(868) Crute Lane	0.50	160	R								NA			NA		08/04/2008
(869) Bates Trail	0.15	60	R								NA			NA		07/30/2008
(870) Terry Trail	0.35	70	R								NA			NA		07/30/2008
(871) Buck Horace Trail	0.80	70	R								NA			NA		08/29/2005

Virginia Department of Transportation  
Traffic Engineering Division  
2010  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Halifax Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Halifax County</b>																
(872) Carter Trail	0.99	47	R				From: 41-656 Hackberry Rd				NA			NA		08/11/2008
							To: Dead End									
(873) Conner Evans Trail	0.32	80	R				From: Dead End				NA			NA		08/13/2008
							To: 41-707 Paradise Rd									
(874) Vaughn Lane	0.20	20	R				From: Dead End				NA			NA		08/04/2008
							To: 41-610 Clays Mill Rd									
(875) Moormans Lane	0.35	10	R				From: 41-621 Chilsolm Trail				NA			NA		07/30/2008
							To: Dead End									
(876) South Nichols Ferry Trail	0.65	30	R				From: 41-730 Ramble Rd				NA			NA		08/11/2008
							To: Dead End									
(877) Pine Lane	0.14	110	R				From: US 501 Halifax Rd				NA			NA		09/22/2005
							To: Dead End									
(878) John B Scott Trail	0.65	140	R				From: 41-724 Drybridge Rd				NA			NA		08/06/2008
							To: Dead End									
(879) Plywood Trail	0.75	340	R				From: Dead End				NA			NA		08/06/2008
							To: US 360 James D Hagood Hwy									
(880) Burns Trail	0.15	46	R				From: 41-653 Ball Park Loop				NA			NA		09/08/2008
							To: Dead End									
(881) Country Store Rd	0.10	90	R				From: US 58 Philpott Rd				NA			NA		08/11/2008
							To: 41-703 Sandy Beach Rd									
(882) Dixon Trail	0.90	6	R				From: 41-756 Cheerful Lane				NA			NA		08/04/2008
							To: Dead End									
(883) Meadow Dr	0.12	40	R				From: Dead End				NA			NA		08/11/2008
							To: 41-651 Cowford Rd									
(884) Powell Rd	0.11	210	R				From: 41-1314 Cheverly Dr				NA			NA		09/22/2005
							To: 41-1315 Valley Dr									
(884) Powell Rd	0.23	760	R				From: 41-1309 Rosehill Dr				NA			NA		09/22/2005
							To: US 501; SR 129									
(884) Powell Rd	0.17	1900	R				From: 41-1309 Rosehill Dr				NA			NA		09/22/2005
							To: US 501; SR 129									
(885) Florida Trail	0.50	60	R				From: 41-744 Shady Grove Church Rd				NA			NA		08/25/2008
							To: Dead End									
(886) Watts Trail	0.25	30	R				From: 41-762 Zion Hill Church Loop				NA			NA		08/19/2008
							To: Dead End									
(887) Mayo Loop	0.30	40	R				From: SR 96 E; 41-896				NA			NA		08/19/2008
							To: SR 96 W, Virgilina Rd									
(888) Easley Hill Trail	1.40	130	R				From: 41-642 Meadville Rd				NA			NA		08/04/2008
							To: Dead End									

Virginia Department of Transportation  
Traffic Engineering Division  
2010  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Halifax Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Halifax County</b>																
(889) Griffin Trail	0.80	30	R			From: 41-602 Hitesburg Church Rd					NA			NA		08/13/2008
						To: Dead End										
(890) Phillips Trail	1.25	60	R			From: Dead End					NA			NA		08/11/2008
						To: 41-601 Bucksheal Rd										
(891) Pine Height Trail	0.20	510	R			From: SR 360 Mtn Rd					NA			NA		08/06/2008
						To: 41-1501 Height Trail										
(891) Pine Height Trail	0.25	280	R			From: Dead End					NA			NA		08/06/2008
						To: Dead End										
(892) Chaffin Trail	0.65	60	R			From: Dead End					NA			NA		08/04/2008
						To: 41-626 Howard P Johnson Hwy										
(893) James Trail	0.60	50	R			From: 41-613 Marions Trail					NA			NA		09/13/2005
						To: Dead End										
(894) Whitt Farm Trail	0.40	45	R			From: 41-744 Shady Grove Church Rd					NA			NA		08/25/2008
						To: Dead End										
(895) Old Roxboro Rd	0.93	190	R			From: Dead End					NA			NA		10/13/2005
						To: US 501 Huell Matthews Hwy										
(896) Reaves Loop	0.40	40	R			From: SR 96 W; 41-887					NA			NA		08/19/2008
						To: SR 96 E, Virgilina Rd										
(897) White Lane	0.35	150	R			From: Dead End					NA			NA		08/11/2008
						To: 41-658 Melon Rd										
(898) Paul Pry Trail	0.35	60	R			From: 41-676 Ashbury Church Rd					NA			NA		07/30/2008
						To: Dead End										
(899) Coleman Trail	1.10	50	R			From: 41-753 Beulah Rd					NA			NA		07/30/2008
						To: Dead End										
(901) Wild Turkey Run	0.80	60	R			From: SR 360 Mtn Rd					NA			NA		09/08/2008
						To: Dead End										
(902) Hunters Trail	0.70	50	R			From: Dead End					NA			NA		07/30/2008
						To: 41-739 T N Snow Rd										
(903) Halls Trail	0.70	120	R			From: Dead End					NA			NA		09/08/2008
						To: SR 360; 41-653										
(904) Dogwood Trail	0.30	30	R			From: US 501 Huell Matthews Hwy					NA			NA		08/19/2008
						To: Dead End										
(905) Jimmys Trail	1.15	30	R			From: US 501, L P Bailey Mem Hwy					NA			NA		07/30/2008
						To: Dead End										
(906) Moores Trail	0.30	20	R			From: 41-626 Clarkton Rd					NA			NA		07/28/2008
						To: Dead End										
(907) Thornton-Jim Trail	0.20	60	R			From: US 501, L P Bailey Mem Hwy					NA			NA		07/30/2008
						To: Dead End										

Virginia Department of Transportation  
Traffic Engineering Division  
2010  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Halifax Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Halifax County</b>																
(908) Gilmore Trail	0.30	5	R								NA			NA		08/13/2008
(909) Boodie Trail	1.42	40	R								NA			NA		08/20/2008
(910) Hatcher Trail	0.45	30	R								NA			NA		08/06/2008
(911) Emergency Rd	0.20	20	R								NA			NA		08/13/2008
(912) Frog Pond Trail	0.60	20	R								NA			NA		07/28/2008
(913) John Puryear Trail	0.50	40	R								NA			NA		08/19/2008
(914) Easley Crossing Trail	1.35	70	R								NA			NA		09/13/2005
(915) White Oak Trail	0.77	60	R								NA			NA		07/30/2008
(916) Pitt Trail	0.48	50	R								NA			NA		08/04/2008
(917) Drive In Rd	0.23	160	R								NA			NA		07/28/2008
(918) Williams Trail	0.75	220	R								NA			NA		08/06/2008
(919) Eastover Dr	0.43	240	R								NA			NA		08/11/2008
(920) Faulkner Loop	0.45	20	R								NA			NA		06/25/2008
(921) Clements Trail	0.30	50	R								NA			NA		07/30/2008
(922) Landfill Lane	0.11	360	R								NA			NA		08/04/2008
(923) Barker Trail	0.75	20	R								NA			NA		08/13/2008
(924) Dr Lacy Trail	0.25	140	R								NA			NA		07/28/2008
(925) Carrington Trail	0.22	60	R								NA			NA		08/19/2008
(926) Carl Henderson Trail	0.60	20	R								NA			NA		08/04/2008



Virginia Department of Transportation  
Traffic Engineering Division  
2010  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Halifax Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Halifax County</b>																
(927) Throckmorton Trail	0.80	80	R				From: SR 344					NA		NA		08/06/2008
							To: Dead End									
(928) Shelton Rd	0.40	60	R				From: Dead End					NA		NA		08/25/2008
							To: 41-658 Virgie Cole Rd									
(929) Humps Trail	0.25	60	R				From: Dead End					NA		NA		08/11/2008
							To: US 58 Philpott Rd									
(930) Cassada Lane	0.41	70	R				From: 41-654 W, Singi Rd					NA		NA		09/08/2008
							To: 41-654 E, Singi Rd									
(931) Industrial Park Rd	0.51	1300	R				From: US 58 Philpott Rd					NA		NA		09/08/2008
							To: Dead End									
(931) Industrial Park Rd	0.12	1200	R				From: 41-939 Fulp Industrial Rd					NA		NA		09/08/2008
							To: Dead End									
(932) Laprade Manie Trail	0.55	80	R				From: Dead End					NA		NA		07/28/2008
							To: 41-626 Shiloh Church Rd									
(933) Wise Loftis Rd	1.10	30	R				From: 41-606 Rice School Rd					NA		NA		08/13/2008
							To: 41-604 Rip Rap Rd									
(934) Weatherford Loop Rd	0.17	6	R				From: SR 57 S, Chatham Rd					NA		NA		08/06/2008
							To: SR 57 N, Chatham Rd									
(935) Good Trail	0.30	140	R				From: Dead End					NA		NA		08/06/2008
							To: 41-716 Wolf Trap Rd									
(936) McNear Trail	0.71	40	R				From: Dead End					NA		NA		08/04/2008
							To: 41-673 Farmer Trail									
(937) Cliborne Trail	0.44	70	R				From: Dead End					NA		NA		08/04/2008
							To: 41-626 Howard P Anderson Rd									
(938) Mallard Lane	0.13	240	R				From: 41-654 Singi Rd					NA		NA		09/08/2008
							To: Dead End									
(939) Fulp Industrial Rd	0.93	570	R				From: 41-931 Industrial Park Rd					NA		NA		09/08/2008
							To: US 58 Philpott Rd									
(940) Fan Park Dr	0.25	120	R				From: Dead End					NA		NA		09/09/2008
							To: 41-654 Singi Rd									
(941) Indian Jim Trail	0.35	40	R				From: Dead End					NA		NA		07/28/2008
							To: 41-808 McCulloch Lane									
(942) Tuck Airport Rd	0.64	90	R				From: Dead End					NA		NA		08/06/2008
							To: 41-716 Wolf Trap Rd									
(943) Railroad Trail	0.08	20	R				From: Pittsylvania County Line					NA		NA		08/11/2008
							To: Dead End									
(944) Fox Den Trail	0.25	80	R				From: Cul-de-Sac					NA		NA		09/19/2005
							To: 41-716 Wolf Trap Rd									

Virginia Department of Transportation  
Traffic Engineering Division  
2010  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Halifax Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Halifax County</b>																
(945) Hankins Loop Rd	0.32	20	R				From: 41-659 River Rd				NA			NA		08/06/2008
							To: 41-659 River Rd									
(946)	0.55	NA					From: Dead End				NA			NA		
							To: 41-711 Alton Post Office Rd									
(948) Talley Loop	0.29	70	R				From: 41-611 S, Hundley Rd				NA			NA		08/04/2008
							To: 41-611 N, Hundley Rd									
(949) Propst Trail	0.20	40	R				From: Dead End				NA			NA		08/19/2008
							To: 41-744 East Hyc0 Rd									
(950) Herbert Allen Trail	0.25	40	R				From: US 58 Bill Tuck Hwy				NA			NA		08/11/2008
							To: Dead End									
(951)	0.13	NA					From: US 58 E, Philpott Rd				NA			NA		
							To: 41-952									
(952)	0.80	NA					From: 41-951				NA			NA		
							To: End Loop									
(953) Robert Wilkins Trail	0.50	30	R				From: 41-738 Kingswood Rd				NA			NA		08/25/2008
							To: Dead End									
(954) Milner Lane	0.71	40	R				From: Dead End				NA			NA		09/01/2005
							To: 41-647 Leda Grove Rd									
(955) Hite Lane	0.21	50	R				From: Dead End				NA			NA		08/11/2008
							To: US 58 Bill Tuck Hwy									
(957) Ace Dr	0.49	110	R				From: 41-764 New Haven Rd				NA			NA		09/08/2008
							To: Dead End									
(959)	0.88	NA					From: 41-614 Love Shop Rd				NA			NA		
							To: Dead End									
(960) Elmer Barker Trail	0.43	40	R				From: Dead End				NA			NA		08/06/2008
							To: SR 344									
(963) Healey Lane	0.07	5	R				From: 41-957 Ace Dr				NA			NA		09/08/2008
							To: Dead End									
(964)	0.10	20	R				From: 41-957 Ace Dr				NA			NA		09/08/2008
							To: Dead End									
(965) John Logan Trail	0.41	40	R				From: 41-841 Garretts Trail				NA			NA		07/30/2008
							To: Dead End									
(980) Chaney Lane	0.04	1300	R				From: Dead End				NA			NA		08/04/2008
							To: 41-626; 41-937									
(985) New Haven Rd	0.21	30	R				From: 41-764 New Haven Rd				NA			NA		08/13/2008
							To: Dead End									
(990) Newman Dr	0.13	30	R				From: 41-706 Bold Springs Rd				NA			NA		08/20/2008
							To: Dead End									

Virginia Department of Transportation  
Traffic Engineering Division  
2010  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Halifax Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Clover</b>																
(1001) East Church St	0.08	180	R								NA		NA			08/04/2008
(1002) Short St	0.09	600	G	93%	1%	1%	0%	5%	0%	C	0.112	F	0.685	640	G	2010
(1003) North Gayle St	0.15	60	R								NA		NA			09/07/2005
(1003) North Gayle St	0.10	60	R								NA		NA			09/07/2005
<b>Halifax County</b>																
(1004) Coleman Ave	0.30	50	R								NA		NA			08/03/2008
<b>Clover</b>																
(1004) Coleman Ave	0.11	70	R								NA		NA			09/07/2005
(1005) Delaware St	0.23	70	R								NA		NA			09/07/2005
(1006) Tanyard Branch Trail	0.05	340	R								NA		NA			09/07/2004
<b>Halifax County</b>																
(1030) Brook Run	0.51	330	R								NA		NA			09/19/2005
(1035) Occoneechee Trail	0.52	120	R								NA		NA			09/27/2005
(1036) Lakeshore Dr	0.47	NA									NA		NA			
(1036) Lakeshore Dr	0.27	120	R								NA		NA			09/27/2005
(1040) Chestnut Creek Rd	0.31	49	R								NA		NA			10/26/2005
<b>Town of Halifax</b>																
(1101) Mimosa Dr	0.08	110	R								NA		NA			10/18/2005
(1101) Mimosa Dr	0.15	200	R								NA		NA			10/18/2005
(1102) Cedar Lane	0.06	47	R								NA		NA			10/18/2005
(1102) Cedar Lane	0.08	140	R								NA		NA			10/18/2005
(1102) Cedar Lane	0.23	390	R								NA		NA			10/18/2005
(1103) Oak Lane	0.06	30	R								NA		NA			10/18/2005

Virginia Department of Transportation  
Traffic Engineering Division  
2010  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Halifax Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Town of Halifax</b>																
(1103) Oak Lane	0.10	100	R				From: 41-1101 Mimosa Dr				NA			NA		10/18/2005
(1103) Oak Lane	0.11	60	R				To: 41-1102 Cedar Lane				NA			NA		10/18/2005
							To: 41-1116 Poplar Lane									
(1104) Pine Rd	0.10	40	R				From: Dead End				NA			NA		10/18/2005
(1104) Pine Rd	0.06	60	R				To: 41-1117 Ash St				NA			NA		10/18/2005
(1104) Pine Rd	0.11	70	R				To: 41-1101 Mimosa Dr				NA			NA		10/18/2005
							To: 41-1102 Cedar Lane									
(1105) Maple Ave	0.10	680	R				From: SR 360 Mountain Rd				NA			NA		09/27/2005
(1105) Maple Ave	0.11	350	R				To: 41-1106 Church St				NA			NA		09/27/2005
(1105) Maple Ave	0.02	340	R				To: 41-1109 Harding St				NA			NA		09/27/2005
(1105) Maple Ave	0.09	240	R				To: 41-1115 S, Buena Vista Dr				NA			NA		09/27/2005
(1105) Maple Ave	0.02	10	R				To: 41-1113 Short St				NA			NA		09/27/2005
							To: Dead End; Gap									
(1106) Church St	0.08	210	R				From: 41-1105 Maple Ave				NA			NA		09/08/2008
							To: US 501 Main St									
(1107) Elam St	0.12	70	R				From: Dead End				NA			NA		09/27/2005
(1107) Elam St	0.03	200	R				To: 41-1112 Hedderly St				NA			NA		09/27/2005
							To: US 501 Main St									
(1108) Craddock St	0.18	190	R				From: Dead End				NA			NA		09/27/2005
							To: US 501 Main St									
(1109) Harding St	0.06	49	R				From: Dead End				NA			NA		09/27/2005
							To: 41-1105 Maple Ave									
(1110) Houston St	0.16	230	R				From: 41-1111 Cemetery St				NA			NA		08/19/2008
							To: US 501 Main St									
(1111) Cemetery St	0.04	1000	R				From: US 501 Main St				NA			NA		08/11/2008
(1111) Cemetery St	0.06	120	R				To: 41-1110 Houston St				NA			NA		09/27/2005
							To: Dead End									
(1112) Hedderly St	0.22	90	R				From: NCL Halifax				NA			NA		09/27/2005
							To: 41-1107 Elam St									
(1113) Lakeside Dr	0.03	140	R				From: 41-1114 Lakeside Dr				NA			NA		09/27/2005
							To: 41-1105 Maple Ave									
(1114) Lakeside Dr	0.05	120	R				From: 41-1113 Short St				NA			NA		09/27/2005
							To: 41-1115 Buena Vista Dr									

Virginia Department of Transportation  
Traffic Engineering Division  
2010  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Halifax Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Town of Halifax</b>																
(1114) Lakeside Dr	0.08	40	R			From: 41-1115 Buena Vista Dr					NA			NA		09/27/2005
						To: Cul-de-Sac										
(1115) Buena Vista Dr	0.51	120	R			From: 41-1105 S. Maple Ave					NA			NA		09/27/2005
						To: 41-1114 Lakeside Dr										
(1116) Poplar Lane	0.11	40	R			From: Dead End					NA			NA		10/18/2005
						To: 41-1103 Oak Lane										
(1117) Ash St	0.06	30	R			From: Dead End					NA			NA		10/18/2005
						To: 41-1104 Pine Rd										
(1118) Snead Lane	0.13	170	R			From: Dead End					NA			NA		09/27/2005
						To: US 501 Main St										
(1119) Canterbury Dr	0.73	310	R			From: SR 360 Mtn Rd					NA			NA		09/27/2005
						To: Cul-de-Sac										
(1120) Green St	0.08	200	R			From: Dead End					NA			NA		09/27/2005
						To: US 501 Main St										
<b>Halifax County</b>																
(1121) Ballou Trail	0.19	70	R			From: 41-651 Cowford Rd					NA			NA		09/27/2005
						To: Dead End										
<b>Town of Halifax</b>																
(1122) Mary Bethune St	0.05	490	R			From: US 501 Main St					NA			NA		08/11/2008
						To: Dead End										
(1123) Back St	0.03	150	R			From: 41-1124 Back St					NA			NA		09/27/2005
						To: Dead End										
(1124) Back St	0.22	140	R			From: Dead End					NA			NA		09/27/2005
						To: Cul-de-Sac										
<b>Halifax County</b>																
(1130) Crews Trail	0.17	40	R			From: Dead End					NA			NA		08/11/2008
						To: 41-659 River Rd										
<b>Town of Virginia</b>																
(1201) Tenth St	0.10	90	R			From: 41-1205 Carolina St					NA			NA		10/03/2005
						To: 41-734 Florence Ave										
(1201) Tenth St	0.13	60	R			From: 41-734 Florence Ave					NA			NA		10/03/2005
						To: Dead End										
(1202) Ninth St	0.10	70	R			From: 41-1205 Carolina St					NA			NA		10/03/2005
						To: 41-734 Florence Ave										
(1202) Ninth St	0.09	60	R			From: 41-734 Florence Ave					NA			NA		10/03/2005
						To: 41-1209 Colorado St										
(1202) Ninth St	0.01	60	R			From: 41-1209 Colorado St					NA			NA		10/03/2005
						To: 0.01 ME 41-1209 Colorado St										
(1202) Ninth St	0.11	60	R			From: 0.01 ME 41-1209 Colorado St					NA			NA		07/06/2005
						To: Dead End										
(1203) Eighth St	0.07	6	R			From: 41-1207 Alabama St					NA			NA		08/13/2008
						To: 41-1205 Carolina St										

Virginia Department of Transportation  
Traffic Engineering Division  
2010  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Halifax Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Town of Virginia</b>																
(1203) Eighth St	0.36	140	R								NA		NA			10/03/2005
(1204) Sixth St	0.09	20	R								NA		NA			08/13/2008
(1205) Carolina St	0.16	110	R								NA		NA			08/13/2008
(1205) Carolina St	0.28	70	R								NA		NA			08/13/2008
(1206) Nevada St	0.10	10	R								NA		NA			08/13/2008
(1207) Alabama St	0.09	10	R								NA		NA			08/13/2008
(1208) Ohio St	0.10	50	R								NA		NA			10/03/2005
(1209) Colorado St	0.09	70	R								NA		NA			10/03/2005
(1209) Colorado St	0.10	40	R								NA		NA			10/03/2005
(1210) Tennessee St	0.09	10	R								NA		NA			08/13/2008
<b>Halifax County</b>																
(1220) Union Ave	0.20	80	R								NA		NA			08/13/2008
(1301) Holly Court	0.12	310	R								NA		NA			09/19/2005
(1301) Holly Court	0.20	160	R								NA		NA			09/19/2005
(1302) Quail Lane	0.13	70	R								NA		NA			09/19/2005
(1303) Highland Hills Dr	0.12	170	R								NA		NA			09/19/2005
(1303) Highland Hills Dr	0.14	80	R								NA		NA			09/19/2005
(1304) Edgewood Dr	0.09	260	R								NA		NA			08/06/2008
(1305) Hedgeway Dr	0.16	150	R								NA		NA			08/06/2008
(1306) White Oak Dr	0.04	500	R								NA		NA			09/22/2005
(1306) White Oak Dr	0.32	200	R								NA		NA			09/22/2005

Virginia Department of Transportation  
Traffic Engineering Division  
2010  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Halifax Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Halifax County</b>																
(1307) Sycamore Rd	0.10	60	R									NA		NA		09/22/2005
(1307) Sycamore Rd	0.08	210	R									NA		NA		09/22/2005
(1308) West Oak Dr	1.03	270	R									NA		NA		09/19/2005
(1309) Rosehill Dr	0.08	40	R									NA		NA		09/22/2005
(1312) Red Oak Pl	0.06	60	R									NA		NA		08/06/2008
(1313) First St	0.02	40	R									NA		NA		09/22/2005
(1313) First St	0.13	170	R									NA		NA		09/22/2005
(1314) Cheverly Dr	0.11	80	R									NA		NA		09/22/2005
(1315) Valley Dr	0.16	180	R									NA		NA		09/22/2005
(1315) Valley Dr	0.13	370	R									NA		NA		09/22/2005
(1316) Alta Lane	0.07	60	R									NA		NA		09/22/2005
(1317) Turkey Run Rd	0.36	80	R									NA		NA		08/11/2008
(1320) Laura Court	0.08	290	R									NA		NA		09/19/2005
(1320) Laura Court	0.07	60	R									NA		NA		09/19/2005
(1321) Fordland Dr	0.14	200	R									NA		NA		09/19/2005
(1321) Fordland Dr	0.03	290	R									NA		NA		09/19/2005
(1321) Fordland Dr	0.11	210	R									NA		NA		09/19/2005
(1322) David St	0.07	360	R									NA		NA		09/19/2005
(1323) Greenway Lane	0.09	230	R									NA		NA		09/19/2005
(1324) Evergreen Trail	0.37	160	R									NA		NA		09/19/2005

Virginia Department of Transportation  
Traffic Engineering Division  
2010  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Halifax Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Halifax County</b>																
(1330) Wildflower Dr	0.08	410	R									NA		NA		10/27/2005
(1330) Wildflower Dr	0.29	150	R									NA		NA		10/27/2005
(1331) Greenfield Rd	0.05	8	R									NA		NA		10/27/2005
(1331) Greenfield Rd	0.30	80	R									NA		NA		10/27/2005
(1331) Greenfield Rd	0.07	160	R									NA		NA		10/27/2005
(1331) Greenfield Rd	0.19	70	R									NA		NA		10/27/2005
(1332) Aster Place	0.06	80	R									NA		NA		10/27/2005
(1336) Westside Dr	0.13	200	R									NA		NA		10/27/2005
(1336) Westside Dr	0.21	660	R									NA		NA		10/27/2005
(1336) Westside Dr	0.06	620	R									NA		NA		10/27/2005
(1337) East Forest Trail	0.06	70	R									NA		NA		10/27/2005
(1337) East Forest Trail	0.05	50	R									NA		NA		10/27/2005
(1338) Lincoln Dr	0.33	310	R									NA		NA		10/27/2005
(1339) Cathy Sue Lane	0.13	100	R									NA		NA		10/27/2005
(1349) Sunshine Dr	0.27	330	R									NA		NA		09/27/2005
(1401) Seven Oaks Dr	0.08	90	R									NA		NA		10/18/2005
(1401) Seven Oaks Dr	0.08	190	R									NA		NA		10/18/2005
(1401) Seven Oaks Dr	0.08	460	R									NA		NA		10/18/2005
(1401) Seven Oaks Dr	0.17	530	R									NA		NA		10/18/2005
(1402) Cedar Court	0.05	30	R									NA		NA		10/18/2005
(1403) Elm Court	0.22	50	R									NA		NA		10/18/2005



Virginia Department of Transportation  
Traffic Engineering Division  
2010  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Halifax Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Halifax County</b>																
(1403) Ratliff Dr	0.07	270	R				From: 41-1406 Eanes Dr					NA		NA		10/18/2005
(1403) Ratliff Dr	0.04	90	R				To: 41-1401 Seven Oaks Dr					NA		NA		10/18/2005
							From: Dead End									
(1404) Pine Court	0.05	49	R				To: 41-1401 Seven Oaks Dr					NA		NA		10/18/2005
							From: Dead End									
(1405) Memorial Dr	0.34	150	R				To: 41-744 Riverdale Dr					NA		NA		09/22/2005
							From: Dead End									
(1406) Eanes Dr	0.08	50	R				To: 41-1403 Ratliff Dr, Elm Court					NA		NA		10/18/2005
							From: Dead End									
(1407) Watlington Dr	0.20	110	R				To: 41-1406 Eanes Dr					NA		NA		08/11/2008
							From: 41-854 Belt Blvd									
(1410) Shepherds Gate Rd	0.27	310	R				To: US 360 James D Hagood Hwy					NA		NA		09/22/2005
							From: 41-1502 Pine Trail									
(1501) Height Trail	0.14	160	R				To: 41-891 Pine Height Trail					NA		NA		10/26/2005
							From: Cul-de-Sac									
(1502) Pine Trail	0.06	30	R				To: 41-1501 Height Trail					NA		NA		10/26/2005
							From: Dead End									
(1502) Pine Trail	0.08	45	R				To: Dead End					NA		NA		10/26/2005
							From: Halifax High School									
(9180) High School Circle	0.88	1500	R				To: SR 129 Old Halifax Rd					NA		NA		09/19/2005
							From: Cul-de-Sac									
(9181) Clays Mill School Dr	0.12	320	R				To: 41-612 Clays Mill School Rd					NA		NA		09/13/2005
<b>Town of Virgilina</b>																
(9182) Virgilina School Rd	0.09	2	R				To: Cul-de-Sac					NA		NA		09/27/2005
<b>Halifax County</b>																
(9183) Meadville School Loop	0.10	230	R				To: SR 57 Chatham Rd					NA		NA		10/26/2005
							From: SR 57 Chatham Rd									
(9184) S of Dan School Rd	0.08	130	R				To: 41-658 Cherry Hill Church Rd					NA		NA		10/13/2005
							From: 41-658 Cherry Hill Church Rd									
(9185) School House Rd	0.16	130	R				To: 41-658 Melon Rd					NA		NA		10/17/2005
							From: Dead End									
(9187) Volens School Rd	0.06	2	R				To: US 501, L P Bailey Mem Hwy					NA		NA		09/15/2005
							From: US 501, L P Bailey Mem Hwy									
<b>Town of Halifax</b>																
(9188) Halifax Elementary Dr	0.05	220	R				To: SR 360 Mtn Rd					NA		NA		10/18/2005
							From: Dead End									

Virginia Department of Transportation  
Traffic Engineering Division  
2010  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Halifax Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Halifax County</b>																
(9189) Scottsburg School Trail	0.11	240	R								NA		NA			09/13/2005
(9509) Middle School Circle	0.43	1100	R								NA		NA			09/22/2005
(9509) Middle School Circle	0.16	1500	R								NA		NA			09/22/2005
(9822) Sydnor Jennings Rd	0.06	200	R								NA		NA			09/15/2005
(9823) Cluster Springs School	0.09	870	R								NA		NA			10/13/2005
(9823) Cluster Springs School	0.17	490	R								NA		NA			10/13/2005
(9848) Sinai Elementary Dr	0.08	650	R								NA		NA			10/27/2005
(9949) Wilson Mem School Loo	0.06	250	R								NA		NA			10/25/2005
<b>Town of South Boston</b>																
(130) Railroad Ave	0.36	450	G	92%	0%	1%	7%	0%	0%	C	0.099	F	0.673	490	G	2010
(130) Railroad Avenue	0.18	580	G	92%	0%	1%	7%	0%	0%	F	0.098	F	0.629	630	G	2010
(2130) Riley Ave	0.16	880	G	98%	1%	1%	0%	0%	0%	C	0.102	F	0.526	960	G	2010
(3130) Seymour Dr	0.11	670	G	92%	1%	2%	5%	0%	0%	C	0.099	F	0.546	730	G	2010
(4130) Vaughan St	0.35	1000	G	98%	1%	1%	0%	0%	0%	C	0.117	F	0.516	1100	G	2010
(5130) Webster St	0.61	870	G	99%	0%	0%	0%	0%	0%	C	0.101	F	0.6	950	G	2010
(6130) Third St	0.14	410	G	97%	0%	2%	0%	0%	0%	C	0.107	F	0.512	440	G	2010
(4700130) Berry Hill Rd	1.13	1800	G	99%	0%	1%	0%	0%	0%	C	0.100	F	0.510	2000	G	2010
(4700130) Berry Hill Rd	0.20	2500	G	99%	0%	1%	0%	0%	0%	F	0.093	F	0.530	2700	G	2010
(4700130) Edmunds St	0.06	2600	G	99%	0%	1%	0%	0%	0%	F	0.098	F	0.563	2800	G	2010
(4700130) Edmunds St	0.45	1700	G	97%	0%	1%	1%	0%	0%	C	0.1	F	0.544	1800	G	2010
(4700130) Edmunds St	0.54	1300	G	98%	0%	1%	0%	0%	0%	C	0.093	F	0.602	1500	G	2010

Virginia Department of Transportation  
Traffic Engineering Division  
2010  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Halifax Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Town of South Boston</b>																
(4701 130) Marshall Ave	0.15	760	G	98%	1%	1%	0%	0%	0%	F	0.114	F	0.587	820	G	2010
						From: Seymour Dr										
(4701 130) Marshall Ave	0.41	930	G	98%	1%	1%	0%	0%	0%	C	0.109	F	0.509	1000	G	2010
						From: Fenton St										
						To: Hodges St										
(4702 130) Hamilton Blvd	0.37	3400	G	99%	0%	1%	0%	0%	0%	C	0.107	F		3700	G	2010
						From: SCL South Boston										
(4702 130) Hamilton Blvd	0.70	5800	G	95%	1%	1%	0%	3%	0%	C	NA			6300	G	2010
						From: Wilborn Ave										
(4702 130) Hamilton Blvd	1.26	6200	G	94%	1%	1%	1%	3%	0%	C	0.117	F		6800	G	2010
						From: SR 129 North Main St										
						To: US 360 John Randolph Blvd										
(4704 130) College St	0.80	1300	G	99%	1%	0%	0%	0%	0%	C	0.094	F	0.508	1400	G	2010
						From: North Main St										
						To: Cavalier Blvd										
(4710 130) Jeffress St	0.20	820	G	98%	1%	1%	0%	0%	0%	C	0.111	F	0.546	890	G	2010
						From: North Main St										
						To: Fenton St										
(4710 130) Fenton St	0.19	610	G	99%	1%	0%	0%	0%	0%	C	0.094	F	0.619	660	G	2010
						From: Jeffress St										
						To: Marshall Ave										
(4713 130) Watkins Ave	0.61	2400	G	97%	0%	2%	0%	1%	0%	C	0.098	F	0.540	2600	G	2010
						From: Edmunds St										
						To: Seymour Dr										
Carrington St		NA									NA			NA		
						From: Watkins Ave										
						To: Noblin Ave										
College St		500	G								0.095	F		500	G	2010
						From: Llewellyn Avenue										
						To: Washington Avenue										
Greenway Dr		360	G								NA			360	G	2010
						From: Wilborn Ave										
						To: Norwood Ave										
Ridge St		220	G								0.138	F	0.581	220	G	2010
						From: Spring Avenue										
						To: Alderson Avenue										
Robin Hood Rd		430	G								NA			430	G	2010
						From: Halifax Rd										
						To: Nottingham Dr										