

2002

**Virginia Department of Transportation
Daily Traffic Volume Estimates**

Jurisdiction Report

38

Grayson County
Town of Fries
Town of Independence
Town of Troutdale

Prepared By

**Virginia Department of Transportation
Mobility Management Division**

In Cooperation With

**U.S. Department of Transportation
Federal Highway Administration**

Virginia Department of Transportation
Mobility Management Division
Traffic Monitoring Section

The Virginia Department of Transportation (VDOT) conducts a program where traffic count data are gathered from sensors in or along streets and highways and other sources. From these data, estimates of the average number of vehicles that traveled each segment of road are calculated. VDOT periodically publishes booklets listing these estimates.

One of these booklets, titled "Average Daily Traffic Volumes with Vehicle Classification Data, on Interstate, Arterial and Primary Routes" includes a list of each Interstate and Primary highway segment with the estimated Annual Average Daily Traffic (AADT) for that segment. AADT is the total annual traffic estimate divided by the number of days in the year. This booklet also includes information such as estimates of the percentage of the AADT made up by 6 different vehicle types, ranging from cars to double trailer trucks; estimated Annual Average Weekday Traffic (AAWDT), which is the number of vehicles estimated to have traveled the segment of highway during a 24 hour weekday averaged over the year; as well as Peak Hour and Peak Direction factors used by planners to formulate design criteria.

In addition to the Primary and Interstate publication, one hundred books are published periodically, one for each of 100 areas across the state defined by VDOT for record-keeping purposes. These books include traffic volume estimates for roads within the county, cities, and towns within the area. These books are titled "Daily Traffic Volumes Including Vehicle Classification Estimates, where available; Jurisdiction Report numbers 00 through 99".

Also available are a number of reports summarizing the average Vehicle Miles Traveled (VMT) in selected jurisdictions and other categories of highways. There are many different ways to present traffic volume summary information. Because the user determines the value of each presentation, the reports have been redesigned based on user requests and feedback. The people at VDOT Mobility Management's Traffic Monitoring Section who produce these books welcome requests for other helpful ways of presenting the summary information.

A compact disc (CD) is available that includes files in the Adobe® Portable Document Format (PDF) that can be displayed, searched, and printed using common desktop computer equipment. The CD includes the publications described above as well as a number of other reports, including specialized VMT summaries and smaller AADT reports for each city and town separately.

Publication Notes

Parallel Roads

For road inventory and management purposes, some roadways are counted separately by direction and have separately published traffic estimates for each direction of travel. Examples of such roadways are the interstate system and routes with separated facilities and (usually) one-way traffic facilities in urban areas. In these publications, they are referred to as parallel roads. As a convenience for the users of the publication, the listing for segments of roads with parallel segments are published with both the traffic estimates for their own direction of travel (e.g. I-95 Northbound) as well as the estimate of the total of all traffic on the same route including parallel roadways (all directions of I-95). The publication will have a “Combined Traffic Estimates for Parallel Roadways on this Route” or “Combined Traffic” identifiers for the combined direction of travel estimates.

Roadways such as I-395 with a North segment, a South segment and a separate Reversible lane segment will have the estimate for more than two parallel roadways included in the entire combined traffic estimate.

Some routes have very complicated paths through cities and towns. These parallel paths may be too complex to allow a relationship between nearby sections of the opposite direction on the same route. In this case, to indicate that the traffic estimates for such a road segment may not include all directions of traffic on that route, the line that would list the combined values will indicate “NA” for not available.

VDOT’s traffic monitoring program includes more than 100,000 segments of roads and highways ranging from several mile sections of Interstate highways to very short sections of city streets. Due to problems experienced obtaining some traffic count data, and the level of quality necessary to maintain confidence in the data, no estimate is currently available for some segments of roadway. These segments are included in the publications indicating “NA” for not available. It is the intention of the VDOT’s Mobility Management Traffic Monitoring group to obtain the data necessary and to report traffic volume estimates on all road segments included in these publications.

Many of the road segments in this program are local secondary roads. The amount and detail of data collected on these roads are not as great as the data collected on higher volume roads. The vehicle classification, average weekday traffic volumes, and the theoretical design hour traffic volumes are not calculated for these roads. The publications indicate “NA” for the information that is not available.

This publication is based on a traffic monitoring program initiated in 1997. Because the data collection techniques and statistical evaluation processes are different than those used in previous years, comparison with previous publications may be misleading.

Glossary of Terms:

Route: The Route Number assigned to this segment of roadway with the master inventory route number if this is an overlapping route, with official street or highway name if available.

Length: Length of the traffic segment in miles.

AADT: Annual Average Daily Traffic. The estimate of typical daily traffic on a road segment for all days of the week, Sunday through Saturday, over the period of one year.

QA: Quality of AADT:

- A Average of Complete Continuous Count Data
- B Average of Selected Continuous Count Data
- F Factored Short Term Traffic Count Data
- G Factored Short Term Traffic Count Data with Growth Element
- H Historical Estimate
- M Manual Uncounted Estimate
- N AADT of Similar Neighboring Traffic Link
- O Provided By External Source
- R Raw Traffic Count, Unfactored

4Tire: Percentage of the traffic volume made up of motorcycles, passenger cars, vans and pickup trucks.

Bus: Percentage of the traffic volume made up of busses.

2Axle Truck: Percentage of the traffic volume made up of 2 axle single unit trucks (not including pickups and vans).

3+Axle Truck: Percentage of the traffic volume made up of single unit trucks with three or more axles.

1Trail Truck: Percentage of the traffic volume made up of units with a single trailer.

2Trail Truck: Percentage of the traffic volume made up of units with more than one trailer.

QC: Quality of Classification Data:

- A Average of Complete Continuous Count Data
- B Average of Selected Continuous Count Data
- C Short Term Classified Traffic Count Data
- F Factored Short Term Traffic Count Data
- H Historical Estimate
- M Mass Collective Average
- N Classification Estimates of Similar Neighboring Traffic Link

Peak Hour: The estimate of the traffic volume for the 30th highest traffic volume occurring in a one-year period divided by the AADT for the same one-year period.

QK: Quality of the Peak Hour estimate:

- A Factor based on 30th Highest Hour Observed During 12 Months of Continuous Traffic Data
- B Factor based on 30th Highest Hour Observed During Less than 12 Months of Continuous Traffic Data
- F Factor based on Highest Hour Collected at in a 48 Hour Weekday Period
- M Factor based on Manual Estimate of 30th Highest Hour
- N Peak Hour Factor of Similar Neighboring Traffic Link
- O Provided by External Source

Dir Factor: The estimate of the portion of the traffic volume traveling in the peak direction during the Peak Hour..

AAWDT: Average Annual Weekday Traffic. The estimate of typical traffic over the period of one year for the days between Monday through Thursday inclusive.

QW: Quality of AAWDT:

- A Average of Complete Continuous Count Data
- B Average of Selected Continuous Count Data
- F Factored Short Term Traffic Count Data
- G Factored Short Term Traffic Count Data with Growth Element
- M Manual Uncounted Estimate
- N AAWDT of Similar Neighboring Traffic Link
- O Provided by External Source

Year: Year for which the published values are appropriate. If the Quality of AADT (QA) is "R", the year is the year that the raw traffic count was collected, and if available,

Route Shield Legend

Route Systems



Interstate Route

Traffic volume data for Interstate Routes and some other routes are reported separately by direction, as well as combined.



US Route



Virginia State Route



Secondary Route

Special Routes



Bus - Business Route

Bypas - Bypass Route

Truck - Truck Route



ALT - Alternate Route

Wve - Wve Route connector



P - Parallel Route; Southbound or Westbound direction lanes of a numbered route where they are on a different road facility than the other direction.



The VDOT Maintenance Jurisdiction number is displayed below the Secondary Route Number if the Maintenance Jurisdiction is different than the jurisdiction in the title of the report.

Virginia Department of Transportation
 Mobility Management Division
 2002
 Annual Average Daily Traffic Volume Estimates By Section of Route
 Grayson Maintenance Area

Route	Length	AADT	QA	Year
Grayson County				
From: North Carolina State Line	4.06	1200	F	2002
To: US 58 Mouth of Wilson	3.99	1600	F	2002
From: US 58 VOLNEY	5.66	1400	F	2002
To: ECL Troutdale				
Town of Troutdale				
From: ECL Troutdale	2.26	1500	F	2002
To: WCL Troutdale				
Grayson County				
From: WCL Troutdale	0.82	1300	F	2002
To: Smyth County Line				
From: North Carolina State Line	3.39	1900	F	2002
To: SCL Independence				
Town of Independence				
From: SCL Independence	0.47	1900	N	2002
To: US 58	1.64	2100	A	2002
To: NCL Independence				
Grayson County				
From: NCL Independence	8.72	2100	N	2002
To: 38-791	1.45	1400	F	2002
From: 38-805 Turkey Fork	1.37	1300	F	2002
To: Wythe County Line				
From: North Carolina State Line	4.69	2000	O	2002
To: Carroll County Line				
From: Washington County Line	9.57	650	F	2002
To: SR 362	3.76	340	F	2002
From: 38-740 North of Rugby	3.99	640	F	2002
To: SR 16 Volney	3.99	1600	F	2002
From: SR 16 Mouth of Wilson	3.79	1800	F	2002
To: 38-711	8.04	2700	F	2002
To: WCL Independence				
Town of Independence				
From: WCL Independence	0.86	2700	N	2002
To: US 21 Independence	1.20	6500	F	2002
To: ECL Independence				

Route	Length	AADT	QA	Year
Grayson County				
From: ECL Independence	1.55	6500	N	2002
To: SR 274 East of Independence	8.68	5000	F	2002
From: SR 94 West of Galax	1.36	8900	F	2002
To: WCL Galax				
From: North Carolina State Line	4.89	4700	F	2002
To: SCL Galax				
From: North Carolina State Line	0.92	760	F	2002
To: US 58 Near Mouth Of Wilson				
From: US 58 West of Galax	4.22	2300	F	2002
To: SR 274	2.05	2300	F	2002
From: 38-805 Southwest of Fries	2.20	1900	F	2002
To: WCL Fries				
Town of Fries				
From: WCL Fries	0.48	1900	N	2002
To: 38-1001	0.56	1900	F	2002
To: NCL Fries				
Grayson County				
From: NCL Fries	0.63	1900	N	2002
To: Carroll County Line				
From: ECL Galax	0.78	2900	F	2002
To: Carroll County Line				
From: North Carolina State Line	3.39	1900	F	2002
To: CL Independence				
Town of Independence				
From: CL Independence	0.47	1900	N	2002
To: RT 58 INDEPENDENCE				
From: US 58 INDEPENDENCE	1.20	6500	F	2002
To: CL Independence				
Grayson County				
From: CL Independence	1.55	6500	N	2002
To: SR 274 EAST OF INDEPENDENCE	8.68	5000	F	2002
From: SR 94 WEST OF GALAX	1.36	8900	F	2002
To: WCL GALAX				
From: US 58	7.36	790	F	2002
To: SR 94				
From: 38-606	0.40	20	R	10/15/2001
To: Grayson County Line				

Virginia Department of Transportation
 Mobility Management Division
 2002
 Annual Average Daily Traffic Volume Estimates By Section of Route
 Grayson Maintenance Area

Route	Length	AADT	QA	Year
Grayson County				
From: North Carolina State Line				
(600)	0.30	80	R	07/18/2002
To: 38-751				
From: 38-751				
(600)	2.30	110	R	07/18/2002
To: US 58 EAST				
From: US 58 WEST				
(600)	3.00	110	F	2002
To: Smyth County Line				
From: Smyth County Line				
(601)	7.43	190	F	2002
To: 38-658 NORTH				
From: 38-658 SOUTH				
(601)	1.32	190	F	2002
To: 38-679				
From: 38-679				
(601)	3.60	270	F	2002
To: 38-803				
From: 38-803				
(601)	1.84	320	F	2002
To: US 58				
From: US 58				
(601)	1.62	90	F	2002
To: 38-711 NORTH				
From: 38-711 NORTH				
(601)	1.41	160	F	2002
To: 38-708 NORTH				
From: 38-708 NORTH				
(601)	0.96	160	F	2002
To: 38-708 SOUTH				
From: 38-708 SOUTH				
(601)	0.25	80	R	1999
To: North Carolina State Line				
From: North Carolina State Line				
(602)	0.50	110	R	1999
To: Wythe County Line				
From: Wythe County Line				
(602)	3.30	170	F	2002
To: 38-653				
From: 38-653				
(602)				
To: Carroll County Line				
From: Carroll County Line				
(603)	1.90	200	F	2002
To: Smyth County Line				
From: Smyth County Line				
(603)	2.87	210	F	2002
To: 38-741				
From: 38-741				
(603)				
To: WCL Troutdale				
From: WCL Troutdale				
Town of Troutdale				
(603)	1.00	280	F	2002
To: WCL Troutdale				
From: WCL Troutdale				
(603)	0.85	440	R	1999
To: SR 16 North				
From: SR 16 South				
(603)				
To: ECL Troutdale				
From: ECL Troutdale				
Grayson County				
(603)	1.60	440	N	1999
To: ECL Troutdale				
From: ECL Troutdale				
(603)	2.00	80	R	06/18/2002
To: 38-732				
From: 38-732				
(603)	2.00	70	R	06/18/2002
To: Jefferson Forest Boundary				
From: Jefferson Forest Boundary				
(603)	1.90	80	R	06/18/2002
To: 38-601 NORTH				
From: 38-601 SOUTH				
(603)				
To: 38-675				
From: 38-675				
(604)	0.10	70	R	04/22/2002
To: 38-805 WEST				
From: 38-805 WEST				
(604)				
To: 38-655				
From: 38-655				

Route	Length	AADT	QA	Year
Grayson County				
From: 38-655				
(604)	0.90	30	R	04/22/2002
To: 38-805 MID				
From: 38-805 EAST				
(604)	0.60	60	R	04/22/2002
To: 38-776				
From: 38-776				
(604)	1.00	60	R	04/22/2002
To: 38-760				
From: 38-760				
(604)	4.60	60	F	2002
To: 38-644				
From: 38-644				
(604)	1.10	310	F	2002
To: 38-647				
From: 38-647				
(604)	0.20	560	R	1999
To: Carroll County Line				
From: Carroll County Line				
(605)	0.60	280	R	1999
To: 0.60 MN 38-644				
From: 0.60 MN 38-644				
(605)	0.20	140	R	1999
To: Carroll County Line				
From: Carroll County Line				
(606)	0.54	200	F	2002
To: NCL Galax				
From: NCL Galax				
(606)	1.05	110	R	1999
To: 38-634				
From: 38-634				
(606)	0.15	90	R	1999
To: 38-809				
From: 38-809				
(606)	0.75	80	R	1999
To: 38-642				
From: 38-642				
(606)	0.65	30	R	1999
To: 17-732				
From: 17-732				
(606)	0.35	NA		
To: Road				
From: Road				
(606)				
To: Dead End; Gap Terminus				
From: Dead End; Gap Terminus				
Town of Fries				
From: SCL Fries; Gap Terminus				
(606)	0.15	NA		
To: 38-1001				
From: 38-1001				
(606)	0.18	3200	F	2002
To: ECL Fries				
From: ECL Fries				
Grayson County				
From: 38-613				
(607)	3.00	180	F	2002
To: 38-787				
From: 38-787				
(607)	1.70	520	F	2002
To: 38-618				
From: 38-618				
(607)	1.40	360	F	2002
To: 38-617				
From: 38-617				
(607)	1.62	290	F	2002
To: US 58				
From: US 58				
(607)	0.12	240	R	1999
To: Dead End; Gap Terminus				
From: Dead End; Gap Terminus				
(607)	0.26	1000	F	2002
To: NCL Galax; Gap Terminus				
From: NCL Galax; Gap Terminus				
(607)				
To: Carroll County Line				
From: Carroll County Line				
(608)	1.10	410	F	2002
To: SR 97; Carroll County Line				
From: SR 97; Carroll County Line				
(608)				
To: Carroll County Line				
From: Carroll County Line				

Virginia Department of Transportation
 Mobility Management Division
 2002
 Annual Average Daily Traffic Volume Estimates By Section of Route
 Grayson Maintenance Area

Route	Length	AADT	QA	Year
Grayson County				
From: Blue Ridge Parkway				
(609)	2.60	100	R	07/12/2002
To: 38-799				
From: 38-799				
(609)	0.30	70	R	07/12/2002
To: 38-613				
From: 38-613				
(609)	2.20	140	R	1999
To: Carroll County Line				
From: 38-785				
(610)	0.50	340	R	1999
To: SR 89				
From: US 21				
(611)	1.50	120	R	1999
To: 38-668				
From: 38-668				
(611)	1.00	40	R	06/11/2002
To: 38-665				
From: 38-665				
(611)	0.80	60	R	06/11/2002
To: 38-664				
From: 38-664				
(611)	1.30	80	R	06/11/2002
To: 38-662				
From: 38-662				
(611)	1.20	90	R	1999
To: 38-671				
From: 38-671				
(611)	0.70	140	R	1999
To: 38-658				
From: Blue Ridge Parkway				
(612)	1.20	70	R	07/12/2002
To: Carroll County Line				
From: 38-615; NC State Line				
(613)	1.56	1600	F	2002
To: 38-785				
From: 38-785				
(613)	1.14	1500	F	2002
To: SR 89				
From: SR 89				
(613)	2.41	470	R	1999
To: 38-609				
From: 38-609				
(613)	2.41	470	R	1999
To: 38-609				
From: 38-659				
(614)	0.40	220	R	1999
To: US 21; 38-791				
From: Dead End				
(615)	1.30	130	R	07/16/2002
To: 38-624				
From: 38-624				
(615)	3.10	490	F	2002
To: 38-613; NC State Line				
From: 38-622				
(616)	2.00	230	R	07/16/2002
To: 38-626				
From: 38-622				
(617)	1.20	170	R	1999
To: 38-621				
From: 38-621				
(617)	0.70	150	R	07/16/2002
To: 38-607				
From: 38-607				
(618)	0.60	590	R	1999
To: SR 89				
From: 38-607				
(619)	0.80	320	R	1999
To: 38-643				

Route	Length	AADT	QA	Year
Grayson County				
From: 38-643				
(619)	1.49	90	R	07/16/2002
To: SCL Galax				
From: 38-604				
(620)	0.21	40	R	04/22/2002
To: 38-604				
From: 38-622				
(621)	0.70	110	R	07/16/2002
To: 38-617				
From: 38-625				
(622)	2.00	130	R	07/16/2002
To: 38-624 WEST				
From: 38-624 EAST				
(622)	1.70	760	F	2002
To: 38-616				
From: 38-616				
(622)	0.90	820	F	2002
To: 38-617				
From: 38-617				
(622)	1.50	830	F	2002
To: 38-621				
From: 38-621				
(622)	0.70	940	F	2002
To: 38-626				
From: 38-622				
(623)	3.04	140	R	1999
To: 38-626 SOUTH				
From: 38-626 NORTH				
(623)	0.31	60	R	1999
To: US 58				
From: US 58				
(623)	1.09	640	F	2002
To: 38-636				
From: North Carolina State Line				
(624)	1.30	1100	F	2002
To: 38-622 EAST				
From: 38-622 EAST				
(624)	3.30	500	F	2002
To: 38-626				
From: 38-626				
(624)	0.38	560	R	1999
To: US 58				
From: North Carolina State Line				
(625)	0.20	NA		
To: 0.20 MN NC State Line				
From: 0.20 MN NC State Line				
(625)	0.50	8	R	07/16/2002
To: 38-622				
From: 38-622				
(625)	0.45	20	R	07/16/2002
To: 38-707				
From: 38-707				
(625)	0.45	50	R	07/16/2002
To: 38-633				
From: 38-633				
(625)	1.60	110	R	07/16/2002
To: 38-626				
From: 38-632 SOUTH				
(626)	1.60	50	R	1999
To: 38-627				
From: 38-627				
(626)	1.51	60	R	1999
To: 1.51 MN 38-627				
From: 1.51 MN 38-627				
(626)	0.10	70	R	1999
To: 38-629				
From: 38-629				
(626)	2.49	480	R	1999
To: 38-624				

Virginia Department of Transportation
 Mobility Management Division
 2002
 Annual Average Daily Traffic Volume Estimates By Section of Route
 Grayson Maintenance Area

Route	Length	AADT	QA	Year
Grayson County				
From: 38-624				
(626)	0.30	620	F	2002
To: 38-636				
(626)	3.40	210	R	1999
To: 38-622				
(626)	0.09	1100	F	2002
To: US 58				
From: Dead End				
(627)	0.25	30	R	1999
To: 38-626				
From: North Carolina State Line				
(628)	1.90	20	R	1999
To: 38-629 EAST				
From: 38-629 WEST				
(628)	0.50	NA		
To: Dead End				
From: North Carolina State Line				
(629)	3.20	30	R	1999
To: 38-628 WEST				
(629)	0.20	40	R	1999
To: 38-628 EAST				
(629)	1.02	50	R	1999
To: 1.02 MN 38-628				
From: 1.03 MN 38-628				
(629)	0.22	50	R	1999
To: 38-626				
From: 38-824				
(630)	0.16	47	R	1999
To: Dead End				
From: US 58				
(631)	0.03	200	R	1999
To: 0.03 MN US 58				
(631)	0.92	160	R	06/06/2002
To: 38-634				
(631)	1.70	30	R	06/06/2002
To: 38-635				
(631)	1.30	20	R	06/06/2002
To: 38-779				
(631)	0.55	40	R	06/06/2002
To: 38-636 WEST				
From: 38-636 EAST				
(631)	1.20	90	R	06/06/2002
To: 38-637				
From: Dead End				
(632)	0.12	2	R	1999
To: 0.12 MW Dead End				
(632)	1.01	40	R	1999
To: 38-626 SOUTH				
(632)	1.70	100	R	1999
To: 38-626 NORTH				
From: 38-625				
(633)	0.80	50	R	07/16/2002
To: 38-624 SOUTH				
From: 38-624 NORTH				
(633)	0.85	60	R	07/16/2002
To: 38-623				

Route	Length	AADT	QA	Year
Grayson County				
From: Dead End				
(634)	1.80	130	R	06/06/2002
To: 38-631				
(634)	1.40	330	R	1999
To: 38-636 WEST				
(634)	0.10	620	F	2002
To: 38-636 EAST				
(634)	1.40	120	R	1999
To: 38-637				
(634)	2.30	100	R	05/29/2002
To: SR 94; Gap Terminus				
From: 38-882; Gap Terminus				
(634)	0.30	150	R	1999
To: 38-868				
(634)	0.40	140	R	05/29/2002
To: 0.40 ME 38-868				
(634)	0.20	110	R	1999
To: 38-640 WEST				
From: 38-640 EAST				
(634)	1.07	310	F	2002
To: 38-893				
(634)	0.19	140	F	2002
To: 38-641				
(634)	0.50	170	F	2002
To: 38-606				
From: Dead End				
(635)	0.50	9	R	06/06/2002
To: 38-631				
(635)	1.70	120	R	06/06/2002
To: 38-634				
From: 38-9513				
(636)	0.15	160	R	1999
To: 38-626				
(636)	0.39	820	F	2002
To: US 58				
(636)	0.94	230	F	2002
To: 38-623				
(636)	0.70	750	F	2002
To: 38-634 WEST				
(636)	0.80	340	R	1999
To: 38-631 EAST				
(636)	0.50	110	R	06/06/2002
To: 38-631 WEST				
(636)	0.20	70	R	06/06/2002
To: 38-779				
(636)	1.00	50	R	06/06/2002
To: 38-637				
(636)	1.06	5	R	06/06/2002
To: Dead End				
From: 38-634				
(637)	1.60	40	R	06/06/2002
To: 38-631				
(637)	1.40	40	R	06/06/2002
To: 38-636				

Virginia Department of Transportation
 Mobility Management Division
 2002
 Annual Average Daily Traffic Volume Estimates By Section of Route
 Grayson Maintenance Area

Route	Length	AADT	QA	Year
Grayson County				
From: SR 94 SOUTH				
(638)	1.70	260	R	05/29/2002
To: 38-640 SOUTH				
(638)	0.20	120	R	05/29/2002
To: 38-640 NORTH				
(638)	0.50	150	R	05/29/2002
To: 38-639				
(638)	0.80	460	R	05/29/2002
To: SR 94 NORTH				
From: 38-638				
(639)	0.40	220	R	1999
To: 38-880				
(639)	0.90	70	R	05/29/2002
To: Dead End				
From: SR 94				
(640)	0.80	40	R	05/29/2002
To: 38-638 SOUTH				
From: 38-638 NORTH				
(640)	0.90	40	R	05/29/2002
To: Dead End; Gap Terminus				
From: Dead End; Gap Terminus				
(640)	2.30	130	R	05/29/2002
To: 38-634 WEST				
(640)	0.15	340	R	1999
To: 38-634 EAST				
(640)	0.59	540	F	2002
To: 38-780				
(640)	0.15	810	F	2002
To: WCL Galax				
From: 38-634				
(641)	1.60	180	R	05/29/2002
To: 38-642				
(641)	1.42	110	R	05/29/2002
To: 38-869				
(641)	0.88	8	R	05/29/2002
To: Dead End				
From: 38-641				
(642)	0.94	80	R	05/29/2002
To: 38-823				
(642)	0.06	90	R	05/29/2002
To: 38-606				
From: 38-619				
(643)	1.07	320	R	1999
To: WCL Galax				
From: SR 94				
(644)	0.40	730	F	2002
To: 38-605				
(644)	0.12	640	F	2002
To: 38-770				
(644)	0.49	380	F	2002
To: 38-647				
(644)	1.43	200	R	1999
To: 38-604				
(644)	0.04	170	R	04/22/2002
To: 38-855				

Route	Length	AADT	QA	Year
Grayson County				
From: 38-855				
(644)	0.06	130	R	04/22/2002
To: 38-645				
(644)	0.40	90	R	04/22/2002
To: Dead End				
From: 38-644				
(645)	0.40	60	R	04/22/2002
To: Dead End				
From: 38-648				
(646)	2.60	350	R	1999
To: 38-604				
From: 38-815				
(647)	0.70	390	F	2002
To: 38-759				
(647)	0.70	440	F	2002
To: 38-644				
(647)	0.50	280	F	2002
To: 38-770				
(647)	0.40	400	F	2002
To: 38-604				
From: SR 94 SOUTH				
(648)	0.10	90	R	1999
To: SR 94 NORTH				
(648)	1.40	400	R	1999
To: 38-805				
From: 38-805 SOUTH				
(649)	3.25	180	R	1999
To: 38-713				
(649)	0.70	240	R	05/07/2002
To: 38-805 MID				
From: 38-805 NORTH				
(649)	2.10	260	R	1999
To: 38-646				
From: Dead End				
(650)	0.45	30	R	05/07/2002
To: 38-660 WEST				
From: 38-660 EAST				
(650)	1.76	46	R	05/07/2002
To: 1.76 MN 38-660				
(650)	0.11	60	R	05/07/2002
To: 1.87 MN 38-660 EAST				
(650)	0.15	50	R	05/07/2002
To: 38-833				
(650)	1.28	70	R	05/07/2002
To: 38-805				
From: 38-805 SOUTH				
(651)	0.32	90	R	05/07/2002
To: 38-773				
(651)	0.77	60	R	05/07/2002
To: 38-892				
(651)	0.11	80	R	05/07/2002
To: 38-805 MIDDLE				
(651)	0.70	120	R	05/07/2002
To: 38-652				
(651)	0.70	40	R	05/07/2002
To: 38-805 NORTH				

Virginia Department of Transportation
 Mobility Management Division
 2002
 Annual Average Daily Traffic Volume Estimates By Section of Route
 Grayson Maintenance Area

Route	Length	AADT	QA	Year
Grayson County				
From 38-660				
(652) To 38-651	3.60	60	R	05/07/2002
From 38-604				
(653) To 38-602	4.60	60	R	04/22/2002
From US 21				
(654) To 38-686 WEST	2.30	230	F	2002
From 38-689				
(654) To 38-695	1.40	80	F	2002
From 38-660 WEST				
(654) To 38-660 EAST	2.20	70	F	2002
From 38-695				
(654) To 38-660 WEST	2.60	70	F	2002
From 38-660 EAST				
(654) To 1.00 MN 38-660 EAST	1.00	90	R	1999
From 38-805				
(654) To 38-805	2.30	47	R	05/07/2002
From 38-656				
(655) To 38-604	3.00	60	R	04/22/2002
From 38-660				
(656) To 38-655	0.20	60	R	05/07/2002
From 38-657				
(656) To 38-805	1.60	40	R	04/22/2002
From 38-805				
(656) To 38-805	0.40	90	R	04/22/2002
From US 21				
(657) To 38-791	1.20	100	R	04/22/2002
From 38-791				
(657) To 0.69 ME 38-791	0.69	80	R	04/22/2002
From 38-656				
(657) To 38-656	0.51	40	R	04/22/2002
From SR 16				
(658) To 38-731 WEST	2.08	180	F	2002
From 38-733				
(658) To 38-733	2.10	70	F	2002
From 38-672 SOUTH				
(658) To 38-672 SOUTH	3.58	190	F	2002
From 38-673 EAST				
(658) To 38-673 EAST	3.23	50	F	2002
From 38-670				
(658) To 38-670	3.60	120	F	2002
From 38-670				
(658) To 38-670	2.10	300	F	2002
From 38-672 NORTH				
(658) To 38-672 NORTH	0.20	330	F	2002
From 38-611				
(658) To 38-611	2.59	510	F	2002
From 38-663				

Route	Length	AADT	QA	Year
Grayson County				
From 38-663				
(658) To US 21	2.70	1100	F	2002
From 38-658				
(659) To 38-614	0.70	180	R	1999
From 38-614				
(659) To 38-791 WEST	0.20	40	R	05/03/2002
From 38-791 WEST				
(659) To 1.95 MS 38-791 WEST	1.95	200	R	1999
From 0.30 NA				
(659) To Dead End	0.30	NA		
From US 21				
(660) To 38-654 EAST	3.30	420	F	2002
From 38-654 EAST				
(660) To 38-650 EAST	3.78	260	F	2002
From 38-650 EAST				
(660) To 38-691	1.09	390	F	2002
From 38-691				
(660) To SR 274	2.60	740	F	2002
From Dead End				
(661) To 38-728	0.25	170	R	1999
From Dead End				
(662) To 38-668 SOUTH	0.80	30	R	1999
From 38-668 SOUTH				
(662) To 38-668 NORTH	0.04	70	R	1999
From 38-668 NORTH				
(662) To 38-673 SOUTH	0.20	50	R	1999
From 38-673 SOUTH				
(662) To 38-673 NORTH	0.30	30	R	1999
From 38-673 NORTH				
(662) To 38-664	2.00	40	R	1999
From 38-664				
(662) To 38-670	0.30	80	R	06/11/2002
From 38-670				
(662) To 1.26 MN 38-670	1.26	60	R	06/11/2002
From 0.13 80				
(662) To 38-611 WEST	0.13	80	R	06/11/2002
From 38-611 EAST				
(662) To 38-663	1.60	290	R	1999
From 38-663				
(663) To 38-658	1.15	190	R	1999
From 38-658				
(663) To 38-662	2.10	90	R	1999
From 38-662				
(663) To 38-665				
From 38-665				
(664) To 38-662	0.05	70	R	06/11/2002
From 38-662				
(664) To 38-764	2.50	60	R	06/11/2002
From 38-764				
(664) To 38-611				

Virginia Department of Transportation
 Mobility Management Division
 2002
 Annual Average Daily Traffic Volume Estimates By Section of Route
 Grayson Maintenance Area

Route	Length	AADT	QA	Year
Grayson County				
From 38-611				
(665)	0.20	60	R	06/11/2002
To 38-864				
(665)	2.20	160	R	06/11/2002
To 38-663				
(665)	0.90	310	R	1999
To 38-658				
From Dead End				
(666)	0.40	30	R	05/03/2002
To US 21				
From US 21				
(667)	0.25	20	R	05/03/2002
To Dead End				
From 38-658				
(668)	1.60	40	R	06/11/2002
To 38-662 WEST				
From 38-662 EAST				
(668)	0.70	90	R	06/11/2002
To 38-673				
(668)	1.00	70	R	06/11/2002
To 38-764				
(668)	2.20	170	R	06/11/2002
To 38-611				
From Dead End				
(669)	3.10	120	R	05/03/2002
To 38-825				
From 38-658				
(670)	0.50	30	R	06/11/2002
To 0.50 ME 38-658				
(670)	1.30	20	R	06/11/2002
To 38-662				
From 38-658				
(671)	1.29	90	R	06/11/2002
To 1.29 ME 38-658				
(671)	0.21	70	R	06/11/2002
To 38-611				
From 38-658				
(672)	0.05	80	R	1999
To 0.05 MN 38-658				
(672)	0.20	80	R	1999
To 38-768				
(672)	1.10	20	R	06/18/2002
To 38-674 SOUTH				
(672)	0.30	50	R	06/18/2002
To 38-674 NORTH				
(672)	0.80	40	R	06/18/2002
To 0.80 MN 38-674				
(672)	1.70	40	R	06/18/2002
To Jefferson Forest Boundary				
(672)	3.30	10	R	06/18/2002
To 38-675				
(672)	1.30	20	R	06/18/2002
To 38-798				
(672)	2.90	30	R	06/18/2002
To 38-658				

Route	Length	AADT	QA	Year
Grayson County				
From Dead End				
(673)	1.00	40	R	06/18/2002
To 38-658 WEST				
From 38-658 EAST				
(673)	1.20	70	R	1999
To 38-662 SOUTH				
From 38-662 NORTH				
(673)	0.40	40	R	1999
To 38-668				
From 38-768				
(674)	1.65	80	R	06/18/2002
To 38-672 SOUTH				
From 38-672 NORTH				
(674)	1.80	30	R	06/18/2002
To 38-658				
From 38-601				
(675)	1.20	30	R	06/18/2002
To 38-846 WEST				
(675)	0.40	30	R	06/18/2002
To 38-676				
(675)	0.80	30	R	06/18/2002
To 38-603				
(675)	1.55	9	R	06/18/2002
To 38-846 EAST				
(675)	3.95	8	R	06/18/2002
To 38-672				
From 38-677				
(676)	0.20	30	R	06/18/2002
To 38-762				
(676)	3.90	46	R	06/18/2002
To 38-601 SOUTH				
From 38-601 NORTH				
(676)	1.30	50	R	06/18/2002
To 38-675				
From 38-739				
(677)	0.20	100	R	1999
To 0.20 MN 38-739				
(677)	1.10	80	R	1999
To 38-676				
(677)	0.90	80	R	06/18/2002
To 38-762				
(677)	1.80	60	R	06/18/2002
To 38-732				
(677)	1.20	70	R	06/18/2002
To 38-601				
From US 58				
(678)	2.10	49	R	06/25/2002
To 38-711 EAST				
(678)	3.20	200	F	2002
To 38-658				
From 38-601				
(679)	2.40	40	R	06/13/2002
To 38-658				
From 38-711				
(680)	2.20	60	R	06/13/2002
To 38-601 EAST				

Virginia Department of Transportation
 Mobility Management Division
 2002
 Annual Average Daily Traffic Volume Estimates By Section of Route
 Grayson Maintenance Area

Route	Length	AADT	QA	Year
Grayson County				
From: 38-601 WEST				
(680) To: Dead End	1.10	60	R	06/13/2002
From: 38-711				
(681) To: US 58 WEST	0.95	210	R	1999
From: US 58 EAST				
(681) To: 38-601	1.30	130	R	06/13/2002
From: US 58				
(682) To: 38-683	1.00	120	R	06/13/2002
From: 38-683				
(682) To: Dead End	0.85	70	R	06/13/2002
From: US 58				
(683) To: 38-682	1.00	50	R	06/13/2002
From: Dead End				
(684) To: 1.04 ME Dead End	1.04	90	R	06/13/2002
From: 38-883				
(684) To: WCL Independence	0.29	210	R	06/13/2002
From: 38-883				
(684) To: WCL Independence	0.82	280	R	1999
Town of Independence				
From: WCL Independence				
(684) To: US 21	0.25	320	R	1999
From: US 21				
(684) To: Dead End	0.22	160	R	1999
From: US 58				
(685) To: 38-1124	0.74	670	R	1999
From: 38-1124				
(685) To: ECL Independence	0.14	700	R	1999
Grayson County				
From: ECL Independence				
(685) To: 38-686; 38-687	0.91	700	N	1999
From: 38-686; 38-687				
(685) To: 38-688	0.60	150	R	06/04/2002
From: 38-688				
(685) To: SR 274	0.20	200	R	06/04/2002
From: 38-888				
(685) To: SR 274	1.20	160	R	1999
From: 38-685				
(686) To: 38-654 WEST	1.80	140	R	06/04/2002
From: 38-654 EAST				
(686) To: Dead End	0.30	30	R	06/04/2002
From: 38-685; 38-686				
(687) To: 38-688	1.10	220	R	1999
From: 38-688				
(687) To: 38-689 SOUTH	0.30	100	R	06/04/2002

Route	Length	AADT	QA	Year
Grayson County				
From: 38-689 SOUTH				
(687) To: 38-689 NORTH	0.10	70	R	06/04/2002
From: 38-689 NORTH				
(687) To: 38-691	1.70	60	R	06/04/2002
From: 38-685				
(688) To: 38-687	0.80	60	R	06/04/2002
From: 38-691				
(689) To: 38-687 SOUTH	1.50	90	R	06/04/2002
From: 38-687 NORTH				
(689) To: 38-654	1.00	30	R	06/04/2002
From: Dead End				
(690) To: 38-706	0.30	40	R	07/26/2002
From: SR 274				
(691) To: 38-689	0.50	140	R	1999
From: 38-689				
(691) To: 38-687	1.40	150	R	06/04/2002
From: 38-687				
(691) To: 38-692 WEST	1.50	140	R	06/04/2002
From: 38-692 WEST				
(691) To: 38-692 EAST	0.10	150	R	1999
From: 38-692 EAST				
(691) To: 38-694	0.80	40	R	06/04/2002
From: 38-694				
(691) To: 38-660	1.10	430	R	1999
From: 38-694				
(692) To: 38-691 WEST	0.70	190	R	1999
From: 38-691 EAST				
(692) To: SR 274	1.30	220	R	1999
From: US 58				
(693) To: 0.14 MN US 58	0.14	110	R	1999
From: SR 274				
(693) To: SR 274	1.06	70	R	06/06/2002
From: 38-654				
(694) To: 38-654	0.80	120	R	06/04/2002
From: 38-692				
(694) To: 38-691	1.20	200	R	1999
From: 38-654				
(695) To: 38-691	3.30	160	R	1999
From: Dead End				
(696) To: 38-654 NORTH	0.40	60	R	1999
From: 38-654 SOUTH				
(696) To: 38-830	1.50	30	R	05/07/2002
From: 38-830				
(696) To: 38-660	1.70	90	R	05/07/2002

Virginia Department of Transportation
 Mobility Management Division
 2002
 Annual Average Daily Traffic Volume Estimates By Section of Route
 Grayson Maintenance Area

Route	Length	AADT	QA	Year
Grayson County				
From: US 21				
(697)	1.19	580	R	1999
To: 38-763				
From: 38-763				
(697)	1.90	90	R	07/26/2002
To: 38-765				
From: 38-765				
(697)	0.40	80	R	07/26/2002
To: 38-698				
From: 38-698				
(697)	1.10	60	R	07/26/2002
To: 38-700				
From: 38-697				
(698)	0.90	120	R	07/26/2002
To: 38-715				
From: 38-715				
(698)	0.57	320	R	1999
To: US 58				
From: Dead End				
(699)	0.80	20	R	07/26/2002
To: 38-700				
From: 68-706				
(700)	1.00	90	R	07/26/2002
To: 38-702 NORTH				
From: 38-702 NORTH				
(700)	0.40	170	R	07/26/2002
To: 38-705				
From: 38-705				
(700)	0.60	140	R	07/26/2002
To: 38-702 SOUTH				
From: 38-702 SOUTH				
(700)	2.00	100	R	07/26/2002
To: 38-701				
From: 38-701				
(700)	0.80	130	R	07/26/2002
To: North Carolina State Line				
From: North Carolina State Line				
(700)	2.60	110	R	07/26/2002
To: 38-701				
From: 38-701				
(700)	0.80	70	R	07/26/2002
To: 38-697				
From: 38-697				
(700)	0.10	30	R	07/26/2002
To: 0.10 ME 38-697				
From: 0.10 ME 38-697				
(700)	0.40	30	R	07/26/2002
To: 38-699				
From: 38-699				
(700)	0.20	NA		
To: Dead End				
From: Dead End				
(701)	0.24	10	R	1999
To: 38-700 SOUTH				
From: 38-700 SOUTH				
(701)	0.10	90	R	1999
To: 38-700 NORTH				
From: 38-700 NORTH				
(701)	0.49	110	R	1999
To: US 21 NORTH				
From: US 21 NORTH				
(701)	0.05	90	R	1999
To: 0.05 ME US 21 MID				
From: 0.05 ME US 21 MID				
(701)	1.96	40	R	1999
To: 38-756				
From: 38-756				
(701)	0.50	70	R	07/26/2002
To: 38-757				
From: 38-757				
(701)	0.10	10	R	1999
To: 38-761				

Route	Length	AADT	QA	Year
Grayson County				
From: 38-761				
(701)	1.80	90	R	07/26/2002
To: 38-700				
From: North Carolina State Line				
(702)	0.20	30	R	07/26/2002
To: 38-700 SOUTH				
From: 38-700 SOUTH				
(702)	1.90	280	R	1999
To: 38-703 NORTH				
From: 38-703 NORTH				
(702)	1.41	500	R	1999
To: SCL Independence				
Town of Independence				
From: SCL Independence				
(702)	0.56	500	N	1999
To: US 58				
Grayson County				
From: US 21				
(703)	0.80	240	R	1999
To: 38-702 SOUTH				
From: 38-702 SOUTH				
(703)	1.10	340	R	1999
To: US 58				
From: 38-703				
(704)	0.60	NA		
To: 0.60 ME 38-703				
From: 0.60 ME 38-703				
(704)	0.20	30	R	07/26/2002
To: US 21				
From: Dead End				
(705)	0.93	60	R	07/26/2002
To: 38-700				
From: Dead End				
(706)	1.25	20	R	07/26/2002
To: 38-690				
From: 38-690				
(706)	0.15	60	R	07/26/2002
To: 38-700				
From: 38-700				
(706)	1.90	200	R	1999
To: US 58 WEST				
From: US 58 WEST				
(706)	0.60	50	R	06/13/2002
To: Dead End				
From: 38-625				
(707)	0.12	10	R	07/16/2002
To: Dead End				
From: SR 93				
(708)	1.88	110	R	1999
To: 38-766 WEST				
From: 38-766 WEST				
(708)	0.31	70	R	1999
To: 38-766 EAST				
From: 38-766 EAST				
(708)	0.39	90	R	1999
To: 38-712				
From: 38-712				
(708)	2.24	80	F	2002
To: 38-601 SOUTH				
From: 38-601 SOUTH				
(708)	0.66	80	R	1999
To: 38-709				
From: 38-709				
(708)	3.59	40	R	1999
To: 38-601 NORTH				

Virginia Department of Transportation
 Mobility Management Division
 2002
 Annual Average Daily Traffic Volume Estimates By Section of Route
 Grayson Maintenance Area

Route	Length	AADT	QA	Year
Grayson County				
From: North Carolina State Line				
(709) To: 38-708	0.50	10	R	1999
From: North Carolina State Line				
(710) To: 38-712	0.80	20	R	06/27/2002
From: 38-727				
(711) To: 38-678 NORTH	0.80	60	R	06/25/2002
From: 38-678 SOUTH				
(711) To: US 58	2.10	390	F	2002
From: 38-714				
(711) To: 38-681	0.20	100	R	1999
From: 38-844				
(711) To: 38-601 SOUTH	1.60	110	R	06/27/2002
From: 38-601 NORTH				
(711) To: US 58	3.60	230	R	1999
From: North Carolina State Line				
(712) To: 38-710	0.70	10	R	06/27/2002
From: 38-708				
(712) To: 38-708	0.30	30	R	06/27/2002
From: Dead End				
(713) To: 0.20 ME Dead End	0.20	20	R	05/07/2002
From: 38-649				
(713) To: 38-649	1.00	90	R	05/07/2002
From: Dead End				
(714) To: 38-711	0.70	70	R	06/27/2002
From: 38-698				
(715) To: 1.20 ME 38-698	1.20	170	R	1999
From: 4.28 ME 38-698				
(715) To: 38-698	3.08	120	R	07/26/2002
From: US 58				
(715) To: US 58	0.12	80	R	1999
From: North Carolina State Line				
(716) To: 38-767	1.00	50	R	06/27/2002
From: 38-660				
(717) To: Dead End	0.25	90	R	05/07/2002
From: North Carolina State Line				
(718) To: 38-767	0.20	90	R	06/27/2002
From: North Carolina State Line				
(719) To: 38-767	0.20	100	R	06/27/2002

Route	Length	AADT	QA	Year
Grayson County				
From: 38-821				
(720) To: 38-609	2.10	260	R	1999
From: Carroll County Line; 17-720				
(720) To: SR 16	0.50	160	R	1999
From: 38-745				
(721) To: 38-722 SOUTH	1.13	60	R	07/09/2002
From: 38-722 NORTH				
(721) To: 38-722 NORTH	1.00	20	R	07/09/2002
From: 38-769				
(721) To: US 58	0.30	30	R	07/09/2002
From: 38-856				
(721) To: US 58	1.80	40	R	07/09/2002
From: SR 16				
(721) To: US 58	0.60	70	R	07/09/2002
From: 38-856				
(722) To: SR 16	0.02	NA		
From: 38-721 SOUTH				
(722) To: 38-721 NORTH	1.65	60	R	07/09/2002
From: 38-723				
(722) To: US 58	1.20	20	R	07/09/2002
From: 38-743				
(722) To: US 58	1.05	110	R	1999
From: 38-879				
(723) To: 38-722	0.50	110	R	1999
From: Dead End				
(723) To: 38-722	3.20	40	R	07/09/2002
From: North Carolina State Line				
(724) To: 38-725	0.85	20	R	1999
From: US 58				
(724) To: 38-725	0.05	10	R	1999
From: 38-743 SOUTH				
(725) To: 38-743 NORTH	0.80	120	F	2002
From: 38-806				
(725) To: 38-806	2.70	190	F	2002
From: 38-745 WEST				
(725) To: SR 16	0.80	260	F	2002
From: SR 16				
(725) To: North Carolina State Line	1.04	430	F	2002
From: North Carolina State Line				
(725) To: North Carolina State Line	0.16	270	R	1999
From: North Carolina State Line				
(726) To: 38-755 NORTH	1.22	140	F	2002
From: US 58				
(726) To: US 58	1.60	230	R	1999
From: 38-728				
(727) To: 1.10 MN 38-728	1.10	46	R	06/25/2002

Virginia Department of Transportation
 Mobility Management Division
 2002
 Annual Average Daily Traffic Volume Estimates By Section of Route
 Grayson Maintenance Area

Route	Length	AADT	QA	Year
Grayson County				
From 1.10 MN 38-728				
(727) 2.10		20	R	06/25/2002
To 38-711				
(727) 0.20		20	R	06/25/2002
To 38-733				
(727) 0.30		60	R	06/25/2002
To 38-678				
From US 58 WEST				
(728) 0.45		400	R	1999
To 38-661				
(728) 0.05		70	R	1999
To 0.05 MN 38-661				
(728) 0.70		60	R	1999
To 38-796				
(728) 0.20		80	R	1999
To 38-727				
(728) 1.80		160	R	1999
To US 58 EAST				
From Dead End				
(729) 0.20		8	R	05/03/2002
To 0.20 ME Dead End				
(729) 0.68		90	R	05/03/2002
To 38-894				
(729) 0.32		140	R	05/03/2002
To US 21				
From 38-740				
(730) 0.90		80	R	06/25/2002
To SR 16				
From 38-658 WEST				
(731) 2.60		80	R	06/13/2002
To 38-775				
(731) 0.30		20	R	06/13/2002
To 38-794				
(731) 1.00		50	R	06/13/2002
To 38-658 EAST				
From 38-603				
(732) 0.90		60	R	06/21/2002
To 38-762				
(732) 1.30		30	R	06/21/2002
To 38-677				
From 38-727				
(733) 2.80		40	R	06/13/2002
To 38-658				
From US 58				
(734) 0.62		100	R	06/25/2002
To 38-835				
(734) 1.08		100	R	06/25/2002
To 38-735				
(734) 0.70		90	R	06/25/2002
To 38-736				
(734) 1.10		80	R	06/25/2002
To 38-658				
From SR 16				
(735) 1.29		150	R	06/25/2002
To 38-734				

Route	Length	AADT	QA	Year
Grayson County				
From SR 16 S; 38-738				
(736) 1.30		50	R	06/25/2002
To SR 16 N; 38-740				
(736) 1.00		90	R	06/25/2002
To 1.00 MN SR 16 N				
(736) 0.50		20	R	06/25/2002
To 38-734				
From SR 16				
(737) 1.00		130	R	06/26/2002
To 38-658				
From 38-740				
(738) 1.50		160	R	06/25/2002
To SR 16; 38-730				
From 38-603				
(739) 3.85		100	R	06/21/2002
To 38-836				
(739) 0.85		110	R	06/21/2002
To SR 16 SOUTH				
From SR 16 NORTH				
(739) 0.90		60	R	06/21/2002
To 38-677				
(739) 0.20		150	R	06/21/2002
To 38-658				
From US 58				
(740) 2.70		90	R	06/25/2002
To 38-738				
(740) 0.40		100	R	06/25/2002
To 38-730				
(740) 0.70		140	R	06/25/2002
To SR 16; 38-736				
From 38-603				
(741) 3.70		40	R	06/21/2002
To SR 16				
From North Carolina State Line				
(742) 2.60		120	R	07/09/2002
To US 58 SOUTH				
From US 58 NORTH				
(742) 1.40		50	R	07/09/2002
To Dead End				
From North Carolina State Line				
(743) 2.60		160	F	2002
To 38-725 SOUTH				
(743) 0.20		270	F	2002
To 38-725 NORTH				
(743) 0.40		270	F	2002
To 38-723				
(743) 0.70		270	F	2002
To US 58				
From 38-745				
(744) 0.30		40	R	07/09/2002
To 38-807				
(744) 2.80		40	R	07/09/2002
To 38-743				
From North Carolina State Line				
(745) 2.50		210	R	07/09/2002
To 38-725 WEST				

Virginia Department of Transportation
 Mobility Management Division
 2002
 Annual Average Daily Traffic Volume Estimates By Section of Route
 Grayson Maintenance Area

Route	Length	AADT	QA	Year
Grayson County				
From: 38-725 EAST				
(745)	0.70	60	R	07/09/2002
To: 38-789				
(745)	0.30	20	R	07/09/2002
To: 38-721				
From: North Carolina State Line				
(746)	0.50	9	R	07/09/2002
To: 38-782				
(746)	0.90	60	R	07/09/2002
To: 38-797				
From: Dead End				
(747)	0.20	70	R	07/09/2002
To: US 58				
From: North Carolina State Line				
(748)	1.00	10	R	07/09/2002
To: 38-797				
(748)	0.40	30	R	07/09/2002
To: 38-812				
(748)	1.00	100	R	07/09/2002
To: US 58				
From: US 58				
(749)	0.90	70	R	07/09/2002
To: Dead End				
From: US 58				
(750)	0.74	300	R	07/09/2002
To: 38-828				
(750)	1.26	210	R	07/09/2002
To: Dead End				
From: 38-600				
(751)	0.27	70	R	07/09/2002
To: 0.27 ME 38-600				
(751)	0.93	90	R	07/09/2002
To: 1.20 ME 38-600				
(751)	1.00	260	R	07/09/2002
To: US 58				
(751)	1.10	620	F	2002
To: North Carolina State Line				
From: Dead End				
(752)	0.25	80	R	05/14/2002
To: 38-644				
From: 38-726				
(753)	0.90	60	R	1999
To: 38-771				
(753)	1.30	220	R	1995
To: 38-754				
From: 38-755				
(754)	0.80	390	F	2002
To: US 58				
From: Dead End				
(755)	0.75	8	R	1991
To: 0.75 ME Dead End				
(755)	1.75	70	R	1995
To: 38-726 SOUTH				
From: 38-726 NORTH				
(755)	1.50	210	F	2002
To: 38-754				

Route	Length	AADT	QA	Year
Grayson County				
From: 38-754				
(755)	0.40	80	R	1995
To: US 58				
From: US 21				
(756)	1.20	60	R	07/26/2002
To: 38-763				
From: 38-756				
(756)	0.40	40	R	07/26/2002
To: 38-701				
From: 38-701				
(757)	0.40	120	R	07/26/2002
To: 38-763				
Town of Fries				
From: 38-1001				
(758)	0.20	1200	F	2002
To: Carroll County Line				
Grayson County				
From: 38-646				
(759)	0.80	170	R	05/14/2002
To: 38-647				
From: 38-604				
(760)	0.30	150	F	2002
To: 38-777				
(760)	0.08	8	R	04/22/2002
To: Dead End				
From: 38-701				
(761)	0.08	70	R	07/26/2002
To: 38-757				
From: 38-676				
(762)	0.50	30	R	06/21/2002
To: 38-677				
(762)	0.86	50	R	06/21/2002
To: 0.86 MN 38-677				
(762)	0.14	50	R	06/21/2002
To: 38-732				
From: 38-756				
(763)	0.60	40	R	07/26/2002
To: 38-757				
(763)	0.80	170	R	07/26/2002
To: 38-697				
From: 38-668				
(764)	1.50	20	R	06/11/2002
To: 38-664				
From: 38-697				
(765)	1.26	170	R	07/26/2002
To: 38-888				
From: 38-708 WEST				
(766)	1.00	20	R	06/27/2002
To: 38-852				
(766)	0.90	40	R	06/27/2002
To: 38-708 EAST				
From: SR 16				
(767)	2.54	280	R	06/27/2002
To: US 58				
From: 38-672				
(768)	1.70	100	R	06/18/2002
To: 38-674				

Virginia Department of Transportation
 Mobility Management Division
 2002
 Annual Average Daily Traffic Volume Estimates By Section of Route
 Grayson Maintenance Area

Route	Length	AADT	QA	Year
Grayson County				
From: 38-674				
(768) To: 38-601	0.35	180	R	06/18/2002
From: SR 16				
(769) To: 38-721	2.50	50	R	07/09/2002
From: 38-644				
(770) To: 38-647	0.58	220	F	2002
From: North Carolina State Line				
(771) To: 38-753	0.50	30	R	1995
From: 38-720				
(772) To: Dead End	1.00	290	R	07/12/2002
From: 38-651				
(773) To: Dead End	0.52	60	R	05/07/2002
From: Dead End				
(774) To: 38-634	0.81	120	R	05/29/2002
From: 38-731				
(775) To: Dead End	0.05	8	R	06/13/2002
From: Dead End				
(776) To: 38-604	0.30	10	R	04/22/2002
From: 38-805				
(777) To: 38-760	0.50	160	F	2002
From: US 21				
(778) To: Dead End	0.22	20	R	05/03/2002
From: 38-631				
(779) To: 38-636	0.50	40	R	06/06/2002
From: Dead End				
(780) To: 38-781	0.45	190	R	05/29/2002
From: 38-781				
(780) To: 38-640	0.10	210	R	05/29/2002
From: Dead End				
(781) To: 38-780	0.10	10	R	05/29/2002
From: North Carolina State Line				
(782) To: 38-746	1.00	40	R	07/09/2002
From: US 58				
(783) To: Jefferson Forest Bndy	1.25	70	R	07/09/2002
From: Jefferson Forest Bndy				
(783) To: Dead End	0.75	20	R	07/09/2002
From: North Carolina State Line				
(784) To: Dead End	0.50	20	R	1995

Route	Length	AADT	QA	Year
Grayson County				
From: 38-613				
(785) To: 38-886	1.25	220	R	07/12/2002
From: 38-886				
(785) To: 38-607	1.70	250	R	07/12/2002
From: 38-821				
(786) To: 38-859	0.25	220	R	07/12/2002
From: 38-859				
(786) To: Dead End	0.25	60	R	07/12/2002
From: Dead End				
(787) To: 38-615	0.30	110	R	07/12/2002
From: 38-615				
(787) To: 2.52 MN 38-615	2.52	100	R	07/12/2002
From: 2.52 MN 38-615				
(787) To: 38-607	0.13	120	R	07/12/2002
From: 38-649				
(788) To: Dead End	0.31	60	R	05/14/2002
From: 38-745				
(789) To: Dead End	0.50	20	R	07/09/2002
From: Blue Ridge Pkwy				
(790) To: 38-613; 38-804	0.60	70	R	07/12/2002
From: 38-658				
(791) To: US 21; 38-614	1.30	350	R	05/03/2002
From: US 21; 38-614				
(791) To: 38-657	1.00	110	R	04/22/2002
From: 38-658				
(792) To: 38-791	3.00	50	R	05/03/2002
From: Dead End				
(793) To: 38-601	0.05	8	R	06/13/2002
From: 38-731				
(794) To: 38-795	1.10	60	R	06/13/2002
From: 38-795				
(794) To: 38-858	0.05	60	R	06/13/2002
From: 38-858				
(794) To: 38-601	0.25	40	R	06/13/2002
From: Dead End				
(795) To: 38-794	0.50	8	R	06/13/2002
From: US 58				
(796) To: 38-728	1.70	20	R	06/25/2002
From: US 58				
(797) To: 38-746	2.10	70	R	07/09/2002
From: 38-746				
(797) To: 38-748	0.70	40	R	07/09/2002

Virginia Department of Transportation
 Mobility Management Division
 2002
 Annual Average Daily Traffic Volume Estimates By Section of Route
 Grayson Maintenance Area

Route	Length	AADT	QA	Year
Grayson County				
From: 38-672				
(798) To: Smyth County Line	0.50	20	R	06/18/2002
From: 38-613				
(799) To: 38-609	0.60	140	R	07/12/2002
From: 38-609				
(799) To: Carroll County Line	0.50	80	R	07/12/2002
From: 38-636				
(800) To: Dead End	0.10	20	R	06/06/2002
From: US 58				
(801) To: 0.50 MN US 58	0.50	60	R	06/13/2002
From: 0.50 MN US 58				
(801) To: Dead End	0.33	60	R	06/13/2002
From: 38-697				
(802) To: SCL Independence	0.10	650	R	1995
Town of Independence				
From: SCL Independence				
(802) To: US 58	0.63	650	N	1995
Grayson County				
From: 38-601				
(803) To: Dead End	0.50	46	R	06/13/2002
From: 38-613; 38-790				
(804) To: Blue Ridge Pkwy	1.50	80	R	07/12/2002
From: US 21				
(805) To: 38-656	1.20	370	F	2002
From: 38-656				
(805) To: 38-604 WEST	3.19	340	F	2002
From: 38-604 WEST				
(805) To: 38-604 EAST	1.00	320	F	2002
From: 38-604 EAST				
(805) To: 38-654	0.75	310	F	2002
From: 38-654				
(805) To: 38-777	0.85	320	F	2002
From: 38-777				
(805) To: 38-649 NORTH	2.45	430	F	2002
From: 38-649 NORTH				
(805) To: 38-881	0.20	1400	F	2002
From: 38-881				
(805) To: 38-648	0.55	1700	F	2002
From: 38-648				
(805) To: 38-649 SOUTH	0.78	1600	F	2002
From: 38-649 SOUTH				
(805) To: SR 94	0.17	1600	F	2002
From: SR 94				
(805) To: Dead End				
From: Dead End				
(806) To: 38-725	0.50	20	R	07/09/2002

Route	Length	AADT	QA	Year
Grayson County				
From: Dead End				
(807) To: 38-744	0.35	30	R	07/09/2002
From: Dead End				
(808) To: US 58	0.50	40	R	06/27/2002
From: 38-606				
(809) To: Carroll County Line	1.05	310	R	05/17/2002
From: SR 94				
(810) To: Dead End	0.70	70	R	05/29/2002
From: US 58				
(811) To: Dead End	1.00	40	R	06/13/2002
From: Dead End				
(812) To: 38-748	0.20	60	R	07/09/2002
From: 38-644				
(813) To: Dead End	0.12	140	R	1995
From: Dead End				
(814) To: 38-695	0.13	30	R	06/04/2002
From: SR 94 WEST				
(815) To: SR 94 MID	0.43	140	R	05/14/2002
From: SR 94 MID				
(815) To: 38-647	0.03	680	F	2002
From: 38-647				
(815) To: SR 94 EAST	0.30	210	R	05/14/2002
From: SR 94 EAST				
(816) To: 38-649	0.15	410	R	05/14/2002
From: SR 94				
(817) To: US 58	0.26	50	R	07/09/2002
From: 38-889				
(817) To: 0.74 MN 38-889	0.74	NA		
From: 0.74 MN 38-889				
(817) To: Dead End	0.40	NA		
From: Dead End				
(818) To: 38-805	0.15	140	R	04/22/2002
From: 38-857				
(818) To: Dead End	0.35	70	R	04/22/2002
From: SR 89; SCL Galax				
(819) To: SCL Galax	0.11	520	R	07/12/2002
From: Dead End				
(820) To: US 58	0.17	50	R	06/13/2002
From: SR 89 SOUTH				
(821) To: 38-786	1.42	420	F	2002
From: 38-786				
(821) To: 38-720	0.59	760	F	2002

Virginia Department of Transportation
 Mobility Management Division
 2002
 Annual Average Daily Traffic Volume Estimates By Section of Route
 Grayson Maintenance Area

Route	Length	AADT	QA	Year
Grayson County				
From: 38-720				
(821) To: SR 89 NORTH	0.61	1200	F	2002
From: SR 94 WEST				
(822) To: SR 94 EAST	0.27	40	R	05/14/2002
From: Dead End				
(823) To: 38-642	0.26	40	R	1995
From: Dead End				
(824) To: WCL Galax	0.57	210	R	1995
From: US 21				
(825) To: 38-669	0.10	140	R	05/03/2002
From: 38-669				
(825) To: 38-611	0.20	70	R	05/03/2002
From: Dead End				
(826) To: 38-711	1.00	120	R	06/27/2002
Town of Troutdale				
From: Dead End				
(827) To: 38-603	0.13	40	R	06/21/2002
Grayson County				
From: 38-750				
(828) To: Dead End	0.50	40	R	07/09/2002
From: Dead End				
(829) To: SR 89 SOUTH	0.40	40	R	07/12/2002
From: SR 89 NORTH				
(829) To: Blue Ridge Pkwy	0.35	20	R	07/12/2002
From: Dead End				
(830) To: 38-696	0.20	8	R	06/25/2002
From: US 21				
(831) To: Dead End	0.85	100	R	05/03/2002
From: 38-728				
(832) To: Dead End	0.60	8	R	06/25/2002
From: 38-650				
(833) To: Dead End	0.42	30	R	1995
From: US 58				
(834) To: US 58	0.33	20	R	06/27/2002
From: SR 16				
(835) To: 38-734	0.44	100	R	06/25/2002
From: 38-739				
(836) To: SR 16	0.58	46	R	06/21/2002
Town of Troutdale				
From: SR 16				
(837) To: 38-603	0.22	300	R	06/21/2002

Route	Length	AADT	QA	Year
Grayson County				
From: Dead End				
(838) To: SR 93	0.79	10	R	06/27/2002
From: 38-658				
(839) To: Dead End	0.62	30	R	06/11/2002
From: Dead End				
(840) To: SR 16	0.20	20	R	06/21/2002
From: 38-626				
(841) To: US 58	0.10	470	R	07/16/2002
From: US 58				
(841) To: 0.20 MN US 58	0.20	320	R	07/16/2002
From: 0.20 MN US 58				
(841) To: Dead End	0.21	210	R	07/16/2002
From: Dead End				
(842) To: 38-805	1.00	80	R	05/14/2002
From: Dead End				
(843) To: 38-692	0.25	90	R	06/04/2002
From: Dead End				
(844) To: 38-711	0.40	60	R	06/27/2002
From: 38-601				
(845) To: Dead End	0.15	8	R	06/13/2002
From: 38-675				
(846) To: 38-675	1.00	20	R	06/18/2002
From: 38-603				
(847) To: 0.03 MN 38-603	0.03	50	R	06/21/2002
From: 0.03 MN 38-603				
(847) To: Dead End	0.11	50	R	06/21/2002
From: Dead End				
(848) To: 38-644	0.08	40	R	05/14/2002
From: Dead End				
(849) To: 38-890	0.26	40	R	06/04/2002
From: 38-890				
(849) To: US 58	0.09	80	R	06/04/2002
From: Dead End				
(850) To: 38-870	0.03	NA		
From: 38-870				
(850) To: 38-785	0.22	60	R	07/12/2002
From: Dead End				
(851) To: 38-626	0.75	50	R	07/16/2002
From: 38-766				
(852) To: Dead End	1.00	8	R	1995

Virginia Department of Transportation
 Mobility Management Division
 2002
 Annual Average Daily Traffic Volume Estimates By Section of Route
 Grayson Maintenance Area

Route	Length	AADT	QA	Year
Grayson County				
From: 38-648				
(853) To: Dead End	0.30	80	R	05/14/2002
From: SR 89				
(854) To: Dead End	0.25	80	R	07/12/2002
From: Dead End				
(855) To: 38-644	0.05	20	R	04/22/2002
From: North Carolina State Line				
(856) To: 38-722	0.40	170	R	1995
From: Dead End				
(857) To: 38-818	0.75	60	R	04/22/2002
From: 38-794				
(858) To: 38-601	0.20	70	R	06/13/2002
From: Dead End				
(859) To: 38-786	0.21	80	R	07/12/2002
From: SR 94				
(860) To: Dead End	0.27	30	R	05/14/2002
From: US 21				
(861) To: Dead End	0.10	20	R	04/22/2002
From: 38-821				
(862) To: Dead End	0.20	90	R	07/12/2002
From: 38-648				
(863) To: 0.10 MS 38-648	0.10	70	R	05/14/2002
From: Dead End				
(864) To: 38-665	0.50	30	R	06/11/2002
From: 38-619				
(865) To: 38-819	0.50	340	R	07/12/2002
From: Dead End				
(866) To: 38-644	0.10	60	R	05/14/2002
From: SR 94				
(867) To: Dead End	0.12	60	R	05/14/2002
From: Dead End				
(868) To: 38-634	0.18	30	R	05/29/2002
From: Dead End				
(869) To: 38-641	0.39	40	R	05/29/2002
From: 38-850				
(870) To: Dead End	0.20	60	R	07/12/2002

Route	Length	AADT	QA	Year
Grayson County				
From: Dead End				
(871) To: 38-813	0.50	60	R	05/14/2002
From: US 21				
(872) To: Dead End	0.10	60	R	05/03/2002
From: Dead End				
(873) To: SR 89	0.35	40	R	07/12/2002
From: 38-660				
(874) To: Dead End	0.12	90	R	05/29/2002
From: US 58				
(875) To: Dead End	0.70	50	R	07/09/2002
From: Dead End				
(876) To: SR 16	0.19	40	R	06/21/2002
From: 38-805				
(877) To: Dead End	0.22	130	R	05/14/2002
From: US 58				
(878) To: Dead End	0.65	60	R	07/18/2002
From: 38-723				
(879) To: Dead End	0.10	30	R	07/09/2002
From: Dead End				
(880) To: 38-639	0.40	40	R	05/29/2002
From: 55-805				
(881) To: Dead End	0.10	60	R	05/07/2002
From: SR 94				
(882) To: WCL Galax	1.50	410	R	05/29/2002
From: Dead End				
(883) To: 38-684	0.27	20	R	06/13/2002
From: 38-613				
(884) To: Dead End	0.28	70	R	07/12/2002
From: 38-742				
(885) To: Dead End	0.20	20	R	07/09/2002
From: 38-785				
(886) To: Dead End	0.26	260	R	07/12/2002
From: 38-726				
(887) To: Dead End	0.08	40	R	1995
From: US 58 EAST				
(888) To: 0.07 MS US 58	0.07	45	R	07/18/2002
From: 38-765				
(888) To: 38-765	0.30	45	R	07/18/2002

Virginia Department of Transportation
 Mobility Management Division
 2002
 Annual Average Daily Traffic Volume Estimates By Section of Route
 Grayson Maintenance Area

Route	Length	AADT	QA	Year
Grayson County				
From: 38-765				
(888)	0.15	170	R	06/04/2002
To: US 58 WEST				
(888)	0.01	170	R	06/04/2002
From: 0.01 MN US 58				
(888)	1.14	70	R	06/04/2002
To: 38-685				
From: 38-817				
(889)	0.12	10	R	07/09/2002
To: Dead End				
From: 38-849				
(890)	0.25	40	R	06/04/2002
To: Dead End				
From: 38-805				
(891)	0.50	30	R	04/22/2002
To: Dead End				
From: 38-651				
(892)	0.15	46	R	05/07/2002
To: Dead End				
From: 38-634				
(893)	0.22	20	R	05/29/2002
To: Dead End				
From: Dead End				
(894)	0.64	40	R	05/03/2002
To: 38-729				
From: 38-658				
(895)	0.22	80	R	06/11/2002
To: Dead End				
From: SR 274				
(896)	0.24	40	R	05/29/2002
To: Dead End				
From: Dead End				
(897)	0.17	70	R	05/14/2002
To: 38-900				
From: 38-805				
(897)	0.04	140	R	05/14/2002
To: 38-805				
From: 38-9465				
(898)	0.53	70	R	07/12/2002
To: Dead End				
From: US 58				
(899)	0.15	70	R	06/13/2002
To: Cul-de-Sac				
From: 38-897				
(900)	0.04	70	R	05/14/2002
To: Dead End				
From: 38-821				
(905)	0.14	90	R	07/12/2002
To: Dead End				
From: 38-607				
(907)	0.30	50	R	1999
To: Dead End				
From: Dead End/				
(908)	0.08	NA		
To: 38-00813(B)/				
From: Dead End				
(909)	0.11	40	R	07/16/2002
To: 38-626				

Route	Length	AADT	QA	Year
Grayson County				
From: Dead End				
(910)	0.15	100	R	07/16/2002
To: 38-626				
From: Dead End				
(914)	0.12	40	R	06/04/2002
To: 38-685				
From: SR 274				
(915)	0.20	90	R	06/04/2002
To: Dead End				
From: Dead End				
(916)	0.15	40	R	05/29/2002
To: 38-634				
From: 38-607				
(920)	0.12	47	R	1999
To: Dead End				
From: Dead End				
(923)	0.10	NA		
To: 38-658				
From: US 21				
(930)	0.31	30	R	05/03/2002
To: Dead End				
From: ECL Galax				
(940)	0.22	170	R	1995
To: 38-941				
From: 38-941				
(940)	0.28	60	R	1995
To: Cul-de-Sac				
From: 38-940				
(941)	0.37	NA		
To: Dead End				
From: Cul-de-Sac				
(942)	0.16	NA		
To: 38-941				
From: 38-669				
(950)	0.53	40	R	05/03/2002
To: Dead End				
Town of Fries				
From: SR 94				
(1001)	0.21	3300	F	2002
To: 38-1005				
From: 38-1005				
(1001)	0.38	2400	F	2002
To: 38-1012 EAST				
From: 38-1012 EAST				
(1001)	0.13	2600	F	2002
To: 38-758				
From: 38-758				
(1001)	0.23	3400	F	2002
To: 38-1011				
From: 38-1011				
(1001)	0.13	3400	F	2002
To: 38-1006				
From: 38-1006				
(1001)	0.07	3300	F	2002
To: 38-1007				
From: 38-1007				
(1001)	0.18	3100	F	2002
To: 38-1001				
From: 38-1001				
(1001)	0.18	3100	F	2002
To: 38-606				
Grayson County				
From: SR 94 SOUTH				
(1002)	0.45	280	R	05/17/2002
To: SR 94 NORTH				

Virginia Department of Transportation
 Mobility Management Division
 2002
 Annual Average Daily Traffic Volume Estimates By Section of Route
 Grayson Maintenance Area

Route	Length	AADT	QA	Year
Grayson County				
From 1003 To 38-1002	0.09	110	R	05/17/2002
From 1003 To 38-1009	0.11	20	R	05/17/2002
From 1004 To Carroll County Line	0.30	90	R	05/17/2002

Town of Eries				
From 1005 To 38-1001	0.12	370	R	05/17/2002
From 1006 To Dead End	0.09	90	R	05/17/2002
From 1006 To 38-1001	0.08	130	R	05/17/2002
From 1007 To Dead End	0.05	140	R	05/17/2002
From 1007 To 38-1001	0.10	110	R	05/17/2002

Grayson County				
From 1008 To Dead End	0.12	60	R	05/17/2002
From 1009 To SR 94	0.05	60	R	1999
From 1009 To 38-1003				

Town of Eries				
From 1010 To SR 94	0.04	1300	R	05/17/2002
From 1011 To 38-1001	0.13	140	R	05/17/2002
From 1012 To 38-1001 WEST	0.29	430	R	05/17/2002
From 1013 To 38-1001 NORTH	0.19	90	F	2002
From 1013 To 38-1001 SOUTH				

Grayson County				
From 1015 To 38-613	0.22	70	R	07/12/2002
From 1020 To Cul-de-Sac	0.24	110	R	06/04/2002
From 1020 To Dead End				

Town of Independence				
From 1100 To 38-1132	0.03	8	R	1995
From 1101 To Dead End				
From 1101 To US 21	0.24	1100	R	1995
From 1101 To 38-1131	0.10	740	R	1995
From 1101 To 38-1104; 38-1105				

Route	Length	AADT	QA	Year
Town of Independence				
From 1102 To US 58	0.15	720	R	1995
From 1103 To US 21				
From 1103 To Dead End	0.34	110	R	1995
From 1103 To US 58 EAST				
From 1103 To US 58 WEST	0.12	60	R	1999
From 1103 To 0.12 MN US 58				
From 1104 To 38-1101; 38-1105	0.08	70	R	1995
From 1104 To Dead End				
From 1105 To US 58	0.23	450	R	1995
From 1105 To 38-1108				
From 1106 To US 58	0.05	600	R	1995
From 1106 To 38-1101				
From 1107 To 38-1105	0.02	20	R	1995
From 1107 To 38-1108				
From 1108 To 38-685	0.34	100	R	1995
From 1108 To Dead End				
From 1109 To US 21	0.13	90	R	1995
From 1109 To 38-1123	0.05	49	R	1999
From 1109 To Dead End				
From 1110 To 38-1108	0.05	8	R	1995
From 1110 To Dead End				
From 1111 To US 21	0.14	280	R	1995
From 1111 To 38-802				
From 1112 To US 21	0.06	49	R	1999
From 1112 To Dead End				
From 1113 To US 58	0.07	30	R	1999
From 1113 To Dead End				
From 1114 To 38-1122	0.07	130	R	1995
From 1114 To 38-685				
From 1115 To US 21	0.26	110	R	1995
From 1115 To Dead End				
From 1116 To 38-684	0.05	50	R	1995
From 1116 To Dead End				
From 1117 To 38-1120	0.10	110	R	1995
From 1117 To US 21				
From 1118 To Dead End				
From 1118 To US 58	0.10	180	R	1995

Virginia Department of Transportation
 Mobility Management Division
 2002
 Annual Average Daily Traffic Volume Estimates By Section of Route
 Grayson Maintenance Area

Route	Length	AADT	QA	Year
Town of Independence				
From: [] 1119	Dead End	0.47	830	R 1995
To: []	US 58			
From: [] 1120	Dead End	0.07	10	R 1995
To: []	38-1130			
From: [] 1120	Dead End	0.15	60	R 1995
To: []	38-684			
From: [] 1121	US 58	0.10	70	R 1995
To: []	Dead End			
From: [] 1122	US 58	0.14	350	R 1995
To: []	38-685			
From: [] 1123	Dead End	0.20	100	R 1995
To: []	US 21			
From: [] 1124	US 58	0.33	1200	R 1995
To: []	38-685			
From: [] 1125	38-1124	0.06	30	R 1995
To: []	Dead End			
Grayson County				
From: [] 1126	US 21	0.45	280	R 07/26/2002
To: []	Dead End			
From: [] 1127	38-1126	0.25	100	R 1995
To: []	Dead End			
From: [] 1128	38-1127	0.05	20	R 07/26/2002
To: []	Dead End			
From: [] 1129	Dead End	0.35	110	R 07/26/2002
To: []	38-1126			
Town of Independence				
From: [] 1130	38-1120	0.09	10	R 1995
To: []	Dead End			
From: [] 1131	38-1101	0.21	30	R 1999
To: []	0.21 MN 38-1101			
From: [] 1131	Dead End	0.20	6	R 1995
To: []	Dead End			
From: [] 1132	38-802	0.16	60	R 1995
To: []	Dead End			
From: [] 1133	38-1101	0.06	7	R 1991
To: []	Dead End			
From: [] 1134	Dead End	0.24	180	R 1995
To: []	38-1119			
From: [] 1134	Dead End	0.22	70	R 1995
To: []	Dead End			

Route	Length	AADT	QA	Year
Grayson County				
From: [] 1135	Dead End	0.10	110	R 1995
To: []	38-685			
Town of Independence				
From: [] 1136	US 21	0.09	240	R 1995
To: []	Dead End			
From: [] 1137	US 58	0.04	190	R 1995
To: []	38-1101			
From: [] 1138	US 21	0.09	70	R 1995
To: []	Dead End			
From: [] 1139	38-802 SOUTH	0.17	220	R 1995
To: []	38-802 NORTH			
Grayson County				
From: [] 1145	38-636 SOUTH	0.40	110	R 06/06/2002
To: []	38-636 NORTH			
Town of Troutdale				
From: [] 1201	38-603	0.13	140	R 06/21/2002
To: []	Dead End			
From: [] 1202	Dead End	0.43	40	R 06/21/2002
To: []	38-603			
Grayson County				
From: [] 9175	Elk Creek Elem School	0.13	200	R 1995
To: []	38-659			
Town of Independence				
From: [] 9176	Independence High	0.11	950	R 1995
To: []	US 58			
Grayson County				
From: [] 9465	38-821	0.19	180	R 1991
To: []	Fairview Elem School			
From: [] 9512	Springvalley Elem Sch	0.08	120	R 1991
To: []	38-649			
From: [] 9513	Wood Elem Sch	0.18	140	R 1995
To: []	38-636			
From: [] 9916	Flatridge Elem Sch	0.06	80	R 1995
To: []	38-601			
From: [] 9966	Bridge Creek Elem Sch	0.05	80	R 1991
To: []	38-601			
From: [] 9968	Mt Rogers High Sch	0.06	120	R 1991
To: []	US 58			