

**2002**

**Virginia Department of Transportation  
Daily Traffic Volume Estimates**

**Jurisdiction Report**

**39**

Greene County  
Town of Stanardsville

Prepared By

**Virginia Department of Transportation  
Mobility Management Division**

In Cooperation With

**U.S. Department of Transportation  
Federal Highway Administration**

Virginia Department of Transportation  
Mobility Management Division  
Traffic Monitoring Section

The Virginia Department of Transportation (VDOT) conducts a program where traffic count data are gathered from sensors in or along streets and highways and other sources. From these data, estimates of the average number of vehicles that traveled each segment of road are calculated. VDOT periodically publishes booklets listing these estimates.

One of these booklets, titled “Average Daily Traffic Volumes with Vehicle Classification Data, on Interstate, Arterial and Primary Routes” includes a list of each Interstate and Primary highway segment with the estimated Annual Average Daily Traffic (AADT) for that segment. AADT is the total annual traffic estimate divided by the number of days in the year. This booklet also includes information such as estimates of the percentage of the AADT made up by 6 different vehicle types, ranging from cars to double trailer trucks; estimated Annual Average Weekday Traffic (AAWDT), which is the number of vehicles estimated to have traveled the segment of highway during a 24 hour weekday averaged over the year; as well as Peak Hour and Peak Direction factors used by planners to formulate design criteria.

In addition to the Primary and Interstate publication, one hundred books are published periodically, one for each of 100 areas across the state defined by VDOT for record-keeping purposes. These books include traffic volume estimates for roads within the county, cities, and towns within the area. These books are titled “Daily Traffic Volumes Including Vehicle Classification Estimates, where available; Jurisdiction Report numbers 00 through 99”.

Also available are a number of reports summarizing the average Vehicle Miles Traveled (VMT) in selected jurisdictions and other categories of highways. There are many different ways to present traffic volume summary information. Because the user determines the value of each presentation, the reports have been redesigned based on user requests and feedback. The people at VDOT Mobility Management’s Traffic Monitoring Section who produce these books welcome requests for other helpful ways of presenting the summary information.

A compact disc (CD) is available that includes files in the Adobe® Portable Document Format (PDF) that can be displayed, searched, and printed using common desktop computer equipment. The CD includes the publications described above as well as a number of other reports, including specialized VMT summaries and smaller AADT reports for each city and town separately.

## **Publication Notes**

### **Parallel Roads**

For road inventory and management purposes, some roadways are counted separately by direction and have separately published traffic estimates for each direction of travel. Examples of such roadways are the interstate system and routes with separated facilities and (usually) one-way traffic facilities in urban areas. In these publications, they are referred to as parallel roads. As a convenience for the users of the publication, the listing for segments of roads with parallel segments are published with both the traffic estimates for their own direction of travel (e.g. I-95 Northbound) as well as the estimate of the total of all traffic on the same route including parallel roadways (all directions of I-95). The publication will have a “Combined Traffic Estimates for Parallel Roadways on this Route” or “Combined Traffic” identifiers for the combined direction of travel estimates.

Roadways such as I-395 with a North segment, a South segment and a separate Reversible lane segment will have the estimate for more than two parallel roadways included in the entire combined traffic estimate.

Some routes have very complicated paths through cities and towns. These parallel paths may be too complex to allow a relationship between nearby sections of the opposite direction on the same route. In this case, to indicate that the traffic estimates for such a road segment may not include all directions of traffic on that route, the line that would list the combined values will indicate “NA” for not available.

---

VDOT’s traffic monitoring program includes more than 100,000 segments of roads and highways ranging from several mile sections of Interstate highways to very short sections of city streets. Due to problems experienced obtaining some traffic count data, and the level of quality necessary to maintain confidence in the data, no estimate is currently available for some segments of roadway. These segments are included in the publications indicating “NA” for not available. It is the intention of the VDOT’s Mobility Management Traffic Monitoring group to obtain the data necessary and to report traffic volume estimates on all road segments included in these publications.

Many of the road segments in this program are local secondary roads. The amount and detail of data collected on these roads are not as great as the data collected on higher volume roads. The vehicle classification, average weekday traffic volumes, and the theoretical design hour traffic volumes are not calculated for these roads. The publications indicate “NA” for the information that is not available.

This publication is based on a traffic monitoring program initiated in 1997. Because the data collection techniques and statistical evaluation processes are different than those used in previous years, comparison with previous publications may be misleading.

Glossary of Terms:

**Route:** The Route Number assigned to this segment of roadway with the master inventory route number if this is an overlapping route, with official street or highway name if available.

**Length:** Length of the traffic segment in miles.

**AADT:** Annual Average Daily Traffic. The estimate of typical daily traffic on a road segment for all days of the week, Sunday through Saturday, over the period of one year.

**QA:** Quality of AADT:

- A Average of Complete Continuous Count Data
- B Average of Selected Continuous Count Data
- F Factored Short Term Traffic Count Data
- G Factored Short Term Traffic Count Data with Growth Element
- H Historical Estimate
- M Manual Uncounted Estimate
- N AADT of Similar Neighboring Traffic Link
- O Provided By External Source
- R Raw Traffic Count, Unfactored

**4Tire:** Percentage of the traffic volume made up of motorcycles, passenger cars, vans and pickup trucks.

**Bus:** Percentage of the traffic volume made up of busses.

**2Axle Truck:** Percentage of the traffic volume made up of 2 axle single unit trucks (not including pickups and vans).

**3+Axle Truck:** Percentage of the traffic volume made up of single unit trucks with three or more axles.

**1Trail Truck:** Percentage of the traffic volume made up of units with a single trailer.

**2Trail Truck:** Percentage of the traffic volume made up of units with more than one trailer.

**QC:** Quality of Classification Data:

- A Average of Complete Continuous Count Data
- B Average of Selected Continuous Count Data
- C Short Term Classified Traffic Count Data
- F Factored Short Term Traffic Count Data
- H Historical Estimate
- M Mass Collective Average
- N Classification Estimates of Similar Neighboring Traffic Link

**Peak Hour:** The estimate of the traffic volume for the 30<sup>th</sup> highest traffic volume occurring in a one-year period divided by the AADT for the same one-year period.

**QK:** Quality of the Peak Hour estimate:

- A Factor based on 30th Highest Hour Observed During 12 Months of Continuous Traffic Data
- B Factor based on 30th Highest Hour Observed During Less than 12 Months of Continuous Traffic Data
- F Factor based on Highest Hour Collected at in a 48 Hour Weekday Period
- M Factor based on Manual Estimate of 30th Highest Hour
- N Peak Hour Factor of Similar Neighboring Traffic Link
- O Provided by External Source

**Dir Factor:** The estimate of the portion of the traffic volume traveling in the peak direction during the Peak Hour..

**AAWDT:** Average Annual Weekday Traffic. The estimate of typical traffic over the period of one year for the days between Monday through Thursday inclusive.





**QW:** Quality of AAWDT:

- A Average of Complete Continuous Count Data
- B Average of Selected Continuous Count Data
- F Factored Short Term Traffic Count Data
- G Factored Short Term Traffic Count Data with Growth Element
- M Manual Uncounted Estimate
- N AAWDT of Similar Neighboring Traffic Link
- O Provided by External Source





**Year:** Year for which the published values are appropriate. If the Quality of AADT (QA) is "R", the year is the year that the raw traffic count was collected, and if available,

## Route Shield Legend

### Route Systems

- North  
 Interstate Route Traffic volume data for Interstate Routes and some other routes are reported separately by direction, as well as combined.
-  US Route
-  Virginia State Route
-  Secondary Route

### Special Routes

- Bus  
 Bus - Business Route  
Bypas - Bypass Route  
Truck - Truck Route
- ALT  
 ALT - Alternate Route  
Wve - Wve Route connector
-  P - Parallel Route; Southbound or Westbound direction lanes of a numbered route where they are on a different road facility than the other direction.
-  The VDOT Maintenance Jurisdiction number is displayed below the Secondary Route Number if the Maintenance Jurisdiction is different than the jurisdiction in the title of the report.

Virginia Department of Transportation  
 Mobility Management Division  
 2002  
 Annual Average Daily Traffic Volume Estimates By Section of Route  
 Greene Maintenance Area

Route	Length	AADT	QA	Year
<b>Greene County</b>				
From: Albemarle County Line				
(29)	3.21	27000	F	2002
To: US 33 Ruckersville				
From: Madison County Line	3.68	16000	F	2002
To: Rockingham County Line				
(33) Spotswood Trail	4.38	4400	F	2002
To: 39-638 Turkey Ridge Rd				
From: BUS US 33	3.00	4800	F	2002
(33) Spotswood Trail	2.09	3000	M	2002
To: BUS US 33				
From: 39-609	0.50	5000	F	2002
(33) Spotswood Trail	2.15	13000	F	2002
To: 39-633				
From: US 29 Seminole Trail	2.09	17000	F	2002
(33) Spotswood Trail	2.24	5800	F	2002
To: Orange County Line				
From: US 33	0.75	2700	F	2002
Bus (33) Spotswood Trail				
To: WCL Stanardsville				
<b>Town of Stanardsville</b>				
From: WCL Stanardsville				
Bus (33) Spotswood Trail	0.35	2700	N	2002
To: SR 230				
From: ECL Stanardsville	0.11	4800	F	2002
Bus (33) Spotswood Trail				
To: ECL Stanardsville				
<b>Greene County</b>				
From: ECL Stanardsville				
Bus (33) Spotswood Trail	1.31	4800	M	2002
To: US 33; 39-623				
From: Rockingham County Line				
(48) Skyline Drive	2.08	1600	M	2002
To: Rockingham County Line				
From: Rockingham County Line	1.33	1600	M	2002
(48) Skyline Drive				
To: Rockingham County Line				
From: Rockingham County Line	1.01	1600	M	2002
(48) Skyline Drive				
To: Rockingham County Line				
From: Rockingham County Line	1.33	2700	M	2002
(48) Skyline Drive				
To: Rockingham County Line				
<b>Town of Stanardsville</b>				
From: US 33	0.50	4200	F	2002
(230)				
To: NCL Stanardsville				
<b>Greene County</b>				
From: NCL Stanardsville				
(230)	2.91	4200	N	2002
To: Madison County Line				
From: 39-607	0.10	230	R	10/03/2002
(600)				
To: 39-659				
From: Dead End	0.45	150	R	10/03/2002
(600)				
To: US 29				

Route	Length	AADT	QA	Year
<b>Greene County</b>				
From: Albemarle County Line				
(601)	0.90	90	R	10/28/2002
To: 39-628				
From: 39-603	1.20	90	R	10/07/2002
(602)				
To: Dead End				
From: Albemarle County Line	1.00	320	R	10/07/2002
(603)				
To: 39-648				
From: 39-612	1.00	270	R	10/10/2002
(603)				
To: 39-633	0.70	110	R	10/10/2002
(603)				
From: Albemarle County Line	1.38	1100	F	2002
(604)				
To: 39-651 NORTH				
From: 39-648	0.65	1100	F	2002
(604)				
To: 39-674				
From: 39-624	0.60	1000	F	2002
(604)				
To: Albemarle County Line				
From: 39-604	0.21	220	R	10/07/2002
(605)				
To: Albemarle County Line				
From: 39-1112	0.20	940	R	1999
(606)				
To: 39-607	1.00	1400	R	1999
(606)				
From: 39-644; 39-743	0.39	3300	F	2002
(607)				
To: 39-1150	0.31	3600	F	2002
(607)				
To: 39-606	0.70	4500	F	2002
(607)				
To: US 29	0.17	9000	F	2002
(607)				
To: 39-670	1.08	4200	F	2002
(607)				
To: 39-661	0.25	3600	F	2002
(607)				
To: 39-616	0.63	3400	F	2002
(607)				
To: Orange County Line				
From: 39-633	0.46	820	R	10/31/2002
(608)				
To: US 33				
From: US 33; FR-981	0.55	820	R	10/31/2002
(609)				
To: 39-672	1.80	430	R	10/31/2002
(609)				
To: 39-619	1.65	720	R	10/31/2002
(609)				
To: US 29				

Virginia Department of Transportation  
 Mobility Management Division  
 2002  
 Annual Average Daily Traffic Volume Estimates By Section of Route  
 Greene Maintenance Area

Route	Length	AADT	QA	Year
<b>Greene County</b>				
From: US 29				
(609)	3.15	610	F	2002
To: Orange County Line				
From: US 33				
(610)	0.80	1400	R	10/03/2002
To: 39-618				
From: 39-618				
(610)	2.95	440	R	10/03/2002
To: 39-657				
From: 39-657				
(610)	1.00	340	R	10/03/2002
To: 39-609				
From: 39-667 WEST				
(611)	0.22	10	R	10/31/2002
To: 39-667 EAST				
From: 39-810				
(612)	1.44	190	R	10/10/2002
To: 39-603				
From: 39-667				
(613)	0.01	270	R	10/31/2002
To: Madison County Line				
From: 39-628				
(614)	1.10	10	R	10/28/2002
To: 39-632				
From: 39-632				
(614)	2.10	10	R	10/28/2002
To: 39-627				
From: 39-627				
(615)	1.93	490	R	10/10/2002
To: 39-810				
From: 39-607				
(616)	1.51	680	R	10/03/2002
To: 39-678				
From: 39-678				
(616)	0.20	1300	R	10/03/2002
To: US 29				
From: 39-743				
(617)	1.50	500	R	10/07/2002
To: 1.50 MN 39-743				
From: 39-633				
(617)	2.00	310	R	1999
To: 39-633				
From: 39-610				
(618)	0.34	280	R	1999
To: 0.34 ME 39-610				
From: 0.46				
(618)	0.46	100	R	1999
To: Orange County Line				
From: 39-609				
(619)	3.90	270	R	10/31/2002
To: 39-655				
From: 39-655				
(619)	0.40	560	R	10/31/2002
To: SR 230				
From: 39-810				
(620)	0.25	200	R	1994
To: US 33				
From: Dead End				
(621)	0.55	210	R	10/28/2002
To: 0.55 MN Dead End				
From: 0.25				
(621)	0.25	140	R	1999
To: 39-673				

Route	Length	AADT	QA	Year
<b>Greene County</b>				
From: 39-673				
(621)	0.80	330	R	1999
To: SR 230				
From: SR 230				
(621)	2.00	580	F	2002
To: 39-637				
From: 39-624				
(622)	0.70	1300	F	2002
To: 39-675				
From: 39-675				
(622)	1.37	2100	F	2002
To: 39-649				
From: 39-649				
(622)	0.09	2700	F	2002
To: US 33				
From: 39-633				
(623)	0.10	1000	F	2002
To: 39-624				
From: 39-624				
(623)	2.60	1500	F	2002
To: 39-654				
From: 39-654				
(623)	0.20	2500	F	2002
To: US 33				
From: 39-623				
(624)	0.55	310	R	10/07/2002
To: 0.55 MN 39-623				
From: 1.15				
(624)	1.15	270	R	10/10/2002
To: 39-622				
From: 39-622				
(624)	0.33	1100	F	2002
To: 39-604				
From: 39-604				
(624)	1.23	250	R	10/10/2002
To: 39-646 EAST				
From: 39-646 EAST				
(624)	0.97	180	R	10/28/2002
To: 39-810				
From: US 33				
(625)	0.01	380	R	10/28/2002
To: 39-636				
From: 39-636				
(625)	0.20	240	R	10/28/2002
To: Shen Natl Park Bndy				
From: Shen Natl Park Bndy				
(626)	4.11	70	R	10/28/2002
To: 4.11 ME of Bndy				
From: 1.21				
(626)	1.21	340	R	10/28/2002
To: 39-630				
From: 39-630				
(626)	0.10	400	R	10/28/2002
To: 39-810				
From: Shen Natl Park Bndy				
(627)	0.28	40	R	10/28/2002
To: 0.29 ME of Bndy				
From: 1.31				
(627)	1.31	290	R	10/28/2002
To: 39-632				
From: 39-632				
(627)	2.00	410	F	2002
To: 39-615				
From: 39-615				
(627)	1.80	400	F	2002
To: 39-810				
From: Shen Natl Park Bndy				
(628)	0.50	20	R	10/28/2002
To: 39-676				



Virginia Department of Transportation  
 Mobility Management Division  
 2002  
 Annual Average Daily Traffic Volume Estimates By Section of Route  
 Greene Maintenance Area

Route	Length	AADT	QA	Year
<b>Greene County</b>				
From 39-676				
(628)	2.40	60	R	10/28/2002
To 39-601				
(628)	1.20	150	R	10/28/2002
To 39-614				
(628)	0.90	160	R	10/28/2002
To Albemarle County Line				
From 39-743				
(629)	0.64	850	R	10/07/2002
To 0.64 MN 39-743				
(629)	2.29	120	R	10/07/2002
To 2.93 MN 39-743				
(629)	0.38	290	R	10/07/2002
To 39-658 SOUTH				
(629)	0.62	600	R	10/07/2002
To 39-633				
From 39-810				
(630)	0.01	70	R	1999
To 0.01 MW 39-810				
(630)	0.91	70	R	1999
To 39-631 WEST				
From 39-631 EAST				
(630)	1.40	60	R	10/28/2002
To 39-626				
From Dead End				
(631)	1.50	170	R	10/28/2002
To 39-630 WEST				
(631)	0.42	230	R	10/28/2002
To 39-810				
From 39-614				
(632)	1.40	20	R	10/28/2002
To 39-676				
(632)	2.30	60	R	10/28/2002
To 39-627				
From 39-810				
(633)	1.10	380	F	2002
To 39-603				
(633)	1.60	740	F	2002
To 39-604				
(633)	1.60	880	F	2002
To 39-641				
(633)	0.20	1000	F	2002
To 39-623				
(633)	1.67	2200	F	2002
To 39-629				
(633)	0.93	3400	F	2002
To 39-617				
(633)	0.64	3800	F	2002
To US 33				
(633)	0.31	1400	R	10/31/2002
To 39-608				
(633)	0.55	590	R	10/31/2002
To 39-640				
(633)	2.30	300	R	10/31/2002
To US 29				

Route	Length	AADT	QA	Year
<b>Greene County</b>				
From 39-810				
(634)	1.56	140	R	10/28/2002
To 39-635				
(634)	1.72	70	R	10/28/2002
To 1.72 MS 39-635				
(634)	0.06	100	R	1999
To 1.78 MS 39-635				
(634)	0.17	150	R	1999
To 1.95 MS 39-635				
(634)	0.05	100	R	10/28/2002
To US 33				
(634)	0.40	40	R	10/28/2002
To 39-639				
(634)	2.30	20	R	10/28/2002
To 39-638				
From Dead End				
(635)	1.20	50	R	10/28/2002
To 39-634				
From Shen Natl Park Bndy				
(636)	0.80	5	R	10/28/2002
To 0.80 MN of Bndy				
(636)	0.40	140	R	10/28/2002
To 39-625				
From SR 230				
(637)	0.30	610	R	10/28/2002
To 39-1001				
(637)	0.10	740	R	10/28/2002
To 0.10 MN 39-1001				
(637)	1.90	630	R	10/28/2002
To 39-621				
(637)	1.50	710	F	2002
To 39-647				
(637)	0.80	690	R	10/31/2002
To 39-642 SOUTH				
(637)	0.30	150	R	10/31/2002
To 39-642 NORTH				
(637)	2.60	80	R	10/31/2002
To Dead End				
From US 33				
(638)	2.40	60	R	10/28/2002
To 39-634				
(638)	0.20	160	R	10/28/2002
To 39-637 WEST				
From 39-637 EAST				
(638)	2.10	40	R	10/31/2002
To 39-667				
From 39-634				
(639)	1.00	20	R	10/28/2002
To Shen Natl Park Bndy				
From 39-633				
(640)	0.89	200	R	10/31/2002
To 0.89 MN 39-633				
(640)	0.31	50	R	10/31/2002
To Dead End				

Virginia Department of Transportation  
 Mobility Management Division  
 2002  
 Annual Average Daily Traffic Volume Estimates By Section of Route  
 Greene Maintenance Area

Route	Length	AADT	QA	Year
<b>Greene County</b>				
From: Dead End				
(641) To: 39-633	0.50	45	R	10/07/2002
From: Dead End				
(642) To: 39-643	1.40	80	R	10/31/2002
From: 39-643				
(642) To: 39-637 SOUTH	0.70	170	R	10/31/2002
From: 39-637 NORTH				
(642) To: 39-667	2.20	60	R	10/31/2002
From: 39-642				
(643) To: Dead End	1.10	50	R	10/31/2002
From: Dead End				
(644) To: 39-607	1.00	260	R	10/07/2002
From: Dead End				
(645) To: US 33 WEST	0.04	300	R	10/03/2002
From: US 33 EAST				
(645) To: US 29	3.00	580	R	10/03/2002
From: 39-810				
(646) To: 39-624 WEST	1.40	20	R	10/28/2002
From: 39-624 EAST				
(646) To: US 33	1.00	300	R	10/28/2002
From: Dead End				
(647) To: 0.05 ME Dead End	0.05	230	R	10/28/2002
From: 0.20				
(647) To: 39-637	0.20	250	R	10/28/2002
From: 39-603				
(648) To: 39-604	1.80	360	R	10/07/2002
<b>Town of Stanardsville</b>				
From: 39-622				
(649) To: 39-1002	0.15	640	F	2002
From: 39-1002				
(649) To: US 33	0.05	650	F	2002
<b>Greene County</b>				
From: Dead End				
(650) To: 39-656	0.75	30	R	10/10/2002
From: 39-810				
(650) To: 39-615	0.05	90	R	10/10/2002
From: 39-604 SOUTH				
(650) To: 39-615	0.90	70	R	10/10/2002
From: 39-604 NORTH				
(651) To: 39-604 NORTH	0.23	20	R	10/07/2002
From: Dead End				
(652) To: US 33	0.19	350	R	10/31/2002

Route	Length	AADT	QA	Year
<b>Greene County</b>				
From: Cul-de-Sac				
(653) To: US 33	0.47	480	R	1999
From: Dead End				
(654) To: 39-623	0.32	260	R	10/10/2002
From: Dead End				
(655) To: 39-619	0.21	90	R	1999
From: 39-650				
(656) To: Dead End	0.19	40	R	1999
From: Orange County Line				
(657) To: 39-610	0.60	210	R	10/03/2002
From: 39-629 SOUTH				
(658) To: 39-629 NORTH	0.44	20	R	1999
From: 39-600				
(659) To: Cul-de-Sac	0.19	140	R	1999
From: 39-607				
(660) To: 39-661	0.28	240	R	1999
From: Cul-de-Sac				
(661) To: 39-660	0.12	60	R	1999
From: 39-660				
(661) To: 39-607	0.26	110	R	1999
From: SR 230				
(667) To: 39-642	3.94	780	R	10/31/2002
From: 39-642				
(667) To: 56-675	1.91	450	R	10/31/2002
From: 56-675				
(667) To: Madison County Line	1.26	100	R	10/31/2002
<b>Madison County</b>				
From: Madison County Line				
(667) To: Dead End	1.73	30	R	10/31/2002
<b>Greene County</b>				
From: US 33				
(668) To: Dead End	0.20	50	R	10/31/2002
From: Dead End				
(669) To: 02-810	0.11	10	R	10/10/2002
From: 39-607				
(670) To: 39-1130	1.24	1700	R	1999
From: 39-1130				
(670) To: Orange County Line	1.16	800	R	1999
From: Dead End				
(671) To: 39-685	0.05	80	R	1999
From: 39-685				
(671) To: 39-743	0.55	220	R	1999

Virginia Department of Transportation  
 Mobility Management Division  
 2002  
 Annual Average Daily Traffic Volume Estimates By Section of Route  
 Greene Maintenance Area

Route	Length	AADT	QA	Year
<b>Greene County</b>				
From: 39-609				
(672) To: Dead End	0.95	180	R	10/31/2002
From: 39-621				
(673) To: Dead End	0.31	90	R	10/28/2002
From: Dead End				
(674) To: 39-604	1.95	220	R	10/10/2002
From: 39-622				
(675) To: Dead End	0.50	40	R	10/10/2002
From: 39-628				
(676) To: 0.30 ME 39-628	0.30	40	R	10/28/2002
(676) To: 39-632	1.90	40	R	10/28/2002
From: US 33 WEST				
(677) To: 39-1010	0.18	280	R	10/10/2002
(677) To: US 33 EAST	0.16	340	R	10/10/2002
From: 39-616				
(678) To: Cul-de-Sac	0.15	120	R	1999
From: US 33				
(680) To: Cul-de-Sac	0.11	90	R	1999
From: Dead End				
(685) To: 39-671	0.11	40	R	1999
From: US 33; 39-1103				
(690) To: Cul-de-Sac	0.22	60	R	10/10/2002
From: Cul-de-Sac				
(691) To: 39-690	0.11	20	R	10/10/2002
From: Albemarle County Line				
(743) To: 39-629	1.00	930	R	10/07/2002
(743) To: 39-617	1.12	1900	R	10/07/2002
(743) To: 39-607; 39-644	0.50	2500	R	10/07/2002
(743) To: 39-671	0.85	1800	F	2002
(743) To: US 33	1.21	1700	F	2002
From: Albemarle County Line				
(810) To: 39-633	3.36	1100	F	2002
(810) To: 39-626	2.19	1300	F	2002
(810) To: US 33	2.44	1700	F	2002

Route	Length	AADT	QA	Year
<b>Town of Stanardsville</b>				
From: 39-649				
(1001) To: US 33	0.09	660	R	10/10/2002
(1001) To: NCL Stanardsville	0.47	1500	R	10/10/2002
<b>Greene County</b>				
From: NCL Stanardsville				
(1001) To: 39-637	0.91	570	R	10/10/2002
<b>Town of Stanardsville</b>				
From: 39-1001				
(1002) To: 39-649	0.04	290	R	10/10/2002
From: Dead End				
(1003) To: US 33	0.17	320	R	1999
<b>Greene County</b>				
From: Dead End				
(1004) To: ECL Stanardsville	0.07	60	R	1999
<b>Town of Stanardsville</b>				
From: ECL Stanardsville				
(1004) To: SR 230	0.10	120	R	1999
From: SR 230				
(1005) To: ECL Stanardsville	0.09	70	R	10/10/2002
<b>Greene County</b>				
From: ECL Stanardsville				
(1005) To: Dead End	0.17	40	R	10/10/2002
From: US 33				
(1006) To: Dead End	0.19	80	R	1999
From: 39-633				
(1007) To: 39-1008	0.10	450	R	1999
(1007) To: 39-1009	0.10	70	R	1999
(1007) To: Cul-de-Sac	0.07	48	R	1999
From: Cul-de-Sac				
(1008) To: 39-1007	0.16	90	R	1999
From: 39-1007				
(1009) To: 39-633	0.06	60	R	1999
From: Cul-de-Sac				
(1010) To: 39-1011	0.13	100	R	1999
(1010) To: 39-677	0.12	490	R	1999
From: Cul-de-Sac				
(1011) To: 39-1010	0.06	40	R	1999
From: 39-633				
(1014) To: Cul-de-Sac	0.13	120	R	10/31/2002

Virginia Department of Transportation  
 Mobility Management Division  
 2002  
 Annual Average Daily Traffic Volume Estimates By Section of Route  
 Greene Maintenance Area

Route	Length	AADT	QA	Year
<b>Greene County</b>				
From: Cul-de-Sac				
(1019) To: FR-981	0.15	60	R	10/10/2002
From: 39-1021				
(1020) To: US 29	0.23	1000	R	10/03/2002
From: 39-1020				
(1021) To: Cul-de-Sac	0.57	960	R	10/03/2002
From: 39-1023				
(1021) To: 39-1025	0.20	700	R	10/03/2002
From: 39-1021				
(1022) To: Cul-de-Sac	0.07	48	R	10/03/2002
From: Cul-de-Sac				
(1023) To: 39-1021	0.18	120	R	10/03/2002
From: Cul-de-Sac				
(1024) To: 39-1021	0.32	230	R	10/03/2002
From: Cul-de-Sac				
(1025) To: Cul-de-Sac	0.42	260	R	10/03/2002
From: Cul-de-Sac/				
(1029) To: 39-00607(B)/	0.15	NA		
From: 39-629 SOUTH				
(1030) To: 39-629 NORTH	0.98	80	R	1999
From: 39-608				
(1101) To: 39-1102	0.16	170	R	1999
From: 39-1101				
(1102) To: Cul-de-Sac	0.14	110	R	1999
From: Cul-de-Sac				
(1103) To: US 33	0.39	640	R	1999
From: US 33				
(1105) To: Cul-de-Sac	0.62	470	R	1999
From: US 33				
(1106) To: Cul-de-Sac	0.20	830	R	10/31/2002
From: 39-606				
(1110) To: 39-1111 SOUTH	0.11	450	R	1999
From: 39-1114				
(1110) To: 39-1111 NORTH	0.21	300	R	1999
From: 39-1111 NORTH				
(1110) To: 39-1113	0.04	210	R	1999
From: 39-1113				
(1110) To: 39-1116	0.06	250	R	1999
From: 39-1116				
(1110) To: 39-1116	0.03	210	R	1999

Route	Length	AADT	QA	Year
<b>Greene County</b>				
From: 39-1116				
(1110) To: Cul-de-Sac	0.10	120	R	1999
From: 39-1110 SOUTH				
(1111) To: 39-1112	0.09	80	R	1999
From: 39-1112				
(1111) To: 39-1117	0.10	250	R	1999
From: 39-1117				
(1111) To: 39-1115	0.07	160	R	1999
From: 39-1115				
(1111) To: 39-1110 NORTH	0.10	110	R	1999
From: 39-1110 NORTH				
(1112) To: 39-606	0.07	290	R	1999
From: Cul-de-Sac				
(1113) To: 39-1110	0.06	40	R	1999
From: Cul-de-Sac				
(1114) To: 39-1110	0.03	30	R	1999
From: 39-1110				
(1115) To: Cul-de-Sac	0.08	70	R	1999
From: 39-1110				
(1116) To: Cul-de-Sac	0.08	60	R	1999
From: Cul-de-Sac				
(1117) To: 39-1111	0.05	40	R	1999
From: US 29				
(1120) To: Commercial Park Lot	0.11	670	R	1999
From: Commercial Park Lot				
(1120) To: 39-1121	0.21	330	R	1999
From: Cul-de-Sac				
(1121) To: 39-1120	0.23	170	R	1999
From: 39-1120				
(1125) To: 39-616	0.09	160	R	1999
From: 39-1126				
(1125) To: Cul-de-Sac	0.12	120	R	1999
From: Cul-de-Sac				
(1126) To: 39-1125	0.09	60	R	1999
From: Cul-de-Sac				
(1130) To: 39-1131	0.03	20	R	1999
From: 39-1131				
(1130) To: 39-670	0.15	130	R	1999
From: Cul-de-Sac				
(1131) To: 39-1130	0.08	20	R	1999
From: 39-1130				
(1131) To: 39-1132	0.12	60	R	1999

Virginia Department of Transportation  
 Mobility Management Division  
 2002  
 Annual Average Daily Traffic Volume Estimates By Section of Route  
 Greene Maintenance Area

Route	Length	AADT	QA	Year
<b>Greene County</b>				
From: Cul-de-Sac				
(1132) To: 39-1131	0.09	20	R	1999
From: Cul-de-Sac				
(1133) To: 39-670	0.38	300	R	10/03/2002
From: Cul-de-Sac				
(1134) To: 39-1133	0.09	50	R	10/03/2002
From: Cul-de-Sac				
(1135) To: 39-670	0.21	70	R	1999
From: Cul-de-Sac				
(1139) To: 39-607	0.13	NA		
From: Cul-de-Sac				
(1140) To: 39-606	0.51	600	R	10/07/2002
From: Cul-de-Sac				
(1141) To: 39-1140	0.12	80	R	1999
From: Cul-de-Sac				
(1142) To: 39-1140	0.11	60	R	1999
From: 39-606				
(1144) To: Dead End	0.50	370	R	10/07/2002
From: 39-606				
(1145) To: 39-1146	0.36	390	R	10/07/2002
From: Cul-de-Sac				
(1146) To: Cul-de-Sac	0.27	220	R	10/07/2002
From: 39-607				
(1150) To: 39-1151	0.14	360	R	10/07/2002
From: 39-1151				
(1150) To: Cul-de-Sac	0.09	30	R	1999
From: Cul-de-Sac				
(1151) To: 39-1150	0.10	100	R	10/07/2002
From: 39-1150				
(1152) To: Cul-de-Sac	0.20	160	R	1999
From: 39-743				
(1155) To: Cul-de-Sac	0.58	NA		
From: 39-1155				
(1156) To: Cul-de-Sac	0.15	NA		
From: 39-670				
(1160) To: 39-1161	0.08	NA		
From: 39-1162				
(1161) To: Pine Tree Drive	0.29	NA		

Route	Length	AADT	QA	Year
<b>Greene County</b>				
From: Cul-de-Sac				
(1162) To: Cul-de-Sac	0.13	NA		
From: 39-1161				
(1163) To: Cul-de-Sac	0.07	NA		
From: US 33				
(9177) To: WM Monroe HS	0.19	920	R	1999
From: US 33				
(9177) To: 0.10 ME US 33	0.10	2200	R	1999
From: 0.10 ME US 33				
(9177) To: 0.13 ME US 33	0.13	1800	R	1999
From: 0.13 ME US 33				
(9177) To: 0.23 ME US 33	0.06	1000	R	1999
From: 39-622				
(9177) To: Green County Pri Sch	0.16	2900	R	10/10/2002
From: US 33				
(9692) To: Green County Tech Ctr	0.08	170	R	10/31/2002