

2004

**Virginia Department of Transportation
Daily Traffic Volume Estimates
Including Vehicle Classification Estimates**

where available

Jurisdiction Report

82

Rockingham County
City of Harrisonburg
Town of Bridgewater
Town of Broadway
Town of Dayton
Town of Elkton
Town of Grottoes
Town of Mount Crawford
Town of Timberville

Prepared By

**Virginia Department of Transportation
Mobility Management Division**

In Cooperation With

**U.S. Department of Transportation
Federal Highway Administration**

Virginia Department of Transportation
Mobility Management Division
Traffic Monitoring Section

The Virginia Department of Transportation (VDOT) conducts a program where traffic count data are gathered from sensors in or along streets and highways and other sources. From these data, estimates of the average number of vehicles that traveled each segment of road are calculated. VDOT periodically publishes booklets listing these estimates.

One of these booklets, titled "Average Daily Traffic Volumes with Vehicle Classification Data, on Interstate, Arterial and Primary Routes" includes a list of each Interstate and Primary highway segment with the estimated Annual Average Daily Traffic (AADT) for that segment. AADT is the total annual traffic estimate divided by the number of days in the year. This booklet also includes information such as estimates of the percentage of the AADT made up by 6 different vehicle types, ranging from cars to double trailer trucks; estimated Annual Average Weekday Traffic (AAWDT), which is the number of vehicles estimated to have traveled the segment of highway during a 24 hour weekday averaged over the year; as well as Peak Hour and Peak Direction factors used by planners to formulate design criteria.

In addition to the Primary and Interstate publication, one hundred books are published periodically, one for each of 100 areas across the state defined by VDOT for record-keeping purposes. These books include traffic volume estimates for roads within the county, cities, and towns within the area. These books are titled "Daily Traffic Volumes Including Vehicle Classification Estimates, where available; Jurisdiction Report numbers 00 through 99".

Also available are a number of reports summarizing the average Vehicle Miles Traveled (VMT) in selected jurisdictions and other categories of highways. There are many different ways to present traffic volume summary information. Because the user determines the value of each presentation, the reports have been redesigned based on user requests and feedback. The people at VDOT Mobility Management's Traffic Monitoring Section who produce these books welcome requests for other helpful ways of presenting the summary information.

A compact disc (CD) is available that includes files in the Adobe® Portable Document Format (PDF) that can be displayed, searched, and printed using common desktop computer equipment. The CD includes the publications described above as well as a number of other reports, including specialized VMT summaries and smaller AADT reports for each city and town separately.

Publication Notes

Parallel Roads

For road inventory and management purposes, some roadways are counted separately by direction and have separately published traffic estimates for each direction of travel. Examples of such roadways are the interstate system and routes with separated facilities and (usually) one-way traffic facilities in urban areas. In these publications, they are referred to as parallel roads. As a convenience for the users of the publication, the listing for segments of roads with parallel segments are published with both the traffic estimates for their own direction of travel (e.g. I-95 Northbound) as well as the estimate of the total of all traffic on the same route including parallel roadways (all directions of I-95). The publication will have a “Combined Traffic Estimates for Parallel Roadways on this Route” or “Combined Traffic” identifiers for the combined direction of travel estimates.

Roadways such as I-395 with a North segment, a South segment and a separate Reversible lane segment will have the estimate for more than two parallel roadways included in the entire combined traffic estimate.

Some routes have very complicated paths through cities and towns. These parallel paths may be too complex to allow a relationship between nearby sections of the opposite direction on the same route. In this case, to indicate that the traffic estimates for such a road segment may not include all directions of traffic on that route, the line that would list the combined values will indicate “NA” for not available.

VDOT’s traffic monitoring program includes more than 100,000 segments of roads and highways ranging from several mile sections of Interstate highways to very short sections of city streets. Due to problems experienced obtaining some traffic count data, and the level of quality necessary to maintain confidence in the data, no estimate is currently available for some segments of roadway. These segments are included in the publications indicating “NA” for not available. It is the intention of the VDOT’s Mobility Management Traffic Monitoring group to obtain the data necessary and to report traffic volume estimates on all road segments included in these publications.

Many of the road segments in this program are local secondary roads. The amount and detail of data collected on these roads are not as great as the data collected on higher volume roads. The vehicle classification, average weekday traffic volumes, and the theoretical design hour traffic volumes are not calculated for these roads. The publications indicate “NA” for the information that is not available.

This publication is based on a traffic monitoring program initiated in 1997. Because the data collection techniques and statistical evaluation processes are different than those used in previous years, comparison with previous publications may be misleading.

Glossary of Terms:

Route: The Route Number assigned to this segment of roadway with the master inventory route number if this is an overlapping route, with official street or highway name if available.

Length: Length of the traffic segment in miles.

AADT: Annual Average Daily Traffic. The estimate of typical daily traffic on a road segment for all days of the week, Sunday through Saturday, over the period of one year.

QA: Quality of AADT:

- A Average of Complete Continuous Count Data
- B Average of Selected Continuous Count Data
- F Factored Short Term Traffic Count Data
- G Factored Short Term Traffic Count Data with Growth Element
- H Historical Estimate
- M Manual Uncounted Estimate
- N AADT of Similar Neighboring Traffic Link
- O Provided By External Source
- R Raw Traffic Count, Unfactored

4Tire: Percentage of the traffic volume made up of motorcycles, passenger cars, vans and pickup trucks.

Bus: Percentage of the traffic volume made up of busses.

2Axle Truck: Percentage of the traffic volume made up of 2 axle single unit trucks (not including pickups and vans).

3+Axle Truck: Percentage of the traffic volume made up of single unit trucks with three or more axles.

1Trail Truck: Percentage of the traffic volume made up of units with a single trailer.

2Trail Truck: Percentage of the traffic volume made up of units with more than one trailer.

QC: Quality of Classification Data:

- A Average of Complete Continuous Count Data
- B Average of Selected Continuous Count Data
- C Short Term Classified Traffic Count Data
- F Factored Short Term Traffic Count Data
- H Historical Estimate
- M Mass Collective Average
- N Classification Estimates of Similar Neighboring Traffic Link

K Factor: The estimate of the portion of the traffic volume traveling during the peak hour or design hour.

QK: Quality of the Peak Hour estimate:

- A Factor based on 30th Highest Hour Observed During at least 250 days of Continuous Traffic Data
- B Factor based on other Hour Observed During Less than 250 days of Continuous Traffic Data
- F Factor based on Highest Hour Collected at in a 48 Hour Weekday Period
- M Factor based on Manual Estimate of design hour
- N Peak Hour Factor of Similar Neighboring Traffic Link
- O Provided by External Source

Dir Factor: The estimate of the portion of the traffic volume traveling in the peak direction during the peak hour..

AAWDT: Average Annual Weekday Traffic. The estimate of typical traffic over the period of one year for the days between Monday through Thursday inclusive.

QW: Quality of AAWDT:

- A Average of Complete Continuous Count Data
- B Average of Selected Continuous Count Data
- F Factored Short Term Traffic Count Data
- G Factored Short Term Traffic Count Data with Growth Element
- M Manual Uncounted Estimate
- N AAWDT of Similar Neighboring Traffic Link
- O Provided by External Source

Year: Year for which the published values are appropriate. If the Quality of AADT (QA) is "R", the year is the year that the raw traffic count was collected, and if available,

Route Shield Legend

Route Systems



Interstate Route

Traffic volume data for Interstate Routes and some other routes are reported separately by direction, as well as combined.



US Route



Virginia State Route



Secondary Route

Special Routes



Bus - Business Route

Bypas - Bypass Route

Truck - Truck Route



ALT - Alternate Route

Wve - Wye Route connector



P - Parallel Route; Southbound or Westbound direction lanes of a numbered route where they are on a different road facility than the other direction.



The VDOT Maintenance Jurisdiction number is displayed below the Secondary Route Number if the Maintenance Jurisdiction is different than the jurisdiction in the title of the report.

Virginia Department of Transportation
 Mobility Management Division
 2004
 Annual Average Daily Traffic Volume Estimates By Section of Route
 Rockingham Maintenance Area

Route	Jurisdiction	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW		
							2Axle	3+Axle	1Trail	2Trail								
11 Lee Hwy	Rockingham County	From: Augusta County Line		2.46	5500	G	96%	0%	1%	1%	1%	0%	C	0.097	F	0.597	5700	G
		To: SCL Mt Crawford		0.92	5500	N	96%	0%	1%	1%	1%	0%	N	0.097	N	0.597	5700	N
11 Lee Hwy	Town of Mount Crawford (Maint: 82)	From: 82-919		0.20	7600	G	96%	0%	1%	1%	1%	0%	F	0.091	F	0.613	7800	G
		To: NCL Mt Crawford		0.03	7600	G	96%	0%	1%	1%	1%	0%	F	0.091	F	0.613	7800	G
11 Lee Hwy	Rockingham County	From: SR 257		1.12	13000	G	96%	0%	1%	1%	1%	0%	F	0.086	F	0.666	13000	G
		To: 82-704		1.18	12000	G	96%	0%	1%	1%	1%	0%	F	0.083	F	0.534	12000	G
11 Main St	City of Harrisonburg	From: SCL Harrisonburg		0.91	14000	G	96%	0%	1%	1%	1%	0%	F	0.092	F	0.549	15000	G
		To: I-81		1.77	20000	G	96%	1%	1%	1%	2%	0%	F	0.087	F	0.510	22000	G
11 S Main St	City of Harrisonburg	From: Pleasant Hill Rd		0.87	18000	G	96%	1%	1%	1%	2%	0%	C	0.087	F	0.527	20000	G
		To: Port Republic Rd		0.65	23000	G	96%	1%	1%	1%	2%	0%	F	0.084	F	0.524	25000	G
11 Main St NB	City of Harrisonburg	From: S Liberty St		0.47	7200	G	96%	1%	1%	1%	2%	0%	F	0.089	F		7800	G
		Combined Traffic Estimates for 2 Parallel Roadways on this Route:			12000	G	96%	1%	1%	1%	1%	0%	F	NA			13000	G
11 33 Main St NB	City of Harrisonburg	From: US 33		0.02	7200	N	96%	1%	1%	1%	2%	0%	N	0.089	N		7800	N
		Combined Traffic Estimates for 2 Parallel Roadways on this Route:			12000	N	96%	1%	1%	1%	1%	0%	N	NA			13000	N
11 33 Main St NB	City of Harrisonburg	From: US 33 E Market Street		0.03	7200	N	96%	1%	1%	1%	2%	0%	N	0.089	N		7800	N
		Combined Traffic Estimates for 2 Parallel Roadways on this Route:			9800	N	96%	1%	1%	1%	1%	0%	N	NA			11000	N
11 Main St NB	City of Harrisonburg	From: US 33 Par		0.34	7200	N	96%	1%	1%	1%	2%	0%	N	0.089	N		7800	N
		Combined Traffic Estimates for Parallel Roadways on this Route:			NA									NA			NA	
11 N Main St	City of Harrisonburg	From: Kratzer Ave		0.68	7000	G	96%	0%	1%	0%	2%	0%	C	0.089	F	0.63	7700	G
		To: Charles St		0.44	6800	G	96%	0%	1%	0%	2%	0%	F	0.091	F	0.591	7400	G
11 N Main St	City of Harrisonburg	From: NCL Harrisonburg																
		To:																

Virginia Department of Transportation
 Mobility Management Division
 2004
 Annual Average Daily Traffic Volume Estimates By Section of Route
 Rockingham Maintenance Area

Route	Jurisdiction	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	
							2Axle	3+Axle	1Trail	2Trail							
11 Valley Pike	Rockingham County	From: NCL Harrisonburg	3.16	9200	G	94%	0%	2%	2%	2%	0%	F	0.084	F	0.561	9400	G
		To: 82-765															
11 Valley Pike	Rockingham County	From: 82-806	4.14	6200	G	94%	0%	2%	2%	2%	0%	F	0.091	F	0.665	6400	G
		To: 82-806															
11 Valley Pike	Rockingham County	From: I-81 Mauzy	1.88	4200	G	94%	0%	2%	2%	2%	0%	C	0.088	F	0.573	4300	G
		To: Shenandoah County Line															
11 Liberty St	City of Harrisonburg	From: S Main St	0.70	4600	G	96%	1%	1%	1%	1%	0%	C	0.085	F		5100	G
		Combined Traffic Estimates for 2 Parallel Roadways on this Route:			12000	G	96%	1%	1%	1%	1%	0%	F	NA			13000
11 33 Noll Dr	City of Harrisonburg	From: Rock St	0.14	2700	G	96%	1%	1%	1%	1%	0%	F	0.078	F		2900	G
		Combined Traffic Estimates for 2 Parallel Roadways on this Route:			9800	N	96%	1%	1%	1%	1%	0%	N	NA			11000
33 Rawley Pike	Rockingham County	From: West Virginia State Line	11.66	2300	G	94%	1%	1%	1%	3%	0%	F	0.105	F	0.705	2300	G
		To: 82-840															
33 Rawley Pike	Rockingham County	From: 82-613 West of Hinton	2.80	3700	G	94%	1%	1%	1%	3%	0%	C	0.092	F	0.702	3800	G
		To: 82-613 West of Hinton															
33 Rawley Pike	Rockingham County	From: WCL Harrisonburg	5.70	8600	G	94%	1%	1%	1%	3%	0%	F	0.086	F	0.583	8800	G
		To: WCL Harrisonburg															
33 W Market Street	City of Harrisonburg	From: Wateman Dr	1.11	10000	G	95%	1%	1%	1%	2%	0%	F	0.086	F	0.585	11000	G
		To: Wateman Dr															
33 W Market Street	City of Harrisonburg	From: SR 42 S High St	0.61	11000	G	95%	1%	1%	1%	2%	0%	C	0.099	F	0.609	12000	G
		To: SR 42 S High St															
33 11 W Market Street	City of Harrisonburg	From: Bus US 33 Par	0.16	4500	G	95%	1%	1%	1%	2%	0%	F	0.087	F	0.632	4900	G
		To: US 11															
33 11 Main St NB	City of Harrisonburg	From: US 11 Main St	0.02	7200	N	96%	1%	1%	1%	2%	0%	N	0.089	N		7800	N
		Combined Traffic Estimates for 2 Parallel Roadways on this Route:			12000	N	96%	1%	1%	1%	1%	0%	N	NA			13000
33 E Market Street	City of Harrisonburg	From: Mason St	0.11	7200	G	97%	0%	1%	0%	2%	0%	F	0.084	F	0.542	7800	G
		To: Mason St															
33 E Market Street	City of Harrisonburg	From: Vine St	0.87	13000	G	97%	0%	1%	0%	2%	0%	F	0.086	F	0.572	14000	G
		To: Vine St															
33 E Market Street	City of Harrisonburg	From: I-81	0.61	23000	G	97%	0%	1%	0%	2%	0%	C	0.09	F	0.594	26000	G
		To: I-81															

Virginia Department of Transportation
 Mobility Management Division
 2004
 Annual Average Daily Traffic Volume Estimates By Section of Route
 Rockingham Maintenance Area

Route	Jurisdiction	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	
							2Axle	3+Axle	1Trail	2Trail							
							From: I-81										
33 E Market Street	City of Harrisonburg	0.59	26000	G	95%	0%	1%	1%	3%	0%	F	0.083	F	0.521	29000	G	
							To: University Blvd										
33 E Market Street	City of Harrisonburg	1.07	17000	G	96%	0%	1%	1%	1%	0%	C	0.084	F	0.577	18000	G	
							From: ECL Harrisonburg										
33 Spotswood Trail	Rockingham County	0.21	25000	G	95%	0%	1%	1%	3%	0%	F	0.090	F	0.627	26000	G	
							To: 82-704										
33 Spotswood Trail	Rockingham County	2.08	23000	G	95%	0%	1%	1%	3%	0%	F	0.089	F	0.622	24000	G	
							To: SR 276										
33 Spotswood Trail	Rockingham County	2.73	23000	G	95%	0%	1%	1%	3%	0%	C	0.094	F	0.611	24000	G	
							From: 82-842 Montevideo										
33 Spotswood Trail	Rockingham County	2.53	22000	G	95%	0%	1%	1%	3%	0%	F	0.086	F	0.687	22000	G	
							To: 82-649										
33 Spotswood Trail	Rockingham County	1.83	20000	G	96%	1%	1%	1%	2%	0%	F	0.088	F	0.611	20000	G	
							From: 82-602										
33 Spotswood Trail	Rockingham County	3.12	13000	G	96%	1%	1%	1%	2%	0%	C	0.085	F	0.554	13000	G	
							To: US 33 Bus West of Elkton										
33 Spotswood Trail	Rockingham County	0.89	8200	G	94%	1%	1%	1%	3%	0%	F	0.079	F	0.707	8400	G	
							To: WCL Elkton										
33 Spotswood Trail	Town of Elkton (Maint: 82)	0.69	8200	N	94%	1%	1%	1%	3%	0%	N	0.079	N	0.707	8400	N	
							From: ECL Elkton										
33 Spotswood Trail	Rockingham County	0.04	8200	N	94%	1%	1%	1%	3%	0%	N	0.079	N	0.707	8400	N	
							To: US 340										
33 Spotswood Trail	Rockingham County	6.25	5600	G	94%	1%	1%	1%	3%	0%	C	0.107	F	0.501	5700	G	
							To: Greene County Line										
							From: US 11										
33 11 Main St NB	City of Harrisonburg	0.03	7200	N	96%	1%	1%	1%	2%	0%	N	0.089	N		7800	N	
	Combined Traffic Estimates for 2 Parallel Roadways on this Route:		9800	N	96%	1%	1%	1%	1%	0%	N	NA			11000	N	
							To: US 33										
							From: US 33										
Bus 33 Old Spotswood Trail	Rockingham County	1.00	7500	G	99%	0%	0%	0%	0%	0%	F	0.092	F	0.585	7700	G	
							To: WCL Elkton										
							From: WCL Elkton										
Bus 33 Spottswood Ave	Town of Elkton (Maint: 82)	0.37	8100	G	99%	0%	0%	0%	0%	0%	C	0.085	F	0.599	8300	G	
							To: Spottswood Terr										
							From: Spottswood Terr										
Bus 33 Spottswood Ave	Town of Elkton (Maint: 82)	0.27	4000	G	99%	0%	0%	0%	0%	0%	F	0.081	F	0.702	4100	G	
							To: Stuart Ave										
							From: Stuart Ave										
Bus 33 340 Stuart Ave	Town of Elkton (Maint: 82)	0.08	11000	N	96%	1%	1%	1%	1%	0%	N	0.085	N	0.676	11000	N	
							To: US 33										

Virginia Department of Transportation
 Mobility Management Division
 2004
 Annual Average Daily Traffic Volume Estimates By Section of Route
 Rockingham Maintenance Area

Route	Jurisdiction	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	
							2Axle	3+Axle	1Trail	2Trail							
42	Warm Springs Pike	Rockingham County	2.50	3900	G	97%	0%	1%	1%	1%	0%	C	0.091	F	0.716	4000	G
42	S Main Street	Town of Bridgewater	0.22	9000	G	96%	0%	1%	1%	2%	0%	C	0.087	F	0.699	9300	G
42	N Main Street	Town of Bridgewater	0.15	11000	G	96%	0%	1%	1%	2%	0%	F	0.084	F	0.653	11000	G
42	257 N Main Street	Town of Bridgewater	0.30	13000	G	96%	0%	1%	1%	2%	0%	F	0.078	F	0.624	13000	G
42	257 N Main Street	Town of Bridgewater	0.08	17000	G	96%	0%	1%	1%	2%	0%	C	0.08	F	0.615	17000	G
42	257 N Main Street	Town of Bridgewater	1.00	17000	G	96%	0%	1%	1%	2%	0%	F	0.078	F	0.613	17000	G
42	257 N Main St	Town of Bridgewater	0.30	17000	N	96%	0%	1%	1%	2%	0%	N	0.078	N	0.613	17000	N
42	257 John Wayland Hwy	Rockingham County	0.63	15000	G	96%	0%	1%	1%	2%	0%	F	0.096	F	0.52	15000	G
42	257 John Wayland Hwy	Town of Dayton (Maint: 82)	0.42	17000	N	96%	0%	1%	1%	2%	0%	N	0.078	N	0.613	17000	N
42	John Wayland Hwy	Town of Dayton (Maint: 82)	0.45	17000	B	97%	0%	0%	1%	1%	0%	C	0.106	A	0.515	18000	B
42	John Wayland Hwy	Rockingham County	1.90	17000	N	97%	0%	0%	1%	1%	0%	N	0.106	N	0.515	18000	N
42	S High Street	City of Harrisonburg	0.13	16000	G	97%	0%	0%	1%	1%	0%	F	0.089	F	0.536	18000	G
42	S High Street	City of Harrisonburg	1.27	19000	G	97%	0%	1%	1%	1%	0%	C	0.089	F	0.507	21000	G
42	S High Street	City of Harrisonburg	0.40	20000	G	97%	0%	0%	1%	1%	0%	F	0.083	F	0.529	22000	G
42	S High Street	City of Harrisonburg	0.55	20000	G	97%	0%	0%	1%	1%	0%	F	0.082	F	0.502	22000	G
42	N High Street	City of Harrisonburg	0.27	18000	G	97%	0%	0%	1%	1%	0%	F	0.082	F	0.504	20000	G
42	Virginia Ave	City of Harrisonburg	0.44	11000	G	97%	0%	0%	1%	1%	0%	F	0.083	F	0.555	12000	G
42	Virginia Ave	City of Harrisonburg	0.60	10000	G	96%	0%	1%	1%	1%	0%	C	0.089	F	0.586	11000	G

Virginia Department of Transportation
 Mobility Management Division
 2004
 Annual Average Daily Traffic Volume Estimates By Section of Route
 Rockingham Maintenance Area

Route	Jurisdiction	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW
							2Axle	3+Axle	1Trail	2Trail						
(42) Virginia Ave	City of Harrisonburg	From: Mt Clinton Pike 0.83	12000	G	96%	0%	1%	1%	1%	0%	F	0.088	F	0.58	13000	G
(42) Harpine Hwy	Rockingham County	To: NCL Harrisonburg From: 5.12	8400	G	94%	1%	1%	1%	3%	0%	F	0.086	F	0.654	9200	G
(42) Harpine Hwy	Rockingham County	To: 82-753 North From: 4.60	8100	G	94%	1%	1%	1%	3%	0%	F	0.089	F	0.628	8300	G
(42) Timber Way	Town of Broadway (Maint: 82)	To: SCL Broadway From: 0.81	8100	N	94%	1%	1%	1%	3%	0%	N	0.089	N	0.628	8300	N
(42) ALT (259) Timber Way	Town of Broadway (Maint: 82)	To: ALT SR 259 From: 0.32	6800	G	94%	1%	1%	1%	3%	0%	C	0.087	F	0.598	7000	G
(42) (259) Timber Way	Town of Broadway (Maint: 82)	To: SR 259 South From: 0.33	7700	G	94%	1%	1%	1%	3%	0%	F	0.083	F	0.538	7900	G
(42) (259) Timber Way	Rockingham County	To: ECL Broadway From: 0.29	7700	N	94%	1%	1%	1%	3%	0%	N	0.083	N	0.538	7900	N
(42) Timber Way	Rockingham County	To: SR 259 North From: 1.21	12000	G	94%	1%	1%	1%	3%	0%	F	0.09	F	0.509	13000	G
(42) Forestville Rd	Town of Timberville (Maint: 82)	To: SCL Timberville From: 0.18	12000	N	94%	1%	1%	1%	3%	0%	N	0.09	N	0.509	13000	N
(42) Forestville Rd	Town of Timberville (Maint: 82)	To: SR 211 From: 0.68	2500	N	93%	1%	1%	3%	2%	0%	N	0.09	N	0.575	2500	N
(42) Forestville Rd	Town of Timberville (Maint: 82)	To: 82-617 North From: 0.41	2500	G	93%	1%	1%	3%	2%	0%	C	0.09	F	0.575	2500	G
(42) Forestville Rd	Rockingham County	To: NCL Timberville From: 2.56 To: Shenandoah County Line	1500	G	91%	1%	2%	3%	3%	0%	C	NA		1500	G	
Bus (42) Main St	Town of Dayton (Maint: 82)	From: SR 257 0.12	2200	G	98%	0%	1%	0%	1%	0%	F	0.077	F	0.55	2300	G
Bus (42) (290) Main St	Town of Dayton (Maint: 82)	To: S SR 290 Huffman Dr From: 0.07	3800	G	98%	0%	1%	0%	1%	0%	F	0.083	F	0.544	3900	G
Bus (42) Main St	Town of Dayton (Maint: 82)	To: N SR 290 College St From: N SR 290 0.60	1400	G	98%	0%	1%	0%	1%	0%	C	0.091	F	0.553	1500	G
Bus (42) Main St	Rockingham County	To: NCL Dayton From: 0.03 To: N SR 42	1400	N	98%	0%	1%	0%	1%	0%	N	0.091	N	0.553	1500	N
(48) Skyline Drive	Rockingham County (Maint: US)	From: Albemarle County Line 8.44 To: Greene County Line	1600	M	94%	0%	1%	2%	3%	0%	F	NA		5400	G	

Virginia Department of Transportation
 Mobility Management Division
 2004
 Annual Average Daily Traffic Volume Estimates By Section of Route
 Rockingham Maintenance Area

Route	Jurisdiction	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW
							2Axle	3+Axle	1Trail	2Trail						
48 Skyline Drive	From: Greene County Line Rockingham County (Maint: US)	3.26	1600	M	94%	0%	1%	2%	3%	0%	F	NA		5400	G	
48 Skyline Drive	To: Greene County Line From: Greene County Line Rockingham County (Maint: US)	1.93	1600	M	94%	0%	1%	2%	3%	0%	F	NA		5400	G	
48 Skyline Drive	To: Greene County Line From: Greene County Line Rockingham County (Maint: US)	0.10	1600	M	94%	0%	1%	2%	3%	0%	F	NA		5400	G	
48 Skyline Drive	To: US 33 From: US 33 Rockingham County (Maint: US)	2.69	2700	M	94%	0%	1%	2%	3%	0%	F	NA		5400	G	
48 Skyline Drive	To: Greene County Line From: Greene County Line Rockingham County (Maint: US)	2.53	2700	M	94%	0%	1%	2%	3%	0%	F	NA		5400	G	
	To: Page County Line															
North 81	From: Augusta County Line Rockingham County	2.94	24000	G	73%	1%	1%	1%	23%	2%	F	0.069	F	24000	G	
	Combined Traffic Estimates for 2 Parallel Roadways on this Route:		48000	G	74%	1%	1%	1%	22%	2%	F	NA		47000	G	
North 81	To: SR 257 From: SR 257 Rockingham County	2.61	23000	G	73%	1%	1%	1%	23%	2%	F	0.072	F	23000	G	
	Combined Traffic Estimates for 2 Parallel Roadways on this Route:		48000	G	74%	1%	1%	1%	22%	2%	F	NA		48000	G	
North 81	To: SCL Harrisonburg From: SCL Harrisonburg City of Harrisonburg (Maint: 82)	0.50	23000	G	73%	1%	1%	1%	23%	2%	F	0.072	F	23000	G	
	Combined Traffic Estimates for 2 Parallel Roadways on this Route:		48000	G	74%	1%	1%	1%	22%	2%	F	NA		48000	G	
North 81	To: US 11 From: US 11 City of Harrisonburg (Maint: 82)	2.83	26000	B	73%	1%	1%	1%	23%	2%	C	0.102	A	25000	B	
	Combined Traffic Estimates for 2 Parallel Roadways on this Route:		51000	F	74%	1%	1%	1%	22%	2%	C	0.099	B	0.541	50000	F
North 81	To: 82-659 Port Republic Road From: 82-659 Port Republic Road City of Harrisonburg (Maint: 82)	1.51	25000	G	73%	1%	1%	1%	23%	2%	F	0.086	F	25000	G	
	Combined Traffic Estimates for 2 Parallel Roadways on this Route:		50000	G	74%	1%	1%	1%	22%	2%	F	NA		50000	G	
North 81	To: US 33 From: US 33 City of Harrisonburg (Maint: 82)	1.60	22000	G	73%	1%	1%	1%	23%	2%	F	0.087	F	22000	G	
	Combined Traffic Estimates for 2 Parallel Roadways on this Route:		48000	G	74%	1%	1%	1%	22%	2%	F	NA		48000	G	
North 81	To: NCL Harrisonburg From: NCL Harrisonburg Rockingham County	2.48	22000	G	73%	1%	1%	1%	23%	2%	F	0.087	F	22000	G	
	Combined Traffic Estimates for 2 Parallel Roadways on this Route:		48000	G	74%	1%	1%	1%	22%	2%	F	NA		48000	G	
North 81	To: US 11 S From: US 11 S Rockingham County	6.51	24000	G	73%	1%	1%	1%	23%	2%	F	0.075	F	24000	G	
	Combined Traffic Estimates for 2 Parallel Roadways on this Route:		47000	G	74%	1%	1%	1%	22%	2%	F	NA		47000	G	
	To: US 11 N															

Virginia Department of Transportation
 Mobility Management Division
 2004
 Annual Average Daily Traffic Volume Estimates By Section of Route
 Rockingham Maintenance Area

Route	Jurisdiction	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW
							2Axle	3+Axle	1Trail	2Trail						
North 81	From: US 11 N															
	Rockingham County	6.12	19000	G	73%	1%	1%	1%	23%	2%	F	0.074	F	19000	G	
Combined Traffic Estimates for 2 Parallel Roadways on this Route:			38000	G	74%	1%	1%	1%	22%	2%	F	NA		38000	G	
		To: Shenandoah County Line														
South 81	From: Augusta County Line															
	Rockingham County	3.28	24000	G	75%	1%	1%	1%	21%	2%	F	0.067	F	24000	G	
Combined Traffic Estimates for 2 Parallel Roadways on this Route:			48000	G	74%	1%	1%	1%	22%	2%	F	NA		47000	G	
		To: SR 257														
South 81	From: SR 257															
	Rockingham County	2.25	25000	G	75%	1%	1%	1%	21%	2%	F	0.07	F	25000	G	
Combined Traffic Estimates for 2 Parallel Roadways on this Route:			48000	G	74%	1%	1%	1%	22%	2%	F	NA		48000	G	
		To: SCL Harrisonburg														
South 81	From: SCL Harrisonburg															
	City of Harrisonburg (Maint: 82)	1.01	25000	G	75%	1%	1%	1%	21%	2%	F	0.07	F	25000	G	
Combined Traffic Estimates for 2 Parallel Roadways on this Route:			48000	G	74%	1%	1%	1%	22%	2%	F	NA		48000	G	
		To: US 11														
South 81	From: US 11															
	City of Harrisonburg (Maint: 82)	2.63	25000	F	75%	1%	1%	1%	21%	2%	C	0.107	B	25000	F	
Combined Traffic Estimates for 2 Parallel Roadways on this Route:			51000	F	74%	1%	1%	1%	22%	2%	C	0.099	B	0.541	50000	F
		To: 82-659 Port Republic Road														
South 81	From: Port Republic Road 82-659															
	City of Harrisonburg (Maint: 82)	1.50	24000	G	75%	1%	1%	1%	21%	2%	F	0.069	F	24000	G	
Combined Traffic Estimates for 2 Parallel Roadways on this Route:			50000	G	74%	1%	1%	1%	22%	2%	F	NA		50000	G	
		To: US 33														
South 81	From: US 33															
	City of Harrisonburg (Maint: 82)	1.30	26000	G	75%	1%	1%	1%	21%	2%	F	0.07	F	26000	G	
Combined Traffic Estimates for 2 Parallel Roadways on this Route:			48000	G	74%	1%	1%	1%	22%	2%	F	NA		48000	G	
		To: NCL Harrisonburg														
South 81	From: NCL Harrisonburg															
	Rockingham County	2.40	26000	G	75%	1%	1%	1%	21%	2%	F	0.07	F	26000	G	
Combined Traffic Estimates for 2 Parallel Roadways on this Route:			48000	G	74%	1%	1%	1%	22%	2%	F	NA		48000	G	
		To: US 11														
South 81	From: US 11															
	Rockingham County	6.85	23000	G	75%	1%	1%	1%	21%	2%	F	0.066	F	23000	G	
Combined Traffic Estimates for 2 Parallel Roadways on this Route:			47000	G	74%	1%	1%	1%	22%	2%	F	NA		47000	G	
		To: US 11														
South 81	From: US 11															
	Rockingham County	5.86	19000	G	75%	1%	1%	1%	21%	2%	F	0.068	F	19000	G	
Combined Traffic Estimates for 2 Parallel Roadways on this Route:			38000	G	74%	1%	1%	1%	22%	2%	F	NA		38000	G	
		To: Shenandoah County Line														
211 New Market Rd	From: SR 42 South of Timberville															
	Town of Timberville (Maint: 82)	0.69	4300	G	87%	1%	1%	3%	7%	0%	C	0.086	F	0.534	4400	G
		To: ECL Timberville														
211 New Market Rd	From: ECL Timberville															
	Rockingham County	3.58	4800	G	90%	1%	1%	1%	7%	0%	F	0.083	F	0.513	4900	G
		To: Shenandoah County Line														

Virginia Department of Transportation
 Mobility Management Division
 2004
 Annual Average Daily Traffic Volume Estimates By Section of Route
 Rockingham Maintenance Area

Route	Jurisdiction	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW
							2Axle	3+Axle	1Trail	2Trail						
256 3rd Street	Town of Grottoes (Maint: 82)	0.42	4900	G	94%	1%	1%	2%	3%	0%	C	0.092	F	0.569	5100	G
256 3rd Street	Town of Grottoes (Maint: 82)	0.37	4900	G	94%	1%	1%	2%	3%	0%	F	0.088	F	0.525	5000	G
256 3rd Street	Town of Grottoes (Maint: 82)	0.13	4800	G	91%	0%	3%	3%	3%	0%	F	0.092	F	0.540	4900	G
257 Briery Branch Rd	Rockingham County	2.89	790	G	97%	1%	1%	1%	1%	0%	F	0.108	F	0.689	810	G
257 Briery Branch Rd	Rockingham County	2.43	2200	G	97%	1%	1%	1%	1%	0%	C	0.087	F	0.704	2300	G
257 Ottobine Rd	Rockingham County	4.29	3000	G	97%	1%	1%	1%	1%	0%	F	0.096	F	0.671	3100	G
257 Ottobine Rd	Rockingham County	1.86	4200	G	97%	1%	1%	1%	1%	0%	F	0.090	F	0.765	4300	G
257 Ottobine Rd	Town of Dayton (Maint: 82)	0.42	4200	N	97%	1%	1%	1%	1%	0%	N	0.090	N	0.765	4300	N
257 42 John Wayland Hwy	Town of Dayton (Maint: 82)	0.42	17000	N	96%	0%	1%	1%	2%	0%	N	0.078	N	0.613	17000	N
257 42 John Wayland Hwy	Rockingham County	0.63	15000	G	96%	0%	1%	1%	2%	0%	F	0.096	F	0.52	15000	G
257 42 N Main St	Town of Bridgewater	0.30	17000	N	96%	0%	1%	1%	2%	0%	N	0.078	N	0.613	17000	N
257 42 N Main Street	Town of Bridgewater	1.00	17000	G	96%	0%	1%	1%	2%	0%	F	0.078	F	0.613	17000	G
257 42 N Main Street	Town of Bridgewater	0.08	17000	G	96%	0%	1%	1%	2%	0%	C	0.08	F	0.615	17000	G
257 42 N Main Street	Town of Bridgewater	0.30	13000	G	96%	0%	1%	1%	2%	0%	F	0.078	F	0.624	13000	G
257 Dinkel Ave	Town of Bridgewater	1.76	7900	G	93%	0%	1%	1%	4%	0%	C	0.084	F	0.57	8200	G
257 Dinkel Ave	Rockingham County	0.80	9500	G	93%	0%	1%	1%	4%	0%	F	0.088	F	0.583	9700	G
257 Friedens Ch Rd	Rockingham County	0.86	11000	G	93%	0%	1%	1%	4%	0%	F	0.085	F	0.547	12000	G

Virginia Department of Transportation
 Mobility Management Division
 2004
 Annual Average Daily Traffic Volume Estimates By Section of Route
 Rockingham Maintenance Area

Route	Jurisdiction	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW
							2Axle	3+Axle	1Trail	2Trail						
							From: US 11									
(259) Mayland Rd	Rockingham County	2.34	7200	G	93%	0%	1%	1%	4%	0%	F	0.085	F	0.522	7400	G
							To: 82-619									
(259) Mayland Rd	Rockingham County	1.61	7400	G	93%	0%	1%	1%	4%	0%	C	0.088	F	0.51	7600	G
							From: ECL Broadway									
(259) Mayland Rd	Town of Broadway (Maint: 82)	0.45	7400	N	93%	0%	1%	1%	4%	0%	N	0.088	N	0.51	7600	N
							To: SR 42 East of Broadway									
(259) (42) Timber Way	Rockingham County	0.29	7700	N	94%	1%	1%	1%	3%	0%	N	0.083	N	0.538	7900	N
							To: CL Broadway									
(259) (42) Timber Way	Town of Broadway (Maint: 82)	0.33	7700	G	94%	1%	1%	1%	3%	0%	F	0.083	F	0.538	7900	G
							To: SR 42 BROADWAY									
(259) Brocks Gap Rd	Town of Broadway (Maint: 82)	0.36	9300	G	93%	0%	1%	1%	4%	0%	F	0.082	F	0.65	9600	G
							To: WCL Broadway									
(259) Brocks Gap Rd	Rockingham County	2.92	9300	N	93%	0%	1%	1%	4%	0%	N	0.082	N	0.65	9600	N
							To: 82-613 EAST									
(259) Brocks Gap Rd	Rockingham County	3.75	5000	G	87%	1%	1%	3%	9%	0%	F	0.077	F	0.715	5100	G
							To: 82-612									
(259) Brocks Gap Rd	Rockingham County	7.35	3200	G	87%	1%	1%	3%	9%	0%	C	0.083	F	0.748	3300	G
							To: 82-820 Fitzwater									
(259) Brocks Gap Rd	Rockingham County	2.41	2200	G	87%	1%	1%	3%	9%	0%	F	0.073	F	0.722	2300	G
							To: West Virginia State Line									
							From: SR 259 SOUTH									
ALT (259) (42) Timber Way	Town of Broadway (Maint: 82)	0.32	6800	G	94%	1%	1%	1%	3%	0%	C	0.087	F	0.598	7000	G
							To: SR 42									
ALT (259) Mayland Rd	Town of Broadway (Maint: 82)	0.72	1800	G	93%	0%	1%	1%	4%	0%	F	0.1	F	0.504	1800	G
							To: SR 259									
							From: Augusta County Line									
(276) Cross Keys Rd	Rockingham County	3.04	3500	G	95%	1%	1%	1%	2%	0%	C	0.099	F	0.527	3500	G
							To: 82-682									
(276) Cross Keys Rd	Rockingham County	2.42	4100	G	96%	1%	1%	1%	1%	0%	C	0.097	F	0.531	4300	G
							To: 82-659									
(276) Cross Keys Rd	Rockingham County	1.36	6100	G	96%	1%	1%	1%	1%	0%	F	0.095	F	0.523	6300	G
							To: 82-689									
(276) Cross Keys Rd	Rockingham County	0.84	6100	N	96%	1%	1%	1%	1%	0%	N	0.095	N	0.523	6300	N
							To: US 33									
							From: ECL Dayton									
(290)	Town of Dayton (Maint: 82)	0.15	8100	G	97%	1%	1%	0%	1%	0%	F	0.114	F	0.558	8300	G
							To: SR 42									

Virginia Department of Transportation
 Mobility Management Division
 2004
 Annual Average Daily Traffic Volume Estimates By Section of Route
 Rockingham Maintenance Area

Route	Jurisdiction	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW
							2Axle	3+Axle	1Trail	2Trail						
	Town of Dayton (Maint: 82)	0.06	2700	G	97%	1%	1%	0%	1%	0%	F	0.083	F	0.527	2800	G
	^{Bus} Main St	0.07	3800	G	98%	0%	1%	0%	1%	0%	F	0.083	F	0.544	3900	G
	Town of Dayton (Maint: 82)	0.33	2100	G	97%	1%	1%	0%	1%	0%	C	0.088	F	0.564	2200	G
	Town of Grottoes (Maint: 07)	0.05	5500	N	95%	1%	1%	1%	3%	0%	N	0.090	N	0.511	5700	N
	East Side Hwy	0.46	6000	G	94%	1%	1%	1%	3%	0%	C	0.108	F	0.584	6100	G
	East Side Hwy	0.47	6300	G	94%	1%	1%	1%	3%	0%	F	0.101	F	0.551	6400	G
	East Side Hwy	1.39	5400	G	93%	0%	1%	2%	4%	0%	C	0.106	F	0.567	5600	G
	East Side Hwy	8.27	3700	G	93%	0%	1%	2%	4%	0%	F	0.094	F	0.596	3800	G
	East Side Hwy	2.97	3900	G	93%	0%	1%	2%	4%	0%	F	0.095	F	0.591	4000	G
	East Side Hwy	2.88	5300	G	93%	0%	3%	1%	2%	0%	C	0.088	F	0.593	5500	G
	Stuart Ave	0.03	11000	G	96%	1%	1%	1%	1%	0%	C	0.085	F	0.676	11000	G
	^{Bus} Stuart Ave	0.08	11000	N	96%	1%	1%	1%	1%	0%	N	0.085	N	0.676	11000	N
	Stuart Ave	0.19	8800	N	97%	0%	1%	1%	2%	0%	N	0.080	N	0.611	9100	N
	Stuart Ave	0.59	8800	G	97%	0%	1%	1%	2%	0%	C	0.080	F	0.611	9100	G
	Stuart Ave	3.30	8800	N	97%	0%	1%	1%	2%	0%	N	0.080	N	0.611	9100	N

Virginia Department of Transportation
 Mobility Management Division
 2004
 Annual Average Daily Traffic Volume Estimates By Section of Route
 Rockingham Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Page County																
(600) Batman Rd	0.60	90	R			From: Dead End					NA			NA		08/07/2000
						To: Rockingham County Line										
Rockingham County																
(600) Batman Rd	0.10	90	R			From: Page County Line					NA			NA		08/07/2000
						To: 82-601										
(601) Rinacas Comer Rd	1.90	620	G	98%	0%	1%	0%	0%	0%	C	0.103	F	0.645	640	G	2004
						From: 82-602										
(601) Rinacas Comer Rd	0.10	340	G	98%	0%	1%	0%	0%	0%	F	0.103	F	0.533	350	G	2004
						From: 82-600										
						To: Page County Line										
Page County																
(601) Rinacas Comer Rd	0.50	330	R			From: Page County Line					NA			NA		09/16/2003
						To: Dead End										
Rockingham County																
(602) East Point Rd	3.34	4200	G	98%	0%	0%	1%	0%	0%	F	0.089	F	0.666	4300	G	2004
						From: US 33; 82-981										
(602) East Point Rd	2.44	4100	G	98%	0%	0%	1%	0%	0%	F	0.086	F	0.653	4200	G	2004
						From: 82-637 NORTH										
(602) East Point Rd	1.78	4200	G	98%	0%	0%	1%	0%	0%	C	0.089	F	0.678	4300	G	2004
						From: 82-635										
(602) East Point Rd	0.58	4800	G	98%	0%	0%	1%	0%	0%	F	0.089	F	0.581	5000	G	2004
						From: 82-601										
						To: Page County Line										
(603) Blose Rd	1.60	820	R			From: 82-607					NA			NA		08/03/2000
						To: 82-609										
(604) Allman Rd	0.70	150	R			From: Dead End					NA			NA		10/16/2003
						To: SR 257 Briery Branch Rd										
(605) Leroy Rd	2.33	460	R			From: Augusta County Line					NA			NA		07/27/2000
(605) Main St	0.45	470	R			From: 82-1605					NA			NA		09/02/2003
(605) Main St	0.07	45	R			From: 82-659					NA			NA		07/20/2000
						To: 82-1602										
(607) Bear Lithia Rd	0.56	30	R			From: Dead End					NA			NA		09/16/2003
(607) Red Brush Rd	1.12	2300	G	98%	0%	1%	0%	0%	0%	C	0.091	F	0.668	2300	G	2004
						From: US 340										
(607) Red Brush Rd	1.49	730	G	98%	0%	1%	0%	0%	0%	F	0.099	F	0.705	750	G	2004
						From: 82-965										
(607) Red Brush Rd	1.13	290	R			From: 82-759					NA			NA		09/16/2003
						To: Page County Line										
(608) Mauzy Athlone Rd	0.57	890	G	95%	1%	2%	1%	1%	0%	F	0.099	F	0.582	910	G	2004
						From: US 11										
(608) Mauzy Athlone Rd	1.28	610	G	95%	1%	2%	1%	1%	0%	C	0.112	F	0.521	630	G	2004
						From: 82-717										
(608) Mauzy Athlone Rd	1.24	450	R			From: 82-807					NA			NA		10/01/2003
						To: 82-620										

Virginia Department of Transportation
 Mobility Management Division
 2004
 Annual Average Daily Traffic Volume Estimates By Section of Route
 Rockingham Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Rockingham County																
(609) Naked Creek Rd	0.74	1500	G	97%	0%	1%	1%	1%	0%	C	0.102	F	0.631	1600	G	2004
						From: US 340										
(609) Naked Creek Rd	1.20	1300	G	97%	0%	1%	1%	1%	0%	F	0.106	F	0.64	1300	G	2004
						From: 69-603 WEST										
(609) Naked Creek Rd	1.46	1000	G	97%	0%	1%	1%	1%	0%	F	0.096	F	0.606	1100	G	2004
						From: 82-603 EAST										
						To: 82-759										
(610) Runions Creek Rd	6.30	540	R								NA		NA			08/30/2000
						From: Shenandoah County Line										
						To: 82-612										
(611) Supin Lick Rd	1.70	10	R								NA		NA			10/08/2003
						From: Shenandoah County Line										
						To: 82-813										
(611) Black Jack Rd	2.50	4	R								NA		NA			10/08/2003
						From: GW Natl For Bndy										
(611) Black Jack Rd	0.20	20	R								NA		NA			10/08/2003
						To: 82-612										
(612) Peake Mountain Rd	1.49	720	G	95%	1%	1%	3%	1%	0%	C	0.084	F	0.7	740	G	2004
						From: US 33										
						To: 82-762										
(612) Peake Mountain Rd	3.15	540	R								NA		NA			11/03/2003
						From: 82-763										
(612) Hopkins Gap Rd	4.97	670	G	95%	0%	1%	2%	2%	0%	F	0.105	F	0.635	690	G	2004
						From: 82-817										
(612) Hopkins Gap Rd	0.46	420	G	95%	0%	1%	2%	2%	0%	F	0.085	F	0.539	430	G	2004
						From: 0.46 M N 82-817										
						To: 0.46 MN 82-817										
(612) Hopkins Gap Rd	2.21	530	G	95%	0%	1%	2%	2%	0%	F	0.093	F	0.538	540	G	2004
						From: GW NATL FOR BNDY										
(612) Hopkins Gap Rd	1.50	710	G	95%	0%	1%	2%	2%	0%	F	0.09	F	0.5	730	G	2004
						To: 82-815										
(612) Hopkins Gap Rd	0.39	1200	G	95%	0%	1%	2%	2%	0%	C	0.081	F	0.606	1200	G	2004
						From: 82-972										
(612) Hopkins Gap Rd	1.21	1500	G	95%	0%	1%	2%	2%	0%	F	0.096	F	0.639	1500	G	2004
						From: SR 259 WEST										
						To: SR 259 EAST										
(612) Runions Creek Rd	0.81	1200	G	95%	0%	1%	2%	2%	0%	F	0.083	F	0.607	1200	G	2004
						From: 82-929										
(612) Runions Creek Rd	1.45	1000	G	95%	0%	1%	2%	2%	0%	F	0.087	F	0.617	1000	G	2004
						To: 82-610										
(612) Runions Creek Rd	0.45	30	R								NA		NA			08/30/2000
						From: Dead End: Gap										
(612) Rinker Rd	0.72	7	R								NA		NA			10/08/2003
						From: GW Natl For Bndy										
(612) Rinker Rd	0.20	20	R								NA		NA			10/08/2003
						To: 82-611										
(612) Rinker Rd	0.89	48	R								NA		NA			10/03/2003
						From: GW Natl For Bndy										
(612) Rinker Rd	0.50	50	R								NA		NA			10/08/2003
						From: GW Natl For Bndy										
(612) Rinker Rd	0.57	130	N								NA		NA			01/06/2004
						From: 82-812										
(612) Bowers Lane	0.37	130	R								NA		NA			01/06/2004
						To: 82-813										

Virginia Department of Transportation
 Mobility Management Division
 2004
 Annual Average Daily Traffic Volume Estimates By Section of Route
 Rockingham Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Rockingham County																
(612) Bowers Lane	0.27	50	R			From: 82-813					NA			NA		10/08/2003
						To: Shenandoah County Line										
(613) Jordan Hill Rd	0.63	90	R			From: Augusta County Line					NA			NA		10/21/2003
(613) Jordan Hill Rd	1.04	210	R			From: 82-729 Cam Bell Rd					NA			NA		10/21/2003
(613) Spring Creek Rd	0.99	880	N	94%	1%	From: 82-727 E, Spring Creek Rd				N	0.090	N	0.523	900	N	2004
						To: 82-727 W, Sangersville Rd										
(613) Spring Creek Rd	2.31	880	G	94%	1%	From: SR 257 Ottobine Rd				F	0.090	F	0.523	900	G	2004
						To: SR 257 Ottobine Rd; Briery Branch Rd										
(613) Clover Hill Rd	2.18	1700	G	94%	1%	From: 82-743 N, Union Springs Rd				F	0.091	F	0.666	1700	G	2004
(613) Clover Hill Rd	0.49	2000	G	94%	1%	From: 82-714 S, Lilly Square				C	0.099	F	0.604	2000	G	2004
(613) Clover Hill Rd	0.66	3400	G	94%	1%	From: 82-732 S, Coopers Mountain Rd				F	0.092	F	0.623	3500	G	2004
(613) Clover Hill Rd	0.85	3000	G	94%	1%	From: US 33 Rawley Pike				F	0.087	F	0.644	3100	G	2004
(613) Whitmore Shop Rd	1.82	1000	G	88%	1%	From: 82-762 Eden Valley Rd				F	0.088	F	0.576	1100	G	2004
(613) Whitmore Shop Rd	1.69	580	G	88%	1%	From: 82-763 W, Hopkins Gap Rd				F	0.096	F	0.512	600	G	2004
(613) Whitmore Shop Rd	0.59	1100	G	88%	1%	From: 82-763 E, Singers Glen Rd				F	0.097	F	0.633	1100	G	2004
(613) Singers Glen Rd	2.44	1600	G	88%	1%	From: 82-777 S, Peter Driver Lane				F	0.085	F	0.633	1600	G	2004
(613) Singers Glen Rd	1.04	1000	G	88%	1%	From: 82-721 Green Hill Rd				F	0.092	F	0.557	1100	G	2004
(613) Turkeytown Rd	3.17	580	G	88%	1%	From: 82-753 Hollar School Rd				F	0.087	F	0.562	600	G	2004
(613) Turkeytown Rd	4.06	970	G	88%	1%	From: SR 259 E, Brocks Gap Rd				C	0.083	F	0.506	1000	G	2004
(613) North Mountain Rd	3.56	820	G	88%	1%	From: SR 259 W, Brocks Gap Rd				F	0.093	F	0.552	850	G	2004
(613) North Mountain Rd	2.51	830	G	88%	1%	From: 82-881 Orchard Dr				F	0.090	F	0.57	850	G	2004
						To: Shenandoah County Line										
(614) Mechanicsville Rd	2.12	440	G	95%	0%	From: 82-881				C	0.106	F	0.511	450	G	2004
(614) Mechanicsville Rd	0.80	130	R			From: 82-812					NA			NA		10/08/2003
						To: Shenandoah County Line										
(615) Radars Church Rd	0.30	70	R			From: 82-881					NA			NA		08/24/2000
(615) Radars Church Rd	1.12	30	R			From: 0.30 MN 82-881					NA			NA		10/06/2003
(615) Cold Spring Rd	2.00	50	R			From: 82-791					NA			NA		10/06/2003
						To: SR 42 SOUTH										

Virginia Department of Transportation
 Mobility Management Division
 2004
 Annual Average Daily Traffic Volume Estimates By Section of Route
 Rockingham Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Rockingham County																
(615) Switch Back Rd	0.28	120	R			From: SR 42 NORTH To: Shenandoah County Line					NA			NA		10/06/2003
(616) Ridge Rd	1.00	30	R			From: 82-617 To: 82-874					NA			NA		10/06/2003
(616) Ridge Rd	1.10	40	R			From: 82-874 To: Shenandoah County Line					NA			NA		12/30/2003
(617) Woodlands Ch Rd	0.66	80	R			From: 82-753 To: 82-782					NA			NA		10/29/2003
(617) Woodlands Ch Rd	0.58	40	R			From: 82-782 To: 82-784 SOUTH					NA			NA		11/03/2003
(617) Woodlands Ch Rd	0.22	40	R			From: 82-784 SOUTH To: 82-784 NORTH					NA			NA		11/03/2003
(617) Woodlands Ch Rd	0.78	90	R			From: 82-784 NORTH To: 82-809 EAST 82-809 WEST					NA			NA		10/19/2000
(617) S Sunset Rd	1.65	280	R			From: 82-809 WEST To: 82-786					NA			NA		11/03/2003
(617) S Sunset Rd	0.39	500	G	96%	1%	1%	2%	0%	0%	F	0.125	F	0.532	510	G	2004
Town of Broadway																
(617) S Sunset Rd	0.24	500	N	96%	1%	1%	2%	0%	0%	N	0.125	N	0.532	510	N	2004
(617) N Sunset Rd	0.66	1100	G	96%	1%	1%	2%	0%	0%	F	0.087	F	0.528	1200	G	2004
Rockingham County																
(617) N Sunset Rd	0.22	1100	N	96%	1%	1%	2%	0%	0%	N	0.087	N	0.528	1200	N	2004
Town of Broadway																
(617) Spar Mine Rd	0.10	2200	G	96%	1%	1%	2%	0%	0%	F	0.095	F	0.515	2200	G	2004
Rockingham County																
(617) Spar Mine Rd	0.05	2200	N	96%	1%	1%	2%	0%	0%	N	0.095	N	0.515	2200	N	2004
(617) Spar Mine Rd	1.97	1400	G	96%	1%	1%	2%	0%	0%	F	0.092	F	0.508	1400	G	2004
(617) Spar Mine Rd	0.52	1600	G	96%	1%	1%	2%	0%	0%	C	0.099	F	0.535	1600	G	2004
Town of Timberville																
(617)	0.06	1800	G	95%	1%	2%	2%	1%	0%	C	0.099	N	0.535	1900	G	2004
(617)	0.19	1700	G	96%	1%	1%	2%	0%	0%	F	0.091	F	0.515	1800	G	2004
(617)	0.17	1400	G	96%	1%	1%	2%	0%	0%	F	0.101	F	0.547	1400	G	2004
Rockingham County																
(617) Evergreen Valley Rd	2.69	990	G	96%	1%	1%	2%	0%	0%	F	0.087	F	0.571	1000	G	2004

Virginia Department of Transportation
 Mobility Management Division
 2004
 Annual Average Daily Traffic Volume Estimates By Section of Route
 Rockingham Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Rockingham County																
(617) Evergreen Valley Rd	0.65	890	R			From: 82-616 To: Shenandoah County Line					NA			NA		10/06/2003
(618) Lone Pine Rd	0.90	1100	R			From: SR 42 To: 82-800					NA			NA		10/14/2003
Town of Timberville																
(618) Lone Pine Rd	0.50	1600	R			From: 82-800 To: 82-793					NA			NA		08/21/2000
(618) Lone Pine Rd	0.16	1700	G	98%	0%	1%	0%	0%	0%	C	0.090	F	0.584	1800	G	2004
Rockingham County																
(619) Simmers Valley Rd	2.64	920	G	98%	0%	1%	1%	1%	0%	C	0.097	F	0.579	950	G	2004
(619) Phillips Store Rd	2.85	550	G	98%	0%	1%	1%	1%	0%	F	0.108	F	0.633	560	G	2004
(619) Wampler Rd	2.50	390	G	98%	0%	1%	1%	1%	0%	F	0.107	F	0.593	400	G	2004
(619) Wampler Rd	1.10	50	R			From: 82-793 To: 82-799 WEST					NA			NA		10/06/2003
(619) Piney Woods Rd	0.20	70	R			From: 82-799 WEST To: 82-799 EAST					NA			NA		08/24/2000
(619) Piney Woods Rd	0.03	90	R			From: 82-799 EAST To: 82-890					NA			NA		10/06/2003
(619) Piney Woods Rd	0.20	70	R			From: 82-890 To: 0.20 ME 82-890					NA			NA		08/24/2000
(619) Piney Woods Rd	2.67	80	R			From: 0.20 ME 82-890 To: Shenandoah County Line					NA			NA		10/06/2003
(620) Indian Trail Rd	1.47	1900	G	97%	1%	1%	1%	1%	0%	C	0.110	F	0.548	1900	G	2004
(620) Indian Trail Rd	0.25	1900	N	97%	1%	1%	1%	1%	0%	N	0.110	N	0.548	1900	N	2004
(620) Mountain Valley Rd	0.85	1500	G	97%	1%	1%	1%	1%	0%	F	0.101	F		1500	G	2004
(620) Mountain Valley Rd	1.70	820	G	97%	1%	1%	1%	1%	0%	F	0.1	F		850	G	2004
(620) Mountain Valley Rd	0.25	400	R			From: 82-716 Beulah Rd To: 82-942 Lairds Knob Dr					NA			NA		09/29/2003
(620) Mountain Valley Rd	1.35	370	R			From: 82-942 Lairds Knob Dr To: 82-718 Minie Ball Lane					NA			NA		08/14/2000
(620) Mountain Valley Rd	0.30	520	R			From: 82-718 Minie Ball Lane To: 82-724 S, Pack Saddle Rd					NA			NA		09/29/2003
(620) Mountain Valley Rd	0.30	390	R			From: 82-724 S, Pack Saddle Rd To: 82-724 N, Flook Lane					NA			NA		08/14/2000
(620) Mountain Valley Rd	0.80	390	R			From: 82-724 N, Flook Lane To: 82-722 S, Armentrout Path					NA			NA		09/29/2003
(620) Mountain Valley Rd	2.00	260	R			From: 82-722 S, Armentrout Path To: 82-811 Fridleys Gap Rd					NA			NA		08/21/2000
(620) Mountain Valley Rd	0.50	510	R			From: 82-811 Fridleys Gap Rd To: 82-722 N, Armentrout Path					NA			NA		10/01/2003

Virginia Department of Transportation
 Mobility Management Division
 2004
 Annual Average Daily Traffic Volume Estimates By Section of Route
 Rockingham Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Rockingham County																
(620) Mountain Valley Rd	1.25	350	R			From: 82-722 N. Armentrout Path					NA			NA		08/21/2000
(620) Mountain Valley Rd	0.55	450	R			To: 82-922 Ragtown Rd					NA			NA		10/01/2003
(620) Mountain Valley Rd	0.60	370	R			From: 82-806 Martz Rd					NA			NA		08/21/2000
(620) Mountain Valley Rd	0.80	390	R			To: 82-885 James Branch Rd					NA			NA		10/01/2003
(620) Mountain Valley Rd	2.40	120	R			From: 82-608 Mauzy Athlone Rd					NA			NA		08/21/2000
(620) Mountain Valley Rd	0.10	330	R			To: 82-798 S. Huff Trail					NA			NA		10/01/2003
(620) Mountain Valley Rd	1.60	90	R			From: 82-798 N. Arkton Rd					NA			NA		08/24/2000
(620) Mountain Valley Rd	1.39	50	R			To: 82-796 Moores Mill Rd					NA			NA		12/22/2003
(620) Mountain Valley Rd	0.11	60	R			From: 1.39 MN 82-796					NA			NA		10/01/2003
(620) Mountain Valley Rd	0.11	90	R			To: 82-793 Endless Caverns Rd					NA			NA		08/21/2000
(620) Mountain Valley Rd	1.01	60	R			From: 0.11 MN 82-793					NA			NA		10/01/2003
(620) Smith Creek Rd	0.78	90	R			To: 82-794 Craney Island Rd					NA			NA		10/01/2003
						From: Shenandoah County Line										
(621) Dean Mountain Rd	0.20	30	R			To: 82-623					NA			NA		10/22/2003
						From: Dead End										
(622) Hensley Hollow	0.15	120	R			To: 82-623					NA			NA		09/16/2003
(622) Hensley Hollow	0.95	120	R			From: 0.15 ME 82-623					NA			NA		09/16/2003
						To: Dead End										
(623) Mt Pleasant Rd	1.05	1200	G	98%	0%	1%	0%	0%	0%	F	0.083	F	0.539	1200	G	2004
(623) Mt Pleasant Rd	0.35	1400	G	98%	0%	1%	0%	0%	0%	C	0.084	F	0.617	1500	G	2004
(623) Mt Pleasant Rd	0.95	780	G	98%	0%	1%	0%	0%	0%	F	0.089	F	0.558	800	G	2004
(623) Mt Pleasant Rd	0.95	370	R			From: 82-624					NA			NA		09/16/2003
(623) Mt Pleasant Rd	1.03	260	R			To: 82-622					NA			NA		08/03/2000
(623) Mt Pleasant Rd	0.53	240	R			From: 82-621					NA			NA		09/16/2003
						To: 82-625										
(624) Mill Ln	2.10	250	G	97%	1%	0%	1%	1%	0%	C	0.108	F	0.516	260	G	2004
						From: US 33										
						To: 82-623										
(625) Thoroughfare Rd	1.00	830	R			From: 82-759					NA			NA		08/07/2000
						To: 82-841										

Virginia Department of Transportation
 Mobility Management Division
 2004
 Annual Average Daily Traffic Volume Estimates By Section of Route
 Rockingham Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Rockingham County																
(625) Thoroughfare Rd	1.00	540	R			From: 82-841					NA			NA		09/16/2003
(625) Thoroughfare Rd	0.50	270	R			To: 82-623					NA			NA		09/16/2003
(625) Thoroughfare Rd	1.26	190	R			From: Shen Natl Pk Bndy S					NA			NA		09/16/2003
(625) Thoroughfare Rd	0.80	190	R			To: Shen Natl Pk Bndy N					NA			NA		08/03/2000
						From: Page County Line										
(626) Sandy Bottom Rd	1.29	220	R			To: 82-628					NA			NA		08/07/2000
(626) Sandy Bottom Rd	0.71	70	R			From: 1.29 ME 82-628					NA			NA		09/11/2003
						To: Shen Natl Pk Bndy										
(627) Powells Gap Rd	0.30	30	R			From: 82-628					NA			NA		12/22/2003
						To: Dead End										
(628) Beldor Rd	2.09	30	R			From: Shen Natl Pk Bndy					NA			NA		09/11/2003
(628) Beldor Rd	0.91	160	R			To: 2.09 MN of Bndy					NA			NA		08/07/2000
(628) Beldor Rd	1.70	320	R			From: 82-627					NA			NA		09/11/2003
(628) Beldor Rd	0.60	600	G	97%	1%	1%	0%	1%	0%	C	0.101	F	0.683	620	G	2004
						To: US 33										
(629) Steel Rd	0.05	30	R			From: Dead End					NA			NA		08/25/2003
						To: 82-711										
(630) Little Gap Rd	1.50	340	R			From: 82-754 SOUTH					NA			NA		07/31/2000
						To: 82-754 NORTH										
(631) Dull Hunt Rd	0.30	60	R			From: Dead End					NA			NA		10/30/2003
						To: 82-818										
(632) Spitzer Rd	0.25	120	R			From: 82-619					NA			NA		09/14/2000
						To: Dead End										
(634) Sapling Ridge Rd	0.43	200	R			From: US 340					NA			NA		08/07/2000
(634) Sapling Ridge Rd	0.96	50	R			To: 0.43 ME US 340					NA			NA		09/11/2003
						From: US 33 NORTH										
(634) Tanyard Bridge Rd	0.55	850	G	97%	0%	1%	1%	0%	0%	C	0.095	F	0.623	870	G	2004
						To: 82-623 WEST										
(634) Huckleberry Rd	1.20	520	R			From: 82-623 EAST					NA			NA		09/16/2003
						To: Dead End										
(635) River Rd	0.70	1600	G	92%	0%	1%	5%	1%	0%	C	0.078	F	0.546	1600	G	2004
						From: Bus US 33										
(635) River Rd	2.58	980	G	92%	0%	1%	5%	1%	0%	F	0.083	F	0.550	1000	G	2004
						To: 82-636										
						From: 82-602										

Virginia Department of Transportation
 Mobility Management Division
 2004
 Annual Average Daily Traffic Volume Estimates By Section of Route
 Rockingham Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Rockingham County																
(635) Humes Run Rd	0.32	350	R			From: 82-602						NA		NA		09/22/2003
						To: 82-665										
(636) Runkels Gap	0.20	50	R			From: Dead End						NA		NA		09/22/2003
						To: GW Natl For Bndy										
(636) Runkels Gap Rd	0.98	170	R			From: 82-715						NA		NA		09/22/2003
						To: 82-602 NORTH										
						From: 82-602 SOUTH										
(636) Bethel Church Rd	1.50	450	R			To: 82-635						NA		NA		08/10/2000
						From: Dead End										
(637) Bryant Hollow Rd	0.37	300	R			To: 0.37 ME Dead End						NA		NA		08/10/2000
						From: 82-602 WEST										
						To: 82-602 EAST										
(637) Florist Rd	1.20	600	G	99%	0%	0%	1%	0%	0%	C	0.074	F	0.553	610	G	2004
						To: Bus US 33										
(638) Samuels Rd	0.24	340	R			From: 82-759						NA		NA		08/03/2000
						To: 82-861										
(638) Samuels Rd	0.64	290	R			From: Dead End						NA		NA		09/16/2003
						To: 82-640										
(639) Nicholson Rd	0.87	60	R			From: 0.87 MN 82-640						NA		NA		09/16/2003
						To: US 33										
(639) Manger Hill Rd	0.30	180	R			From: 82-900						NA		NA		09/16/2003
						To: Bus US 33										
(640) Model Rd	2.40	220	R			From: US 33						NA		NA		09/22/2003
						To: 82-980										
(640) Model Rd	1.50	60	R			From: 82-639						NA		NA		09/22/2003
						To: Dead End										
(641) Cave Hill Rd	0.77	45	R			From: 82-843						NA		NA		09/09/2003
						To: 0.77 ME 82-843										
(641) Cave Hill Rd	0.33	170	R			From: 82-649 WEST						NA		NA		07/31/2000
						To: 82-649 EAST										
(641) White Rose Rd	0.99	130	R			From: 82-648						NA		NA		09/24/2003
						To: 82-643										
(641) White Rose Rd	0.90	47	R			From: 82-643						NA		NA		09/24/2003
						To: 82-644										

Virginia Department of Transportation
 Mobility Management Division
 2004
 Annual Average Daily Traffic Volume Estimates By Section of Route
 Rockingham Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Rockingham County																
(641) Waterloo Mill Lane	0.20	10	R			From: 82-644 To: Dead End					NA			NA		09/24/2003
(642) Captain Yancey Rd	0.09	80	R			From: 0.09 MS 82-649 To: 82-649					NA			NA		09/11/2003
(642) Captain Yancey Rd	3.40	1100	R			From: 82-649 To: US 340					NA			NA		07/31/2000
(643) Waterloo Mill Ln	1.30	50	R			From: 82-644 To: 82-641					NA			NA		09/24/2003
(644) Mt Olivet Church Rd	1.40	120	R			From: 82-641 To: 82-643					NA			NA		07/31/2000
(644) Mt Olivet Church Rd	0.60	330	R			From: 82-643 To: US 33					NA			NA		09/24/2003
(644) Resort Dr	1.60	7200	B	99%	0%	0%	0%	0%	0%	C	0.114	A	0.56	7100	B	2004
(644) Resort Dr	1.70	3100	R			From: 1.60 MN US 33 To: 82-646 NORTH					NA			NA		09/24/2003
(644) Resort Dr	0.40	440	R			From: 82-646 NORTH To: 82-645					NA			NA		08/14/2000
(644) Resort Dr	0.90	490	R			From: 82-645 To: 82-602; 82-646					NA			NA		09/22/2003
(645) Michael Ln	0.60	80	R			From: 82-644 To: 82-602					NA			NA		09/22/2003
(646) New Hope Rd	0.12	190	R			From: 82-996 To: US 33					NA			NA		09/24/2003
(646) Bloomer Springs Rd	1.68	410	R			From: US 33 To: 82-644 SOUTH					NA			NA		08/10/2000
(646) Bloomer Springs Rd	1.29	70	R			From: 82-644 SOUTH To: 1.29 MN 82-644					NA			NA		09/22/2003
(646) Bloomer Springs Rd	0.21	60	R			From: 1.29 MN 82-644 To: 82-644 NORTH					NA			NA		09/22/2003
(646) Bloomer Springs Rd	2.30	60	R			From: 82-644 NORTH To: 82-602; 82-644					NA			NA		09/22/2003
(647) Judy Lane	0.12	370	R			From: 82-996 To: US 33					NA			NA		09/24/2003
(647) McGahey Lane	0.60	NA				From: US 33 To: 82-1050					NA			NA		
(647) McGahey Lane	1.54	180	R			From: 82-1050 To: Dead End					NA			NA		09/29/2003
(648) Dave Berry Rd	1.60	100	R			From: 82-996 To: 82-641					NA			NA		09/24/2003
(649) Berrytown Rd	0.52	740	R			From: 82-754 To: US 340					NA			NA		09/24/2003
(649) Island Ford Rd	1.57	3800	G	88%	0%	1%	2%	9%	0%	F	0.092	F	0.564	3900	G	2004
						From: US 340 To: 82-641										

Virginia Department of Transportation
 Mobility Management Division
 2004
 Annual Average Daily Traffic Volume Estimates By Section of Route
 Rockingham Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Rockingham County																
(649) Island Ford Rd	1.21	3700	G	88%	0%	1%	2%	9%	0%	C	0.101	F	0.540	3800	G	2004
(649) Stover Dr	0.03	170	R													
(650) Dairy Rd	1.50	80	R													
(650) Three Springs Rd	1.00	80	R													
(650) Power Dam Rd	0.30	210	R													
(650) Power Dam Rd	1.70	80	R													
(650) Power Dam Rd	0.28	100	R													
(651) Power Dam Rd	1.40	340	R													
(651) Power Dam Rd	0.77	250	R													
(652) Three Springs Rd	2.00	170	R													
(652) Lethe Lane	0.20	120	R													
(652) Lethe Lane	0.50	20	R													
(653) Toll Gate Ln	0.10	80	R													
(654) Montevideo Cir	0.11	30	R													
(654) Montevideo Cir	0.07	210	R													
(654) Montevideo Cir	1.43	50	R													
(655) Penn Laird Dr	0.83	260	R													
(655) Lawyer Rd	2.48	920	G	96%	1%	1%	1%	1%	0%	C	0.099	F	0.566	950	G	2004
(655) Lawyer Rd	0.70	650	G	96%	1%	1%	1%	1%	0%	F	0.106	F	0.837	670	G	2004
(655) Lawyer Rd	0.90	520	G	96%	1%	1%	1%	1%	0%	F	0.120	F	0.504	540	G	2004
(655) Lawyer Rd	0.90	460	G	96%	1%	1%	1%	1%	0%	F	0.118	F	0.797	470	G	2004
(655) Lawyer Rd	0.20	560	G	96%	1%	1%	1%	1%	0%	F	0.113	F	0.721	580	G	2004

Virginia Department of Transportation
 Mobility Management Division
 2004
 Annual Average Daily Traffic Volume Estimates By Section of Route
 Rockingham Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year	
						2Axle	3+Axle	1Trail	2Trail								
Rockingham County																	
(655) Lawyer Rd	1.20	540	G	96%	1%	1%	1%	1%	0%	F	0.083	F	0.51	560	G	2004	
				From:	82-708 S, Lynnwood Rd												
				To:	82-656												
(655) Lawyer Rd	0.10	550	G	96%	1%	1%	1%	1%	0%	F	0.093	F	0.564	570	G	2004	
				From:	82-671												
				To:	82-659												
(655) Lawyer Rd	0.90	370	G	96%	1%	1%	1%	1%	0%	F	0.102	F	0.595	380	G	2004	
				From:	82-655												
				To:	82-671												
(656) Harper Mill Rd	0.10	30	R								NA		NA			09/02/2003	
				From:	Dead End												
				To:	82-708												
(656) Harper Mill Rd	0.50	40	R								NA		NA			09/02/2003	
				From:	82-658												
				To:	82-655												
(657) Longley Rd	0.60	110	R								NA		NA			09/09/2003	
				From:	82-672												
				To:	82-657												
(657) Longley Rd	0.50	60	R								NA		NA			09/09/2003	
				From:	SCL Harrisonburg												
				To:	82-710												
(658) Valley View Rd	0.70	200	R								NA		NA			07/31/2000	
				From:	82-704 E												
				To:	82-680												
(659) Port Republic Rd	0.59	9000	G	96%	0%	1%	2%	1%	0%	F	0.095	F	0.668	9200	G	2004	
				From:	SR 276												
				To:	82-708												
(659) Port Republic Rd	1.15	12000	G	96%	0%	1%	2%	1%	0%	F	0.094	F	0.701	13000	G	2004	
				From:	82-663												
				To:	82-663												
(659) Port Republic Rd	1.17	12000	N	96%	0%	1%	2%	1%	0%	N	0.094	N	0.701	13000	N	2004	
				From:	82-655												
				To:	82-1603												
(659) Port Republic Rd	0.96	5900	G	96%	0%	1%	2%	1%	0%	F	0.09	F	0.900	6000	G	2004	
				From:	US 340												
				To:	82-663												
(659) Port Republic Rd	0.33	5700	G	96%	0%	1%	2%	1%	0%	C	0.090	F	0.693	5900	G	2004	
				From:	82-663												
				To:	Dead End												
(659) Port Republic Rd	4.28	6000	G	96%	0%	1%	2%	1%	0%	F	0.098	F	0.702	6200	G	2004	
				From:	ECL Grottoes												
				To:	SR 331												
(659) Port Republic Rd	0.22	5800	G	96%	0%	1%	2%	1%	0%	F	0.096	F	0.677	5900	G	2004	
				From:	82-655												
				To:	82-1603												
(659) Port Republic Rd	0.76	6100	G	96%	0%	1%	2%	1%	0%	F	0.097	F	0.641	6300	G	2004	
				From:	82-655												
				To:	82-1603												
(659) Port Republic Rd	0.91	3500	G	96%	0%	1%	2%	1%	0%	F	0.101	F	0.635	3600	G	2004	
				From:	US 340												
				To:	82-663												
(659) Port Republic Rd	1.88	550	R								NA		NA			09/02/2003	
				From:	82-663												
				To:	Dead End												
(660) Mishalany Dr	0.80	250	R								NA		NA			07/27/2000	
				From:	ECL Grottoes												
				To:	Dead End												
(661) Black Rock Rd	0.75	750	R								NA		NA			09/02/2003	
				From:	Shen Natl Pk Bndy												
				To:	Augusta County Line												
(661) Black Rock Rd	0.60	120	R								NA		NA			12/11/2003	
				From:	ECL Grottoes												
				To:	20-660 Adventure Hill La												
(663) Browns Gap Rd	0.91	650	G	97%	1%	1%	1%	1%	0%	C	0.094	F	0.593	670	G	2004	
				From:	ECL Grottoes												
				To:	20-660 Adventure Hill La												

Virginia Department of Transportation
 Mobility Management Division
 2004
 Annual Average Daily Traffic Volume Estimates By Section of Route
 Rockingham Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Rockingham County																
(663) Browns Gap Rd	0.83	420	R			From: 82-660						NA		NA		07/27/2000
(663) Browns Gap Rd	0.16	400	R			To: Shen Natl Pk Bndy						NA		NA		07/27/2000
(663) Browns Gap Rd	0.44	260	R			From: 82-659						NA		NA		09/02/2003
(663) Browns Gap Rd	0.07	30	R			To: 82-708						NA		NA		09/02/2003
						From: Dead End										
(664) Sunrise Dr	0.25	60	R			To: 82-803 Daphna Rd						NA		NA		10/20/2003
						From: Dead End										
(665) Dovel Rd	0.50	130	R			To: 82-635						NA		NA		09/22/2003
(665) Dovel Rd	0.05	620	R			From: 82-602						NA		NA		09/22/2003
						To: Dead End										
(666) Mongold Hollow	0.50	46	R			From: 82-822						NA		NA		10/30/2003
						To: 82-668										
(667) Raines Rd	1.00	40	R			From: Dead End						NA		NA		09/02/2003
						To: Dead End										
(668) W Timber Ridge Rd	0.30	170	R			From: SR 276						NA		NA		08/21/2003
(668) E Timber Ridge Rd	1.47	250	R			To: 82-672						NA		NA		08/03/2000
(668) E Timber Ridge Rd	0.64	210	R			From: 82-828						NA		NA		08/03/2000
(668) E Timber Ridge Rd	0.21	230	R			To: 82-863						NA		NA		08/03/2000
(668) E Timber Ridge Rd	0.63	200	R			From: 82-677						NA		NA		08/03/2000
(668) E Timber Ridge Rd	0.19	360	R			To: 82-669						NA		NA		08/03/2000
(668) E Timber Ridge Rd	1.51	220	R			From: 82-667						NA		NA		08/03/2000
(668) E Timber Ridge Rd	0.18	210	R			To: 82-605 NORTH						NA		NA		08/03/2000
(668) Bingham Rd	0.99	46	R			From: 82-605 SOUTH						NA		NA		12/11/2003
						To: Augusta County Line										
(669) Beards Ford Rd	0.10	20	R			From: Dead End						NA		NA		08/27/2003
(669) Diehls Ford Rd	0.90	40	R			To: 82-678						NA		NA		08/27/2003
						From: 82-668										
(670) Rodehafer Rd	0.30	30	R			To: Dead End						NA		NA		08/27/2003
						From: 82-671										
(671) Williams Run Rd	0.20	410	R			To: SR 276						NA		NA		07/20/2000
						From: 82-848										

Virginia Department of Transportation
 Mobility Management Division
 2004
 Annual Average Daily Traffic Volume Estimates By Section of Route
 Rockingham Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Rockingham County																
(671) Williams Run Rd	1.80	60	R			From: 82-848					NA			NA		08/27/2003
(671) Mill Creek Ch Rd	0.30	110	R			From: 82-672 NORTH					NA			NA		07/20/2000
(671) Shady Grove Rd	0.80	80	R			From: 82-672 SOUTH					NA			NA		08/27/2003
(671) Shady Grove Rd	0.30	240	R			From: 82-828					NA			NA		07/20/2000
(671) Shady Grove Rd	0.40	270	R			From: 82-670					NA			NA		07/20/2000
(671) Doe Hill Rd	1.00	300	R			From: 82-659					NA			NA		07/20/2000
(671) Doe Hill Rd	0.05	100	R			From: 82-655					NA			NA		07/27/2000
(672) Mill Creek Ch Rd	0.84	80	R			From: 82-668					NA			NA		08/27/2003
(672) Mill Creek Ch Rd	0.35	130	R			From: 82-671 SOUTH 82-671 NORTH					NA			NA		07/27/2000
(672) Latimer Rd	0.83	46	R			From: 82-673					NA			NA		12/11/2003
(672) Pineville Rd	1.00	1300	G	97%	1%	1%	1%	1%	0%	F	0.112	F	0.777	1400	G	2004
(672) Pineville Rd	1.59	1300	G	97%	1%	1%	1%	1%	0%	F	0.129	F	0.714	1400	G	2004
(672) Pineville Rd	1.57	1200	G	97%	1%	1%	1%	1%	0%	C	0.138	F	0.753	1200	G	2004
(673) Mill Creek Ch Rd	0.80	200	R			From: 82-672					NA			NA		08/27/2003
(674) Bluff Rd	0.40	30	R			From: 82-708					NA			NA		08/27/2003
(674) Duck Run Rd	0.80	90	R			From: 82-676 EAST 82-676 WEST					NA			NA		08/27/2003
(675) Spring Valley Circle	0.08	60	R			From: US 11					NA			NA		08/25/2003
(676) Oak Shade Rd	1.00	250	R			From: SR 276					NA			NA		07/20/2000
(676) Oak Shade Rd	0.20	230	R			From: 82-674 WEST					NA			NA		08/27/2003
(676) Oak Shade Rd	1.40	200	R			From: 82-674 EAST					NA			NA		07/20/2000
(676) Charlie Town Rd	0.30	230	R			From: 82-708 EAST 82-708 WEST					NA			NA		08/27/2003
(676) Charlie Town Rd	0.10	130	R			From: 82-757					NA			NA		07/20/2000
						From: 82-659										

Virginia Department of Transportation
 Mobility Management Division
 2004
 Annual Average Daily Traffic Volume Estimates By Section of Route
 Rockingham Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Rockingham County																
(677) Scotts Ford Rd	1.40	350	R			From: 82-678					NA			NA		07/20/2000
(677) Scotts Ford Rd	0.20	20	R			From: 82-668					NA			NA		08/27/2003
						To: Dead End										
(678) Faughts Rd	2.00	70	R			From: 82-995					NA			NA		08/18/2003
						To: SR 276 NORTH										
(678) Scotts Ford Rd	0.60	480	R			From: SR 276 SOUTH					NA			NA		07/20/2000
(678) Beards Ford Rd	1.40	30	R			From: 82-677					NA			NA		08/27/2003
						To: 82-669										
(679) Pleasant Valley Rd	0.53	1800	G	97%	1%	From: SCL Harrisonburg				F	0.119	F	0.742	1900	G	2004
(679) Pleasant Valley Rd	0.68	2400	G	97%	1%	From: 82-704 WEST				C	0.116	F	0.77	2400	G	2004
						To: 82-704 EAST										
(679) Pleasant Valley Rd	0.78	1800	G	97%	1%	From: 82-689				F	0.115	F	0.764	1800	G	2004
						To: SR 276 SOUTH										
(679) Pleasant Valley Rd	2.29	530	G	97%	1%	From: SR 276 NORTH				F	0.11	F	0.672	540	G	2004
(679) Battlefield Rd	1.33	120	R			To: 82-659					NA			NA		07/20/2000
(680) Flick Hill Rd	1.50	420	G	97%	1%	From: 82-682				F	0.097	F	0.625	430	G	2004
						To: 82-679										
(680) Flick Hill Rd	0.90	640	G	97%	1%	From: 82-659				C	0.114	F	0.769	660	G	2004
						To: 82-682										
(681) Whitesel Ch Rd	1.40	190	R			To: 82-846					NA			NA		08/21/2003
(681) Whitesel Ch Rd	0.20	160	R			From: 82-988 NORTH					NA			NA		08/21/2003
(681) Whitesel Ch Rd	0.10	230	R			To: 82-988 SOUTH					NA			NA		08/21/2003
(681) Whitesel Ch Rd	1.60	100	R			From: 82-679					NA			NA		08/21/2003
(682) Friedens Ch Rd	0.52	2500	G	96%	1%	From: SR 257				C	0.101	F	0.621	2600	G	2004
						To: 82-867										
(682) Friedens Ch Rd	2.08	2100	G	96%	1%	From: 82-995				F	0.104	F	0.667	2200	G	2004
						To: SR 276										
(683) Watertower Rd	0.60	480	R			From: 82-655					NA			NA		08/14/2000
						To: Dead End										
(684) Longbow Rd	0.20	300	R			From: 82-620					NA			NA		09/29/2003
						To: 0.20 ME 82-620										
(684) Longbow Rd	0.15	280	R			From: 82-833					NA			NA		09/29/2003
						To:										

Virginia Department of Transportation
 Mobility Management Division
 2004
 Annual Average Daily Traffic Volume Estimates By Section of Route
 Rockingham Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Rockingham County																
(684) Wildwood Dr	0.35	90	R			From: 82-833 To: Dead End					NA			NA		09/29/2003
(685) Caverns Dr	0.60	45	R			From: 82-620 To: Dead End					NA			NA		09/29/2003
(686) Woods Rd	0.60	80	R			From: 82-689 To: SR 276					NA			NA		07/17/2000
(687) Massanetta Spgs Rd	0.60	630	G	98%	1%	1%	0%	1%	0%	F	0.084	F	0.79	650	G	2004
(687) Massanetta Spgs Rd	0.36	1800	G	98%	1%	1%	0%	1%	0%	F	0.118	F	0.568	1900	G	2004
(687) Massanetta Spgs Rd	1.09	2700	G	98%	1%	1%	0%	1%	0%	C	0.095	F	0.508	2800	G	2004
(688) Taylor Spring Ln	0.10	50	R			From: Dead End To: 82-704					NA			NA		08/21/2003
(688) Taylor Spring Ln	0.50	1200	R			From: 82-704 To: 82-1002					NA			NA		08/21/2003
(688) Taylor Spring Ln	0.50	570	R			From: 82-1002 To: 82-687					NA			NA		12/11/2003
(689) Spaders Ch Rd	1.10	110	R			From: 82-988 To: 82-679					NA			NA		08/21/2003
(689) Shen Lake Dr	1.52	920	R			From: 82-659 To: 82-687					NA			NA		07/20/2000
(689) Shen Lake Dr	0.74	4600	G	99%	0%	0%	0%	0%	0%	F	0.099	F	0.714	4700	G	2004
(689) Shen Lake Dr	1.28	3300	G	99%	0%	0%	0%	0%	0%	C	0.103	F	0.593	3400	G	2004
(690) Captain Shands Rd	0.22	180	R			From: Dead End To: 82-802					NA			NA		08/25/2003
(690) Captain Shands Rd	0.18	220	R			From: 82-802 To: 82-887					NA			NA		08/25/2003
(690) Captain Shands Rd	0.07	270	R			From: 82-887 To: US 11					NA			NA		08/25/2003
(690) Summit Ch Rd	0.50	280	R			From: US 11 To: Augusta County Line					NA			NA		07/13/2000
(691) Ford View Rd	0.80	90	R			From: FR-237; 82-992 To: Dead End					NA			NA		09/18/2003
(692) River Bluff Rd	0.60	130	R			From: Dead End To: 82-693					NA			NA		08/25/2003
(693) Fairview Rd	1.20	380	R			From: 82-867 To: 82-692					NA			NA		08/18/2003
(693) Fairview Rd	0.70	220	R			From: 82-692 To: 82-995					NA			NA		07/13/2000

Virginia Department of Transportation
 Mobility Management Division
 2004
 Annual Average Daily Traffic Volume Estimates By Section of Route
 Rockingham Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Rockingham County																
(694) Contentment Ln	0.35	30	R			From: US 11 To: Dead End					NA			NA		08/25/2003
(695) Old Country Rd	0.75	40	R			From: US 340 SOUTH To: US 340 NORTH					NA			NA		09/02/2003
(695) Old Country Rd	0.85	90	R			From: US 340 NORTH To: 82-659					NA			NA		09/02/2003
(696) Kiser Rd	1.70	380	R			From: Augusta County Line To: 82-727					NA			NA		07/13/2000
(697) Hidden Valley Rd	0.40	40	R			From: 82-698 To: Dead End					NA			NA		08/18/2003
(698) Wise Hollow Rd	0.60	110	R			From: Augusta County Line To: 82-697					NA			NA		08/25/2003
(698) Wise Hollow Rd	0.25	290	R			From: 0.26 MN 82-697 To: 82-727					NA			NA		08/25/2003
(698) Wise Hollow Rd	0.95	290	R			From: Augusta County Line To: 82-837					NA			NA		08/25/2003
(699) Centerville Rd	0.40	630	G	96%	1%	1%	1%	2%	0%	C	0.11	F	0.697	650	G	2004
(699) Centerville Rd	1.39	990	G	96%	1%	1%	1%	2%	0%	F	0.090	F	0.827	1000	G	2004
(700) Trailer Park Rd	0.27	100	R			From: Dead End To: 82-826					NA			NA		09/05/2000
(701) Pike Church Rd	1.38	3500	G	92%	1%	1%	2%	5%	0%	F	0.090	F	0.512	3600	G	2004
(701) Silver Lake Rd	0.44	7300	G	92%	1%	1%	2%	5%	0%	C	0.093	F	0.556	7600	G	2004
(701) Silver Lake Rd	0.79	1900	G	92%	1%	1%	2%	5%	0%	F	0.086	F	0.606	1900	G	2004
(701) Silver Lake Rd	1.79	1700	G	92%	1%	1%	2%	5%	0%	F	0.09	F	0.631	1700	G	2004
(701) Cooks Creek Rd	1.45	920	G	97%	0%	1%	1%	1%	0%	C	0.093	F	0.686	950	G	2004
(701) Mt Clinton Pike	0.07	1300	N	92%	1%	1%	2%	5%	0%	N	0.095	N	0.72	1300	N	2004
(701) Reed Rd	1.03	1300	G	92%	1%	1%	2%	5%	0%	F	0.095	F	0.72	1300	G	2004
(702) Old Thirty Three Rd	0.46	240	R			From: 82-701 To: 82-1135 EAST					NA			NA		09/28/2000
(702) Old Thirty Three Rd	0.17	210	R			From: 82-1135 EAST To: 82-1135 WEST					NA			NA		09/28/2000
(703) Funkhouser Rd	0.25	30	R			From: Dead End To: 82-996					NA			NA		09/24/2003

Virginia Department of Transportation
 Mobility Management Division
 2004
 Annual Average Daily Traffic Volume Estimates By Section of Route
 Rockingham Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Rockingham County																
(704) Oakwood Dr	1.52	3700	G	96%	0%	From: ECL Bridgewater To: US 11				C	0.089	F	0.531	3800	G	2004
(704) Cecil Wampler Rd	1.15	3800	G	96%	0%	From: US 11 To: 82-988 WEST				F	0.100	F	0.598	3900	G	2004
(704) Cecil Wampler Rd	0.02	800	R			From: 82-988 WEST To: 82-988 EAST								NA		1994
(704) Cecil Wampler Rd	0.38	1400	R			From: 82-988 EAST To: 82-705								NA		07/17/2000
(704) Cecil Wampler Rd	0.40	1300	R			From: 82-705 To: 82-679 WEST								NA		08/21/2003
(704) Osceola Springs Rd	0.40	1100	R			From: 82-679 WEST To: 82-679 EAST								NA		07/17/2000
(704) Osceola Springs Rd	0.60	880	R			From: 82-679 EAST To: 82-711								NA		08/21/2003
(704) Osceola Springs Rd	0.80	1200	R			From: 82-711 To: 82-709								NA		07/17/2000
(704) Boyers Rd	0.40	3600	R			From: 82-709 To: 82-659 EAST								NA		08/21/2003
(704) Boyers Rd	1.50	2800	R			From: 82-659 EAST To: 82-659 WEST								NA		08/21/2003
(704) Boyers Rd	1.50	2800	R			From: 82-659 WEST To: 82-688								NA		07/17/2000
(704) Belts Rd	0.61	160	R			From: 82-688 To: ECL Harrisonburg; Gap T								NA		10/01/2003
(705) Cottontail Trail	0.52	740	R			From: ECL Harrisonburg; Gap T To: 82-925								NA		
(705) Cottontail Trail	0.52	740	R			From: 82-925 To: 82-988								NA		07/17/2000
(705) Cottontail Trail	0.52	740	R			From: 82-988 To: 82-704								NA		
(706) Turners Mill Lane	0.05	20	R			From: 82-704 To: 82-778								NA		09/21/2000
(706) Turners Mill Lane	0.05	20	R			From: 82-778 To: Dead End								NA		
(707) Bark Wagon Rd	0.23	90	R			From: Dead End To: Cul-de-Sac								NA		10/29/2003
(707) Bark Wagon Rd	0.23	90	R			From: Cul-de-Sac To: 82-773								NA		
(708) Goods Mill Rd	0.71	320	R			From: 82-773 To: 82-659								NA		07/20/2000
(708) Goods Mill Rd	1.26	290	R			From: 82-659 To: 82-674								NA		08/27/2003
(708) Goods Mill Rd	0.27	380	R			From: 82-674 To: 82-676 WEST								NA		08/03/2000
(708) Goods Mill Rd	0.24	510	R			From: 82-676 WEST To: 82-676 EAST								NA		09/02/2003
(708) Goods Mill Rd	1.48	200	R			From: 82-676 EAST To: 82-672								NA		07/31/2000
(708) Goods Mill Rd	0.66	190	R			From: 82-672 To: 82-657								NA		09/09/2003
(708) Goods Mill Rd	0.66	190	R			From: 82-657 To: 82-655 NORTH								NA		
(708) Lynnwood Rd	0.91	390	R			From: 82-655 NORTH To: 82-655 SOUTH								NA		07/27/2000
(708) Lynnwood Rd	0.15	420	R			From: 82-655 SOUTH To: 82-788 WEST								NA		09/02/2003
(708) Lynnwood Rd	0.52	450	R			From: 82-788 WEST To: 82-788 EAST								NA		07/27/2000
(708) Lynnwood Rd	0.52	450	R			From: 82-788 EAST To: US 340								NA		

Virginia Department of Transportation
 Mobility Management Division
 2004
 Annual Average Daily Traffic Volume Estimates By Section of Route
 Rockingham Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Rockingham County																
(708) Ore Bank Rd	0.03	250	R			From: US 340					NA			NA		09/02/2003
(708) Ore Bank Rd	0.11	240	R			From: 82-967					NA			NA		07/27/2000
(708) Ore Bank Rd	3.46	260	R			From: 0.11 ME 82-967					NA			NA		09/09/2003
(709) Autumn Ln	0.69	80	R			From: 82-663					NA			NA		09/09/2003
(709) Autumn Ln	0.69	80	R			From: 82-704					NA			NA		08/21/2003
(709) Autumn Ln	0.41	220	R			From: 0.70 MN 82-704					NA			NA		07/20/2000
(710) Greendale Rd	1.48	3800	G	98%	0%	From: 82-710				F	0.094	F	0.618	3900	G	2004
(710) Reservoir St	0.83	6400	G	98%	0%	From: 82-659				C	0.100	F	0.566	6600	G	2004
(711) Grassy Creek Rd	0.70	1300	R			From: ECL Harrisonburg					NA			NA		07/17/2000
(711) Grassy Creek Rd	0.21	710	R			From: 82-710					NA			NA		07/17/2000
(711) Grassy Creek Rd	0.21	710	R			From: 82-629					NA			NA		08/21/2003
(712) Lewis Byrd Rd	0.96	210	R			From: 82-704					NA			NA		09/28/2000
(712) W Mosby Rd	0.90	400	R			From: 82-756					NA			NA		08/25/2003
(712) W Mosby Rd	1.54	3800	G	94%	0%	From: 82-701 SOUTH				C	0.101	F	0.522	3900	G	2004
(713) Brunk Lane	0.07	80	R			From: 82-701 NORTH					NA			NA		08/25/2003
(713) Meigs Lane	0.10	1000	R			From: WCL Harrisonburg					NA			NA		09/28/2000
(714) Lilly Square	0.27	40	R			From: Dead End					NA			NA		10/14/2003
(715) Kettle View Rd	0.44	90	R			From: 82-613					NA			NA		10/14/2003
(716) Beulah Rd	1.30	180	R			From: Dead End					NA			NA		09/22/2003
(716) Beulah Rd	1.10	170	R			From: 82-636					NA			NA		09/22/2003
(717) Indian Trail Rd	2.60	560	R			From: 82-717					NA			NA		09/29/2003
(717) Indian Trail Rd	0.20	710	R			From: 82-620					NA			NA		09/29/2003
(717) Indian Trail Rd	0.60	680	R			From: Dead End					NA			NA		09/29/2003
(717) Indian Trail Rd	1.60	390	R			From: 82-620					NA			NA		08/14/2000
(717) Indian Trail Rd	1.60	390	R			From: 82-716					NA			NA		09/29/2003
(717) Indian Trail Rd	1.60	390	R			From: 82-718 SOUTH					NA			NA		08/14/2000
(717) Indian Trail Rd	1.60	390	R			From: 82-718 NORTH					NA			NA		08/14/2000
(717) Indian Trail Rd	1.60	390	R			From: 82-724 SOUTH					NA			NA		09/29/2003

Virginia Department of Transportation
 Mobility Management Division
 2004
 Annual Average Daily Traffic Volume Estimates By Section of Route
 Rockingham Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Rockingham County																
(717) Indian Trail Rd	0.30	210	R			From: 82-724 SOUTH					NA			NA		08/14/2000
(717) Indian Trail Rd	2.00	330	R			To: 82-724 NORTH					NA			NA		10/01/2003
(717) Indian Trail Rd	0.40	450	R			From: 82-721					NA			NA		08/21/2000
(717) Indian Trail Rd	1.00	100	R			To: 82-811					NA			NA		10/01/2003
(717) Indian Trail Rd	0.30	110	R			From: 82-934					NA			NA		10/01/2003
(717) Indian Trail Rd	0.10	510	R			To: 82-806					NA			NA		10/01/2003
(717) Indian Trail Rd	0.34	160	R			From: 82-764					NA			NA		08/24/2000
(717) Indian Trail Rd	2.08	60	R			To: 0.34 MN 82-764					NA			NA		10/01/2003
(717) Indian Trail Rd	0.30	40	R			From: 2.42 MN 82-764					NA			NA		08/21/2000
(718) Old Furnace Rd	1.04	1400	G	96%	1%	1%	1%	1%	0%	C	0.11	F	0.729	1500	G	2004
(718) Old Furnace Rd	1.19	1000	G	96%	1%	1%	1%	1%	0%	F	0.110	F	0.730	1000	G	2004
(718) Minie Ball Lane	1.11	280	R			From: 82-719 Layman Trestle Rd					NA			NA		08/14/2000
(719) Layman Trestle Rd	2.25	550	R			To: 82-717 SOUTH					NA			NA		08/17/2000
(720) Irish Path	0.90	460	R			From: 82-717 NORTH					NA			NA		08/14/2000
(720) Shirttail Alley	0.80	140	R			To: 82-620 Mountain Valley Rd					NA			NA		08/14/2000
(720) Daniel Smith Lane	0.10	60	R			From: 82-925					NA			NA		09/29/2003
(720) Smithland Rd	0.75	2100	R			To: 82-718					NA			NA		08/14/2000
(721) Green Hill Rd	0.73	590	G	95%	0%	1%	2%	2%	0%	F	0.110	F	0.647	610	G	2004
(721) Green Hill Rd	1.04	820	G	95%	0%	1%	2%	2%	0%	F	0.104	F	0.679	840	G	2004
(721) Green Hill Rd	1.98	1100	G	97%	0%	1%	1%	1%	0%	C	0.103	F	0.638	1100	G	2004
(721) Linville Edom Rd	1.31	650	G	95%	0%	1%	2%	2%	0%	F	0.09	F	0.555	660	G	2004
(721) Longs Pump Rd	1.23	1300	G	95%	0%	1%	2%	2%	0%	C	0.092	F	0.667	1400	G	2004
(721) Longs Pump Rd	2.06	690	G	95%	0%	1%	2%	2%	0%	F	0.091	F	0.654	710	G	2004
						From: 82-613										
						To: 82-752 NORTH										
						From: 82-761										
						To: SR 42										
						From: SR 42 NORTH										
						To: 82-753 SOUTH										
						From: 82-753 NORTH										
						To: 82-619										
						From: US 11 NORTH										

Virginia Department of Transportation
 Mobility Management Division
 2004
 Annual Average Daily Traffic Volume Estimates By Section of Route
 Rockingham Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Rockingham County																
(721) Fellowship Rd	1.14	830	G	95%	0%	US 11 SOUTH 82-717				F	0.092	F	0.646	850	G	2004
(722) Armentrout Path	0.20	150	R			82-620 SOUTH					NA			NA		10/01/2003
(722) Armentrout Path	2.40	80	R			82-723					NA			NA		10/01/2003
(722) Armentrout Path	0.20	160	R			2.40 MN 82-723					NA			NA		10/01/2003
(722) Armentrout Path	0.20	310	R			82-868					NA			NA		08/21/2000
(723) Haines Quarter Rd	0.30	30	R			82-620 NORTH 82-722					NA			NA		10/01/2003
(724) Melrose Rd	1.80	410	R			Dead End 82-725 Etna Rd					NA			NA		09/18/2000
(724) Melrose Rd	1.10	410	R			1.80 ME 82-725					NA			NA		09/18/2000
(724) Trinity Church Rd	0.08	330	R			US 11 Valley Pike					NA			NA		09/29/2003
(724) Trinity Church Rd	0.01	150	R			FR-238 Buffalo Dr					NA			NA		12/22/2003
(724) Trinity Church Rd	0.45	150	R			0.01 ME FR-238					NA			NA		12/22/2003
(724) Trinity Church Rd	1.86	110	R			0.46 MN FR-238					NA			NA		12/22/2003
(724) Flook Lane	1.30	50	R			82-717 S, Indian Trail Rd 82-717 N, Indian Trail Rd					NA			NA		12/22/2003
(724) Pack Saddle Rd	0.40	130	R			82-620 N, Mountain Valley Rd 82-620 Mountain Valley Rd					NA			NA		10/01/2003
(725) Etna Rd	0.20	170	R			Dead End 82-753					NA			NA		09/18/2000
(725) Etna Rd	0.10	200	R			82-724 82-721					NA			NA		09/18/2000
(726) War Branch Rd	1.22	400	R			82-612 Peake Mountain Rd					NA			NA		09/28/2000
(726) Mt Clinton Pike	1.18	390	R			82-613 S, Whitmore Shop Rd 82-613 N, Whitmore Shop Rd					NA			NA		09/28/2000
(726) Mt Clinton Pike	0.08	740	R			82-760 Clusters Rd					NA			NA		10/22/2003
(726) Mt Clinton Pike	2.08	1200	G			82-752 Muddy Creek Rd					0.104	F	0.678	1200	G	2004
(726) Weavers Rd	1.74	1200	N			82-701 Mt Clinton Pike; Cooks Creek Rd					0.104	N	0.678	1200	N	2004
(726) Erickson Ave	0.37	5400	G	96%	0%	US 33 W, Rawley Pike 82-1139 Flint Ave				F	0.081	F	0.578	5600	G	2004
(726) Erickson Ave	0.75	5600	G	96%	0%	WCL Harrisonburg				C	0.085	F	0.682	5800	G	2004

Virginia Department of Transportation
 Mobility Management Division
 2004
 Annual Average Daily Traffic Volume Estimates By Section of Route
 Rockingham Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Rockingham County																
(726) Stone Spring Rd	0.76	3700	G	97%	0%	From: ECL Harrisonburg				C	0.088	F	0.650	3800	G	2004
(726) Misty Court	0.22	500	R			From: 82-659 Port Republic Rd					NA			NA		07/17/2000
						To: Cul-de-Sac										
(727) Sangersville Rd	1.96	1700	G	96%	1%	From: Augusta County Line				F	0.095	F	0.769	1700	G	2004
						To: 82-613 W, Spring Creek Rd										
(727) Spring Creek Rd	2.37	3100	G	96%	1%	From: 82-613 E, Jordan Hill Rd				C	NA			3200	G	2004
						To: SR 42 N, Warm Springs Pike										
(727) Airport Rd	1.31	1200	G	96%	1%	From: SR 42 S, Warm Springs Pike				F	0.107	F	0.558	1200	G	2004
						To: 82-888										
(727) Airport Rd	1.79	1300	G	96%	1%	From: US 11 Lee Hwy				F	0.1	F	0.553	1300	G	2004
						To: SR 42										
(728) Gardner Lane	1.20	45	R			From: 82-727					NA			NA		01/12/2004
						To: Augusta County Line										
(729) Cam Bell Rd	1.00	90	R			From: 82-613					NA			NA		12/21/2003
						To: 82-731										
(730) Community Center Rd	1.30	340	G	93%	3%	From: Augusta County Line				C	0.138	F	0.647	350	G	2004
						To: Augusta County Line										
(731) Thorny Branch Rd	0.60	180	R			From: Augusta County Line					NA			NA		10/21/2003
						To: 82-730										
(731) Community Center Rd	0.70	430	G	93%	2%	From: 82-750				C	0.101	F	0.511	440	G	2004
						To: SR 257 SOUTH										
(731) Community Center Rd	0.86	800	G	93%	2%	From: SR 257 NORTH				F	0.1	F	0.6	820	G	2004
						To: SR 257 NORTH										
(731) Daniel Cupp Rd	1.60	230	R			From: 82-742					NA			NA		10/19/2000
						To: 82-742										
(731) Fulton School Rd	1.80	90	R			From: 82-613					NA			NA		10/14/2003
						To: 82-613										
(731) Kerns Rd	0.50	160	R			From: 82-743					NA			NA		10/05/2000
						To: 82-743										
(731) Kerns Rd	0.60	190	R			From: 82-738					NA			NA		10/19/2000
						To: 82-738										
(731) Morris Pottery Rd	0.20	30	R			From: Dead End					NA			NA		10/14/2003
						To: Dead End										
(732) Coopers Mountain Rd	0.10	270	R			From: US 33					NA			NA		09/28/2000
						To: US 33										
(732) Coopers Mountain Rd	0.40	580	R			From: 82-840					NA			NA		10/14/2003
						To: 82-840										
(732) Coopers Mountain Rd	0.86	480	R			From: GW Natl For Bndy					NA			NA		09/28/2000
						To: GW Natl For Bndy										
(732) Coopers Mountain Rd	1.24	660	R			From: 0.86 ME of Bndy					NA			NA		10/14/2003
						To: 0.86 ME of Bndy										
(732) Horeb Church Rd	1.60	150	R			From: 82-613 SOUTH					NA			NA		10/14/2003
						To: 82-613 NORTH										
						From: 82-752 SOUTH										
						To: 82-752 SOUTH										

Virginia Department of Transportation
 Mobility Management Division
 2004
 Annual Average Daily Traffic Volume Estimates By Section of Route
 Rockingham Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Rockingham County																
(732) Coakley Town Rd	1.09	200	R			From: 82-752 NORTH					NA			NA		10/23/2003
(732) Coakley Town Rd	0.10	340	R			To: 82-734 WEST					NA			NA		10/16/2000
(732) Coakley Town Rd	0.40	240	R			From: 82-734 EAST					NA			NA		10/23/2003
(732) Coakley Town Rd	0.10	220	R			To: 82-914					NA			NA		10/16/2000
(732) Coakley Town Rd	0.80	100	R			From: 82-913					NA			NA		10/21/2003
(732) Coakley Town Rd	0.70	140	R			To: 82-831					NA			NA		10/21/2003
(732) Bowman Rd	1.09	550	G	94%	1%	From: 82-736 S 82-736 N				F	0.101	F	0.513	570	G	2004
(732) Bowman Rd	0.09	1400	N	94%	1%	To: 82-1203				N	0.093	N	0.583	1400	N	2004
(732) Bowman Rd	0.26	1400	G	94%	1%	From: 82-1204				F	0.093	F	0.583	1400	G	2004
						To: 82-1207										
Town of Davton																
(732) Bowman Rd	0.06	2400	G	94%	1%	From: 82-1207				F	0.116	F	0.509	2500	G	2004
						To: SR 290 Gap										
Rockingham County																
(732) Bowman Rd	0.24	2500	G	94%	1%	From: 82-701 Gap				C	0.093	F	0.591	2600	G	2004
						To: SR 42										
(733) Dale Enterprise Rd	1.00	45	R			From: 82-734					NA			NA		10/23/2003
						To: US 33										
(734) Lumber Mill Rd	0.83	350	R			From: SR 257					NA			NA		10/05/2000
(734) Lumber Mill Rd	0.85	290	R			To: 82-743					NA			NA		10/16/2003
(734) Slab Rd	0.40	230	R			From: 82-738 SOUTH 82-738 NORTH					NA			NA		10/14/2003
(734) Bank Church Rd	0.60	140	R			To: 82-752 NORTH 82-752 SOUTH					NA			NA		10/23/2003
(734) Bank Church Rd	0.10	130	R			From: 82-914 SOUTH					NA			NA		10/23/2000
(734) Bank Church Rd	0.80	170	R			To: 82-914 NORTH					NA			NA		10/23/2003
(734) Bank Church Rd	1.10	180	G	94%	2%	From: 82-732 WEST 82-732 EAST				C	0.116	F	0.546	190	G	2004
						To: US 33										
(735) Linhoss Rd	0.34	90	R			From: 82-701					NA			NA		10/21/2003
(735) Linhoss Rd	0.66	60	R			To: 0.35 MN 82-701					NA			NA		10/21/2003
						From: 82-736										

Virginia Department of Transportation
 Mobility Management Division
 2004
 Annual Average Daily Traffic Volume Estimates By Section of Route
 Rockingham Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Rockingham County																
(736) Wheelbarger Rd	0.30	110	R			From: Dead End					NA			NA		10/23/2003
(736) Rushville Rd	0.80	440	G	94%	2%	To: 82-737 WEST				C	0.096	F	0.674	450	G	2004
(736) Swope Rd	0.50	130	R			From: 82-732 NORTH					NA			NA		10/21/2003
(736) Swope Rd	0.40	90	R			To: 82-735					NA			NA		10/21/2003
(736) Swope Rd	0.10	310	R			From: 82-913 SOUTH					NA			NA		10/21/2003
(736) Swope Rd	0.80	110	R			To: 82-913 NORTH					NA			NA		10/23/2000
(737) Rushville Rd	0.90	490	G	92%	2%	From: 82-752				C	0.092	F	0.511	500	G	2004
(737) Rushville Rd	0.40	500	G	92%	2%	To: 82-810				F	0.108	F	0.591	520	G	2004
(737) Limestone Lane	1.40	240	R			From: 82-736 SOUTH					NA			NA		10/16/2000
(737) Cannery Woods Dr	0.80	320	R			To: SR 257 NORTH					NA			NA		10/21/2003
(738) W Dry River Rd	1.71	1200	G	94%	0%	From: SR 257 SOUTH				F	0.104	F	0.74	1200	G	2004
(738) W Dry River Rd	1.10	1200	G	94%	0%	To: 82-738				C	0.099	F	0.635	1300	G	2004
(738) W Dry River Rd	2.05	1500	G	94%	0%	From: 82-613				F	0.101	F	0.622	1500	G	2004
(738) Dry River Rd	1.13	2400	G	97%	0%	To: 82-734 NORTH				C	0.094	F	0.539	2500	G	2004
(739) Witmer Lane	0.20	80	R			From: NCL Bridgewater					NA			NA		10/16/2003
(739) Koogler Rd	0.70	110	R			To: 82-743 EAST					NA			NA		10/16/2003
(739) Shoreshill Rd	0.35	60	R			From: 82-743 WEST					NA			NA		10/14/2003
(740) Honeyville Rd	0.50	330	R			To: 32-738					NA			NA		10/06/2003
(741) Robinson Rd	0.60	250	R			From: 82-738					NA			NA		10/14/2003
(742) Waggys Creek Rd	1.48	510	G	95%	2%	To: Dead End					NA			NA		10/06/2003
(742) Waggys Creek Rd	0.50	410	R			From: 82-881					NA			NA		10/14/2003
(742) Waggys Creek Rd	0.89	330	R			To: 82-742					NA			NA		10/05/2000
(742) Waggys Creek Rd	0.50	410	R			From: SR 257; 82-613				C	0.128	F	0.703	530	G	2004
(742) Waggys Creek Rd	0.50	410	R			To: 82-731					NA			NA		10/14/2003
(742) Waggys Creek Rd	0.89	330	R			From: 82-751					NA			NA		10/05/2000
(742) Waggys Creek Rd	0.89	330	R			To: 82-933					NA			NA		10/05/2000

Virginia Department of Transportation
 Mobility Management Division
 2004
 Annual Average Daily Traffic Volume Estimates By Section of Route
 Rockingham Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Rockingham County																
(742) Union Springs Rd	0.70	340	R			From: 82-933						NA		NA		10/14/2003
(742) Fox Den Rd	0.60	110	R			To: 82-743						NA		NA		10/14/2003
(742) Robinson Rd	0.90	300	R			From: 82-741						NA		NA		10/14/2003
(742) Robinson Rd	0.50	580	R			To: 82-869						NA		NA		10/05/2000
						From: 82-613										
(743) Union Springs Rd	1.30	450	R			To: 82-742						NA		NA		10/05/2000
(743) Honey Run Rd	0.30	200	R			From: 82-613 NORTH						NA		NA		10/14/2003
(743) Honey Run Rd	1.00	90	R			To: 82-731						NA		NA		10/16/2003
(743) Honey Run Rd	0.42	130	R			From: 82-739 WEST						NA		NA		10/16/2003
(743) Honey Run Rd	0.07	160	R			To: 82-739 EAST						NA		NA		10/16/2003
(743) Honey Run Rd	0.05	160	R			From: 0.07 ME 82-739						NA		NA		10/16/2003
(743) Honey Run Rd	0.87	60	R			To: 82-734						NA		NA		01/12/2004
(743) Honey Run Rd	0.16	150	R			From: 82-752 WEST						NA		NA		10/16/2003
(743) Honey Run Rd	0.40	90	R			To: 82-752 EAST						NA		NA		10/16/2003
						From: 82-738										
(744) Dry Hollow Rd	0.70	120	R			To: 82-745						NA		NA		10/16/2003
						From: SR 257										
(745) Martin Miller Rd	0.50	70	R			To: SR 257						NA		NA		10/16/2003
(745) Martin Miller Rd	0.90	47	R			From: 82-744						NA		NA		10/16/2003
						To: 82-752										
(746) Herring Ln	0.25	50	R			From: SR 42 SOUTH						NA		NA		10/21/2003
						To: SR 42 NORTH										
(747) Mossy Creek Rd	0.80	40	R			From: Augusta County Line						NA		NA		10/21/2003
(747) Mossy Creek Rd	0.80	110	R			To: 82-835						NA		NA		10/21/2003
						From: 82-727										
(748) Thomas Spring Rd	0.69	170	R			To: 82-613						NA		NA		10/16/2003
(748) Thomas Spring Rd	0.91	120	R			From: 0.69 ME 82-613						NA		NA		01/12/2004
(748) Thomas Spring Rd	1.10	200	R			To: 82-870						NA		NA		10/16/2000
(748) Thomas Spring Rd	0.40	690	R			From: 82-909						NA		NA		10/05/2000
						To: SR 257										

Virginia Department of Transportation
 Mobility Management Division
 2004
 Annual Average Daily Traffic Volume Estimates By Section of Route
 Rockingham Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Rockingham County																
(749) Lady Bug Rd	1.50	46	R			From: 82-730 To: 82-755					NA			NA		10/21/2003
(750) Nazarene Ch Rd	1.10	440	R			From: 82-731 To: 82-755 WEST					NA			NA		10/05/2000
(750) Nazarene Ch Rd	0.60	540	R			From: 82-755 EAST To: 82-613					NA			NA		10/21/2003
(750) Nazarene Ch Rd	1.70	390	R			From: 82-613 To: Dead End					NA			NA		10/19/2000
(751) Rumsey Ln	0.40	60	R			From: 82-742 To: 82-613 Spring Creek Rd					NA			NA		10/21/2003
(752) Beaver Creek Rd	1.99	340	R			From: 82-909 Silver Creek Rd To: 82-752; Silver Creek Rd					NA			NA		10/05/2000
(752) Silver Creek Rd	0.61	340	N			From: SR 257 Ottobine Rd To: 82-743 EAST					NA			NA		10/05/2000
(752) Crystal Ridge Rd	0.57	150	R			From: 82-743 WEST To: 82-738 NORTH					NA			NA		10/06/2003
(752) Keller Rd	0.42	190	R			From: 82-738 EAST To: 82-737					NA			NA		10/16/2003
(752) Rushville Rd	0.46	800	G	92%	1%	3%	1%	3%	0%	F	0.091	F	0.578	830	G	2004
(752) Hinton Rd	0.86	590	G	92%	1%	3%	1%	3%	0%	F	0.080	F	0.625	610	G	2004
(752) Hinton Rd	1.99	610	G	92%	1%	3%	1%	3%	0%	C	0.099	F	0.517	620	G	2004
(752) Muddy Creek Rd	1.72	500	G	93%	0%	2%	2%	3%	0%	C	0.109	F	0.529	520	G	2004
(752) Muddy Creek Rd	1.90	340	G	92%	1%	3%	1%	3%	0%	F	0.081	F	0.585	350	G	2004
(752) Snapps Creek Rd	2.20	320	R			From: 82-763 EAST To: 82-763 WEST					NA			NA		10/27/2003
(752) Well Hollow Rd	0.24	320	N			From: 82-777 E, Well Hollow Rd To: 82-777 W, Well Hollow Rd					NA			NA		10/27/2003
(752) Great Rd	1.04	30	R			From: 82-876 Kieffer Rd To: 82-721 S, Green Hill Rd					NA			NA		10/27/2003
(752) Great Rd	0.70	45	R			From: 82-721 N, Green Hill Rd To: 82-781 Wills Creek Rd					NA			NA		01/06/2003
(752) Mt Zion Rd	1.71	260	R			From: 82-753 WEST To: 82-753 EAST					NA			NA		10/29/2003
(752) Wengers Mill Rd	0.02	260	N			From: 82-753 EAST To: 82-809 Trissels Rd					NA			NA		10/29/2003
(752) Wengers Mill Rd	0.56	610	G	92%	1%	3%	1%	3%	0%	F	0.083	F	0.607	630	G	2004
(752) Cherry Grove Rd	2.18	270	R			From: 82-809 Trissels Rd To: SR 259 Brocks Gap Rd					NA			NA		10/29/2003
(752) Hisers Lane	3.06	380	R								NA			NA		09/07/2000

Virginia Department of Transportation
 Mobility Management Division
 2004
 Annual Average Daily Traffic Volume Estimates By Section of Route
 Rockingham Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Rockingham County																
(753) Hollar School Rd	1.36	550	G	93%	0%	1%	4%	3%	0%	F	0.081	F	0.647	570	G	2004
				From:	82-613											
				To:	82-752 WEST											
(753) Wengers Mill Rd	1.17	820	G	93%	0%	1%	4%	3%	0%	F	0.098	F	0.737	840	G	2004
				From:	82-752 EAST											
(753) Wengers Mill Rd	1.49	950	G	94%	0%	1%	3%	2%	0%	C	0.098	F	0.734	980	G	2004
				From:	82-617											
				To:	SR 42 NORTH											
(753) Kratzer Rd	1.65	1100	G	93%	0%	1%	4%	3%	0%	F	0.092	F	0.606	1100	G	2004
				From:	SR 42 SOUTH											
(753) Kratzer Rd	1.42	2600	G	93%	0%	1%	4%	3%	0%	F	0.093	F	0.652	2700	G	2004
				From:	82-721 NORTH											
(753) Kratzer Rd	0.78	2600	G	93%	0%	1%	4%	3%	0%	F	0.083	F	0.672	2700	G	2004
				From:	82-765											
(753) Kratzer Rd	1.29	4000	G	93%	0%	1%	4%	3%	0%	C	0.088	F	0.594	4100	G	2004
				From:	82-908											
				To:	NCL Harrisonburg											
(754) Rocky Bar Rd	0.20	590	R								NA		NA		09/11/2003	
				From:	US 340 SOUTH											
(754) Rocky Bar Rd	0.15	370	R								NA		NA		07/31/2000	
				From:	82-892											
(754) Rocky Bar Rd	1.08	220	R								NA		NA		09/11/2003	
				From:	82-958											
(754) Berrytown Rd	2.10	640	R								NA		NA		07/31/2000	
				From:	82-649											
(754) Berrytown Rd	0.90	590	R								NA		NA		09/11/2003	
				From:	82-630 SOUTH											
				To:	US 340 SOUTH MID											
(754) South Branch Rd	0.70	200	R								NA		NA		07/31/2000	
				From:	US 340 NORTH MID											
(754) South Branch Rd	0.40	900	R								NA		NA		09/11/2003	
				From:	82-630 NORTH											
				To:	US 340 NORTH											
(755) Vance Rd	0.04	130	R								NA		NA		10/05/2000	
				From:	Augusta County Line											
(755) Windy Cove Rd	0.90	220	R								NA		NA		10/21/2003	
				From:	82-821											
(755) Windy Cove Rd	0.50	210	R								NA		NA		10/21/2003	
				From:	82-749											
				To:	82-750 EAST											
(755) Lambert Town Rd	1.19	330	R								NA		NA		10/16/2003	
				From:	82-750 WEST											
				To:	SR 257											
(756) Liskey Rd	0.93	120	R								NA		NA		09/28/2000	
				From:	82-712											
				To:	SCL Harrisonburg											
(757) Trimble Rd	0.30	190	R								NA		NA		08/27/2003	
				From:	82-676											
				To:	82-659											
(758) Happy Valley Rd	1.50	190	R								NA		NA		09/24/2003	
				From:	82-620 SOUTH											
(758) Rainbow Trail	1.00	80	R								NA		NA		09/29/2003	
				From:	1.50 MN 82-620											
				To:	82-620 NORTH											

Virginia Department of Transportation
 Mobility Management Division
 2004
 Annual Average Daily Traffic Volume Estimates By Section of Route
 Rockingham Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Rockingham County																
(759) Newtown Rd	0.78	2600	G	98%	0%	1%	1%	0%	0%	C	0.090	F	0.638	2700	G	2004
						From: ECL Elkton										
						To: 82-861										
(759) Newtown Rd	1.17	1800	G	98%	0%	1%	1%	0%	0%	F	0.085	F	0.67	1900	G	2004
						From: 82-625										
						To: 82-609										
(759) Fox Mountain Rd	2.08	1200	G	98%	0%	1%	1%	0%	0%	F	0.107	F	0.589	1200	G	2004
						From: 82-609										
						To: Page County Line										
(760) Clusters Rd	1.50	130	R													
						From: 82-613										
						To: 82-726										
(761) Ralston Rd	1.60	330	R													10/22/2003
						From: 82-752										
						To: 82-763										
(761) Sky Rd	0.90	370	R													10/19/2000
						From: 82-768										
						To: 82-769										
(761) Sky Rd	0.50	240	R													10/27/2003
						From: 82-769										
						To: 82-772										
(761) Rocky Lane	0.50	340	R													10/27/2003
						From: 82-777										
						To: 82-935										
(761) Rocky Lane	0.70	340	R													09/21/2000
						From: 82-935										
						To: 82-721										
(762) Eden Valley Rd	1.60	160	R													09/28/2000
						From: 82-612										
						To: 82-613										
(763) Hopkins Gap Rd	2.25	650	G	97%	0%	1%	1%	1%	0%	F	0.090	F	0.712	670	G	2004
						From: 82-612										
						To: 82-613 WEST										
						From: 82-613 EAST										
(763) Singers Glen Rd	0.54	2000	G	97%	0%	1%	1%	1%	0%	F	0.092	F	0.668	2000	G	2004
						From: 82-752 WEST										
(763) Singers Glen Rd	1.74	2900	G	97%	0%	1%	1%	1%	0%	F	0.090	F	0.664	3000	G	2004
						From: 82-701 Reed Rd										
						To: 82-701										
(763) Singers Glen Rd	1.02	2000	G	97%	0%	1%	1%	1%	0%	F	0.095	F	0.682	2000	G	2004
						From: 82-765 E, Mt Clinton Pike										
(763) Mt Clinton Pike	1.16	2000	N	97%	0%	1%	1%	1%	0%	N	0.095	N	0.682	2000	N	2004
						From: 82-910 WEST										
(763) Mt Clinton Pike	0.18	3900	G	97%	0%	1%	1%	1%	0%	F	0.101	F	0.570	4000	G	2004
						From: 82-910 EAST										
(763) Mt Clinton Pike	0.42	4800	G	97%	0%	1%	1%	1%	0%	C	0.094	F	0.580	4900	G	2004
						From: WCL Harrisonburg										
						To: 82-717										
(764) Lacey Heights Ave	0.33	310	R													10/01/2003
						From: Dead End										
(765) Mt Clinton Pike	1.00	700	R													09/21/2000
						From: 82-701										
						To: 82-763										
(765) Amberly Rd	1.30	160	R													10/19/2000
						From: 82-763										
						To: 82-769										

Virginia Department of Transportation
 Mobility Management Division
 2004
 Annual Average Daily Traffic Volume Estimates By Section of Route
 Rockingham Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Rockingham County																
(765) Amberly Rd	0.50	160	R			From: 82-769					NA			NA		10/19/2000
						To: 82-910 SOUTH										
(765) Cromer Rd	1.22	160	R			From: 82-910 NORTH					NA			NA		10/22/2003
						To: 1.22 ME 82-910										
(765) Cromer Rd	0.16	140	R			From: SR 42 NORTH					NA			NA		10/22/2003
						To: SR 42 SOUTH										
(765) Buttermilk Creek Rd	1.58	990	G	94%	1%	1%	3%	2%	0%	F	0.11	F	0.607	1000	G	2004
(765) Gravels Rd	2.39	1200	G	94%	1%	1%	3%	2%	0%	C	0.09	F	0.689	1200	G	2004
						From: 82-753										
						To: US 11										
(766) Eversole Rd	1.40	380	R			From: 82-726					NA			NA		09/21/2000
						To: 82-910										
(767) Willow Run Rd	1.29	70	R			From: 82-910					NA			NA		10/22/2003
						To: 1.29 ME 82-910										
(767) Willow Run Rd	0.11	150	R			From: SR 42 NORTH					NA			NA		12/22/2003
						To: SR 42 SOUTH										
(767) Hamlet Dr	0.30	190	R			From: Dead End					NA			NA		09/21/2000
						To: 82-761										
(768) Antioch Rd	0.70	48	R			From: 82-769 SOUTH					NA			NA		01/06/2004
(768) Antioch Rd	0.10	70	R			From: 82-769 NORTH					NA			NA		01/06/2004
(768) Antioch Rd	0.90	40	R			From: 82-910					NA			NA		10/27/2003
						To: 82-752										
(769) Thompson Rd	1.30	30	R			From: 82-761					NA			NA		10/27/2003
(769) Thompson Rd	0.80	45	R			From: 82-768 NORTH					NA			NA		01/06/2004
						To: 82-768 SOUTH										
(769) Skidmore Rd	0.60	70	R			From: 82-765					NA			NA		10/22/2003
						To: 82-613 SOUTH										
(770) Clayborn Rd	0.80	45	R			From: 82-613 NE					NA			NA		10/22/2003
						To: Dead End										
(771) Polecat Hollow Rd	0.50	30	R			From: 82-773					NA			NA		10/27/2003
(771) Chrisman Rd	1.60	90	R			From: 82-613					NA			NA		10/27/2003
						To: Dead End										
(772) Sparkling Springs Rd	0.30	70	R			From: 82-773 SOUTH					NA			NA		10/27/2003
(772) Sparkling Springs Rd	0.15	110	R			From: 82-773 NORTH					NA			NA		09/21/2000
(772) Sparkling Springs Rd	0.29	270	R			From: 82-774					NA			NA		10/27/2003
(772) Sparkling Springs Rd	0.84	320	R			From: 82-613 NORTH					NA			NA		09/21/2000

Virginia Department of Transportation
 Mobility Management Division
 2004
 Annual Average Daily Traffic Volume Estimates By Section of Route
 Rockingham Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Rockingham County																
(772) Greenmount Rd	0.65	100	R			From: 82-613 SOUTH						NA		NA		10/27/2003
(772) Greenmount Rd	1.11	240	R			To: 82-752						NA		NA		09/21/2000
(772) Greenmount Rd	1.03	440	R			From: 82-761 SOUTH						NA		NA		10/27/2003
(772) Greenmount Rd	1.35	630	R			To: 82-910						NA		NA		09/21/2000
(773) Chrisman Rd	0.80	90	R			From: SR 42						NA		NA		09/21/2000
(773) Mayberry Rd	0.06	270	R			To: 82-771						NA		NA		09/21/2000
(773) Mayberry Rd	1.14	130	R			From: 82-772 SOUTH						NA		NA		10/29/2003
(773) Mayberry Rd	0.70	90	R			To: 82-772 NORTH						NA		NA		10/29/2003
(774) Joseph Funk Ln	0.50	50	R			From: 82-707						NA		NA		10/29/2003
(774) Joseph Funk Ln	0.70	70	R			To: 82-877						NA		NA		10/29/2003
(774) Joseph Funk Ln	0.50	250	R			From: 82-776						NA		NA		10/29/2003
(775) Judge Paul Rd	0.24	20	R			To: 82-772						NA		NA		10/05/2000
(776) Frank Lane Rd	0.60	450	R			From: SR 257 WEST						NA		NA		10/18/2000
(776) Frank Lane Rd	1.80	170	R			To: SR 257 EAST						NA		NA		10/29/2003
(776) Morning View Rd	1.70	80	R			From: 82-613 SOUTH						NA		NA		10/29/2003
(777) Peter Driver Lane	0.70	48	R			To: 82-773						NA		NA		10/27/2003
(777) Well Hollow Rd	0.40	80	R			From: 82-783						NA		NA		10/27/2003
(777) Well Hollow Rd	1.00	60	R			To: 82-613 NORTH						NA		NA		10/27/2003
(777) Well Hollow Rd	0.80	20	R			From: 82-774						NA		NA		10/27/2003
(778) Brenneman Ch Rd	0.12	110	R			To: 82-613 NORTH						NA		NA		10/22/2003
(778) Brenneman Ch Rd	0.18	140	R			From: 82-613 SOUTH						NA		NA		10/22/2003
(778) Brenneman Ch Rd	0.93	190	R			To: 82-752 WEST						NA		NA		09/21/2000
						From: 82-752 EAST						NA		NA		09/21/2000
						To: 82-761						NA		NA		09/21/2000
						From: 82-910						NA		NA		09/21/2000
						To: 82-779						NA		NA		09/21/2000
						From: 0.12 ME 82-779						NA		NA		09/21/2000
						To: 82-706						NA		NA		09/21/2000
						From: SR 42						NA		NA		09/21/2000

Virginia Department of Transportation
 Mobility Management Division
 2004
 Annual Average Daily Traffic Volume Estimates By Section of Route
 Rockingham Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Rockingham County																
(779) Acker Ln	0.10	100	R			From: 82-910						NA		NA		01/06/2004
(779) Acker Ln	0.60	30	R			To: 82-778						NA		NA		10/22/2003
(779) Acker Ln						To: 82-721										
(780) Frog Hollow Rd	0.50	40	R			From: 82-613						NA		NA		10/29/2003
(780) Frog Hollow Rd	0.60	60	R			To: 82-781						NA		NA		10/29/2003
(780) Frog Hollow Rd						To: 82-752 WEST										
(780) Joes Creek Rd	2.10	60	R			From: 82-752 EAST						NA		NA		01/06/2004
(780) Shaver Mill Rd	1.80	60	R			To: 82-910						NA		NA		10/22/2003
(780) Shaver Mill Rd						To: SR 42 SOUTH										
(780) Lindale Rd	0.70	80	R			From: SR 42 NORTH						NA		NA		10/22/2003
(780) Lindale Rd						To: 82-753										
(781) Wills Creek Rd	1.10	80	R			From: 82-613						NA		NA		10/29/2003
(781) Wills Creek Rd						To: 82-780						NA		NA		10/29/2003
(781) Wills Creek Rd	1.10	60	R			From: 82-752						NA		NA		10/29/2003
(781) Wills Creek Rd						To: 82-752										
(782) Williamsburg Rd	1.00	40	R			From: 82-785						NA		NA		10/29/2003
(782) Williamsburg Rd						To: 82-617						NA		NA		11/03/2003
(782) Williamsburg Rd	2.01	48	R			From: SR 42						NA		NA		11/03/2003
(782) Williamsburg Rd						To: SR 42										
(783) Frank Lane Rd	0.70	260	R			From: 82-776						NA		NA		10/29/2003
(783) Frank Lane Rd						To: 82-613						NA		NA		10/29/2003
(783) John Brock Rd	0.90	200	R			From: 82-753						NA		NA		09/18/2000
(783) John Brock Rd						To: 82-753										
(784) Tide Spring Rd	0.89	50	R			From: 82-752						NA		NA		11/03/2003
(784) Tide Spring Rd						To: 0.89 ME 82-752						NA		NA		11/03/2003
(784) Tide Spring Rd	0.51	60	R			From: 82-617 NORTH						NA		NA		11/03/2003
(784) Tide Spring Rd						To: 82-617 SOUTH										
(784) Klines Mill Rd	1.58	60	R			From: SR 42						NA		NA		11/03/2003
(784) Klines Mill Rd						To: SR 42										
(785) Shultztown Rd	0.50	80	R			From: 82-753						NA		NA		10/29/2003
(785) Shultztown Rd						To: 82-782						NA		NA		10/29/2003
(785) Shultztown Rd	0.50	60	R			From: 82-752; 82-784						NA		NA		10/29/2003
(785) Shultztown Rd						To: 82-752; 82-784										
(786) Cedar Run Ln	0.70	80	R			From: 82-880						NA		NA		10/29/2003
(786) Cedar Run Ln						To: 82-752 SOUTH										
(786) Cedar Run Ln	2.00	170	R			From: 82-752 NORTH						NA		NA		11/03/2003
(786) Cedar Run Ln						To: 82-617										
(787) Horn Mill Dr	0.30	50	R			From: 82-613						NA		NA		10/29/2003
(787) Horn Mill Dr						To: Dead End										

Virginia Department of Transportation
 Mobility Management Division
 2004
 Annual Average Daily Traffic Volume Estimates By Section of Route
 Rockingham Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Rockingham County																
(788) Flank Cir	0.25	10	R			From: 82-708 WEST To: 82-708 EAST					NA			NA		09/02/2003
(789) Strooptown Rd	1.10	350	R			From: 82-617 To: 1.10 MN 82-617					NA			NA		08/28/2000
(789) Strooptown Rd	1.20	350	R			From: 82-792 To: 82-790 SOUTH					NA			NA		08/28/2000
(789) Andrick Mill Rd	0.70	420	R			From: 82-790 SOUTH To: 82-790 NORTH					NA			NA		10/06/2003
(789) Andrick Mill Rd	0.40	340	R			From: 82-790 NORTH To: 82-881					NA			NA		08/24/2000
(790) Veters Rd	1.20	120	R			From: 82-613 To: 1.20 ME 82-613					NA			NA		10/06/2003
(790) Veters Rd	1.00	160	R			From: 82-789 SOUTH To: 82-789 NORTH					NA			NA		10/06/2003
(790) Getz Dr	1.40	160	R			From: 82-789 NORTH To: 82-617					NA			NA		08/28/2000
(791) Byrd Orchard Rd	0.70	30	R			From: 82-614 To: 82-615					NA			NA		10/06/2003
(792) Crossroads Ln	0.40	100	R			From: Dead End To: 0.40 ME Dead End					NA			NA		10/06/2003
(792) Crossroads Ln	0.30	260	R			From: 82-789 To: 82-617					NA			NA		10/06/2003
(792) Crossroads Ln	1.00	720	R			From: 82-618 To: 82-619					NA			NA		08/28/2000
(793) Long Meadow Dr	1.40	340	G	99%	0%	1%	0%	0%	0%	C	0.099	F	0.5	350	G	2004
(793) Long Meadow Dr	1.00	400	R			From: 82-619 To: 82-799 SOUTH					NA			NA		08/21/2000
(793) Hupp Rd	0.10	360	R			From: 82-799 SOUTH To: 82-799 NORTH					NA			NA		08/24/2000
(793) Concord Ch Rd	1.00	290	R			From: 82-799 NORTH To: 82-797					NA			NA		08/24/2000
(793) Concord Ch Rd	0.70	290	R			From: 82-797 To: 82-983					NA			NA		08/21/2000
(793) Concord Ch Rd	0.54	330	R			From: 82-983 To: US 11 NORTH US 11 SOUTH					NA			NA		08/21/2000
(793) Endless Caverns Rd	1.00	310	R			From: US 11 NORTH US 11 SOUTH To: 82-850					NA			NA		08/21/2000
(793) Endless Caverns Rd	0.20	280	R			From: 82-850 To: 82-620					NA			NA		08/21/2000
(794) Craney Island Rd	1.28	130	R			From: US 11 To: 82-620					NA			NA		08/21/2000

Virginia Department of Transportation
 Mobility Management Division
 2004
 Annual Average Daily Traffic Volume Estimates By Section of Route
 Rockingham Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Rockingham County																
(795) Fairview Ch Rd	1.00	60	R			From: US 11 To: Dead End					NA			NA		08/24/2000
(796) Kagey Rd	0.60	130	R			From: 82-799 To: 82-797 WEST					NA			NA		12/22/2003
(796) Kagey Rd	0.20	140	R			From: 82-797 EAST To: 82-982					NA			NA		08/24/2000
(796) Kagey Rd	0.50	100	R			From: 82-982 To: US 11 SOUTH To: US 11 NORTH					NA			NA		10/06/2003
(796) Moores Mill Rd	1.30	160	R			From: US 11 SOUTH To: 82-620					NA			NA		08/21/2000
(797) Oferell Dr	0.30	100	R			From: 82-798 To: 82-796 EAST To: 82-796 WEST					NA			NA		10/01/2003
(797) Newdale School Rd	1.20	40	R			From: 82-793 To: 82-1419					NA			NA		12/22/2003
(798) Hillyard Dr	1.10	150	R			From: 82-619 To: 82-799					NA			NA		10/16/2003
(798) Hillyard Dr	0.20	190	R			From: 82-799 To: 82-830 Bulldog Hollow					NA			NA		08/21/2000
(798) Hillyard Dr	0.50	60	R			From: 82-830 Bulldog Hollow To: 82-797					NA			NA		08/24/2000
(798) Tenth Legion Rd	1.00	90	R			From: 82-797 To: US 11					NA			NA		08/21/2000
(798) Tenth Legion Rd	1.09	200	R			From: US 11 To: 82-620 NORTH To: 82-620 SOUTH				C	0.1	F	0.564	560	G	2004
(798) Huff Trail	0.60	130	R			From: 82-620 SOUTH To: Dead End					NA			NA		10/01/2003
(799) Hupp Rd	1.00	130	R			From: 82-798 To: 82-796					NA			NA		10/16/2003
(799) Hupp Rd	1.00	90	R			From: 82-796 To: 82-793 SOUTH To: 82-793 NORTH					NA			NA		10/01/2003
(799) Hupp Rd	0.80	90	R			From: 82-793 NORTH To: 82-619 EAST To: 82-619 WEST					NA			NA		10/01/2003
(799) Piney Woods Rd	0.90	120	R			From: 82-619 WEST To: SR 211					NA			NA		10/06/2003
(799) Kay Dr	0.80	130	R			From: SR 211 To: Dead End					NA			NA		10/06/2003
(800) American Legion Dr	0.60	80	R			From: Dead End To: 82-801					NA			NA		12/03/2003
(800) American Legion Dr	0.66	140	R			From: 82-801 To: 82-1518					NA			NA		08/21/2000

Virginia Department of Transportation
 Mobility Management Division
 2004
 Annual Average Daily Traffic Volume Estimates By Section of Route
 Rockingham Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Rockingham County																
(800) American Legion Dr	0.20	400	R			From: 82-1518					NA			NA		08/21/2000
(800) Co-op Dr	0.01	1800	R			From: 82-618 SOUTH					NA			NA		10/16/2003
						To: SCL Timberville										
Town of Timberville																
(800) Co-op Dr	0.01	1800	N			From: SCL Timberville					NA			NA		10/16/2003
(800) Co-op Dr	0.36	1200	R			From: 82-618 NORTH					NA			NA		08/28/2000
						To: Dead End; Gap Terminus SR 42 S; Gap Terminus										
(800) Co-op Dr	0.06	5100	R			From: 82-1512 SOUTH					NA			NA		10/08/2003
(800) Co-op Dr	0.07	4800	R			From: 82-1511 SOUTH					NA			NA		08/30/2000
(800) Co-op Dr	0.02	4300	R			From: 82-1510 EAST					NA			NA		12/03/2003
(800) Co-op Dr	0.05	4700	R			From: 82-1510 WEST					NA			NA		08/28/2000
(800) Co-op Dr	0.04	4200	R			From: 82-1509					NA			NA		10/08/2003
(800) Co-op Dr	0.09	3000	R			From: 82-1508 SOUTH					NA			NA		10/08/2003
						To: WCL Timberville S										
Town of Broadway																
(801) Holsinger Rd	0.15	350	R			From: SR 42					NA			NA		08/24/2000
						To: ECL Broadway										
Rockingham County																
(801) Holsinger Rd	1.05	350	R			From: ECL Broadway					NA			NA		08/24/2000
(801) Holsinger Rd	0.70	380	R			From: 82-800					NA			NA		10/16/2003
						To: 82-619										
(802) Fairfield Dr	0.09	9	R			From: Dead End					NA			NA		08/25/2003
						To: 82-690										
(803) Daphna Rd	0.95	290	R			From: Dead End					NA			NA		09/18/2000
(803) Daphna Rd	1.00	730	G	94%	1%	From: 82-806 Lacey Spring Rd				F	0.088	F	0.570	750	G	2004
						To: 82-809										
(803) Daphna Rd	2.30	760	G	94%	1%	From: 82-809				F	0.097	F	0.513	780	G	2004
						To: 82-1421										
(803) Daphna Rd	0.23	30	G	94%	1%	From: SR 259				C	0.222	F	0.5	30	G	2004
						To: 82-809										
(804) Chenault Dr	0.20	40	R			From: 82-809					NA			NA		10/20/2003
						To: Dead End										
(805) Beacon Hill Rd	2.00	90	R			From: 82-721					NA			NA		10/22/2003
						To: 82-806										

Virginia Department of Transportation
 Mobility Management Division
 2004
 Annual Average Daily Traffic Volume Estimates By Section of Route
 Rockingham Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year	
						2Axle	3+Axle	1Trail	2Trail								
Rockingham County																	
(806) Lacy Spring Rd	1.00	780	G	96%	0%	2%	1%	1%	0%	F	0.097	F	0.553	800	G	2004	
				From:	82-803 Daphna Rd												
				To:	82-619 WEST												
(806) Lacy Spring Rd	1.30	570	R								NA		NA			10/20/2003	
				From:	82-619 EAST												
(806) Lacy Spring Rd	0.50	630	R								NA		NA			10/20/2003	
				From:	82-805												
				To:	US 11 NORTH												
(806) Martz Rd	3.40	1100	G	96%	0%	2%	1%	1%	0%	C	0.094	F	0.638	1100	G	2004	
				From:	US 11 SOUTH												
				To:	82-620												
(807) Koontz Corner Rd	2.57	200	R								NA		NA			10/01/2003	
				From:	82-806												
				To:	82-608												
(808) Big Spring Dr	0.17	30	R								NA		NA			10/01/2003	
				From:	US 11												
				To:	Dead End												
(809) Trissels Rd	1.04	530	G	97%	0%	2%	1%	1%	0%	F	0.115	F	0.654	540	G	2004	
				From:	82-752												
(809) Trissels Rd	1.12	770	G	97%	0%	2%	1%	1%	0%	C	0.117	F	0.642	800	G	2004	
				From:	82-617 WEST												
				To:	SR 42												
(809) Zions Church Rd	0.80	320	R								NA		NA			09/18/2000	
				From:	82-804												
(809) Zions Church Rd	0.30	300	R								NA		NA			10/19/2000	
				From:	82-803 Daphna Rd												
(809) Zions Church Rd	0.33	90	R								NA		NA			10/20/2003	
				From:	0.33 ME 82-803												
(809) Zions Church Rd	0.87	80	R								NA		NA			10/20/2003	
				From:	82-619 NORTH												
(809) Old Sawmill Rd	2.20	310	R								NA		NA			09/14/2000	
				From:	82-619 SOUTH												
				To:	US 11 SOUTH												
(809) Wesley Chapel Rd	0.24	10	R								NA		NA			10/01/2003	
				From:	US 11 NORTH												
				To:	Dead End												
(810) Harness Shop Rd	0.40	140	R								NA		NA			10/23/2003	
				From:	82-831												
				To:	82-737												
(811) Fridleys Gap Rd	2.35	360	R								NA		NA			08/21/2000	
				From:	82-717												
				To:	82-620												
(812) Bowers Lane	0.64	230	R								NA		NA			10/08/2003	
				From:	82-612												
				To:	82-613 SOUTH												
(812) Wine Store Lane	1.50	60	R								NA		NA			10/08/2003	
				From:	82-613 NORTH												
				To:	82-614												
(813) Lindhaven Rd	0.80	20	R								NA		NA			10/08/2003	
				From:	82-611												
				To:	GW Natl For Bndy												
(813) Lindhaven Rd	1.30	46	R								NA		NA			10/08/2003	
				From:	82-612												
				To:	Dead End												
(814) Winfield Rd	0.20	40	R								NA		NA			08/30/2000	
				From:	82-815												
				To:													

Virginia Department of Transportation
 Mobility Management Division
 2004
 Annual Average Daily Traffic Volume Estimates By Section of Route
 Rockingham Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Rockingham County																
(815) Third Hollow Rd	0.60	620	G	98%	0%	1%	0%	0%	0%	C	0.143	F	0.696	640	G	2004
(815) Hollow Rd	1.45	70	R										NA	NA		09/05/2000
(815) Hollow Rd	0.60	20	R										NA	NA		11/03/2003
(816) Turner Run Rd	0.50	190	R										NA	NA		08/30/2000
(817) Genoa Rd	1.90	60	R										NA	NA		01/06/2003
(817) Genoa Rd	1.40	70	R										NA	NA		01/06/2003
(817) Third Hill Rd	0.40	310	R										NA	NA		08/30/2000
(817) Third Hill Rd	0.10	160	R										NA	NA		11/03/2003
(817) Third Hill Rd	0.79	130	R										NA	NA		11/03/2003
(817) Third Hill Rd	0.43	140	R										NA	NA		11/03/2003
(817) Third Hill Rd	0.14	170	R										NA	NA		10/03/2003
(818) Little Dry River Rd	1.45	8	R										NA	NA		01/06/2004
(818) Little Dry River Rd	2.90	190	R										NA	NA		08/30/2000
(818) Little Dry River Rd	3.52	430	G	96%	1%	1%	1%	1%	0%	F	0.088	F	0.525	440	G	2004
(818) Little Dry River Rd	0.69	590	G	96%	1%	1%	1%	1%	0%	C	0.092	F	0.527	610	G	2004
(819) Yankeetown Rd	1.03	80	R										NA	NA		09/11/2000
(820) Berton Rd	2.00	1200	G	94%	1%	2%	2%	1%	0%	C	0.096	F	0.733	1200	G	2004
(820) Berton Rd	0.50	880	G	94%	1%	2%	2%	1%	0%	F	0.085	F	0.546	910	G	2004
(820) Crab Run Rd	0.40	480	G	94%	1%	2%	2%	1%	0%	F	0.110	F	0.642	490	G	2004
(820) Crab Run Rd	1.70	330	G	94%	1%	2%	2%	1%	0%	F	0.109	F	0.645	340	G	2004
(820) Crab Run Rd	0.50	210	R										NA	NA		10/30/2003
(820) Crab Run Rd	1.00	200	R										NA	NA		09/05/2000
(821) Millers Rd	0.30	190	R										NA	NA		10/21/2003

Virginia Department of Transportation
 Mobility Management Division
 2004
 Annual Average Daily Traffic Volume Estimates By Section of Route
 Rockingham Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Rockingham County																
(822) Arbuckle Rd	2.70	80	R			From: 82-820 SOUTH					NA			NA		10/30/2003
(822) Arbuckle Rd	0.40	80	R			From: 82-666					NA			NA		10/30/2003
(822) Arbuckle Rd						To: 82-820 NORTH										
(823) Overly Hollow	4.40	90	R			From: West Virginia State Line					NA			NA		10/30/2003
(823) Overly Hollow						To: 82-865										
(824) Bennett Run Rd	3.15	30	R			From: Dead End					NA			NA		01/06/2004
(824) Bennett Run Rd	1.15	90	R			From: 3.15 ME Dead End					NA			NA		09/05/2000
(824) Bennett Run Rd						To: 82-865										
(825) South River Rd	1.22	3100	G	97%	1%	1%	1%	0%	0%	C	0.089	F	0.64	3200	G	2004
(825) South River Rd						From: NCL Grottoes										
(825) South River Rd						To: 82-659										
(826) Criders Rd	2.70	60	R			From: Dead End					NA			NA		10/30/2003
(826) Criders Rd	1.10	160	R			From: 2.70 ME Dead End					NA			NA		08/30/2000
(826) Criders Rd	1.70	470	R			From: 82-865					NA			NA		09/05/2000
(826) Criders Rd	2.20	640	G	96%	1%	1%	0%	1%	0%	C	0.086	F	0.535	660	G	2004
(826) Criders Rd						From: 82-700										
(826) Criders Rd						To: 82-820										
(828) Stoney Lick Rd	1.60	100	R			From: 82-668					NA			NA		08/27/2003
(828) Stoney Lick Rd						To: 82-671										
(829) Independent Rd	0.05	320	R			From: 82-981					NA			NA		09/16/2003
(829) Mt Hermon Rd	0.45	120	R			From: US 33					NA			NA		08/10/2000
(829) Mt Hermon Rd						To: 82-979										
(830) Mauzy Lane	0.50	70	R			From: SR 259 WEST					NA			NA		10/20/2003
(830) Mauzy Lane						To: SR 259 MID										
(830) Mauzy Lane						From: SR 259 EAST										
(830) Bulldog Hollow	1.30	160	G	91%	2%	1%	3%	3%	0%	C	0.138	F	0.5	160	G	2004
(830) Bulldog Hollow						To: 82-798										
(831) Harness Shop Rd	1.00	80	R			From: 82-914					NA			NA		10/21/2003
(831) Bumblebee Rd	0.40	40	R			From: 82-810					NA			NA		10/23/2003
(831) Bumblebee Rd						To: 82-732										
(832) Short Lane	0.05	40	R			From: Shenandoah County Line					NA			NA		08/28/2000
(832) Short Lane						To: 82-613										
(833) Longbow Rd	0.30	70	R			From: 82-684					NA			NA		09/29/2003
(833) Longbow Rd						To: Dead End										
(835) Whitney Ln	0.60	30	R			From: 82-747					NA			NA		09/29/2003
(835) Whitney Ln						To: SR 42										
(836) Lakeview Circle	0.06	60	R			From: Cul-de-Sac					NA			NA		09/29/2003
(836) Lakeview Circle						To: 82-689										

Virginia Department of Transportation
 Mobility Management Division
 2004
 Annual Average Daily Traffic Volume Estimates By Section of Route
 Rockingham Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Rockingham County																
(837) St Michaels Lane	0.15	30	R			From: 82-699					NA			NA		07/13/2000
						To: Dead End										
(838) Old Trail Way	0.11	20	R			From: 82-753					NA			NA		09/16/2003
						To: Dead End										
(840) Bridger Rd	0.05	500	R			From: 82-732					NA			NA		09/28/2000
						To: US 33										
(841) Short Run Rd	0.32	180	R			From: Dead End					NA			NA		09/16/2003
						To: 82-625										
(842) Mountain Grove Rd	1.02	140	R			From: US 33 WEST					NA			NA		08/10/2000
						To: US 33 EAST										
(842) Slate Rd	0.40	300	R			From: 82-654; 82-996					NA			NA		08/17/2000
						To: 82-651										
(843) Cemetary Rd	0.50	90	R			From: 82-641					NA			NA		09/09/2003
						To: 0.69 MN 82-641										
(843) Town Hall Rd	0.41	100	R			From: 82-996 NORTH					NA			NA		07/31/2000
						To: 82-996 SOUTH										
(844) Aspen Ave	0.26	390	R			From: Augusta County Line					NA			NA		09/02/2003
						To: SCL Grottoes										
(845) Cowan Ln	0.20	110	R			From: US 11					NA			NA		08/21/2000
						To: Dead End										
(846) Western View	0.60	20	R			From: 82-989					NA			NA		08/25/2003
						To: 82-681										
(847) Rawley Springs Rd	0.40	210	R			From: Dead End					NA			NA		09/28/2000
						To: US 33										
(848) Artillery Rd	1.60	490	R			From: 82-671					NA			NA		08/27/2003
						To: 82-659										
(850) Hulings Ln	1.40	60	R			From: US 11					NA			NA		08/21/2000
						To: 82-793										
(851) Isaac Lane	0.10	90	R			From: 82-710					NA			NA		07/17/2000
						To: Cul-de-Sac										
(853) Grace Chapel Rd	0.20	120	R			From: SR 42 SOUTH					NA			NA		10/28/2003
						To: 82-910										
(853) Grace Chapel Rd	0.30	80	R			From: SR 42 NORTH					NA			NA		10/28/2003
						To: Dead End										
(854) Kaylor Lane	0.10	60	R			From: 82-679					NA			NA		08/22/2003
						To: 82-679										

Virginia Department of Transportation
 Mobility Management Division
 2004
 Annual Average Daily Traffic Volume Estimates By Section of Route
 Rockingham Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Rockingham County																
(855) Mt. Sinai Rd	0.15	120	R			From: Dead End To: 82-637					NA			NA		08/17/2000
(856) Settlers Rd	1.00	320	R			From: Dead End To: 82-340					NA			NA		08/07/2000
(856) Frog Pond Rd	0.20	40	R			From: US 340 To: 0.20 MW US 340					NA			NA		12/22/2003
(857) Scenic Rd	0.12	40	R			From: Dead End To: 82-858					NA			NA		12/22/2003
(857) Scenic Rd	0.58	180	R			From: 82-609 To: 82-609					NA			NA		09/16/2003
(858) Northview Ln	0.22	80	R			From: 82-857 To: Dead End					NA			NA		09/16/2003
(859)	0.27	110	R			From: SR 42 To: 82-721					NA			NA		09/18/2000
(859)	0.69	130	R			From: 82-780 SOUTH To: 82-780 SOUTH					NA			NA		09/18/2000
(859)	0.11	130	R			From: 82-780 NORTH To: 82-780 NORTH					NA			NA		09/18/2000
(859)	0.03	NA				From: Dead End To: Dead End					NA			NA		
(860) Earmans Loop	0.37	90	R			From: 82-718 WEST To: 82-718 EAST					NA			NA		09/29/2003
(861) Offenbacker Rd	0.14	150	R			From: 82-759 To: 82-638					NA			NA		09/16/2003
(863) Showalter Rd	0.47	60	R			From: Dead End To: 82-668					NA			NA		08/27/2003
(865) German River Rd	1.80	150	R			From: Dead End To: 82-826 WEST					NA			NA		08/30/2000
(865) Criders Rd	0.60	390	R			From: 82-826 EAST To: 82-826 EAST					NA			NA		10/30/2003
(865) Dovesville Rd	2.10	60	R			From: 82-824 To: 82-824					NA			NA		08/30/2000
(865) Bergton Rd	1.12	200	R			From: 82-823 To: 82-823					NA			NA		10/30/2003
(865) Bergton Rd	1.40	410	G	97%	2%	0%	0%	0%	0%	C	0.1	F	0.659	420	G	2004
(866) Turleytown Rd	0.01	510	R			From: 82-613 To: SR 259					NA			NA		09/07/2000
(867) Old Bridgewater Rd	0.54	780	G	93%	1%	2%	2%	2%	0%	F	0.101	F	0.532	800	G	2004
						From: WCL Mt Crawford To: WCL Mt Crawford										
Town of Mount Crawford																
(867) North River Rd	0.37	660	G	97%	1%	2%	0%	1%	0%	C	0.116	F	0.56	680	G	2004
						From: WCL Mt Crawford To: US 11										

Virginia Department of Transportation
 Mobility Management Division
 2004
 Annual Average Daily Traffic Volume Estimates By Section of Route
 Rockingham Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year	
						2Axle	3+Axle	1Trail	2Trail								
Town of Mount Crawford																	
(867) North River Rd	0.20	490	G	93%	1%	2%	2%	2%	0%	C	0.091	F	0.633	500	G	2004	
				From:	US 11												
				To:	ECL Mt Crawford												
Rockingham County																	
(867) North River Rd	1.09	280	G	93%	1%	2%	2%	2%	0%	F	0.116	F	0.507	290	G	2004	
				From:	ECL Mt Crawford												
(867) North River Rd	0.57	400	G	93%	1%	2%	2%	2%	0%	F	0.111	F	0.5	410	G	2004	
				From:	82-693												
				To:	82-682												
(868) Airey Ln	0.30	130	R								NA		NA			10/01/2003	
				From:	82-722												
				To:	Dead End												
(869) Sweetwater Rd	0.30	40	R								NA		NA			10/14/2003	
				From:	Dead End												
				To:	82-742												
(870) Wright Ln	0.10	40	R								NA		NA			10/16/2003	
				From:	Dead End												
				To:	82-748												
(871) George Wine Rd	1.09	60	R								NA		NA			01/12/2004	
				From:	SR 257												
				To:	82-613												
(872) Hightown Ln	0.50	170	R								NA		NA			10/20/2003	
				From:	82-619												
				To:	82-721												
(873) Wentworth Dr	0.60	110	R								NA		NA			10/20/2003	
				From:	82-619												
(873) Wentworth Dr	0.80	100	R								NA		NA			10/20/2003	
				From:	0.60 MN 82-619												
				To:	SR 259												
(874) Lohr Ln	1.10	340	R								NA		NA			10/06/2003	
				From:	82-617												
				To:	82-616												
(875) Heatwole Rd	1.10	150	R								NA		NA			09/28/2000	
				From:	US 33												
				To:	82-752												
(876) Kieffer Rd	0.04	210	R								NA		NA			09/21/2000	
				From:	82-613												
				To:	82-889												
(876) Kieffer Rd	0.11	160	R								NA		NA			09/21/2000	
				From:	82-889												
(876) Kieffer Rd	0.51	40	R								NA		NA			10/29/2003	
				From:	0.11 ME 82-889												
				To:	82-752												
(877) Baxter Ln	0.50	140	R								NA		NA			10/29/2003	
				From:	82-773												
				To:	82-774												
(878) Hawse Rd	0.90	120	R								NA		NA			10/29/2003	
				From:	82-753												
(878) Fort Turley Trail	0.90	190	R								NA		NA			09/11/2000	
				From:	82-879												
				To:	82-613												
(879) Fox Turkey Trail	0.60	230	N								NA		NA			09/07/2000	
				From:	82-878												
				To:	82-880												
(879) Cherry Grove Rd	0.30	230	R								NA		NA			09/07/2000	
				From:	82-880												
				To:	82-752												

Virginia Department of Transportation
 Mobility Management Division
 2004
 Annual Average Daily Traffic Volume Estimates By Section of Route
 Rockingham Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Rockingham County																
(880) John Kline Rd	1.60	40	R			From: 82-879					NA			NA		10/29/2003
(880) John Kline Rd	0.50	30	R			From: 82-786					NA			NA		10/29/2003
(880) Calvin Lane	0.10	10	R			From: Dead End: Gap Terminus					NA			NA		10/29/2003
(881) Orchard Dr	1.73	1100	G	96%	0%	From: 82-613				F	0.103	F	0.5	1100	G	2004
(881) Orchard Dr	0.36	1200	G	96%	0%	From: 82-789				F	0.103	F	0.675	1200	G	2004
(881) Orchard Dr	1.55	1800	G	96%	0%	From: 82-614				F	0.093	F	0.594	1800	G	2004
						To: NCL Timberville										
Town of Timberville																
(881) Orchard Dr	0.24	2000	G	96%	0%	From: NCL Timberville				C	0.088	F	0.65	2000	G	2004
						To: SR 42										
Rockingham County																
(882)	0.21	30	R			From: 82-721					NA			NA		09/18/2000
						To: 82-753										
(883) Cook Town Rd	1.10	500	R			From: Dead End					NA			NA		10/05/2000
						To: 82-731										
(884) Homestead Rd	1.15	310	R			From: Dead End					NA			NA		08/07/2000
						To: US 340										
(885) James Branch Rd	0.50	110	R			From: 82-620					NA			NA		10/01/2003
						To: Dead End										
(886) Mckeever Ln	0.15	2	R			From: Dead End					NA			NA		10/22/2003
						To: 82-765										
(887) Journeys End Ln	0.10	30	R			From: 82-690					NA			NA		08/18/2003
						To: Dead End										
(888) Waystation Rd	0.20	60	R			From: 82-727					NA			NA		08/18/2003
						To: Dead End										
(889) Glen School Cir	0.24	50	R			From: 82-613					NA			NA		10/29/2003
						To: 82-876										
(890) Buckley Rd	0.70	20	R			From: 82-619					NA			NA		10/06/2003
						To: Dead End										
(891) Mt Paran Ch Rd	0.49	140	R			From: 82-759					NA			NA		08/03/2000
						To: Dead End										
(892) Mountain Farm Rd	1.40	390	R			From: 82-754					NA			NA		07/31/2000
						To: Dead End										
(893) Allen Rd	0.08	80	R			From: 82-659					NA			NA		08/21/2003
						To: Dead End										

Virginia Department of Transportation
 Mobility Management Division
 2004
 Annual Average Daily Traffic Volume Estimates By Section of Route
 Rockingham Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Rockingham County																
(894) Memorial Ln	0.16	60	R			From: 82-895 To: 82-710					NA			NA		08/21/2003
(895) Fielddale Pl	0.09	520	R			From: WCL Harrisonburg To: 82-896					NA			NA		07/20/2000
(895) Fielddale Pl	0.02	730	R			From: 82-896 To: 0.02 ME 82-896					NA			NA		08/25/2003
(895) Fielddale Pl	0.18	820	R			From: 82-894 To: 82-710					NA			NA		08/21/2003
(895) Fielddale Pl	0.04	670	R			From: 82-710 To: 82-895					NA			NA		07/17/2000
(896) Sherwood Ct	0.15	270	R			From: Cul-de-Sac To: Cul-de-Sac					NA			NA		08/21/2003
(897) Robin Hood Court	0.09	270	R			From: 82-895 To: 82-705					NA			NA		07/17/2000
(898) Pleasants Drive	0.51	1200	R			From: 82-705 To: 82-679					NA			NA		07/17/2000
(899) Old Turn Pike Road	0.10	60	R			From: Dead End To: 82-655					NA			NA		09/24/2003
(900) Mckinery Rd	0.06	40	R			From: Dead End To: 82-639					NA			NA		10/16/2003
(908) Pulses Hill Lane	0.33	110	R			From: Dead End To: 82-753					NA			NA		12/22/2003
(909) Silver Creek Rd	0.80	350	R			From: 82-752 To: 82-748					NA			NA		10/05/2000
(910) Garbers Ch Rd	0.55	2700	G	90%	1%	1%	4%	4%	0%	C	0.081	F	0.524	2800	G	2004
(910) Switchboard Rd	1.16	1700	G	90%	1%	1%	4%	4%	0%	F	0.109	F	0.560	1700	G	2004
(910) Fort Lynne Rd	0.50	590	G	90%	1%	1%	4%	4%	0%	F	0.110	F	0.667	600	G	2004
(910) Fort Lynne Rd	0.90	500	G	90%	1%	1%	4%	4%	0%	F	0.113	F	0.6	520	G	2004
(910) Fort Lynne Rd	0.30	390	G	90%	1%	1%	4%	4%	0%	F	0.115	F	0.65	400	G	2004
(910) Fort Lynne Rd	1.30	280	G	90%	1%	1%	4%	4%	0%	F	0.133	F	0.620	290	G	2004
(910) Grist Mill Rd	0.30	140	R			From: 82-772 To: 82-777					NA			NA		10/22/2003
(910) Grist Mill Rd	1.10	140	R			From: 82-777 To: 82-779					NA			NA		10/19/2000
(910) Grist Mill Rd	0.40	210	R			From: 82-779 To: 82-721					NA			NA		10/22/2003

Virginia Department of Transportation
 Mobility Management Division
 2004
 Annual Average Daily Traffic Volume Estimates By Section of Route
 Rockingham Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Rockingham County																
(910) Grist Mill Rd	0.90	80	R			From: 82-721						NA		NA		10/22/2003
						To: 82-780										
(911) Bellview Rd	0.40	210	R			From: US 33						NA		NA		09/21/2000
						To: Dead End										
(912) Lory Mathias Ln	0.14	80	R			From: Dead End						NA		NA		10/08/2003
						To: SR 259										
(913) Mole Hill Rd	1.58	160	R			From: 82-732						NA		NA		10/16/2000
						To: 82-736 NORTH										
(913) Silling Rd	0.40	270	R			From: 82-736 SOUTH						NA		NA		10/16/2000
						To: 82-701										
(914) Onyx Hill Rd	0.25	110	R			From: Dead End						NA		NA		10/23/2003
						To: 82-734 NORTH										
(914) Harness Shop Rd	0.20	90	R			From: 82-734 SOUTH						NA		NA		10/23/2003
						To: 82-831										
(914) Majestic View Rd	0.60	70	R			From: 82-831						NA		NA		10/21/2003
						To: 82-732										
(915) Potter John Ln	0.50	90	R			From: Dead End						NA		NA		10/14/2003
						To: 82-752										
(916) Dragon Fly Ln	0.10	40	R			From: 82-752						NA		NA		10/05/2000
						To: Dead End										
(917) Red Hill Rd	0.60	100	R			From: Dead End						NA		NA		08/30/2000
						To: SR 259										
Town of Mount Crawford																
(918)	0.25	100	R			From: US 11						NA		NA		08/18/2003
						To: 82-867										
(919)	0.05	110	R			From: US 11						NA		NA		07/13/2000
						To: ECL Mt Crawford										
Rockingham County																
(919)	0.03	110	R			From: ECL Mt Crawford						NA		NA		07/13/2000
						To: Dead End										
(920)	0.10	270	R			From: Dead End						NA		NA		07/13/2000
						To: SR 257										
(921) Lairs Run Rd	0.61	110	R			From: Dead End						NA		NA		08/30/2000
						To: SR 259										
(922) Ragtown Rd	0.40	70	R			From: 82-620						NA		NA		10/01/2003
						To: Dead End										
(923) Donnelly Drive	0.38	120	R			From: 82-727						NA		NA		10/16/2000
						To: Dead End										
(924) Briery Branch Rd	7.00	250	R			From: West Virginia State Line						NA		NA		10/16/2003
						To: SR 257										

Virginia Department of Transportation
 Mobility Management Division
 2004
 Annual Average Daily Traffic Volume Estimates By Section of Route
 Rockingham Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Rockingham County																
(925) Kezzletown Rd	1.03	1800	G	98%	0%	1%	0%	0%	0%	C	0.112	F	0.689	1800	G	2004
				From:	ECL Harrisonburg											
				To:	82-704											
(925) Kezzletown Rd	0.88	1600	G	98%	0%	1%	0%	0%	0%	F	0.106	F	0.664	1700	G	2004
				From:	82-620											
				To:	Dead End											
(929) Acorn Ln	0.02	60	R								NA		NA			08/30/2000
				From:	Dead End											
				To:	82-612											
(933) Union Springs Rd	1.38	300	R								NA		NA			10/14/2003
				From:	Dead End											
				To:	82-742											
(934) Henton Mill Ln	0.10	2	R								NA		NA			10/01/2003
				From:	82-717											
				To:	Dead End											
(935) Niswander Ln	0.40	80	R								NA		NA			10/27/2003
				From:	Dead End											
				To:	82-761											
(936)	0.05	NA									NA		NA			
				From:	82-752											
				To:	Dead End											
(937) Link Way	0.15	60	R								NA		NA			08/30/2000
				From:	82-818											
				To:	SR 259											
(938) Fawley Ln	0.22	40	R								NA		NA			08/30/2000
				From:	SR 259											
				To:	SR 259											
(940) Greenwood Rd	0.50	120	R								NA		NA			09/22/2003
				From:	Dead End											
				To:	82-602											
(942) Lairds Knob Dr	0.80	90	R								NA		NA			08/14/2000
				From:	82-620											
				To:	Dead End											
(946) Zirkle Ln	0.60	220	R								NA		NA			10/20/2003
				From:	SR 259											
				To:	Dead End											
(947) Milnes Rd	0.49	130	R								NA		NA			08/10/2000
				From:	82-602											
				To:	82-601											
(947) Milnes Rd	0.40	90	R								NA		NA			08/07/2000
				From:	82-601											
				To:	Dead End											
(948) Beard Woods Ln	1.10	210	R								NA		NA			09/18/2000
				From:	Dead End											
				To:	82-721											
(949) Fox Hill Drive	0.98	190	R								NA		NA			07/27/2000
				From:	Dead End											
				To:	82-672											
(953) Plains Mill Rd	2.20	60	R								NA		NA			08/24/2000
				From:	SR 211											
				To:	Shenandoah County Line											
(955) Jacksons Way	0.10	160	R								NA		NA			09/09/2003
				From:	82-1603											
				To:	82-1604											
(955) Jacksons Way	1.75	100	R								NA		NA			09/09/2003
				From:	82-1604											
				To:	US 340											

Virginia Department of Transportation
 Mobility Management Division
 2004
 Annual Average Daily Traffic Volume Estimates By Section of Route
 Rockingham Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year																								
						2Axle	3+Axle	1Trail	2Trail																															
Rockingham County																																								
(958) Barbershop Ln	0.50	240	R			From: Dead End											NA	NA	07/31/2000																					
						To: 82-754																																		
(959) CC Turner Trail	0.80	160	R			From: 82-617													NA	NA	10/08/2003																			
						To: Dead End																																		
(960) Water Wheel Rd	0.30	80	R			From: 82-953															NA	NA	08/24/2000																	
						To: SR 211																																		
(961) Souder Ln	0.50	50	R			From: Dead End																	NA	NA	01/06/2004															
						To: 82-820																																		
(963) Windy Knoll Dr	0.20	90	R			From: 82-963																		NA	NA	08/14/2000														
						To: US 11																																		
(964) Road 1	0.13	20	R			From: 82-963																			NA	NA	08/14/2000													
						To: Dead End																																		
(965) Old Barn Ln	0.30	300	R			From: 82-607																				NA	NA	09/16/2003												
						To: Dead End																																		
(967) Mapleton Ln	0.15	10	R			From: 82-708																					NA	NA	09/02/2003											
						To: Dead End																																		
(972) Millertown Rd	0.50	220	R			From: Dead End																					NA	NA	08/30/2000											
						To: 82-612																																		
(976) Katie Street	0.04	NA				From: 82-978																																		
						To: Cul-de-Sac																																		
(978)	0.09	50	R			From: 82-996																											NA	NA	08/10/2000					
						To: 82-999																																		
(979) Stephen Conrad Rd	0.64	280	R			From: 82-602																												NA	NA	09/16/2003				
						To: 82-829																																		
(979) Mt Hermon Rd	0.26	290	R			From: 82-829																														NA	NA	08/10/2000		
						To: US 33																																		
(979) Solsburg Rd	0.10	130	R			From: US 33																															NA	NA	08/10/2000	
						To: 82-981																																		
(980) Honeysuckle Rd	0.50	240	R			From: 82-981																															NA	NA	08/14/2000	
						To: 82-640																																		
(981) Rockingham Pike	2.63	620	R			From: US 33 WEST																															NA	NA	08/10/2000	
						To: 82-979																																		
(981) Rockingham Pike	0.22	780	R			From: 82-979																																NA	NA	08/10/2000
						To: US 33 EAST																																		
(982) Feed Rd	0.06	20	R			From: 82-796																																NA	NA	10/01/2003
						To: Dead End																																		
(983) Quartermile Rd	0.25	30	R			From: 82-793																																NA	NA	10/01/2003
						To: Dead End																																		

Virginia Department of Transportation
 Mobility Management Division
 2004
 Annual Average Daily Traffic Volume Estimates By Section of Route
 Rockingham Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Rockingham County																
(984) Sellers Ln	0.11	47	R			From: SR 259 WEST						NA		NA		09/14/2000
						To: SR 259 EAST										
(985) Pickering Ln	0.24	40	R			From: Dead End						NA		NA		08/21/2000
						To: US 11										
(986) Stony Point Rd	0.62	90	R			From: 82-806						NA		NA		08/21/2000
						To: 82-987										
(986) Stony Point Rd	0.83	60	R			From: Dead End						NA		NA		10/01/2003
						To: Dead End										
(987) Dogtown Rd	0.14	10	R			From: 82-986						NA		NA		10/01/2003
						To: Dead End										
(988) Scholars Rd	1.37	100	R			From: 82-682						NA		NA		08/21/2003
						To: 82-681 NORTH										
(988) Scholars Rd	0.30	260	R			From: 82-681 SOUTH						NA		NA		07/13/2000
						To: 82-689										
(988) Scholard Rd	0.50	240	R			From: 82-989						NA		NA		07/13/2000
						To: 82-989										
(988) Scholard Rd	0.80	330	R			From: 82-704 NORTH						NA		NA		07/13/2000
						To: 82-704 SOUTH										
(988) Early Rd	0.30	1400	R			From: 82-705						NA		NA		07/17/2000
						To: 82-705										
(988) Early Rd	0.42	1800	R			From: SCL Harrisonburg						NA		NA		07/17/2000
						To: SCL Harrisonburg										
(989) Creekside Dr	0.37	90	R			From: 82-682						NA		NA		08/18/2003
						To: Dead End; Gap Terminus										
(989) Valley Branch Rd	0.40	30	R			From: 82-846						NA		NA		08/21/2003
						To: 82-846										
(989) Valley Branch Rd	0.40	90	R			From: 82-988						NA		NA		08/25/2003
						To: 82-988										
(990) Imboden Rd	0.20	190	R			From: US 11						NA		NA		07/13/2000
						To: 0.20 ME US 11										
(990) Imboden Rd	0.40	190	R			From: 0.60 ME US 11						NA		NA		07/13/2000
						To: 0.60 ME US 11										
(990) Imboden Rd	0.80	60	R			From: Dead End						NA		NA		08/25/2003
						To: Dead End										
(991) Warble Rd	0.19	80	R			From: Dead End						NA		NA		08/14/2000
						To: US 33										
(991) Conn Rd	0.21	480	R			From: 82-996 WEST						NA		NA		08/14/2000
						To: 82-996 EAST										
(991) Jacob Burner Rd	1.08	330	R			From: 82-641						NA		NA		07/31/2000
						To: 82-641										
(991) Jacob Burner Dr	0.25	270	R			From: 82-649						NA		NA		07/31/2000
						To: 82-649										
(992) Nucker Rd	0.30	210	R			From: Augusta County Line						NA		NA		09/09/2003
						To: FR-237; 82-691										

Virginia Department of Transportation
 Mobility Management Division
 2004
 Annual Average Daily Traffic Volume Estimates By Section of Route
 Rockingham Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Rockingham County																
(993) Greenhouse Rd	0.62	270	R			From: Augusta County Line					NA			NA		07/13/2000
(993) Greenhouse Rd	0.48	100	R			To: 0.62 MN OF CL					NA			NA		07/13/2000
(993) Greenhouse Rd						From: Dead End										
(994) Ironhorse Rd	1.10	110	R			To: Dead End					NA			NA		08/18/2003
(994) Ironhorse Rd	0.35	140	R			From: 1.10 MN Dead End					NA			NA		08/18/2003
(994) Ironhorse Rd						To: SR 276										
(995) Koiner Ford Rd	0.40	140	R			From: Dead End					NA			NA		08/18/2003
(995) Koiner Ford Rd	1.49	300	R			To: 82-693					NA			NA		07/13/2000
(995) Koiner Ford Rd	0.30	450	R			From: 82-678					NA			NA		07/13/2000
(995) Koiner Ford Rd						To: 82-682										
(996) McGaheysville Rd	0.82	1900	G	95%	2%	From: US 33 WEST				C	0.132	F	0.657	2000	G	2004
(996) McGaheysville Rd	1.57	2200	R			To: 82-672					NA			NA		05/19/2003
(996) McGaheysville Rd	0.78	2100	R			From: 82-843 WEST					NA			NA		09/24/2003
(996) McGaheysville Rd	0.98	1400	R			To: 82-649					NA			NA		09/24/2003
(996) McGaheysville Rd						From: US 33 EAST										
(997) Piano Ln	0.24	120	R			To: 82-996					NA			NA		09/24/2003
(997) Piano Ln						From: Dead End										
(998) Fairyland Ln	0.04	50	R			To: 82-996					NA			NA		09/24/2003
(998) Fairyland Ln						From: 82-996										
(999) Stumps Rd	0.08	20	R			To: Dead End: Gap Terminus					NA			NA		1999
(999) Stumps Rd	0.10	20	R			From: US 33					NA			NA		09/24/2003
(999) Stumps Rd						To: 82-689										
(1000) Lakewood Dr	0.29	410	R			From: 82-1002					NA			NA		08/25/2003
(1000) Lakewood Dr	0.08	280	R			To: 82-1001					NA			NA		08/25/2003
(1000) Lakewood Dr	0.11	300	R			From: 82-687					NA			NA		08/25/2003
(1000) Lakewood Dr						To: 82-1000										
(1001) Tahoe Court	0.06	60	R			From: Cul-de-Sac					NA			NA		08/25/2003
(1001) Tahoe Court						To: 82-1003										
(1002) Arrowhead Rd	0.08	550	R			From: 82-1004					NA			NA		08/25/2003
(1002) Arrowhead Rd	0.10	450	R			To: 82-1000					NA			NA		08/25/2003
(1002) Arrowhead Rd	0.20	170	R			From: Cul-de-Sac					NA			NA		08/25/2003

Virginia Department of Transportation
 Mobility Management Division
 2004
 Annual Average Daily Traffic Volume Estimates By Section of Route
 Rockingham Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year	
						2Axle	3+Axle	1Trail	2Trail								
Rockingham County																	
1003 Cumberland Dr	0.27	360	R			From: Dead End											08/21/2003
1003 Cumberland Dr	0.15	160	R			From: 82-1002											08/21/2003
						To: 82-688											
1004 Bluewater Rd	0.42	250	R			From: Dead End											08/21/2003
1004 Bluewater Rd	0.15	110	R			From: 82-1002											08/21/2003
						To: 82-688											
1005 Cresent Rd	0.10	100	R			From: Cul-de-Sac											08/25/2003
						To: 82-688											
1006 Winona Lane	0.09	280	R			From: 82-1004											07/17/2000
						To: 82-1003											
1007 Huron Court	0.18	180	R			From: Cul-de-Sac											07/17/2000
						To: 82-1000											
1010 Simmons Gap Rd	0.34	230	R			From: 82-630											09/11/2003
						To: 82-1011											
1010 Shady Acres Dr	0.36	130	R			From: Dead End											09/11/2003
						To: Dead End											
1011 Simmons Gap Rd	0.08	30	R			From: Dead End											09/11/2003
						To: 82-1010											
1013 Cullison Court	0.23	260	R			From: Cul-de-Sac											07/20/2000
						To: 82-704											
1014 Barrington Drive	0.23	NA				From: 82-704 Boyers Rd											
						To: 82-1016 Brookstone Drive											
1014 Barrington Drive	0.23	280	R			From: 82-704 Boyers Rd											07/20/2000
						To: 82-1014											
1015 Birkdale Court	0.07	70	R			From: Cul-de-Sac											07/20/2000
						To: Cul-de-Sac											
1016 Brookstone Drive	0.12	100	R			From: Cul-de-Sac											07/20/2000
						To: 82-1014											
1016 Brookstone Drive	0.08	70	R			From: Cul-de-Sac											07/20/2000
						To: Dead End											
1017	0.14	NA				From: Dead End											
						To: 82-1014 Barrington Drive											
1020 McCall Dr	0.07	260	R			From: 82-738											10/16/2000
						To: 82-1021											
1020 McCall Dr	0.07	150	R			From: 82-1022											10/16/2000
						To: Dead End											

Virginia Department of Transportation
 Mobility Management Division
 2004
 Annual Average Daily Traffic Volume Estimates By Section of Route
 Rockingham Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Rockingham County																
(1021) Dogwood Court	0.06	50	R			From: Cul-de-Sac					NA			NA		10/16/2000
						To: 82-1020										
(1022) Garden Pl	0.07	80	R			From: 82-1020					NA			NA		10/16/2000
						To: Cul-de-Sac										
Town of Mount Crawford																
(1023) Angler Landing	0.06	NA				From: 82-1024					NA			NA		
						To: 82-867										
(1024) Transom Court	0.10	NA				From: Cul-de-Sac					NA			NA		
						To: Cul-de-Sac										
Rockingham County																
(1025) Lakeview Dr	0.20	46	R			From: 82-689					NA			NA		07/17/2000
						To: Cul-de-Sac										
(1028)	0.17	NA				From: Cul-de-Sac					NA			NA		
						To: 82-687 Massanetta Spgs Rd										
(1030) Lucy Long Dr	0.48	660	R			From: 82-1031					NA			NA		07/20/2000
						To: 82-689										
(1031) Traveler Road	0.59	210	R			From: Dead End					NA			NA		09/02/2003
						To: Dead End										
(1032) Ajax Lane	0.02	NA				From: 82-1031					NA			NA		
						To: Dead End										
(1033) Road 1	0.04	NA				From: 82-1031					NA			NA		
						To: Dead End										
(1040) Quail Run Drive	0.15	290	R			From: Bus US 33					NA			NA		08/10/2000
						To: 82-1041										
(1040) Quail Run Drive	0.08	160	R			From: 82-1041					NA			NA		08/10/2000
						To: 82-1042										
(1041) Morning Dove Lane	0.05	80	R			From: Dead End					NA			NA		08/10/2000
						To: 82-1040										
(1042) Chickadee Circle	0.05	60	R			From: Cul-de-Sac					NA			NA		08/10/2000
						To: 82-1040										
(1043)	0.06	NA				From: 82-843 Town Hall Rd					NA			NA		
						To: 82-1044										
(1044)	0.13	NA				From: Dead End					NA			NA		
						To: 82-1043										
(1050) Stony Run Drive	0.10	130	R			From: 82-647					NA			NA		08/14/2000
						To: 82-1052										
(1051) Creekside Court	0.09	70	R			From: Cul-de-Sac					NA			NA		08/14/2000
						To: 82-1050										

Virginia Department of Transportation
 Mobility Management Division
 2004
 Annual Average Daily Traffic Volume Estimates By Section of Route
 Rockingham Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Rockingham County																
(1052) Floyd Circle	0.07	70	R			From: Cul-de-Sac					NA		NA			08/14/2000
						To: 82-1050										
(1059)	0.12	NA				From: Cul-de-Sac					NA		NA			
						To: 82-00704(B)/										
(1060) Foxcroft Drive	0.39	360	R			From: Cul-de-Sac					NA		NA			08/18/2003
						To: 82-704; 82-712										
(1061) Houndschase Lane	0.31	160	R			From: Cul-de-Sac					NA		NA			08/18/2003
						To: 82-1060 NORTH										
(1062) Archers Lane	0.09	330	R			From: 82-1060					NA		NA			08/18/2003
						To: 82-704										
(1080) Whispering Pines Lane	0.11	270	R			From: 82-649 Island Ford Rd					NA		NA			09/24/2003
						To: 82-1081 White Pine Ct; 82-1082 Blue Spruce Ct										
(1080) Whispering Pines Lane	0.07	NA				From: 82-1081; 82-1082					NA		NA			
						To: Dead End										
(1081) White Pine Court	0.07	110	R			From: Cul-de-Sac					NA		NA			09/24/2003
						To: 82-1080; 82-1082										
(1082) Blue Spruce Court	0.06	90	R			From: 82-1080; 82-1081					NA		NA			09/24/2003
						To: Cul-de-Sac										
(1090) Three Leagues Road	0.20	NA				From: Dead End					NA		NA			
						To: 82-996										
(1093) Kristin Drive	0.14	220	R			From: Dead End					NA		NA			09/24/2003
						To: 82-842										
(1094) Kathleen Court	0.14	70	R			From: 82-1093 WEST					NA		NA			09/24/2003
						To: 82-1093 EAST										
(1109)	0.07	NA				From: 82-1101 Annexed Harrisonburg					NA		NA			
						To: 82-1102 Annexed Harrisonburg										
(1128) Dawn Drive	0.13	450	R			From: Cul-de-Sac					NA		NA			09/28/2000
						To: 82-1130										
(1129) Diana Court	0.16	320	R			From: 82-1128					NA		NA			09/28/2000
						To: Cul-de-Sac										
(1130) Covenant Dr	0.14	840	R			From: 82-1128					NA		NA			09/28/2000
						To: WCL Harrisonburg										
(1131) Emmaus Road	0.18	360	R			From: Dead End					NA		NA			09/28/2000
						To: 82-1130										
(1132) Grandview Dr	0.06	380	R			From: US 33					NA		NA			10/23/2003
						To: 82-1133										
(1132) Grandview Dr	0.26	240	R			From: Dead End					NA		NA			10/23/2003
						To: Dead End										

Virginia Department of Transportation
 Mobility Management Division
 2004
 Annual Average Daily Traffic Volume Estimates By Section of Route
 Rockingham Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Rockingham County																
(1133) Glendale Dr	0.08	110	R			From: 82-1132						NA		NA		10/23/2003
						To: Dead End										
(1134) Lincolnshire Dr	0.46	540	R			From: 82-763						NA		NA		10/23/2000
						To: Cul-de-Sac										
(1135) Belmont Dr	0.06	260	R			From: 82-702 WEST						NA		NA		10/23/2003
(1135) Belmont Dr	0.03	170	R			From: 82-1139						NA		NA		10/23/2003
(1135) Belmont Dr	0.04	190	R			From: 82-1138						NA		NA		10/23/2003
(1135) Belmont Dr	0.13	200	R			From: 82-1137						NA		NA		10/23/2003
(1135) Belmont Dr	0.05	260	R			From: 82-1136						NA		NA		10/23/2003
(1135) Belmont Dr	0.02	690	R			From: 82-702 EAST						NA		NA		1996
						To: US 33										
(1136) Abbott Circle	0.06	40	R			From: 82-1135						NA		NA		10/23/2003
						To: Cul-de-Sac										
(1137) Bel Ayr View	0.09	80	R			From: Cul-de-Sac						NA		NA		10/23/2003
						To: 82-1135										
(1138) Clement Dr	0.07	48	R			From: Dead End						NA		NA		10/28/2003
(1138) Clement Dr	0.16	100	R			From: 82-1141						NA		NA		10/28/2003
						To: 82-1135										
(1139) Flint Ave	0.22	320	R			From: 82-1135						NA		NA		10/23/2003
(1139) Flint Ave	0.07	410	R			From: 82-1140						NA		NA		10/23/2003
(1139) Flint Ave	0.20	600	R			From: 82-1141						NA		NA		10/28/2003
(1139) Flint Ave	0.12	800	R			From: 82-1142						NA		NA		10/28/2003
						To: 82-726										
(1140) Eckert Cir	0.06	40	R			From: Cul-de-Sac						NA		NA		10/23/2003
						To: 82-1139										
(1141) Dexter Dr	0.04	70	R			From: Dead End						NA		NA		10/28/2003
(1141) Dexter Dr	0.06	120	R			From: 82-1139						NA		NA		10/28/2003
						To: 82-1138										
(1142) Greenwood St	0.09	170	R			From: 82-1182						NA		NA		09/29/2000
(1142) Greenwood St	0.11	280	R			From: 82-1143						NA		NA		10/28/2003
						To: 82-1139										

Virginia Department of Transportation
 Mobility Management Division
 2004
 Annual Average Daily Traffic Volume Estimates By Section of Route
 Rockingham Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Rockingham County																
(1143) Hemlock St	0.30	190	R			From: 82-1146						NA		NA		10/28/2003
						To: 82-1142										
(1144) Rorrer Circle	0.19	90	R			From: Dead End						NA		NA		1997
						To: US 33										
(1146) Nutmeg Court	0.43	800	R			From: 82-1174; 82-1173						NA		NA		10/28/2003
						To: 82-1185						NA		NA		10/28/2003
(1146) Nutmeg Court	0.05	310	R			From: 82-1149						NA		NA		10/28/2003
(1146) Nutmeg Court	0.09	210	R			From: 82-1147						NA		NA		10/28/2003
(1146) Nutmeg Court	0.07	150	R			From: 82-1143						NA		NA		10/28/2003
(1146) Nutmeg Court	0.10	100	R			From: Cul-de-Sac						NA		NA		10/28/2003
						To: 82-1146						NA		NA		10/28/2003
(1147) Pine Oak Dr	0.14	110	R			From: 82-1148						NA		NA		09/28/2000
(1147) Pine Oak Dr	0.19	240	R			From: 82-1182						NA		NA		09/28/2000
(1147) Pine Oak Dr	0.19	1100	R			From: 82-726						NA		NA		09/28/2000
						To: 82-1182						NA		NA		09/28/2000
(1148) Oak Tree Lane	0.06	130	R			From: 82-1184						NA		NA		10/28/2003
(1148) Oak Tree Lane	0.11	47	R			From: 82-1147						NA		NA		10/28/2003
(1148) Oak Tree Lane	0.06	60	R			From: 82-1143						NA		NA		10/28/2003
						To: Dead End						NA		NA		09/28/2000
(1149) Redbud Lane	0.23	90	R			From: 82-1184						NA		NA		09/28/2000
						To: SR 42						NA		NA		1997
(1151) Harman Rd	0.18	160	R			From: Dead End						NA		NA		1997
						To: 82-1146						NA		NA		10/28/2003
(1153)	0.26	100	R			From: 82-1174						NA		NA		10/28/2003
						To: Cul-de-Sac						NA		NA		10/28/2003
(1154)	0.06	100	R			From: 82-1153						NA		NA		10/28/2003
						To: Cul-de-Sac						NA		NA		07/17/2000
(1161) Meadows Court	0.13	290	R			From: 82-726						NA		NA		07/17/2000
						To: Cul-de-Sac						NA		NA		08/21/2003
(1163) Rosedale Dr	0.05	90	R			From: 82-1166						NA		NA		08/21/2003
(1163) Rosedale Dr	0.08	310	R			From: 82-1164						NA		NA		08/21/2003
(1163) Rosedale Dr	0.15	760	R			From: 82-659						NA		NA		08/21/2003

Virginia Department of Transportation
 Mobility Management Division
 2004
 Annual Average Daily Traffic Volume Estimates By Section of Route
 Rockingham Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Rockingham County																
(1164) Annandale Court	0.08	200	R			From: Cul-de-Sac					NA		NA			08/21/2003
						To: 82-1163										
(1165) Robin Road	0.18	100	R			From: US 33					NA		NA			10/23/2000
						To: Cul-de-Sac										
(1166) Rosedale Court	0.05	150	R			From: 82-1163					NA		NA			08/21/2003
						To: Cul-de-Sac										
(1167) Confederacy Dr	0.31	310	R			From: Cul-de-Sac					NA		NA			08/27/2003
						To: 88-1193										
(1167) Confederacy Dr	0.35	570	R			From: 82-1193					NA		NA			07/17/2000
						To: 82-1169										
(1167) Confederacy Dr	0.06	650	R			From: 82-1169					NA		NA			07/17/2000
						To: 82-1168										
(1167) Confederacy Dr	0.22	850	R			From: 82-1168					NA		NA			07/17/2000
						To: US 33										
(1168) Cadet Court	0.08	70	R			From: Cul-de-Sac					NA		NA			07/17/2000
						To: 82-1167										
(1169) Bull Run Rd	0.12	110	R			From: Dead End					NA		NA			07/17/2000
						To: 82-1167										
(1173) Nutmeg Court	0.07	1100	R			From: 82-1174					NA		NA			10/28/2003
						To: 82-726										
(1174) Wild Cherry Lane	0.22	170	R			From: 82-1173					NA		NA			10/28/2003
						To: 82-1147										
(1175) Inglewood Dr	0.06	190	R			From: 82-726 SOUTH					NA		NA			10/23/2003
						To: 82-1177										
(1175) Inglewood Dr	0.09	160	R			From: 82-1177					NA		NA			10/23/2003
						To: 82-1176										
(1175) Inglewood Dr	0.05	130	R			From: 82-1176					NA		NA			10/23/2003
						To: 82-1178										
(1175) Inglewood Dr	0.03	190	R			From: 82-1178					NA		NA			10/23/2003
						To: 82-726 NORTH										
(1176) Koffee Lane	0.10	80	R			From: Cul-de-Sac					NA		NA			10/23/2003
						To: 82-1179										
(1176) Koffee Lane	0.07	190	R			From: 82-1179					NA		NA			10/23/2003
						To: 82-1175										
(1177) Mulberry Lane	0.05	60	R			From: Cul-de-Sac					NA		NA			10/23/2003
						To: 82-1175										
(1178) Juniper Court	0.05	60	R			From: Cul-de-Sac					NA		NA			10/23/2003
						To: 82-1175										
(1179) Lyn Wood Ln	0.03	80	R			From: Cul-de-Sac					NA		NA			10/23/2003
						To: 82-1176										

Virginia Department of Transportation
 Mobility Management Division
 2004
 Annual Average Daily Traffic Volume Estimates By Section of Route
 Rockingham Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Rockingham County																
(1182) Sugar Maple Lane	0.16	200	R			From: 82-1146						NA		NA		09/28/2000
(1182) Sugar Maple Lane	0.09	230	R			To: 82-1148						NA		NA		09/28/2000
(1182) Sugar Maple Lane	0.06	240	R			From: 82-1147						NA		NA		09/28/2000
(1182) Sugar Maple Lane	0.14	100	R			To: 82-1142						NA		NA		09/28/2000
						From: Cul-de-Sac										
(1183) Teak Circle	0.04	40	R			To: 82-1184						NA		NA		09/28/2000
						From: Cul-de-Sac										
(1184) Quince Dr	0.11	200	R			To: 82-1186						NA		NA		09/28/2000
(1184) Quince Dr	0.08	120	R			From: 82-1146						NA		NA		09/28/2000
(1184) Quince Dr	0.07	90	R			To: 82-1149						NA		NA		09/28/2000
						From: 82-1148										
(1185) Tulip Terrace	0.03	20	R			To: Dead End						NA		NA		09/28/2000
(1185) Tulip Terrace	0.12	120	R			From: 82-1186						NA		NA		09/28/2000
						To: 82-1146										
(1186) White Oak Dr	0.15	80	R			From: Cul-de-Sac						NA		NA		09/28/2000
(1186) White Oak Dr	0.03	10	R			To: 82-1185						NA		NA		09/28/2000
						From: Dead End										
(1190) Belle Boyd Court	0.08	80	R			To: Cul-de-Sac						NA		NA		08/27/2003
						From: 82-1167										
(1191) Davis Road	0.11	420	R			To: Dead End						NA		NA		08/27/2003
						From: 82-1167										
(1192) South Court	0.06	90	R			To: Cul-de-Sac						NA		NA		08/27/2003
						From: 82-1167										
(1193) Cavalry Lane	0.11	130	R			To: 82-1167						NA		NA		08/27/2003
						From: Cul-de-Sac										
(1194) Dixie Ridge Run	0.15	100	R			To: 82-1167						NA		NA		08/27/2003
						From: Cul-de-Sac										
Town of Dayton																
(1201)	0.08	30	R			To: 82-1203						NA		NA		09/28/2000
						From: 82-1204										
(1202)	0.17	210	R			To: SR 257						NA		NA		10/16/2000
(1202)	0.12	280	R			From: 82-1209						NA		NA		10/16/2000
						To: WCL Dayton; 82-1208										

Virginia Department of Transportation
 Mobility Management Division
 2004
 Annual Average Daily Traffic Volume Estimates By Section of Route
 Rockingham Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Rockingham County																
(1202)	0.29	200	R			From: WCL Dayton: 82-1208						NA		NA		10/16/2000
						To: Dead End										
Town of Dayton																
(1203)	0.45	310	R			From: SR 257						NA		NA		10/16/2000
						To: 82-732										
(1204)	0.45	970	R			From: SR 257						NA		NA		09/28/2000
						To: 82-732										
(1205)	0.16	150	R			From: SR 257						NA		NA		09/28/2000
						To: 82-1209										
(1205)	0.12	70	R			From: 92-1209						NA		NA		09/28/2000
						To: 82-1208										
(1206)	0.12	280	R			From: SR 257						NA		NA		09/28/2000
						To: 82-1209										
(1206)	0.13	260	R			From: 82-1209						NA		NA		09/28/2000
						To: 82-1208										
(1207)	0.40	260	R			From: 82-1209						NA		NA		09/28/2000
						To: 82-732										
(1208)	0.56	730	R			From: WCL Dayton						NA		NA		10/16/2000
						To: Bus SR 42										
(1209)	0.07	90	R			From: 82-1202						NA		NA		10/21/2003
						To: 82-1203										
(1209)	0.09	190	R			From: 82-1203						NA		NA		10/21/2003
						To: 82-1204										
(1209)	0.26	460	R			From: 82-1204						NA		NA		09/28/2000
						To: 82-1207										
(1210)	0.09	160	R			From: 82-1203						NA		NA		10/16/2000
						To: 82-1204										
(1210)	0.09	40	R			From: 82-1204						NA		NA		10/16/2000
						To: 82-1205										
(1211)	0.10	480	R			From: SR 257; Bus SR 42						NA		NA		10/21/2003
						To: SR 42										
(1212)	0.23	450	R			From: Dead End						NA		NA		10/16/2000
						To: 82-732										
Rockingham County																
(1230) Erickson Ave Extended	0.18	NA				From: US 33; 82-726						NA		NA		
						To: 82-9384										
(1301) Glade View Dr	0.08	60	R			From: Dead End						NA		NA		1997
						To: 82-1302 Wright Circle										
(1301) Glade View Dr	0.09	180	R			From: 82-1302 Wright Circle						NA		NA		1997
						To: SR 42 Warm Springs Pike										
(1302) Wright Circle	0.06	30	R			From: 82-1302						NA		NA		1997
						To: Dead End										

Virginia Department of Transportation
 Mobility Management Division
 2004
 Annual Average Daily Traffic Volume Estimates By Section of Route
 Rockingham Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Rockingham County																
(1304) Shady Lane	0.15	110	R			From: Cul-de-Sac						NA		NA		10/19/2000
						To: 82-728										
(1306) Hill Gap Rd	0.59	270	R			From: Dead End						NA		NA		10/16/2000
						To: WCL Bridgewater										
(1310) Mt Crawford Ave	0.95	3100	R			From: ECL Bridgewater						NA		NA		08/18/2003
						To: SR 257										
(1311) Vista Heights Rd	0.21	150	R			From: Dead End						NA		NA		1997
						To: SR 257										
(1314) Countryside Dr	0.05	20	R			From: Dead End						NA		NA		10/23/2000
						To: 82-1315										
(1314) Countryside Dr	0.08	150	R			From: 82-1315						NA		NA		10/23/2000
						To: SR 257										
(1315) Cricket Lane	0.09	90	R			From: Dead End						NA		NA		10/23/2000
						To: 82-1314										
(1330) Red Cedar Lane	0.09	190	R			From: 82-644						NA		NA		08/10/2000
						To: 82-1331										
(1330) Red Cedar Lane	0.12	60	R			From: 82-1331						NA		NA		08/10/2000
						To: Cul-de-Sac										
(1331) Oak Grove	0.08	90	R			From: Cul-de-Sac West						NA		NA		08/10/2000
						To: 82-1330										
(1331) Oak Grove	0.09	70	R			From: 82-1330						NA		NA		08/10/2000
						To: Cul-de-Sac East										
Town of Broadway																
(1401)	0.09	60	R			From: SR 259 ALT						NA		NA		10/16/2003
						To: Dead End										
(1402)	0.11	220	R			From: Dead End						NA		NA		10/16/2003
						To: SR 259 ALT										
(1403)	0.29	600	R			From: SR 259 ALT						NA		NA		09/07/2000
						To: SR 42										
(1403)	0.15	190	R			From: SR 42						NA		NA		09/07/2000
						To: Dead End										
(1404)	0.07	240	R			From: Dead End						NA		NA		10/16/2003
						To: SR 259 ALT										
(1405)	0.11	200	R			From: SR 259 ALT						NA		NA		09/07/2000
						To: 82-1408										
(1405)	0.07	210	R			From: 82-1408						NA		NA		09/07/2000
						To: 82-1407										
(1405)	0.10	390	R			From: 82-1407						NA		NA		09/07/2000
						To: SR 42										
(1406)	0.16	210	R			From: 82-1426						NA		NA		09/07/2000
						To: SR 259 ALT										

Virginia Department of Transportation
 Mobility Management Division
 2004
 Annual Average Daily Traffic Volume Estimates By Section of Route
 Rockingham Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Town of Broadway																
(1406)	0.11	1000	R			From: SR 259 ALT						NA		NA		09/07/2000
(1406)	0.07	930	R			From: 82-1408						NA		NA		09/07/2000
						To: 82-1407										
(1407)	0.12	620	R			From: SR 42						NA		NA		09/07/2000
						To: 82-1405 EAST										
(1407)	0.12	280	R			From: 82-1405 WEST						NA		NA		09/07/2000
						To: 82-1403										
(1408)	0.04	990	R			From: SR 42						NA		NA		09/07/2000
						To: 82-1406										
(1408)	0.06	520	R			From: 82-1405						NA		NA		09/07/2000
						To: 82-1403										
(1409)	0.13	200	R			From: SR 42						NA		NA		09/07/2000
						To: 82-1410										
(1410)	0.09	110	R			From: SR 42						NA		NA		09/07/2000
						To: 82-1409										
(1411)	Shenandoah Ave	0.07	130	R		From: SR 259						NA		NA		10/16/2003
						To: 0.07 M FRM SR 259										
(1411)	Shenandoah Ave	0.13	80	R		From: 0.20 M FRM SR 259						NA		NA		10/16/2003
						To: NCL Broadway										
(1411)		0.05	60	R		From: NCL Broadway						NA		NA		10/16/2003
						To: Dead End										
Town of Broadway																
(1412)		0.22	660	R		From: Dead End						NA		NA		10/08/2003
						To: SR 259										
(1413)		0.43	1100	R		From: 82-1414						NA		NA		10/16/2003
						To: SR 259										
(1414)		0.41	1600	R		From: 82-617						NA		NA		10/16/2003
						To: 82-1413										
(1414)		0.14	2300	R		From: SR 42						NA		NA		10/16/2003
						To: SR 42										
Rockingham County																
(1415)	Early Rd	0.34	510	R		From: SR 42						NA		NA		10/20/2003
						To: SCL Broadway										
Town of Broadway																
(1415)	Early Rd	0.18	510	N		From: SCL Broadway						NA		NA		10/20/2003
						To: 82-1421										

Virginia Department of Transportation
 Mobility Management Division
 2004
 Annual Average Daily Traffic Volume Estimates By Section of Route
 Rockingham Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Town of Broadway																
(1416)	0.16	410	R			From: SR 42							NA		NA	09/14/2000
(1416)	0.21	310	R			To: 82-1424							NA		NA	09/14/2000
(1416)	0.07	150	R			From: 82-1417 Gap Terminus							NA		NA	09/14/2000
(1416)						To: 82-1423 Gap Terminus										
(1416)						From: 82-1425										
(1417) East Ave	0.02	50	R			From: Cul-de-Sac							NA		NA	09/07/2000
(1417) East Ave	0.08	180	R			To: 82-1433							NA		NA	09/07/2000
(1417) East Ave	0.06	380	R			From: 82-1428							NA		NA	09/07/2000
(1417) East Ave	0.06	570	R			To: 82-1416							NA		NA	09/07/2000
(1417) East Ave	0.07	780	R			From: 82-1418							NA		NA	09/14/2000
(1417) East Ave	0.06	1100	R			To: 82-1422							NA		NA	09/14/2000
(1417) East Ave						From: 82-1421										
(1418)	0.12	170	R			From: Dead End							NA		NA	09/14/2000
(1418)						To: 82-1424 Gap Terminus										
(1418)	0.07	130	R			From: Dead End; Gap Terminus							NA		NA	09/14/2000
(1418)						To: 82-1417										
Rockingham County																
(1419) Winsinger Rd	0.20	110	R			From: SR 259 SOUTH							NA		NA	10/16/2003
(1419) Winsinger Rd	0.45	310	R			To: 82-798							NA		NA	10/16/2003
(1419) Winsinger Rd						From: SR 259 NORTH										
(1420) Industrial Dr	0.30	340	R			To: SR 42							NA		NA	10/16/2003
(1420) Industrial Dr	0.20	20	R			From: 0.30 ME SR 42							NA		NA	10/16/2003
(1420) Industrial Dr						To: Dead End										
Town of Broadway																
(1421) E Springbrook Rd	0.20	120	R			From: Dead End							NA		NA	10/16/2003
(1421) E Springbrook Rd	0.42	940	R			To: 82-617							NA		NA	12/03/2003
(1421) E Springbrook Rd	0.24	640	R			From: 82-1415							NA		NA	12/03/2003
(1421) E Springbrook Rd	0.54	5100	R			To: SR 42							NA		NA	12/03/2003
(1421) E Springbrook Rd						From: ECL Broadway										
Rockingham County																
(1421)	0.11	5100	N			From: ECL Broadway							NA		NA	12/03/2003
(1421)						To: 82-803 Daphna Rd										
Town of Broadway																
(1422)	0.10	190	R			From: Dead End							NA		NA	09/14/2000
(1422)						To: 82-1417										

Virginia Department of Transportation
 Mobility Management Division
 2004
 Annual Average Daily Traffic Volume Estimates By Section of Route
 Rockingham Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Town of Broadway																
(1423) Elm St	0.22	180	R			From: 82-1429						NA		NA		1986
(1423) Elm St	0.19	600	R			From: 82-1416						NA		NA		09/14/2000
						To: 82-1421										
(1424)	0.06	110	R			From: 82-1428						NA		NA		09/14/2000
(1424)	0.06	220	R			From: 82-1416						NA		NA		09/14/2000
(1424)	0.13	480	R			From: 82-1418						NA		NA		09/14/2000
						To: 82-1421										
(1425)	0.12	120	R			From: Dead End						NA		NA		09/14/2000
(1425)	0.06	30	R			From: 82-1416						NA		NA		09/14/2000
						To: NCL Broadway										
(1426)	0.03	200	R			From: SR 42						NA		NA		09/07/2000
(1426)	0.06	40	R			From: 82-1406						NA		NA		09/07/2000
						To: Dead End										
(1427) Morningside Dr	0.18	320	R			From: 82-1431						NA		NA		09/07/2000
						To: 82-1414										
(1428)	0.16	480	R			From: SR 42						NA		NA		09/07/2000
(1428)	0.21	440	R			From: 82-1424						NA		NA		09/07/2000
						To: 82-1417										
(1429) Broadmoor Lane	0.13	150	R			From: 82-1423 Elm St						NA		NA		09/14/2000
(1429) Broadmoor Lane	0.04	40	R			From: 82-1430 Showater Court						NA		NA		09/14/2000
						To: Dead End										
(1430) Showater Court	0.11	60	R			From: 82-1429						NA		NA		09/14/2000
						To: Cul-de-Sac										
(1431)	0.08	100	R			From: 82-1414						NA		NA		09/07/2000
						To: 82-1427										
(1432)	0.20	NA				From: SR 42						NA		NA		
						To: Dead End										
(1433) Fifth St	0.06	100	R			From: Cul-de-Sac						NA		NA		09/07/2000
						To: 82-1417										
(1434) First St	0.11	260	R			From: Dead End						NA		NA		09/14/2000
						To: 82-1424										
(1435)	0.09	NA				From: 82-1436						NA		NA		
						To: SR 42										

Virginia Department of Transportation
 Mobility Management Division
 2004
 Annual Average Daily Traffic Volume Estimates By Section of Route
 Rockingham Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Town of Broadway																
(1436)	0.16	NA				From: Dead End					NA		NA			
						To: 82-1435										
(1438)	0.04	450	R			From: Cul-de-Sac					NA		NA			08/21/2000
						To: SR 259										
(1440)	0.07	180	R			From: SR 42					NA		NA			09/07/2000
						To: Cul-de-Sac										
(1441)	0.12	140	R			From: 82-1440					NA		NA			09/07/2000
						To: Cul-de-Sac										
(1442)	0.25	NA				From: 82-1421					NA		NA			
						To: Cul-de-Sac										
Town of Timberville																
(1501)	0.05	200	R			From: SR 42					NA		NA			1997
						To: 82-1503										
(1501)	0.06	130	R			From: 82-1503					NA		NA			1997
						To: 82-1502										
(1501)	0.06	80	R			From: 82-1502					NA		NA			1997
						To: 82-1504										
(1502)	0.10	60	R			From: 82-1505					NA		NA			1997
						To: 82-1501										
(1503)	0.12	100	R			From: 82-1505					NA		NA			1997
						To: 82-1501										
(1504)	0.20	160	R			From: 82-617					NA		NA			1997
						To: 82-1505										
(1504)	0.15	80	R			From: 82-1505					NA		NA			1997
						To: 82-1501										
(1505)	0.07	260	R			From: SR 42					NA		NA			1997
						To: 82-1503										
(1505)	0.08	170	R			From: 82-1503					NA		NA			1997
						To: 82-1502										
(1505)	0.01	160	R			From: 82-1502					NA		NA			1997
						To: 82-1504										
(1506)	0.33	100	R			From: SR 42					NA		NA			1997
						To: 82-1507										
(1507)	0.24	660	R			From: 82-800					NA		NA			1997
						To: SR 42										
(1507)	0.55	680	R			From: SR 42					NA		NA			1997
						To: 82-1519 NORTH										
(1507)	0.02	800	R			From: 82-1519 SOUTH					NA		NA			1997
						To: SR 211										
(1508)	0.19	600	R			From: 82-800					NA		NA			1997
						To: 82-800										

Virginia Department of Transportation
 Mobility Management Division
 2004
 Annual Average Daily Traffic Volume Estimates By Section of Route
 Rockingham Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Town of Timberville																
(1509)	0.13	620	R			From: 82-800 SOUTH						NA		NA		1997
(1509)	0.05	560	R			To: 82-1517						NA		NA		1997
						From: 82-800 NORTH										
Rockingham County																
(1510)	0.10	60	R			From: Dead End						NA		NA		1997
						To: 82-800 EAST										
Town of Timberville																
(1510)	0.13	140	R			From: 82-800 WEST						NA		NA		1997
(1510)	0.05	130	R			To: 82-1517						NA		NA		1997
						From: 82-800 NORTH										
(1511)	0.07	240	R			From: 82-800 SOUTH						NA		NA		1997
(1511)	0.08	240	R			To: 82-1513						NA		NA		1997
(1511)	0.10	200	R			From: 82-1517						NA		NA		1997
						To: 82-800 NORTH										
(1512)	0.08	190	R			From: 82-800 SOUTH						NA		NA		1997
(1512)	0.08	260	R			To: 82-1513						NA		NA		1997
(1512)	0.10	200	R			From: 82-1517						NA		NA		1997
						To: 82-800 NORTH										
(1513)	0.06	130	R			From: 82-1511						NA		NA		1997
(1513)	0.05	130	R			To: 82-1512						NA		NA		1997
						From: SR 42										
(1514)	0.07	420	R			To: SR 42						NA		NA		1997
(1514)	0.28	230	R			From: 82-1515						NA		NA		1997
						To: SR 211										
(1515)	0.10	310	R			From: SR 211						NA		NA		1997
(1515)	0.10	220	R			To: 82-1516						NA		NA		1997
						From: 82-1514										
(1516)	0.08	80	R			From: 82-1515						NA		NA		1997
						To: Dead End										
(1517)	0.03	80	R			From: 82-1509						NA		NA		1997
(1517)	0.06	110	R			To: 82-1510						NA		NA		1997
(1517)	0.06	160	R			From: 82-1511						NA		NA		1997
						To: 82-1512										

Virginia Department of Transportation
 Mobility Management Division
 2004
 Annual Average Daily Traffic Volume Estimates By Section of Route
 Rockingham Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Town of Timberville																
(1517)	0.05	260	R			From: 82-1512						NA		NA		1997
						To: SR 42; SR 211										
Rockingham County																
(1518)	0.10	120	R			From: Dead End						NA		NA		10/16/2003
						To: 82-800										
Town of Timberville																
(1519)	0.06	380	R			From: 82-1507 SOUTH						NA		NA		1997
						To: 82-1520 SOUTH										
(1519)	0.20	110	R			From: 82-1520 NORTH						NA		NA		1997
						To: 82-1507 NORTH										
(1519)	0.13	170	R			From: 82-1519 SOUTH						NA		NA		1997
						To: 82-1522										
(1520)	0.09	150	R			From: 82-1519 NORTH						NA		NA		1997
						To: 82-617 WEST										
(1521) E Riverside Dr	0.43	310	R			From: ECL Timberville						NA		NA		10/06/2003
						To: 82-617 EAST										
Rockingham County																
(1521) E Riverside Dr	0.02	170	R			From: ECL Timberville						NA		NA		10/06/2003
						To: 82-1507										
Town of Timberville																
(1522)	0.05	90	R			From: 82-1520						NA		NA		1997
						To: Dead End										
(1523)	0.10	150	R			From: 82-617						NA		NA		10/08/2003
						To: Cul-de-Sac										
(1524) Ridge Court	0.08	150	R			From: 82-1528						NA		NA		1997
						To: 82-1525										
(1524) Ridge Court	0.03	360	R			From: SR 211 New Market Rd						NA		NA		1997
						To: 82-1524										
(1525)	0.07	140	R			From: 82-1526						NA		NA		1997
						To: Cul-de-Sac										
(1525) Ridge Court	0.06	100	R			From: 82-1525						NA		NA		1997
						To: 82-1527										
(1526) Williamsport Rd	0.06	130	R			From: SR 211 New Market Rd						NA		NA		1997
						To: 82-1526										
(1526) Williamsport Rd	0.03	380	R			From: Cul-de-Sac						NA		NA		1997
						To: 82-1526										
(1527) Sherrando Court	0.10	170	R			From: 82-1526						NA		NA		1997
						To: Cul-de-Sac										

Virginia Department of Transportation
 Mobility Management Division
 2004
 Annual Average Daily Traffic Volume Estimates By Section of Route
 Rockingham Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Town of Timberville																
(1528)	0.08	160	R			From: Cul-de-Sac					NA		NA			1997
						To: 82-1524										
(1529) Riggleman Dr	0.18	370	R			From: Cul-de-Sac					NA		NA			08/24/2000
						To: 82-1507										
(1530) Co-op Dr	0.04	630	R			From: WCL Timberville N					NA		NA			10/14/2003
						To: 82-1508 NORTH										
(1530) Co-op Dr	0.08	860	R			From: 82-1509 NORTH					NA		NA			12/03/2003
						To: 82-1509 NORTH										
(1530) Co-op Dr	0.05	1200	R			From: 82-1510 NORTH					NA		NA			08/24/2000
						To: 82-1510 NORTH										
(1530) Co-op Dr	0.08	950	R			From: 82-1511 NORTH					NA		NA			12/08/2003
						To: 82-1511 NORTH										
(1530) Co-op Dr	0.02	1100	R			From: 82-1507					NA		NA			10/14/2003
						To: 82-1507										
(1530) Co-op Dr	0.05	1100	R			From: 82-1512 NORTH					NA		NA			08/24/2000
						To: 82-1512 NORTH										
(1530) Co-op Dr	0.06	860	R			From: SR 42 N, Forestville Rd					NA		NA			10/01/2003
						To: SR 42 N, Forestville Rd										
Rockingham County																
(1540) Woodcreek Lane	0.13	180	R			From: 82-617					NA		NA			08/24/2000
						To: Dead End										
(1541) Dogwood Court	0.05	40	R			From: Cul-de-Sac					NA		NA			08/24/2000
						To: 82-1540										
(1542) Appletree Court	0.04	30	R			From: 82-1540					NA		NA			08/24/2000
						To: Cul-de-Sac										
(1601) New Haven Rd	0.39	20	R			From: Dead End					NA		NA			09/02/2003
						To: 82-659										
(1602) The Point St	0.06	30	R			From: 82-605					NA		NA			07/20/2000
						To: 82-1605										
(1603) Lower Rd Rd	0.10	190	R			From: 82-955					NA		NA			09/09/2003
						To: 82-659										
(1604) Tiger Camp Rd	0.35	70	R			From: 82-955					NA		NA			09/09/2003
						To: 82-659										
(1605) Water St	0.34	60	R			From: 82-605					NA		NA			09/09/2003
						To: 82-1607										
(1605) Water St	0.15	80	R			From: 82-659					NA		NA			09/09/2003
						To: 82-659										
(1605) Water St	0.06	30	R			From: 82-1602					NA		NA			09/09/2003
						To: 82-1602										
(1606) Kemper Lane	0.40	140	R			From: Dead End					NA		NA			09/02/2003
						To: 82-605										

Virginia Department of Transportation
 Mobility Management Division
 2004
 Annual Average Daily Traffic Volume Estimates By Section of Route
 Rockingham Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Rockingham County																
(1610) Terrace Run	0.15	120	R			From: 82-659						NA		NA		09/02/2003
						To: Cul-de-Sac										
(1701) W Washington Ave	0.05	1100	R			From: ECL Elkton						NA		NA		09/11/2003
						To: US 340										
(1701) E Washington Ave	0.20	590	R			From: US 340						NA		NA		09/11/2003
						To: 82-1708										
(1701) E Washington Ave	0.03	260	R			From: 82-1708						NA		NA		09/11/2003
						To: 82-1704										
(1701) E Washington Ave	0.09	110	R			From: 82-1704						NA		NA		09/11/2003
						To: 82-1702										
(1702) Pine St	0.07	60	R			From: 82-1701						NA		NA		09/11/2003
						To: 82-1705										
(1702) Pine St	0.05	20	R			From: 82-1705						NA		NA		09/11/2003
						To: Dead End										
(1703) Summit Ave	0.25	750	R			From: US 340						NA		NA		09/11/2003
						To: 82-1704										
(1703) Summit Ave	0.38	310	R			From: 82-1704						NA		NA		09/11/2003
						To: US 33										
(1704) High St	0.08	240	R			From: 82-1710						NA		NA		09/11/2003
						To: 82-1703										
(1704) High St	0.09	220	R			From: 82-1703						NA		NA		09/11/2003
						To: 82-1701										
(1705) Spring Ave	0.14	30	R			From: Dead End						NA		NA		09/11/2003
						To: 82-1708										
(1705) Spring Ave	0.12	80	R			From: 82-1708						NA		NA		09/11/2003
						To: 82-1702										
(1706) Shenandoah Ave	0.50	1900	R			From: NCL Elkton						NA		NA		09/16/2003
						To: US 340										
(1707) Windsong Hills Dr	0.07	70	R			From: Cul-de-Sac						NA		NA		08/10/2000
						To: Bus US 33										
(1708) High St	0.06	160	R			From: 82-1701						NA		NA		09/11/2003
						To: 82-1705										
(1708) Marshall Ave	0.09	30	R			From: 82-1705						NA		NA		09/11/2003
						To: Dead End										
(1709) Ore Wash Rd	0.30	20	R			From: SCL Elkton						NA		NA		09/11/2003
						To: US 340										
(1710) Prospect Ave	0.10	160	R			From: 82-1704						NA		NA		09/11/2003
						To: Dead End										
(1711) Blue And Gold Dr	0.43	840	R			From: ECL Elkton						NA		NA		09/11/2003
						To: 82-9750										
(1720) Giants Grave Rd	0.23	110	R			From: Dead End						NA		NA		09/11/2003
						To: US 340										

Virginia Department of Transportation
 Mobility Management Division
 2004
 Annual Average Daily Traffic Volume Estimates By Section of Route
 Rockingham Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Rockingham County																
(1801) W Donnagail Dr	0.49	90	R			From: 82-655 NORTH						NA		NA		08/10/2000
(1801) W Donnagail Dr	0.13	230	R			To: 82-1805						NA		NA		10/26/2000
(1801) W Donnagail Dr	0.06	310	R			From: 82-1804						NA		NA		10/26/2000
(1801) W Donnagail Dr	0.14	410	R			To: 82-1803						NA		NA		10/26/2000
(1801) E Donnagail Dr	0.04	230	R			From: 82-655 SOUTH 82-655 MID						NA		NA		10/23/2000
(1801) E Donnagail Dr	0.09	90	R			To: 82-1802						NA		NA		10/23/2000
(1802) Massanutten View Dr	0.06	130	R			From: 82-1801						NA		NA		10/23/2000
(1803) Ann Don Dr	0.03	40	R			To: Dead End						NA		NA		10/26/2000
(1804) Presidential Circle	0.08	100	R			From: 82-1801						NA		NA		10/26/2000
(1805) View Mountain Circle	0.05	100	R			To: Cul-de-Sac						NA		NA		10/26/2000
(1810) Wild Rose Dr	0.35	210	R			From: 82-683						NA		NA		08/10/2000
(1901) Apple Tree Dr	0.17	110	R			To: Dead End						NA		NA		10/22/2003
(9366)	0.25	870	R			From: 82-800						NA		NA		10/26/2000
(9367)	0.12	60	R			To: Plains Elem Sch						NA		NA		10/23/2000
(9367)	0.03	40	R			From: 0.12 ME 82-726 Mt Clinton Elem Sch						NA		NA		10/23/2000
(9368)	0.05	70	R			To: 82-726						NA		NA		1994
(9369)	0.04	150	R			From: 82-613 Singers						NA		NA		10/26/2000
(9370)	0.46	550	R			To: Glen Elem Sch						NA		NA		10/26/2000
(9370)	0.04	280	R			From: 82-721 Linville-						NA		NA		10/26/2000
(9370)	0.05	130	R			To: Edom Elem Sch						NA		NA		10/26/2000
Town of Dayton																
(9370)	0.46	550	R			From: 82-732 Turner						NA		NA		10/26/2000
(9370)	0.04	280	R			To: Ashby High Sch						NA		NA		10/26/2000
(9370)	0.05	130	R			From: 0.46 MN 82-732						NA		NA		10/26/2000
(9370)	0.05	130	R			To: Dayton Elem Sch						NA		NA		10/26/2000
(9370)	0.05	130	R			From: 0.50 MN 82-732						NA		NA		10/26/2000
(9370)	0.05	130	R			To: Dayton Elem Sch						NA		NA		10/26/2000

Virginia Department of Transportation
 Mobility Management Division
 2004
 Annual Average Daily Traffic Volume Estimates By Section of Route
 Rockingham Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Rockingham County																
(9371)	0.06	320	R			From: 82-620 Keezle-						NA		NA		10/23/2000
						To: Town Elem Sch										
(9372)	0.04	160	R			From: McGaheysville Elem						NA		NA		10/26/2000
						To: School										
(9372)	0.07	100	R			From: Gap Terminus						NA		NA		10/23/2000
						To: Y-Intersection										
(9372)	0.19	620	R			From: US 33						NA		NA		10/23/2000
						To: US 33										
(9373)	0.10	140	R			From: NCL Grottoes						NA		NA		10/23/2000
						To: NCL Grottoes										
(9374)	0.05	820	R			From: SR 259						NA		NA		10/26/2000
						To: Fulks Run Elem Sch										
(9374)	0.05	820	R			From: 0.05 ME SR 259						NA		NA		10/26/2000
						To: Dead End										
(9375)	0.03	20	R			From: Port Republic Elem						NA		NA		10/23/2000
						To: School										
(9375)	0.04	3	R			From: 0.04 MN Dead End						NA		NA		10/23/2000
						To: Dead End										
(9376)	0.14	350	R			From: 82-9373 SOUTH						NA		NA		10/23/2000
						To: End Loop										
Town of Broadway																
(9383)	0.18	NA				From: 82-1421 WEST						NA		NA		
						To: 82-1417; 82-1421 EAST										
Rockingham County																
(9384)	0.50	NA				From: US 33						NA		NA		
						To: End Loop										
(9467)	0.34	1100	R			From: 82-996						NA		NA		10/23/2000
						To: Montevideo School										
(9563)	0.60	2800	R			From: US 33						NA		NA		10/23/2000
						To: Cul-de-Sac										
(9565) Gobbler Rd	0.33	1200	R			From: SR 259						NA		NA		10/23/2000
						To: Broadway High Sch										
(9568)	0.32	820	R			From: SR 42						NA		NA		10/26/2000
						To: Turner Ashby Drive Northwest; Gap										
(9568)	0.10	940	R			From: T- Intersection North; Gap						NA		NA		10/26/2000
						To: Turner Ashby Drive mid; Gap										
(9568)	0.09	660	R			From: T-Intersection South; Gap						NA		NA		10/26/2000
						To: Turner Ashby Dr Southeast										
(9569)	0.09	100	R			From: Dead End						NA		NA		10/26/2000
						To: 82-742										

Virginia Department of Transportation
 Mobility Management Division
 2004
 Annual Average Daily Traffic Volume Estimates By Section of Route
 Rockingham Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year	
						2Axle	3+Axle	1Trail	2Trail								
Rockingham County																	
(9749)	0.33	530	R			From: Cul-de-Sac; North Circle Around Parking Lot						NA		NA		10/23/2000	
						To: US 11; Gap Terminus											
(9749)	0.15	410	R			From: Cul-de-Sac; Gap Terminus						NA		NA		10/23/2000	
						To: End Loop											
(9750)	0.15	420	R			From: US 33						NA		NA		10/23/2000	
						To: Elkton Combined School											
(9750)	0.04	700	R			From: 0.15 MN US 33						NA		NA		10/23/2000	
						To: 82-1711											
(9870)	0.11	1000	R			From: 82-1414 John C.						NA		NA		10/26/2000	
						To: Myers Jr High Sch											
(9912)	0.12	1200	R			From: SR 42						NA		NA		10/26/2000	
						To: SR 42											
(9913)	0.10	30	R			From: 82-826						NA		NA		1994	
						To: 82-826											
City of Harrisonburg																	
(1 115)	Vine St	1.42	8900	G	96%	0%	2%	1%	1%	0%	C	0.094	F	0.503	9700	G	2004
						From: E Market St											
						To: N Main St											
(3 115)	Eastover Dr	0.44	2400	G	96%	0%	1%	0%	2%	0%	F	0.118	F	0.703	2600	G	2004
						From: Paul St											
						To: Reservoir St											
(4 115)	E. Washington St	0.24	3700	G	94%	1%	3%	2%	1%	0%	F	0.104	F	0.526	4000	G	2004
						From: 115-4115 N Liberty Street											
						To: N Main St											
(4 115)	E. Washington St	0.72	3600	G	94%	1%	3%	2%	1%	0%	C	0.090	F	0.522	4000	G	2004
						From: N Main St											
						To: Vine St											
(5 115)	Acorn Dr	1.16	3600	G	96%	0%	1%	0%	2%	0%	C	0.097	F	0.591	3900	G	2004
						From: SR 42											
						To: Mt Clinton Pike											
(6 115)	Park Rd	0.58	2500	G	98%	0%	1%	0%	0%	0%	C	0.095	F	0.597	2700	G	2004
						From: Mt Clinton Pike											
						To: Shank Dr											
(6 115)	Park Rd	0.34	1600	G	98%	0%	1%	0%	0%	0%	F	0.109	F	0.598	1800	G	2004
						From: Shank Dr											
						To: Harmony Rd											
(7 115)	Harmony Rd	0.23	1200	G	98%	0%	1%	0%	0%	0%	C	0.097	F	0.583	1300	G	2004
						From: Park Rd											
						To: SR 42											
(4100 115)	Mosby Rd	0.35	6600	G	96%	0%	1%	0%	2%	0%	C	0.093	F	0.525	7200	G	2004
						From: WCL Harrisonburg											
						To: Mosby Ct											
(4100 115)	Mosby Rd	0.26	7800	G	96%	0%	1%	0%	2%	0%	F	0.094	F	0.500	8600	G	2004
						From: Mosby Ct											
						To: Main St											
(4102 115)	Pleasant Hill Rd	0.78	10000	G	98%	0%	1%	0%	1%	0%	C	0.087	F	0.514	11000	G	2004
						From: Pear St											
						To: US 11 S Main St											
(4102 115)	Stone Spring Rd	0.65	10000	G	97%	0%	1%	1%	1%	0%	C	0.093	F	0.542	11000	G	2004
						From: US 11 Pleasant Hill Rd											
						To: Ramblewood Rd											
(4102 115)	Stone Spring Rd	0.53	9700	G	97%	0%	1%	1%	1%	0%	F	0.093	F	0.577	11000	G	2004
						From: Ramblewood Rd											
						To: ECL Harrisonburg											

Virginia Department of Transportation
 Mobility Management Division
 2004
 Annual Average Daily Traffic Volume Estimates By Section of Route
 Rockingham Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
City of Harrisonburg																
(4103/115) Central Ave	0.14	1600	G	98%	0%	From: Pleasant Hill Rd To: Sharon St				C	0.102	F	0.638	1700	G	2004
(4103/115) Central Ave	0.91	1000	G	98%	0%	From: Sharon St To: Maryland Ave				F	0.114	F	0.657	1100	G	2004
(4104/115) South Ave	0.52	5900	G	98%	0%	From: S High St To: S Main St				C	0.09	F	0.514	6500	G	2004
(4105/115) Port Republic Rd	0.71	6600	G	96%	0%	From: ECL Harrisonburg To: Turner Ashby Lane				F	0.097	F	0.678	7200	G	2004
(4105/115) Port Republic Rd	0.62	19000	G	96%	0%	From: Turner Ashby Lane To: I-81				F	0.089	F	0.774	21000	G	2004
(4105/115) Port Republic Rd	0.48	16000	G	96%	0%	From: I-81 To: S Main St				C	0.088	F	0.535	18000	G	2004
(4105/115) Maryland Ave	0.44	8400	G	96%	0%	From: Main St To: High St				F	0.09	F	0.541	9200	G	2004
(4106/115) Cantrell Ave	0.57	11000	G	98%	0%	From: High St To: Ott St				F	0.086	F	0.588	12000	G	2004
(4106/115) Cantrell Ave	0.68	13000	G	98%	0%	From: Ott St To: Reservoir St				C	0.086	F	0.552	14000	G	2004
(4106/115) Cantrell Ave	0.18	9900	G	98%	0%	From: Reservoir St To: E Market St				F	0.083	F	0.66	11000	G	2004
(4107/115) Reservoir St	0.97	7500	G	99%	0%	From: SCL Harrisonburg To: University Blvd				F	0.091	F	0.652	8200	G	2004
(4107/115) Reservoir St	0.57	17000	G	99%	0%	From: University Blvd To: Eastover Dr				F	0.093	F	0.557	18000	G	2004
(4107/115) Reservoir St	0.89	9900	G	99%	0%	From: Eastover Dr To: E Market St				C	0.094	F	0.503	11000	G	2004
(4107/115) Sterling St	0.13	1500	G	95%	1%	From: E Market St To: Gay St				F	0.105	F	0.519	1600	G	2004
(4107/115) Gay St	0.45	2700	G	95%	1%	From: Sterling St To: Mason St				F	0.097	F	0.667	3000	G	2004
(4107/115) Gay St	0.33	5100	G	95%	1%	From: Mason St To: N High St				C	0.091	F	0.52	5500	G	2004
(4107/115) Gay St	0.11	3800	G	95%	1%	From: N High St To: Chicago Ave				F	0.090	F	0.618	4100	G	2004
(4107/115) Chicago Ave	0.58	6100	G	98%	0%	From: Chicago Ave To: Gay St				C	0.088	F	0.52	6700	G	2004
(4107/115) Chicago Ave	0.43	6400	G	98%	0%	From: Waterman Dr To: Waterman Ave				F	0.091	F	0.52	7000	G	2004
(4107/115) Chicago Ave						From: Waterman Ave To: Mt Clinton Pike										
(4108/115) Paul St	0.64	1600	G	98%	0%	From: Eastover Dr To: Mason St				C	0.104	F	0.512	1700	G	2004
(4108/115) Paul St	0.14	860	G	98%	0%	From: Mason St To: Main St				F	0.115	F	0.591	950	G	2004
(4109/115) Grace St	0.27	3500	G	97%	0%	From: High St To: Main St				C	0.091	F	0.595	3900	G	2004

Virginia Department of Transportation
 Mobility Management Division
 2004
 Annual Average Daily Traffic Volume Estimates By Section of Route
 Rockingham Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
City of Harrisonburg																
4109 115 Grace St	0.14	5700	G	97%	0%	1%	0%	1%	0%	F	0.086	F	0.55	6300	G	2004
				From:	Main St											
				To:	Mason St											
4109 115 Mason St	0.10	6100	G	99%	0%	1%	0%	0%	0%	F	0.084	F	0.618	6600	G	2004
				From:	Grace St											
				To:	Cantrell Ave											
4109 115 Mason St	0.20	4300	G	99%	0%	1%	0%	0%	0%	C	0.09	F	0.675	4700	G	2004
				From:	Paul St											
				To:	Market St											
4109 115 Mason St	0.44	6400	G	99%	0%	1%	0%	0%	0%	F	0.092	F	0.555	7000	G	2004
				From:	Main St											
				To:	N High St											
4110 115 Wolfe St	0.23	2700	G	98%	1%	1%	0%	0%	0%	F	0.107	F	0.64	3000	G	2004
				From:	N Main St											
				To:	Old Furnace Rd											
4110 115 Old Furnace Rd	0.29	3200	G	98%	1%	1%	0%	0%	0%	F	0.1	F	0.668	3500	G	2004
				From:	Wolfe St											
				To:	Viine St											
4110 115 Old Furnace Rd	0.91	2300	G	98%	1%	1%	0%	0%	0%	F	0.105	F	0.633	2600	G	2004
				From:	Vine St											
				To:	ECL Harrisonburg											
4113 115 Country Club Dr	0.76	8500	G	98%	0%	1%	0%	0%	0%	C	0.099	F	0.515	9300	G	2004
				From:	US 33 E											
				To:	Linda Lane											
4113 115 Country Club Dr	0.85	13000	G	98%	0%	1%	0%	0%	0%	F	0.097	F	0.531	14000	G	2004
				From:	US 33											
				To:	Noll Dr											
4114 115 Kratzer Ave	0.12	2900	G	93%	0%	2%	1%	4%	0%	F	0.112	F	0.759	3200	G	2004
				From:	Noll Dr											
				To:	N Liberty St											
4115 115 Liberty St	0.25	3100	G	92%	1%	2%	1%	4%	0%	F	0.109	F	0.6	3300	G	2004
				From:	Noll Dr											
				To:	Kratzer Ave											
4115 115 Liberty St	0.32	5200	G	93%	0%	2%	1%	4%	0%	C	0.098	F	0.571	5700	G	2004
				From:	Kratzer Ave											
				To:	Edom Rd											
4115 115 Liberty St	0.32	3900	G	92%	1%	2%	1%	4%	0%	F	0.091	F	0.552	4200	G	2004
				From:	Edom Rd											
				To:	Charles St											
4115 115 Liberty St	0.80	3200	G	92%	1%	2%	1%	4%	0%	C	0.096	F	0.512	3600	G	2004
				From:	Charles St											
				To:	NCL Harrisonburg											
4116 115 Pike Church Rd	0.14	1900	G	92%	1%	1%	1%	5%	0%	C	0.106	F	0.57	2000	G	2004
				From:	S Main St											
				To:	WCL Harrisonburg											
4117 115 Pear St	1.09	3100	G	99%	0%	1%	0%	0%	0%	C	0.088	F	0.509	3400	G	2004
				From:	Mosby Rd											
				To:	Pleasant Hill Rd											
4118 115 Erickson St	0.72	7600	G	96%	0%	1%	1%	2%	0%	C	0.088	F	0.622	8400	G	2004
				From:	WCL Harrisonburg											
				To:	S High St											
4119 115 Garbers Church Rd	0.05	3300	G	96%	0%	1%	2%	1%	0%	F	0.106	F	0.624	3600	G	2004
				From:	SCL Harrisonburg											
				To:	Erickson St											
4119 115 Garbers Church Rd	1.48	3000	G	96%	0%	1%	2%	1%	0%	C	0.099	F	0.631	3200	G	2004
				From:	Erickson Ave											
				To:	US 33 Market St											

Virginia Department of Transportation
 Mobility Management Division
 2004
 Annual Average Daily Traffic Volume Estimates By Section of Route
 Rockingham Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
City of Harrisonburg																
4119 115 Switchboard Rd	0.20	1600	G	96%	0%	1%	2%	1%	0%	F	0.113	F	0.561	1800	G	2004
				From:	US 33 Market St											
				To:	NCL Harrisonburg, 82-910											
4120 115 Waterman Dr	0.84	4300	G	94%	1%	2%	1%	3%	0%	C	0.091	F	0.507	4700	G	2004
				From:	W Market St											
				To:	Chicago Ave											
4121 115 Mt Clinton Pike	0.19	6300	G	94%	1%	2%	1%	3%	0%	F	0.106	F	0.570	6900	G	2004
				From:	WCL Harrisonburg											
				To:	College Ave											
4121 115 Mt Clinton Pike	0.10	6500	G	94%	1%	2%	1%	3%	0%	F	0.107	F	0.563	7100	G	2004
				From:	College Ave											
				To:	Chicago Ave											
4121 115 Mt Clinton Pike	0.37	7400	G	95%	0%	2%	1%	2%	0%	C	0.095	F	0.533	8100	G	2004
				From:	Chicago Ave											
				To:	SR 42 Virginia Ave											
4121 115 Mt Clinton Pike	1.29	7300	G	94%	1%	2%	1%	3%	0%	F	0.093	F	0.513	8000	G	2004
				From:	Virginia Ave											
				To:	N Main St											
4122 115 Edom Rd	0.21	2600	G	97%	0%	1%	0%	1%	0%	F	0.105	F	0.615	2900	G	2004
				From:	Virginia Ave											
				To:	N Liberty St											
4124 115 Bruce St	0.15	2100	G	97%	0%	1%	0%	1%	0%	C	0.090	F	0.836	2300	G	2004
				From:	S High St											
				To:	Liberty St											
4124 115 Bruce St	0.22	1700	G	97%	0%	1%	0%	1%	0%	F	0.105	F		1800	G	2004
				From:	Liberty St											
				To:	Mason St											
4125 115 Keezletown Rd	0.76	2000	G	95%	1%	2%	1%	1%	0%	F	0.107	F	0.602	2200	G	2004
				From:	Country Club Rd											
				To:	ECL Harrisonburg											
4127 115 Greendale Rd	1.05	3200	G	95%	1%	2%	1%	1%	0%	C	0.105	F	0.626	3500	G	2004
				From:	Pleasant Valley Rd											
				To:	ECL Harrisonburg											
4128 115 Pleasant Valley Rd	0.67	4900	G	87%	1%	1%	3%	8%	0%	F	0.096	F	0.555	5400	G	2004
				From:	SCL Harrisonburg											
				To:	RTE 710 Greendale Rd											
4128 115 Pleasant Valley Rd	0.73	6900	G	87%	1%	1%	3%	8%	0%	C	0.093	F	0.521	7600	G	2004
				From:	Greendale Rd											
				To:	S Main St											
Town of Bridgewater																
1 176 Oakwood Dr	0.78	3500	G	97%	0%	0%	1%	2%	0%	C	0.081	F	0.524	3600	G	2004
				From:	Main St											
				To:	ECL Bridgewater											
1903 176 N River Rd	0.19	2400	G	94%	2%	2%	1%	0%	0%	C	0.085	F	0.522	2400	G	2004
				From:	N Main St											
				To:	Dry River Rd											
1903 176 Dry River Rd	0.43	3100	G	97%	1%	1%	1%	1%	0%	C	0.089	F	0.612	3200	G	2004
				From:	N River Rd											
				To:	NCL Bridgewater											
Town of Elkton																
1924 216 Spottswood Ave	0.29	5600	G	99%	0%	0%	0%	0%	0%	C	0.095	F	0.591	5800	G	2004
				From:	Bus US 33											
				To:	Stuart Ave											
1924 216 Spottswood Ave	0.51	3000	G	99%	0%	0%	0%	0%	0%	F	0.091	F	0.691	3100	G	2004
				From:	Stuart Ave											
				To:	North Rd											
1924 216 Newtown Rd	0.09	2900	G	98%	0%	2%	0%	0%	0%	C	0.096	F	0.625	3000	G	2004
				From:	North Rd											
				To:	ECL Elkton											
1925 216 North Rd	0.04	3100	G	98%	0%	1%	0%	0%	0%	C	0.095	F	0.597	3200	G	2004
				From:	Spottswood Ave											
				To:	ECL Elkton											

Virginia Department of Transportation
 Mobility Management Division
 2004
 Annual Average Daily Traffic Volume Estimates By Section of Route
 Rockingham Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Town of Grottoes																
(2/278) Cary St	0.23	1000	G	98%	0%	1%	0%	0%	0%	F	0.109	F	0.595	1100	G	2004
				From:	East Side Hwy											
				To:	ECL Grottoes											
(4/228) 2nd Street	0.13	2300	G	98%	0%	1%	0%	0%	0%	F	NA		2300	G	2004	
				From:	Aspen Ave											
				To:	US 340											
(987/278) Dogwood Ave	0.39	2400	G	98%	0%	1%	0%	0%	0%	F	0.099	F	0.507	2500	G	2004
				From:	SCL Grottoes											
(987/228) Dogwood Ave	0.94	3300	G	98%	0%	1%	0%	0%	0%	C	0.108	F	0.526	3400	G	2004
				From:	6Th St											
				To:	NCL Grottoes											
(2955/228) 6th Street	0.38	1900	G	98%	0%	1%	0%	0%	0%	F	0.095	F	0.515	2000	G	2004
				From:	Dogwood Ave											
				To:	Aspen St											
City of Harrisonburg																
2nd Street		300	G								0.111	F		330	G	2004
				From:	Hartman Dr on North End											
				To:	Willow St on South End											
Alleghany Ave		160	G								0.119	F		170	G	2004
				From:	Clay St											
				To:	Star Crest Dr											
Blue Ridge Rd		4000	G								0.091	F		4400	G	2004
				From:	Star Crest Dr											
				To:	Country Club Dr											
Bluestone St		160	G								0.137	F		180	G	2004
				From:	Monument Ave											
				To:	Dead End											
Broad View Dr		470	G								0.106	F		510	G	2004
				From:	Star Crest Dr											
				To:	Sparrow Ct											
Campbell St		290	G								0.096	F		320	G	2004
				From:	N. Mason St											
				To:	Ott St											
Carlton St		6600	G								0.107	F		7300	G	2004
				From:	Reservoir St											
				To:	Market St											
Cedar St		150	G								0.13	F	0.571	170	G	2004
				From:	S. Dogwood Dr											
				To:	West Ave											
Charles St..		2200	G								0.111	F		2400	G	2004
				From:	N. Liberty St											
				To:	N Main St											
Clay St.		260	G								0.143	F		280	G	2004
				From:	Country Club											
				To:	Alleghany Ave											
Clinton St		270	G								0.104	F	0.517	290	G	2004
				From:	Jefferson St											
				To:	N Main St											
Crawford St		1500	G								0.147	F	0.536	1600	G	2004
				From:	Orchard La											
				To:	Port Republic Rd											
Crawford St		1200	G								0.155	F	0.605	1300	G	2004
				From:	Monument Ave											
				To:	Orchard La											
Dale Cir.		90	G								0.158	F		100	G	2004
				From:	Hillandale Ave											
				To:	Hillandale Ave											

Virginia Department of Transportation
 Mobility Management Division
 2004
 Annual Average Daily Traffic Volume Estimates By Section of Route
 Rockingham Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
City of Harrisonburg																
E. Gay St.		4600	G			From: N. Mason St					0.095	F		5000	G	2004
						To: N. Main St										
Ellwood Dr		240	G			From: Maryland Ave					0.109	F		270	G	2004
						To: New York Ave										
Green St		150	G			From: N. Dogwood Dr					0.13	F		160	G	2004
						To: Willow St										
Hartman Dr		210	G			From: W. Gay St					0.111	F		230	G	2004
						To: Second St										
Hilldale Ave		660	G			From: S. Dogwood Dr					0.148	F		720	G	2004
						To: S. High St.										
Hillcrest Dr		280	G			From: Fairview Ave					0.172	F		300	G	2004
						To: Maplehurst Ave										
Hillside Ave		80	G			From: Monument Ave					0.179	F		90	G	2004
						To: Dead End										
Holly Hill Drive		210	G			From: Moore St					0.143	F		230	G	2004
						To: N Main St										
Monument Ave		1200	G			From: Valley St					0.143	F		1300	G	2004
						To: Bluestone St										
Moore St		120	G			From: Dead End					0.135	F		130	G	2004
						To: Holly Hill Dr										
Newman Ave		870	G			From: N. Main St					0.102	F		960	G	2004
						To: Federal St										
S. Dogwood Dr.		1400	G			From: South Ave					0.092	F		1600	G	2004
						To: Ridge Rd										
South Ave		940	G			From: S. Dogwood Dr					0.111	F		1000	G	2004
						To: Sharps Dr										
Spottswood Dr		130	G			From: N. Blue Ridge Rd					0.147	F		140	G	2004
						To: N. Carlton St										
Star Crest Dr		380	G			From: Blue Ridge Rd					0.118	F		420	G	2004
						To: Alleghany Ave										
Statton Rd		49	G			From: Wolfe St					0.177	F	0.611	50	G	2004
						To: W Gay St										
Sutter St		220	G			From: Jefferson St					0.098	F		240	G	2004
						To: Dead End										
Valley St		210	G			From: Fry Ave					0.137	F		240	G	2004
						To: Monument Ave .										
W. View St		220	G			From: S. Mason St					0.126	F		240	G	2004
						To: Ott St										

Virginia Department of Transportation
 Mobility Management Division
 2004
 Annual Average Daily Traffic Volume Estimates By Section of Route
 Rockingham Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
City of Harrisonburg																
W. Water St		430	G			From: Brook Ave					0.145	F		480	G	2004
						To: Academy St										
Walnut St		420	G			From: Grace St					0.086	F		460	G	2004
						To: Dead End										
Willow St		1000	G			From: W Gay St					0.115	F		1100	G	2004
						To: Second St										
Wilson Ave		120	G			From: Dead End					0.176	F	0.535	130	G	2004
						To: N Main St										
Town of Bridgewater																
Collegeview Dr.		1200	G			From: Dinkle Ave					0.095	F		1300	G	2004
						To: E College St.										
E College St		1300	G			From: Main St					0.099	F		1400	G	2004
						To: Collegeview Dr										
Town of Elkton																
Ashby Ave		130	G			From: C Street					0.153	F		140	G	2004
						To: B Street										
Town of Grottoes																
11th Street		150	G			From: Forest Ave					0.108	F		160	G	2004
						To: Dogwood Ave										
9th Street		NA				From: Elm Ave					NA			NA		
						To: Dogwood Ave										