

2005

**Virginia Department of Transportation
Daily Traffic Volume Estimates
Including Vehicle Classification Estimates**

where available

Jurisdiction Report

82

Rockingham County
City of Harrisonburg
Town of Bridgewater
Town of Broadway
Town of Dayton
Town of Elkton
Town of Grottoes
Town of Mount Crawford
Town of Timberville

Prepared By

**Virginia Department of Transportation
Traffic Engineering Division**

In Cooperation With

**U.S. Department of Transportation
Federal Highway Administration**

Virginia Department of Transportation
Traffic Engineering Division
Traffic Monitoring Section

The Virginia Department of Transportation (VDOT) conducts a program where traffic count data are gathered from sensors in or along streets and highways and other sources. From these data, estimates of the average number of vehicles that traveled each segment of road are calculated. VDOT periodically publishes booklets listing these estimates.

One of these booklets, titled “Average Daily Traffic Volumes with Vehicle Classification Data, on Interstate, Arterial and Primary Routes” includes a list of each Interstate and Primary highway segment with the estimated Annual Average Daily Traffic (AADT) for that segment. AADT is the total annual traffic estimate divided by the number of days in the year. This booklet also includes information such as estimates of the percentage of the AADT made up by 6 different vehicle types, ranging from cars to double trailer trucks; estimated Annual Average Weekday Traffic (AAWDT), which is the number of vehicles estimated to have traveled the segment of highway during a 24 hour weekday averaged over the year; as well as Peak Hour and Peak Direction factors used by planners to formulate design criteria.

In addition to the Primary and Interstate publication, one hundred books are published periodically, one for each of 100 areas across the state defined by VDOT for record-keeping purposes. These books include traffic volume estimates for roads within the county, cities, and towns within the area. These books are titled “Daily Traffic Volumes Including Vehicle Classification Estimates, where available; Jurisdiction Report numbers 00 through 99”.

Also available are a number of reports summarizing the average Vehicle Miles Traveled (VMT) in selected jurisdictions and other categories of highways. There are many different ways to present traffic volume summary information. Because the user determines the value of each presentation, the reports have been redesigned based on user requests and feedback. The people of the VDOT Traffic Engineering Division Traffic Monitoring Section who produce these books welcome requests for other helpful ways of presenting the summary information.

A compact disc (CD) is available that includes files in the Adobe® Portable Document Format (PDF) that can be displayed, searched, and printed using common desktop computer equipment. The CD includes the publications described above as well as a number of other reports, including specialized VMT summaries and smaller AADT reports for each city and town separately.

Publication Notes

Parallel Roads

For road inventory and management purposes, some roadways are counted separately by direction and have separately published traffic estimates for each direction of travel. Examples of such roadways are the interstate system and routes with separated facilities and (usually) one-way traffic facilities in urban areas. In these publications, they are referred to as parallel roads. As a convenience for the users of the publication, the listing for segments of roads with parallel segments are published with both the traffic estimates for their own direction of travel (e.g. I-95 Northbound) as well as the estimate of the total of all traffic on the same route including parallel roadways (all directions of I-95). The publication will have a “Combined Traffic Estimates for Parallel Roadways on this Route” or “Combined Traffic” identifiers for the combined direction of travel estimates.

Roadways such as I-395 with a North segment, a South segment and a separate Reversible lane segment will have the estimate for more than two parallel roadways included in the entire combined traffic estimate.

Some routes have very complicated paths through cities and towns. These parallel paths may be too complex to allow a relationship between nearby sections of the opposite direction on the same route. In this case, to indicate that the traffic estimates for such a road segment may not include all directions of traffic on that route, the line that would list the combined values will indicate “NA” for not available.

VDOT’s traffic monitoring program includes more than 100,000 segments of roads and highways ranging from several mile sections of Interstate highways to very short sections of city streets. Due to problems experienced obtaining some traffic count data, and the level of quality necessary to maintain confidence in the data, no estimate is currently available for some segments of roadway. These segments are included in the publications indicating “NA” for not available. It is the intention of the VDOT Traffic Engineering Division Traffic Monitoring group to obtain the data necessary and to report traffic volume estimates on all road segments included in these publications.

Many of the road segments in this program are local secondary roads. The amount and detail of data collected on these roads are not as great as the data collected on higher volume roads. The vehicle classification, average weekday traffic volumes, and the theoretical design hour traffic volumes are not calculated for these roads. The publications indicate “NA” for the information that is not available.

This publication is based on a traffic monitoring program initiated in 1997. Because the data collection techniques and statistical evaluation processes are different than those used in previous years, comparison with previous publications may be misleading.

Glossary of Terms:

Route: The Route Number assigned to this segment of roadway with the master inventory route number if this is an overlapping route, with official street or highway name if available.

Length: Length of the traffic segment in miles.

AADT: Annual Average Daily Traffic. The estimate of typical daily traffic on a road segment for all days of the week, Sunday through Saturday, over the period of one year.

QA: Quality of AADT:

- A Average of Complete Continuous Count Data
- B Average of Selected Continuous Count Data
- F Factored Short Term Traffic Count Data
- G Factored Short Term Traffic Count Data with Growth Element
- H Historical Estimate
- M Manual Uncounted Estimate
- N AADT of Similar Neighboring Traffic Link
- O Provided By External Source
- R Raw Traffic Count, Unfactored

4Tire: Percentage of the traffic volume made up of motorcycles, passenger cars, vans and pickup trucks.

Bus: Percentage of the traffic volume made up of busses.

2Axle Truck: Percentage of the traffic volume made up of 2 axle single unit trucks (not including pickups and vans).

3+Axle Truck: Percentage of the traffic volume made up of single unit trucks with three or more axles.

1Trail Truck: Percentage of the traffic volume made up of units with a single trailer.

2Trail Truck: Percentage of the traffic volume made up of units with more than one trailer.

QC: Quality of Classification Data:

- A Average of Complete Continuous Count Data
- B Average of Selected Continuous Count Data
- C Short Term Classified Traffic Count Data
- F Factored Short Term Traffic Count Data
- H Historical Estimate
- M Mass Collective Average
- N Classification Estimates of Similar Neighboring Traffic Link

K Factor: The estimate of the portion of the traffic volume traveling during the peak hour or design hour.

QK: Quality of the Peak Hour estimate:

- A Factor based on 30th Highest Hour Observed During at least 250 days of Continuous Traffic Data
- B Factor based on other Hour Observed During Less than 250 days of Continuous Traffic Data
- F Factor based on Highest Hour Collected at in a 48 Hour Weekday Period
- M Factor based on Manual Estimate of design hour
- N Peak Hour Factor of Similar Neighboring Traffic Link
- O Provided by External Source

Dir Factor: The estimate of the portion of the traffic volume traveling in the peak direction during the peak hour..

AAWDT: Average Annual Weekday Traffic. The estimate of typical traffic over the period of one year for the days between Monday through Thursday inclusive.

QW: Quality of AAWDT:

- A Average of Complete Continuous Count Data
- B Average of Selected Continuous Count Data
- F Factored Short Term Traffic Count Data
- G Factored Short Term Traffic Count Data with Growth Element
- M Manual Uncounted Estimate
- N AAWDT of Similar Neighboring Traffic Link
- O Provided by External Source

Year: Year for which the published values are appropriate. If the Quality of AADT (QA) is "R", the year is the year that the raw traffic count was collected, and if available,

Route Shield Legend

Route Systems

- North
 Interstate Route Traffic volume data for Interstate Routes and some other routes are reported separately by direction, as well as combined.
-  US Route
-  Virginia State Route
-  Frontage Road (F precedes frontage route number)
-  Secondary Route

Special Routes

- Bus
 Bus - Business Route
-  Bypass - Bypass Route
-  Truck - Truck Route
- ALT
 ALT - Alternate Route
- Wve
 Wve - Wve Route connector
-  P - Parallel Route; Southbound or Westbound direction lanes of a numbered route where they are on a different road facility than the other direction.
-  The VDOT Maintenance Jurisdiction number is displayed below the Secondary Route Number if the Maintenance Jurisdiction is different than the jurisdiction in the title of the report.

Virginia Department of Transportation
 Traffic Engineering Division
 2005
 Annual Average Daily Traffic Volume Estimates By Section of Route
 Rockingham Operational Area

Route	Jurisdiction	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW
							2Axle	3+Axle	1Trail	2Trail						
	From: Augusta County Line															
11 Lee Highway	Rockingham County	2.46	5600	G	96%	0%	1%	1%	1%	0%	C	0.097	F	0.597	5800	G
	To: SCL Mt Crawford															
11 Lee Highway	Town of Mount Crawford (Maint: 82)	0.92	5600	N	96%	0%	1%	1%	1%	0%	N	0.097	N	0.597	5800	N
	To: 82-919															
11 Lee Highway	Town of Mount Crawford (Maint: 82)	0.20	7800	G	96%	0%	1%	1%	1%	0%	F	0.091	F	0.613	8000	G
	To: NCL Mt Crawford															
11 Lee Highway	Rockingham County	0.03	7800	G	96%	0%	1%	1%	1%	0%	F	0.091	F	0.613	8000	G
	To: SR 257 Friedens Ch Rd; Dinkel Ave															
11 Lee Highway	Rockingham County	1.12	13000	G	96%	0%	1%	1%	1%	0%	F	0.086	F	0.666	13000	G
	To: 82-704 Cecil Wampler Rd															
11 Lee Highway	Rockingham County	1.18	12000	G	96%	0%	1%	1%	1%	0%	F	0.083	F	0.534	13000	G
	To: SCL Harrisonburg															
11 Main St	City of Harrisonburg	0.91	14000	G	96%	0%	1%	1%	1%	0%	F	0.092	F	0.549	15000	G
	To: I-81															
11 Main St	City of Harrisonburg	1.77	20000	G	96%	1%	1%	1%	2%	0%	F	0.087	F	0.510	22000	G
	To: Pleasant Hill Rd															
11 S Main St	City of Harrisonburg	0.87	18000	G	96%	1%	1%	1%	2%	0%	C	0.087	F	0.527	20000	G
	To: Port Republic Rd															
11 S Main St	City of Harrisonburg	0.65	24000	G	96%	1%	1%	1%	2%	0%	F	0.084	F	0.524	26000	G
	To: S Liberty St															
11 Main St NB	City of Harrisonburg	0.47	7200	G	96%	1%	1%	1%	2%	0%	F	0.089	F		7900	G
	Combined Traffic Estimates for 2 Parallel Roadways on this Route:		13000	G								NA			14000	G
	To: US 33															
11 33 Main St NB	City of Harrisonburg	0.02	7200	N	96%	1%	1%	1%	2%	0%	N	0.089	N		7900	N
	Combined Traffic Estimates for 2 Parallel Roadways on this Route:		13000	N								NA			14000	N
	To: US 33 E Market Street															
11 33 Main St NB	City of Harrisonburg	0.03	7200	N	96%	1%	1%	1%	2%	0%	N	0.089	N		7900	N
	Combined Traffic Estimates for 2 Parallel Roadways on this Route:		10000	N								NA			11000	N
	To: US 33 Par															
11 Main St NB	City of Harrisonburg	0.34	7200	N	96%	1%	1%	1%	2%	0%	N	0.089	N		7900	N
	To: Kratzer Ave															
11 N Main St	City of Harrisonburg	0.68	7100	G	96%	0%	1%	0%	2%	0%	C	0.089	F	0.63	7700	G
	To: Charles St															
11 N Main St	City of Harrisonburg	0.44	6900	G	96%	0%	1%	0%	2%	0%	F	0.091	F	0.591	7600	G
	To: NCL Harrisonburg															
11 Valley Pike	Rockingham County	3.16	9400	G	94%	0%	2%	2%	2%	0%	F	0.084	F	0.561	9700	G
	To: 82-765															

Virginia Department of Transportation
Traffic Engineering Division
2005
Annual Average Daily Traffic Volume Estimates By Section of Route
Rockingham Operational Area

Route	Jurisdiction	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW
							2Axle	3+Axle	1Trail	2Trail						
11 Valley Pike	From: 82-765 Rockingham County	4.14	6400	G	94%	0%	2%	2%	2%	0%	F	0.091	F	0.665	6600	G
11 Valley Pike	To: 82-806 Rockingham County	1.88	4300	G	94%	0%	2%	2%	2%	0%	C	0.088	F	0.573	4400	G
11 Valley Pike	To: I-81 Mauzy Rockingham County	6.04	3300	G	94%	1%	2%	1%	3%	0%	F	0.096	F	0.566	3400	G
	To: Shenandoah County Line															
11 Liberty St	From: S Main St City of Harrisonburg	0.47	6000	G								NA			6400	G
	Combined Traffic Estimates for 2 Parallel Roadways on this Route:		13000	G								NA			14000	G
11 Liberty St	To: US 33, W Market Street City of Harrisonburg	0.23	4700	G	96%	1%	1%	1%	1%	0%	C	0.085	F		5100	G
11 33 Noll Dr	To: Rock St City of Harrisonburg	0.14	2900	G								0.078	F		3100	G
	Combined Traffic Estimates for 2 Parallel Roadways on this Route:		10000	N								NA			11000	N
	To: Kratzer Ave															
33 Rawley Pike	From: West Virginia State Line Rockingham County	11.66	2400	G	94%	1%	1%	1%	3%	0%	F	0.105	F	0.705	2500	G
33 Rawley Pike	To: 82-840 Bridger Rd Rockingham County	2.80	3800	G	94%	1%	1%	1%	3%	0%	C	0.092	F	0.702	3900	G
33 Rawley Pike	To: 82-613 Whitmore Shop Rd; Clover Hill Rd Rockingham County	5.70	9000	G	94%	1%	1%	1%	3%	0%	F	0.086	F	0.583	9300	G
33 W Market Street	To: WCL Harrisonburg City of Harrisonburg	1.11	10000	G	95%	1%	1%	1%	2%	0%	F	0.086	F	0.585	11000	G
33 W Market Street	To: Wateman Dr City of Harrisonburg	0.61	11000	G	95%	1%	1%	1%	2%	0%	C	0.099	F	0.609	12000	G
33 W Market Street	To: SR 42 S High St City of Harrisonburg	0.16	4500	G	95%	1%	1%	1%	2%	0%	F	0.087	F	0.632	4900	G
33 11 Main St NB	To: Bus US 33 Par City of Harrisonburg	0.02	7200	N	96%	1%	1%	1%	2%	0%	N	0.089	N		7900	N
	Combined Traffic Estimates for 2 Parallel Roadways on this Route:		13000	N								NA			14000	N
33 E Market Street	To: US 11 Main St City of Harrisonburg	0.11	7200	G	97%	0%	1%	0%	2%	0%	F	0.084	F	0.542	7800	G
33 E Market Street	To: US 11 Main St NB City of Harrisonburg	0.87	12000	G	97%	0%	1%	0%	2%	0%	F	0.086	F	0.572	14000	G
33 E Market Street	To: Mason St City of Harrisonburg	0.61	24000	G	97%	0%	1%	0%	2%	0%	C	0.09	F	0.594	26000	G
	To: Vine St															
	To: I-81															

Virginia Department of Transportation
 Traffic Engineering Division
 2005
 Annual Average Daily Traffic Volume Estimates By Section of Route
 Rockingham Operational Area

Route	Jurisdiction	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW
							2Axle	3+Axle	1Trail	2Trail						
							From: I-81									
33 E Market Street	City of Harrisonburg	0.59	26000	G	95%	0%	1%	1%	3%	0%	F	0.083	F	0.521	28000	G
							To: University Blvd									
33 E Market Street	City of Harrisonburg	1.07	17000	G	96%	0%	1%	1%	1%	0%	C	0.084	F	0.577	18000	G
							From: ECL Harrisonburg									
33 Spotswood Trail	Rockingham County	0.21	25000	G	95%	0%	1%	1%	3%	0%	F	0.090	F	0.627	26000	G
							To: 82-704 Boyers Rd									
33 Spotswood Trail	Rockingham County	2.08	24000	G	95%	0%	1%	1%	3%	0%	F	0.089	F	0.622	25000	G
							From: SR 276 Cross Keys Rd									
33 Spotswood Trail	Rockingham County	2.73	24000	G	95%	0%	1%	1%	3%	0%	C	0.094	F	0.611	24000	G
							To: 82-842 Montevideo									
33 Spotswood Trail	Rockingham County	2.53	22000	G	95%	0%	1%	1%	3%	0%	F	0.086	F	0.687	23000	G
							From: 82-649 Stover Dr; Island Ford Rd									
33 Spotswood Trail	Rockingham County	1.83	20000	G	96%	1%	1%	1%	2%	0%	F	0.088	F	0.611	21000	G
							To: 82-602 East Point Rd									
33 Spotswood Trail	Rockingham County	3.12	13000	G	96%	1%	1%	1%	2%	0%	C	0.085	F	0.554	13000	G
							From: US 33 Bus West of Elkton									
33 Spotswood Trail	Rockingham County	0.89	8500	G	94%	1%	1%	1%	3%	0%	F	0.079	F	0.707	8700	G
							To: WCL Elkton									
33 Spotswood Trail	Town of Elkton (Maint: 82)	0.69	8500	N	94%	1%	1%	1%	3%	0%	N	0.079	N	0.707	8700	N
							From: ECL Elkton									
33 Spotswood Trail	Rockingham County	0.04	8500	N	94%	1%	1%	1%	3%	0%	N	0.079	N	0.707	8700	N
							To: US 340									
33 Spotswood Trail	Rockingham County	6.25	5700	G	94%	1%	1%	1%	3%	0%	C	0.107	F	0.501	5900	G
							To: Greene County Line									
							From: US 11									
33 11 Main St NB	City of Harrisonburg	0.03	7200	N	96%	1%	1%	1%	2%	0%	N	0.089	N		7900	N
			Combined Traffic Estimates for 2 Parallel Roadways on this Route:					10000	N				NA		11000	N
							To: US 33									
							From: US 33 Spotswood Trail									
Bus 33 Old Spotswood Trail	Rockingham County	1.00	7800	G	99%	0%	0%	0%	0%	0%	F	0.092	F	0.585	8000	G
							To: WCL Elkton									
Bus 33 Spottswood Ave	Town of Elkton (Maint: 82)	0.37	8200	G	99%	0%	0%	0%	0%	0%	C	0.085	F	0.599	8500	G
							From: Spottswood Terr									
Bus 33 Spottswood Ave	Town of Elkton (Maint: 82)	0.27	4200	G	99%	0%	0%	0%	0%	0%	F	0.081	F	0.702	4300	G
							To: Stuart Ave									
Bus 33 340 S Stuart Ave	Town of Elkton (Maint: 82)	0.08	11000	N	93%	0%	1%	2%	4%	0%	N	0.085	N	0.676	11000	N
							To: US 33									

Virginia Department of Transportation
Traffic Engineering Division
2005
Annual Average Daily Traffic Volume Estimates By Section of Route
Rockingham Operational Area

Route	Jurisdiction	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW
							2Axle	3+Axle	1Trail	2Trail						
	From: Augusta County Line															
42 Warm Springs Pike	Rockingham County	2.50	3900	G	97%	0%	1%	1%	1%	0%	C	0.091	F	0.716	4100	G
	To: SCL Bridgewater															
42 S Main Street	Town of Bridgewater	0.22	9300	G	96%	0%	1%	1%	2%	0%	C	0.087	F	0.699	9500	G
	To: College Street															
42 N Main Street	Town of Bridgewater	0.15	11000	G	96%	0%	1%	1%	2%	0%	F	0.084	F	0.653	11000	G
	To: Dinkel Ave															
42 257 N Main Street	Town of Bridgewater	0.30	13000	G	96%	0%	1%	1%	2%	0%	F	0.078	F	0.624	14000	G
	To: Mt Crawford Ave															
42 257 N Main Street	Town of Bridgewater	0.08	17000	G	96%	0%	1%	1%	2%	0%	C	0.08	F	0.615	18000	G
	To: North River Rd															
42 257 N Main Street	Town of Bridgewater	1.00	17000	G	96%	0%	1%	1%	2%	0%	F	0.078	F	0.613	18000	G
	To: Old NCL Bridgewater															
42 257 N Main St	Town of Bridgewater	0.30	17000	N	96%	0%	1%	1%	2%	0%	N	0.078	N	0.613	18000	N
	To: NCL Bridgewater															
42 257 John Wayland Hwy	Rockingham County	0.63	14000	F	97%	1%	1%	1%	1%	0%	C	0.092	F	0.559	15000	F
	To: SCL Dayton															
42 257 John Wayland Hwy	Town of Dayton (Maint: 82)	0.42	17000	N	96%	0%	1%	1%	2%	0%	N	0.078	N	0.613	18000	N
	To: BUS SR 42															
42 John Wayland Hwy	Town of Dayton (Maint: 82)	0.45	16000	A	97%	0%	1%	1%	1%	0%	C	0.109	A	0.559	18000	A
	To: NCL Dayton															
42 John Wayland Hwy	Rockingham County	1.90	17000	F	97%	0%	1%	1%	1%	0%	C	0.092	F	0.567	17000	F
	To: SCL Harrisonburg															
42 S High Street	City of Harrisonburg	0.13	16000	G	97%	0%	1%	1%	1%	0%	F	0.089	F	0.536	18000	G
	To: Erickson Ave															
42 S High Street	City of Harrisonburg	1.27	19000	G	97%	0%	1%	1%	1%	0%	C	0.089	F	0.507	21000	G
	To: Sunrise Ave															
42 S High Street	City of Harrisonburg	0.40	20000	G	97%	0%	1%	1%	1%	0%	F	0.083	F	0.529	22000	G
	To: Grace Ave															
42 S High Street	City of Harrisonburg	0.55	20000	G	97%	0%	1%	1%	1%	0%	F	0.082	F	0.502	22000	G
	To: Market St															
42 N High Street	City of Harrisonburg	0.27	19000	G	97%	0%	1%	1%	1%	0%	F	0.082	F	0.504	20000	G
	To: Gay St															
42 Virginia Ave	City of Harrisonburg	0.44	11000	G	97%	0%	1%	1%	1%	0%	F	0.083	F	0.555	12000	G
	To: 5th St															
42 Virginia Ave	City of Harrisonburg	0.60	10000	G	96%	0%	1%	1%	1%	0%	C	0.089	F	0.586	11000	G
	To: Mt Clinton Pike															

Virginia Department of Transportation
Traffic Engineering Division
2005
Annual Average Daily Traffic Volume Estimates By Section of Route
Rockingham Operational Area

Route	Jurisdiction	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW
							2Axle	3+Axle	1Trail	2Trail						
42 Virginia Ave	City of Harrisonburg	0.83	12000	G	96%	0%	1%	1%	1%	0%	F	0.088	F	0.58	13000	G
42 Harpine Hwy	Rockingham County	5.12	8600	G	94%	1%	1%	1%	3%	0%	F	0.086	F	0.654	9400	G
42 Harpine Hwy	Rockingham County	4.60	8400	G	94%	1%	1%	1%	3%	0%	F	0.089	F	0.628	8700	G
42 Timber Way	Town of Broadway (Maint: 82)	0.81	8400	N	94%	1%	1%	1%	3%	0%	N	0.089	N	0.628	8700	N
42 ALT 259 Timber Way	Town of Broadway (Maint: 82)	0.32	6900	G	94%	1%	1%	1%	3%	0%	C	0.087	F	0.598	7100	G
42 259 Timber Way	Town of Broadway (Maint: 82)	0.33	8000	G	94%	1%	1%	1%	3%	0%	F	0.083	F	0.538	8200	G
42 259 Timber Way	Rockingham County	0.29	8000	N	94%	1%	1%	1%	3%	0%	N	0.083	N	0.538	8200	N
42 Timber Way	Rockingham County	1.21	12000	F	93%	1%	1%	2%	3%	0%	C	0.091	F	0.507	12000	F
42 Forestville Rd	Town of Timberville (Maint: 82)	0.18	12000	N	93%	1%	1%	2%	3%	0%	N	0.091	N	0.507	12000	N
42 Forestville Rd	Town of Timberville (Maint: 82)	0.68	6700	F	94%	1%	1%	2%	1%	0%	C	0.091	F	0.594	6900	F
42 Forestville Rd	Town of Timberville (Maint: 82)	0.41	2500	G	93%	1%	1%	3%	2%	0%	C	0.09	F	0.575	2600	G
42 Forestville Rd	Rockingham County	2.56	1600	G	93%	1%	1%	3%	2%	0%	F	NA		1600	G	
Bus 42 Main St	Town of Dayton (Maint: 82)	0.12	2300	G	98%	0%	1%	0%	1%	0%	F	0.077	F	0.55	2300	G
Bus 42 290 Main St	Town of Dayton (Maint: 82)	0.07	3900	G	98%	0%	1%	0%	1%	0%	F	0.083	F	0.544	4000	G
Bus 42 Main St	Town of Dayton (Maint: 82)	0.60	1500	G	98%	0%	1%	0%	1%	0%	C	0.091	F	0.553	1500	G
Bus 42 Main St	Rockingham County	0.03	1500	N	98%	0%	1%	0%	1%	0%	N	0.091	N	0.553	1500	N
48 Skyline Drive	Rockingham County (Maint: US)	8.44	1600	M	88%	1%	1%	1%	9%	0%	F	NA		NA		

Virginia Department of Transportation
Traffic Engineering Division
2005
Annual Average Daily Traffic Volume Estimates By Section of Route
Rockingham Operational Area

Route	Jurisdiction	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW
							2Axle	3+Axle	1Trail	2Trail						
	From: <u>Greene County Line</u>															
48 Skyline Drive	Rockingham County (Maint: US)	3.26	1600	M	88%	1%	1%	1%	9%	0%	F	NA		NA		
	To: <u>Greene County Line</u>															
48 Skyline Drive	Rockingham County (Maint: US)	1.93	1600	M	88%	1%	1%	1%	9%	0%	F	NA		NA		
	To: <u>Greene County Line</u>															
48 Skyline Drive	Rockingham County (Maint: US)	0.10	1600	M	88%	1%	1%	1%	9%	0%	F	NA		NA		
	To: <u>US 33</u>															
48 Skyline Drive	Rockingham County (Maint: US)	2.69	2700	M	88%	1%	1%	1%	9%	0%	F	NA		NA		
	To: <u>Greene County Line</u>															
48 Skyline Drive	Rockingham County (Maint: US)	2.53	2700	M	88%	1%	1%	1%	9%	0%	F	NA		NA		
	To: <u>Page County Line</u>															
North 81	From: <u>Augusta County Line</u>															
	Rockingham County	2.94	24000	G	73%	1%	1%	1%	23%	2%	F	0.069	F	24000	G	
	Combined Traffic Estimates for 2 Parallel Roadways on this Route:		48000	G	74%	1%	1%	1%	22%	2%	F	NA		48000	G	
	To: <u>SR 257</u>															
North 81	From: <u>SR 257</u>															
	Rockingham County	2.61	24000	G	73%	1%	1%	1%	23%	2%	F	0.072	F	24000	G	
	Combined Traffic Estimates for 2 Parallel Roadways on this Route:		48000	G	74%	1%	1%	1%	22%	2%	F	NA		48000	G	
	To: <u>SCL Harrisonburg</u>															
North 81	From: <u>SCL Harrisonburg</u>															
	City of Harrisonburg (Maint: 82)	0.50	24000	G	73%	1%	1%	1%	23%	2%	F	0.072	F	24000	G	
	Combined Traffic Estimates for 2 Parallel Roadways on this Route:		48000	G	74%	1%	1%	1%	22%	2%	F	NA		48000	G	
	To: <u>US 11</u>															
North 81	From: <u>US 11</u>															
	City of Harrisonburg (Maint: 82)	2.83	26000	A	73%	1%	1%	1%	23%	2%	C	0.099	A	26000	A	
	Combined Traffic Estimates for 2 Parallel Roadways on this Route:		51000	A	74%	1%	1%	1%	22%	2%	C	0.097	A	51000	A	
	To: <u>82-659 Port Republic Road</u>															
North 81	From: <u>82-659 Port Republic Road</u>															
	City of Harrisonburg (Maint: 82)	1.51	26000	G	73%	1%	1%	1%	23%	2%	F	0.086	F	26000	G	
	Combined Traffic Estimates for 2 Parallel Roadways on this Route:		50000	G	74%	1%	1%	1%	22%	2%	F	NA		50000	G	
	To: <u>US 33</u>															
North 81	From: <u>US 33</u>															
	City of Harrisonburg (Maint: 82)	1.60	22000	G	73%	1%	1%	1%	23%	2%	F	0.087	F	22000	G	
	Combined Traffic Estimates for 2 Parallel Roadways on this Route:		48000	G	74%	1%	1%	1%	22%	2%	F	NA		48000	G	
	To: <u>NCL Harrisonburg</u>															
North 81	From: <u>NCL Harrisonburg</u>															
	Rockingham County	2.48	22000	G	73%	1%	1%	1%	23%	2%	F	0.087	F	22000	G	
	Combined Traffic Estimates for 2 Parallel Roadways on this Route:		48000	G	74%	1%	1%	1%	22%	2%	F	NA		48000	G	
	To: <u>US 11 S</u>															
North 81	From: <u>US 11 S</u>															
	Rockingham County	6.51	25000	G	73%	1%	1%	1%	23%	2%	F	0.075	F	25000	G	
	Combined Traffic Estimates for 2 Parallel Roadways on this Route:		47000	G	74%	1%	1%	1%	22%	2%	F	NA		47000	G	
	To: <u>US 11 N</u>															

Virginia Department of Transportation
Traffic Engineering Division
2005
Annual Average Daily Traffic Volume Estimates By Section of Route
Rockingham Operational Area

Route	Jurisdiction	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW
							2Axle	3+Axle	1Trail	2Trail						
North 81	From: US 11 N															
	Rockingham County	6.12	19000	G	73%	1%	1%	1%	23%	2%	F	0.074	F	19000	G	
Combined Traffic Estimates for 2 Parallel Roadways on this Route:			39000	G	74%	1%	1%	1%	22%	2%	F	NA		39000	G	
To: Shenandoah County Line																
South 81	From: Augusta County Line															
	Rockingham County	3.28	24000	G	75%	1%	1%	1%	21%	2%	F	0.067	F	24000	G	
Combined Traffic Estimates for 2 Parallel Roadways on this Route:			48000	G	74%	1%	1%	1%	22%	2%	F	NA		48000	G	
To: SR 257																
South 81	From: SR 257															
	Rockingham County	2.25	25000	G	75%	1%	1%	1%	21%	2%	F	0.07	F	24000	G	
Combined Traffic Estimates for 2 Parallel Roadways on this Route:			48000	G	74%	1%	1%	1%	22%	2%	F	NA		48000	G	
To: SCL Harrisonburg																
South 81	From: SCL Harrisonburg															
	City of Harrisonburg (Maint: 82)	1.01	25000	G	75%	1%	1%	1%	21%	2%	F	0.07	F	24000	G	
Combined Traffic Estimates for 2 Parallel Roadways on this Route:			48000	G	74%	1%	1%	1%	22%	2%	F	NA		48000	G	
To: US 11																
South 81	From: US 11															
	City of Harrisonburg (Maint: 82)	2.63	25000	A	75%	1%	1%	1%	21%	2%	C	0.104	A	25000	A	
Combined Traffic Estimates for 2 Parallel Roadways on this Route:			51000	A	74%	1%	1%	1%	22%	2%	C	0.097	A	0.530	51000	A
To: 82-659 Port Republic Road																
South 81	From: Port Republic Road 82-659															
	City of Harrisonburg (Maint: 82)	1.50	24000	G	75%	1%	1%	1%	21%	2%	F	0.069	F	24000	G	
Combined Traffic Estimates for 2 Parallel Roadways on this Route:			50000	G	74%	1%	1%	1%	22%	2%	F	NA		50000	G	
To: US 33																
South 81	From: US 33															
	City of Harrisonburg (Maint: 82)	1.30	26000	G	75%	1%	1%	1%	21%	2%	F	0.07	F	26000	G	
Combined Traffic Estimates for 2 Parallel Roadways on this Route:			48000	G	74%	1%	1%	1%	22%	2%	F	NA		48000	G	
To: NCL Harrisonburg																
South 81	From: NCL Harrisonburg															
	Rockingham County	2.40	26000	G	75%	1%	1%	1%	21%	2%	F	0.07	F	26000	G	
Combined Traffic Estimates for 2 Parallel Roadways on this Route:			48000	G	74%	1%	1%	1%	22%	2%	F	NA		48000	G	
To: US 11																
South 81	From: US 11															
	Rockingham County	6.85	23000	G	75%	1%	1%	1%	21%	2%	F	0.066	F	22000	G	
Combined Traffic Estimates for 2 Parallel Roadways on this Route:			47000	G	74%	1%	1%	1%	22%	2%	F	NA		47000	G	
To: US 11																
South 81	From: US 11															
	Rockingham County	5.86	20000	G	75%	1%	1%	1%	21%	2%	F	0.068	F	20000	G	
Combined Traffic Estimates for 2 Parallel Roadways on this Route:			39000	G	74%	1%	1%	1%	22%	2%	F	NA		39000	G	
To: Shenandoah County Line																
211 New Market Rd	From: SR 42 South of Timberville															
	Town of Timberville (Maint: 82)	0.69	4400	G	87%	1%	1%	3%	7%	0%	C	0.086	F	0.534	4500	G
To: ECL Timberville																
211 New Market Rd	From: ECL Timberville															
	Rockingham County	3.58	4900	G	92%	1%	1%	1%	5%	0%	F	0.083	F	0.513	5000	G
To: Shenandoah County Line																

Virginia Department of Transportation
Traffic Engineering Division
2005
Annual Average Daily Traffic Volume Estimates By Section of Route
Rockingham Operational Area

Route	Jurisdiction	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	
							2Axle	3+Axle	1Trail	2Trail							
253	Port Republic Rd	City of Harrisonburg	0.48	16000	G	96%	0%	1%	1%	2%	0%	C	0.088	F	0.535	18000	G
253	Port Republic Rd	City of Harrisonburg	0.85	19000	G	96%	0%	1%	1%	2%	0%	F	0.089	F	0.774	21000	G
253	Port Republic Rd	City of Harrisonburg	0.48	6600	G	96%	0%	1%	1%	2%	0%	F	0.097	F	0.678	7200	G
253	Port Republic Rd	Rockingham County	0.59	9100	G	96%	0%	1%	2%	1%	0%	F	0.095	F	0.668	9300	G
253	Port Republic Rd	Rockingham County	1.15	13000	G	96%	0%	1%	2%	1%	0%	F	0.094	F	0.701	13000	G
253	Port Republic Rd	Rockingham County	1.17	13000	N	96%	0%	1%	2%	1%	0%	N	0.094	N	0.701	13000	N
253	Port Republic Rd	Rockingham County	0.96	5900	G	96%	0%	1%	2%	1%	0%	F	0.09	F	0.900	6100	G
253	Port Republic Rd	Rockingham County	0.33	5900	G	96%	0%	1%	2%	1%	0%	C	0.090	F	0.693	6000	G
253	Port Republic Rd	Rockingham County	4.28	6100	G	96%	0%	1%	2%	1%	0%	F	0.098	F	0.702	6300	G
253	Port Republic Rd	Rockingham County	0.22	5800	G	96%	0%	1%	2%	1%	0%	F	0.096	F	0.677	6000	G
253	Port Republic Rd	Rockingham County	0.76	6200	G	96%	0%	1%	2%	1%	0%	F	0.097	F	0.641	6400	G
253	Port Republic Rd	Rockingham County	0.91	3500	G	96%	0%	1%	2%	1%	0%	F	0.101	F	0.635	3600	G
256	3rd Street	Town of Grottoes (Maint: 82)	0.42	5000	G	94%	1%	1%	2%	3%	0%	C	0.092	F	0.569	5200	G
256	3rd Street	Town of Grottoes (Maint: 82)	0.37	5100	G	94%	1%	1%	2%	3%	0%	F	0.088	F	0.525	5200	G
256	3rd Street	Town of Grottoes (Maint: 82)	0.13	4900	G	94%	1%	1%	2%	3%	0%	F	0.092	F	0.540	5000	G
257	Briery Branch Rd	Rockingham County	2.89	820	G	97%	1%	1%	1%	1%	0%	F	0.108	F	0.689	840	G
257	Briery Branch Rd	Rockingham County	2.43	2200	G	97%	1%	1%	1%	1%	0%	C	0.087	F	0.704	2300	G
257	Ottobine Rd	Rockingham County	4.29	3100	G	97%	1%	1%	1%	1%	0%	F	0.096	F	0.671	3200	G

Virginia Department of Transportation
Traffic Engineering Division
2005
Annual Average Daily Traffic Volume Estimates By Section of Route
Rockingham Operational Area

Route	Jurisdiction	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW
							2Axle	3+Axle	1Trail	2Trail						
257	From: 82-738 W Dry River Rd Rockingham County	1.86	4300	G	97%	1%	1%	1%	1%	0%	F	0.090	F	0.765	4400	G
257	To: WCL Dayton Town of Dayton (Maint: 82)	0.42	4300	N	97%	1%	1%	1%	1%	0%	N	0.090	N	0.765	4400	N
257	From: W SR 42 Bus ERT 42 BUS Town of Dayton (Maint: 82)	0.42	17000	N	96%	0%	1%	1%	2%	0%	N	0.078	N	0.613	18000	N
257	To: CL Dayton Rockingham County	0.63	14000	F	97%	1%	1%	1%	1%	0%	C	0.092	F	0.559	15000	F
257	From: CL Bridgewater Town of Bridgewater	0.30	17000	N	96%	0%	1%	1%	2%	0%	N	0.078	N	0.613	18000	N
257	To: NCL BRIDGEWATER Town of Bridgewater	1.00	17000	G	96%	0%	1%	1%	2%	0%	F	0.078	F	0.613	18000	G
257	From: NORTH RIVER RD Town of Bridgewater	0.08	17000	G	96%	0%	1%	1%	2%	0%	C	0.08	F	0.615	18000	G
257	To: MT CRAWFORD AVE Town of Bridgewater	0.30	13000	G	96%	0%	1%	1%	2%	0%	F	0.078	F	0.624	14000	G
257	From: SR 42 MAIN ST Town of Bridgewater	1.76	8100	G	93%	0%	1%	1%	4%	0%	C	0.084	F	0.57	8400	G
257	To: ECL Bridgewater Rockingham County	0.80	9800	G	93%	0%	1%	1%	4%	0%	F	0.088	F	0.583	10000	G
257	From: W US 11 Rockingham County	0.86	10000	F	92%	1%	1%	1%	5%	0%	C	0.126	F	0.724	11000	F
259	To: I-81 Rockingham County															
259	From: US 11 Rockingham County	2.34	7300	G	93%	0%	1%	1%	4%	0%	F	0.085	F	0.522	7500	G
259	To: 82-619 Rockingham County	1.61	7500	G	93%	0%	1%	1%	4%	0%	C	0.088	F	0.51	7700	G
259	From: ECL Broadway Town of Broadway (Maint: 82)	0.45	7500	N	93%	0%	1%	1%	4%	0%	N	0.088	N	0.51	7700	N
259	To: SR 42 East of Broadway Rockingham County	0.29	8000	N	94%	1%	1%	1%	3%	0%	N	0.083	N	0.538	8200	N
259	From: CL Broadway Town of Broadway (Maint: 82)	0.33	8000	G	94%	1%	1%	1%	3%	0%	F	0.083	F	0.538	8200	G
259	To: SR 42 BROADWAY Town of Broadway (Maint: 82)	0.36	9500	G	93%	0%	1%	1%	4%	0%	F	0.082	F	0.65	9800	G
259	From: WCL Broadway Rockingham County	2.92	9500	N	93%	0%	1%	1%	4%	0%	N	0.082	N	0.65	9800	N
	To: 82-613 EAST															

Virginia Department of Transportation
 Traffic Engineering Division
 2005
 Annual Average Daily Traffic Volume Estimates By Section of Route
 Rockingham Operational Area

Route	Jurisdiction	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	
							2Axle	3+Axle	1Trail	2Trail							
							From: 82-613 EAST										
259	Brocks Gap Rd	Rockingham County	3.75	5100	G	87%	1%	1%	3%	9%	0%	F	0.077	F	0.715	5300	G
							To: 82-612										
259	Brocks Gap Rd	Rockingham County	7.35	3300	G	87%	1%	1%	3%	9%	0%	C	0.083	F	0.748	3400	G
							From: 82-820 Fitzwater										
259	Brocks Gap Rd	Rockingham County	2.41	2300	G	87%	1%	1%	3%	9%	0%	F	0.073	F	0.722	2400	G
							To: West Virginia State Line										
ALT							From: SR 259 SOUTH										
259	42 Timber Way	Town of Broadway (Maint: 82)	0.32	6900	G	94%	1%	1%	1%	3%	0%	C	0.087	F	0.598	7100	G
							To: SR 42										
ALT							From: SR 42										
259	Broadway Ave	Town of Broadway (Maint: 82)	0.72	1800	G	93%	0%	1%	1%	4%	0%	F	0.1	F	0.504	1900	G
							To: SR 259										
							From: Augusta County Line										
276	Cross Keys Rd	Rockingham County	3.04	3500	G	95%	1%	1%	1%	2%	0%	C	0.099	F	0.527	3600	G
							To: 82-682										
276	Cross Keys Rd	Rockingham County	2.42	4200	G	96%	1%	1%	1%	1%	0%	C	0.097	F	0.531	4400	G
							To: 82-659										
276	Cross Keys Rd	Rockingham County	1.36	6300	G	96%	1%	1%	1%	1%	0%	F	0.095	F	0.523	6500	G
							To: 82-689										
276	Cross Keys Rd	Rockingham County	0.84	6300	N	96%	1%	1%	1%	1%	0%	N	0.095	N	0.523	6500	N
							To: US 33										
							From: ECL Dayton										
290		Town of Dayton (Maint: 82)	0.15	7600	F	94%	1%	1%	1%	4%	0%	C	0.104	F	0.506	7800	F
							To: SR 42										
290		Town of Dayton (Maint: 82)	0.06	2800	G	97%	1%	1%	0%	1%	0%	F	0.083	F	0.527	2800	G
							To: S SR 42 Bus										
290	Bus 42 Main St	Town of Dayton (Maint: 82)	0.07	3900	G	98%	0%	1%	0%	1%	0%	F	0.083	F	0.544	4000	G
							To: N SR 42 BUS										
290		Town of Dayton (Maint: 82)	0.33	2100	G	97%	1%	1%	0%	1%	0%	C	0.088	F	0.564	2200	G
							To: NCL Dayton										
							From: SCL Grottoes										
340	East Side Hwy	Town of Grottoes (Maint: 07)	0.05	5600	N	95%	1%	1%	1%	3%	0%	N	0.090	N	0.511	5800	N
							To: Rockingham County Line										
							From: Augusta County Line										
340	East Side Hwy	Town of Grottoes (Maint: 82)	0.46	6100	G	94%	1%	1%	1%	3%	0%	C	0.108	F	0.584	6300	G
							To: Cary St										
340	East Side Hwy	Town of Grottoes (Maint: 82)	0.47	6500	G	94%	1%	1%	1%	3%	0%	F	0.101	F	0.551	6600	G
							To: NCL Grottoes										

Virginia Department of Transportation
 Traffic Engineering Division
 2005
 Annual Average Daily Traffic Volume Estimates By Section of Route
 Rockingham Operational Area

Route	Jurisdiction	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW
							2Axle	3+Axle	1Trail	2Trail						
From: NCL Grottes																
340 East Side Hwy	Rockingham County	1.39	5600	G	93%	0%	1%	2%	4%	0%	C	0.106	F	0.567	5700	G
To: 82-659 Port Republic Rd																
From: 82-659 Port Republic Rd																
340 East Side Hwy	Rockingham County	8.27	3700	G	93%	0%	1%	2%	4%	0%	F	0.094	F	0.596	3800	G
To: 82-649 Island Ford Rd; Berrytown Rd																
From: 82-649 Island Ford Rd; Berrytown Rd																
340 East Side Hwy	Rockingham County	2.97	3900	G	93%	0%	1%	2%	4%	0%	F	0.095	F	0.591	4000	G
To: 82-754 South Branch Rd																
From: 82-754 South Branch Rd																
340 East Side Hwy	Rockingham County	2.36	5400	G	93%	0%	1%	2%	4%	0%	F	0.088	F	0.593	5600	G
To: 82-634 Sapling Ridge Rd																
From: 82-634 Sapling Ridge Rd																
340 East Side Hwy	Rockingham County	0.52	5400	N	93%	0%	1%	2%	4%	0%	N	0.088	N	0.593	5600	N
To: SCL Elkton																
From: SCL Elkton																
340 S Stuart Ave	Town of Elkton (Maint: 82)	0.03	11000	G	93%	0%	1%	2%	4%	0%	F	0.085	F	0.676	11000	G
To: US 33																
From: US 33																
340 ^{Bus} 33 S Stuart Ave	Town of Elkton (Maint: 82)	0.08	11000	N	93%	0%	1%	2%	4%	0%	N	0.085	N	0.676	11000	N
To: Bus US 33																
From: Bus US 33																
340 N Stuart Ave	Town of Elkton (Maint: 82)	0.19	9100	N	96%	1%	1%	1%	1%	0%	N	0.091	N	0.611	9500	N
To: Spottswood Ave																
From: Spottswood Ave																
340 N Stuart Ave	Town of Elkton (Maint: 82)	0.59	9100	F	96%	1%	1%	1%	1%	0%	C	0.091	F	0.611	9500	F
To: NCL Elkton, 82-1706 Shenandoah Ave																
From: NCL Elkton, 82-1706 Shenandoah Ave																
340 Stuart Ave	Rockingham County	3.30	9100	N	96%	1%	1%	1%	1%	0%	N	0.091	N	0.611	9500	N
To: Page County Line																

Virginia Department of Transportation
Traffic Engineering Division
2005
Annual Average Daily Traffic Volume Estimates By Section of Route
Rockingham Operational Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year	
						2Axle	3+Axle	1Trail	2Trail								
Rockingham County																	
(F237) River Hill Lane	0.36	NA					From: 82-691; 82-992					NA		NA			
							To: Dead End										
City of Harrisonburg																	
(F238) Buffalo Dr	3.47	NA					From: 82-724					NA		NA			
							To: NCL Harrisonburg										
Rockingham County																	
(F239) Cannon Hill Dr	0.44	NA					From: Dead End					NA		NA			
							To: 82-798										
Page County																	
(600) Batman Rd	0.60	90		R			From: Dead End					NA		NA		08/07/2000	
							To: Rockingham County Line										
Rockingham County																	
(600) Batman Rd	0.10	90		R			From: Page County Line					NA		NA		08/07/2000	
							To: 82-601 Rinacas Corner Rd										
(601) Rinacas Corner Rd	1.90	630		G	98%	0%	1%	0%	0%	0%	C	0.103	F	0.645	650	G	2005
							From: 82-602 East Point Rd										
(601) Rinacas Corner Rd	0.10	350		G	98%	0%	1%	0%	0%	0%	F	0.103	F	0.533	360	G	2005
							To: Page County Line										
Page County																	
(601) Rinacas Corner Rd	0.50	330		R			From: Page County Line					NA		NA		09/16/2003	
							To: Dead End										
Rockingham County																	
(602) East Point Rd	3.34	4200		G	98%	0%	0%	1%	0%	0%	F	0.089	F	0.666	4400	G	2005
							From: US 33; 82-981										
(602) East Point Rd	2.44	4100		G	98%	0%	0%	1%	0%	0%	F	0.086	F	0.653	4300	G	2005
							From: 82-637 N. Bryant Hollow Rd										
(602) East Point Rd	1.78	4300		G	98%	0%	0%	1%	0%	0%	C	0.089	F	0.678	4400	G	2005
							From: 82-635 Humes Run Rd; River Rd										
(602) East Point Rd	0.58	4900		G	98%	0%	0%	1%	0%	0%	F	0.089	F	0.581	5100	G	2005
							From: 82-601 Rinacas Corner Rd										
							To: Page County Line										
(603) Blose Rd	1.60	820		R			From: 82-607 Red Brush Rd					NA		NA		08/03/2000	
							To: 82-609 Naked Creek Rd										
(604) Allman Rd	0.70	150		R			From: Dead End					NA		NA		10/16/2003	
							To: SR 257 Briery Branch Rd										
(605) Leroy Rd	2.33	460		R			From: Augusta County Line					NA		NA		07/27/2000	
							To: 82-1605 Water St										
(605) Main St	0.45	470		R			From: 82-659					NA		NA		09/02/2003	
							To: 82-659										
(605) Main St	0.07	45		R			From: 82-1602 The Point St					NA		NA		07/20/2000	
							To: 82-1602 The Point St										
(607) Bear Lithia Rd	0.56	30		R			From: Dead End					NA		NA		09/16/2003	
							To: US 340 Stuart Ave										

Virginia Department of Transportation
Traffic Engineering Division
2005
Annual Average Daily Traffic Volume Estimates By Section of Route
Rockingham Operational Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Rockingham County																
(607) Red Brush Rd	1.12	2300	G	98%	0%	1%	0%	0%	0%	C	0.091	F	0.668	2400	G	2005
			From: US 340 Stuart Ave													
(607) Red Brush Rd	1.49	760	G	98%	0%	1%	0%	0%	0%	F	0.099	F	0.705	780	G	2005
			From: 82-965 Old Barn Ln													
(607) Red Brush Rd	1.13	290	R									NA		NA		09/16/2003
			From: 82-759 Fox Mountain Rd													
			To: Page County Line													
(608) Mauzy Athlone Rd	0.57	910	G	95%	1%	2%	1%	1%	0%	F	0.099	F	0.582	940	G	2005
			From: US 11 Valley Pike													
(608) Mauzy Athlone Rd	1.28	630	G	95%	1%	2%	1%	1%	0%	C	0.112	F	0.521	650	G	2005
			From: 82-717 Indian Trail Rd													
(608) Mauzy Athlone Rd	1.24	450	R									NA		NA		10/01/2003
			From: 82-807 Koontz Corner Rd													
			To: 82-620 Mountain Valley Rd													
(609) Naked Creek Rd	0.74	1600	G	97%	0%	1%	1%	1%	0%	C	0.102	F	0.631	1600	G	2005
			From: US 340 Stuart Ave													
(609) Naked Creek Rd	1.20	1300	G	97%	0%	1%	1%	1%	0%	F	0.106	F	0.64	1300	G	2005
			From: 69-603 WEST													
(609) Naked Creek Rd	1.46	1100	G	97%	0%	1%	1%	1%	0%	F	0.096	F	0.606	1100	G	2005
			From: 82-603 E. Blouse Rd													
			To: 82-759 Naked Creek Rd; Fox Mountain Rd													
(610) Runions Creek Rd	6.30	540	R									NA		NA		08/30/2000
			From: Shenandoah County Line													
			To: 82-612 Runions Creek Rd													
(611) Supin Lick Rd	1.70	10	R									NA		NA		10/08/2003
			From: Shenandoah County Line													
(611) Black Jack Rd	2.50	4	R									NA		NA		10/08/2003
			From: 82-813 Lindhaven Rd													
(611) Black Jack Rd	0.20	20	R									NA		NA		10/08/2003
			From: GW Natl For Bndy													
(612) Peake Mountain Rd	1.49	740	G	95%	1%	1%	3%	1%	0%	C	0.084	F	0.7	760	G	2005
			From: US 33 Rawley Pike													
(612) Peake Mountain Rd	3.15	540	R									NA		NA		11/03/2003
			From: 82-762 Eden Valley Rd													
(612) Hopkins Gap Rd	4.97	670	G	95%	0%	1%	2%	2%	0%	F	0.105	F	0.635	690	G	2005
			From: 82-763 Hopkins Gap Rd													
(612) Hopkins Gap Rd	0.46	420	G	95%	0%	1%	2%	2%	0%	F	0.085	F	0.539	440	G	2005
			From: 82-817 Genoa Rd													
(612) Hopkins Gap Rd	2.21	530	G	95%	0%	1%	2%	2%	0%	F	0.093	F	0.538	550	G	2005
			From: 0.46 M N 82-817													
			To: 0.46 MN 82-817													
(612) Hopkins Gap Rd	1.50	710	G	95%	0%	1%	2%	2%	0%	F	0.09	F	0.5	730	G	2005
			From: GW NATL FOR BNDY													
(612) Hopkins Gap Rd	0.39	1200	G	95%	0%	1%	2%	2%	0%	C	0.081	F	0.606	1200	G	2005
			From: 82-815 Hollow Rd; Third Hollow Rd													
(612) Hopkins Gap Rd	1.21	1500	G	95%	0%	1%	2%	2%	0%	F	0.096	F	0.639	1500	G	2005
			From: 82-972 Millertown Rd													
(612) Runions Creek Rd	0.81	1200	G	95%	0%	1%	2%	2%	0%	F	0.083	F	0.607	1300	G	2005
			From: SR 259 W. Brocks Gap Rd													
			To: SR 259 E. Brocks Gap Rd													
(612) Runions Creek Rd	1.45	1000	G	95%	0%	1%	2%	2%	0%	F	0.087	F	0.617	1000	G	2005
			From: 82-929 Acorn Ln													
			To: 82-610 Runions Creek Rd													

Virginia Department of Transportation
Traffic Engineering Division
2005
Annual Average Daily Traffic Volume Estimates By Section of Route
Rockingham Operational Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Rockingham County																
(612) Runions Creek Rd	0.45	30	R								NA			NA		08/30/2000
From: 82-610 Runions Creek Rd																
(612) Rinker Rd	0.72	7	R								NA			NA		10/08/2003
To: Dead End; Gap																
(612) Rinker Rd	0.20	20	R								NA			NA		10/08/2003
From: GW Natl For Bndy																
(612) Rinker Rd	0.89	48	R								NA			NA		10/03/2003
From: 82-611 Black Jack Rd																
(612) Rinker Rd	0.50	50	R								NA			NA		10/08/2003
From: GW Natl For Bndy																
(612) Rinker Rd	0.57	130	N								NA			NA		01/06/2004
From: GW Natl For Bndy																
(612) Bowers Lane	0.37	130	R								NA			NA		01/06/2004
From: 82-812 Bowers Lane																
(612) Bowers Lane	0.27	50	R								NA			NA		10/08/2003
From: 82-813 Lindhaven Rd																
To: Shenandoah County Line																
(613) Jordan Hill Rd	0.63	90	R								NA			NA		10/21/2003
From: Augusta County Line																
(613) Jordan Hill Rd	1.04	210	R								NA			NA		10/21/2003
From: 82-729 Cam Bell Rd																
(613) Spring Creek Rd	0.99	900	N	94%	1%	2%	2%	2%	0%	N	0.090	N	0.523	920	N	2005
From: 82-727 E, Spring Creek Rd																
(613) Spring Creek Rd	2.31	900	G	94%	1%	2%	2%	2%	0%	F	0.090	F	0.523	920	G	2005
From: 82-727 W, Sangersville Rd																
(613) Clover Hill Rd	2.18	1700	G	94%	1%	2%	2%	2%	0%	F	0.091	F	0.666	1700	G	2005
From: SR 257 Ottobine Rd																
To: SR 257 Ottobine Rd; Briery Branch Rd																
(613) Clover Hill Rd	0.49	2000	G	94%	1%	2%	2%	2%	0%	C	0.099	F	0.604	2100	G	2005
From: 82-743 N, Union Springs Rd																
(613) Clover Hill Rd	0.66	3400	G	94%	1%	2%	2%	2%	0%	F	0.092	F	0.623	3500	G	2005
From: 82-714 S, Lilly Square																
(613) Clover Hill Rd	0.85	3000	G	94%	1%	2%	2%	2%	0%	F	0.087	F	0.644	3100	G	2005
From: 82-732 S, Coopers Mountain Rd																
(613) Whitmore Shop Rd	1.82	1000	G	88%	1%	3%	4%	5%	0%	F	0.088	F	0.576	1100	G	2005
From: US 33 Rawley Pike																
(613) Whitmore Shop Rd	1.69	580	G	88%	1%	3%	4%	5%	0%	F	0.096	F	0.512	590	G	2005
From: 82-762 Eden Valley Rd																
(613) Whitmore Shop Rd	0.59	1100	G	88%	1%	3%	4%	5%	0%	F	0.097	F	0.633	1100	G	2005
From: 82-763 W, Hopkins Gap Rd																
(613) Singers Glen Rd	2.44	1500	G	88%	1%	3%	4%	5%	0%	F	0.085	F	0.633	1600	G	2005
From: 82-763 E, Singers Glen Rd																
(613) Singers Glen Rd	1.04	1000	G	88%	1%	3%	4%	5%	0%	F	0.092	F	0.557	1100	G	2005
From: 82-777 S, Peter Driver Lane																
(613) Turkeytown Rd	3.17	580	G	88%	1%	3%	4%	5%	0%	F	0.087	F	0.562	590	G	2005
From: 82-721 Green Hill Rd																
(613) Turkeytown Rd	4.06	990	G	88%	1%	3%	4%	5%	0%	C	0.083	F	0.506	1000	G	2005
From: 82-753 Hollar School Rd																
To: SR 259 E, Brocks Gap Rd																
(613) North Mountain Rd	3.56	820	G	88%	1%	3%	4%	5%	0%	F	0.093	F	0.552	850	G	2005
From: SR 259 W, Brocks Gap Rd																
To: 82-881 Orchard Dr																

Virginia Department of Transportation
Traffic Engineering Division
2005
Annual Average Daily Traffic Volume Estimates By Section of Route
Rockingham Operational Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Rockingham County																
(613) North Mountain Rd	2.51	820	G	88%	1%	3%	4%	5%	0%	F	0.090	F	0.57	850	G	2005
(614) Mechanicsville Rd	2.12	450	G	95%	0%	1%	3%	1%	0%	C	0.106	F	0.511	460	G	2005
(614) Mechanicsville Rd	0.80	130	R								NA			NA		10/08/2003
(615) Radars Church Rd	0.30	70	R								NA			NA		08/24/2000
(615) Radars Church Rd	1.12	30	R								NA			NA		10/06/2003
(615) Cold Spring Rd	2.00	50	R								NA			NA		10/06/2003
(615) Switch Back Rd	0.28	120	R								NA			NA		10/06/2003
(616) Ridge Rd	1.00	30	R								NA			NA		10/06/2003
(616) Ridge Rd	1.10	40	R								NA			NA		12/30/2003
(617) Woodlands Ch Rd	0.66	80	R								NA			NA		10/29/2003
(617) Woodlands Ch Rd	0.58	40	R								NA			NA		11/03/2003
(617) Woodlands Ch Rd	0.22	40	R								NA			NA		11/03/2003
(617) Woodlands Ch Rd	0.78	90	R								NA			NA		10/19/2000
(617) S Sunset Rd	1.65	280	R								NA			NA		11/03/2003
(617) S Sunset Rd	0.39	510	G	96%	1%	1%	2%	0%	0%	F	0.125	F	0.532	520	G	2005
Town of Broadway																
(617) S Sunset Rd	0.24	510	N	96%	1%	1%	2%	0%	0%	N	0.125	N	0.532	520	N	2005
(617) N Sunset Rd	0.66	1200	G	96%	1%	1%	2%	0%	0%	F	0.087	F	0.528	1200	G	2005
Rockingham County																
(617) N Sunset Rd	0.22	1200	N	96%	1%	1%	2%	0%	0%	N	0.087	N	0.528	1200	N	2005
Town of Broadway																
(617) Spar Mine Rd	0.10	2200	G	96%	1%	1%	2%	0%	0%	F	0.095	F	0.515	2300	G	2005
Rockingham County																
(617) Spar Mine Rd	0.05	2200	N	96%	1%	1%	2%	0%	0%	N	0.095	N	0.515	2300	N	2005

Virginia Department of Transportation
Traffic Engineering Division
2005
Annual Average Daily Traffic Volume Estimates By Section of Route
Rockingham Operational Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Rockingham County																
(617) Spar Mine Rd	1.97	1400	G	96%	1%	1%	2%	0%	0%	F	0.092	F	0.508	1500	G	2005
						From: 82-789 Strooptown Rd										
(617) Spar Mine Rd	0.52	1600	G	96%	1%	1%	2%	0%	0%	C	0.099	F	0.535	1700	G	2005
						From: 82-790 Getz Dr										
						To: WCL Timberville										
Town of Timberville																
(617)	0.06	1900	G								0.099	N	0.535	1900	G	2005
						From: WCL Timberville										
						To: SR 42 N, Forestville Rd										
(617) Church St	0.19	1800	G	96%	1%	1%	2%	0%	0%	F	0.091	F	0.515	1800	G	2005
						From: SR 42 S, Forestville Rd										
						To: 82-1504										
(617) Church St	0.17	1400	G	96%	1%	1%	2%	0%	0%	F	0.101	F	0.547	1400	G	2005
						From: 82-1504										
						To: ECL TIMBERVILLE										
Rockingham County																
(617) Evergreen Valley Rd	2.69	1000	G	96%	1%	1%	2%	0%	0%	F	0.087	F	0.571	1000	G	2005
						From: ECL TIMBERVILLE										
(617) Evergreen Valley Rd	0.65	890	R								NA		NA			10/06/2003
						From: 82-616 Ridge Rd										
						To: Shenandoah County Line										
(618) Lone Pine Rd	0.90	1100	R								NA		NA			10/14/2003
						From: SR 42 Timber Way										
						To: 82-800 Co-op Dr; American Legion Dr										
Town of Timberville																
(618) Lone Pine Rd	0.50	1600	R								NA		NA			08/21/2000
						From: 82-800 Co-op Dr										
(618) Lone Pine Rd	0.16	1800	G	98%	0%	1%	0%	0%	0%	C	0.090	F	0.584	1800	G	2005
						From: 82-793 Long Meadow Dr										
						To: SR 211 New Market Rd										
Rockingham County																
(619) Simmers Valley Rd	2.64	940	G	98%	0%	1%	1%	1%	0%	C	0.097	F	0.579	970	G	2005
						From: 82-721 Longs Pump Rd										
(619) Phillips Store Rd	2.85	560	G	98%	0%	1%	1%	1%	0%	F	0.108	F	0.633	570	G	2005
						From: 82-806 W, Lacy Spring Rd										
(619) Wampler Rd	2.50	400	G	98%	0%	1%	1%	1%	0%	F	0.107	F	0.593	410	G	2005
						From: SR 259 Mayland Rd										
(619) Wampler Rd	1.10	50	R								NA		NA			10/06/2003
						From: 82-793 Long Meadow Dr										
(619) Piney Woods Rd	0.20	70	R								NA		NA			08/24/2000
						From: 82-799 W, Piney Woods Rd										
(619) Piney Woods Rd	0.03	90	R								NA		NA			10/06/2003
						From: 82-799 E, Hupp Rd										
(619) Piney Woods Rd	0.20	70	R								NA		NA			08/24/2000
						From: 82-890 Buckley Rd										
(619) Piney Woods Rd	2.67	80	R								NA		NA			10/06/2003
						From: 0.20 ME 82-890										
						To: Shenandoah County Line										
(620) Indian Trail Rd	1.47	1900	G	97%	1%	1%	1%	1%	0%	C	0.110	F	0.548	2000	G	2005
						From: US 33 Spotswood Trail										
(620) Indian Trail Rd	0.25	1900	N	97%	1%	1%	1%	1%	0%	N	0.110	N	0.548	2000	N	2005
						From: 82-925 Kezzletown Rd										
(620) Mountain Valley Rd	0.85	1500	G	97%	1%	1%	1%	1%	0%	F	0.101	F		1500	G	2005
						From: 82-717; Mountain Valley Rd										
						To: 82-717 Indian Trail Rd										
						To: 82-758 S, Happy Valley Rd										

Virginia Department of Transportation
Traffic Engineering Division
2005
Annual Average Daily Traffic Volume Estimates By Section of Route
Rockingham Operational Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Rockingham County																
(620) Mountain Valley Rd	1.70	840	G	97%	1%	1%	1%	1%	0%	F	0.1	F		870	G	2005
(620) Mountain Valley Rd	0.25	400	R									NA		NA		09/29/2003
(620) Mountain Valley Rd	1.35	370	R									NA		NA		08/14/2000
(620) Mountain Valley Rd	0.30	520	R									NA		NA		09/29/2003
(620) Mountain Valley Rd	0.30	390	R									NA		NA		08/14/2000
(620) Mountain Valley Rd	0.80	390	R									NA		NA		09/29/2003
(620) Mountain Valley Rd	2.00	260	R									NA		NA		08/21/2000
(620) Mountain Valley Rd	0.50	510	R									NA		NA		10/01/2003
(620) Mountain Valley Rd	1.25	350	R									NA		NA		08/21/2000
(620) Mountain Valley Rd	0.55	450	R									NA		NA		10/01/2003
(620) Mountain Valley Rd	0.60	370	R									NA		NA		08/21/2000
(620) Mountain Valley Rd	0.80	390	R									NA		NA		10/01/2003
(620) Mountain Valley Rd	2.40	120	R									NA		NA		08/21/2000
(620) Mountain Valley Rd	0.10	330	R									NA		NA		10/01/2003
(620) Mountain Valley Rd	1.60	90	R									NA		NA		08/24/2000
(620) Mountain Valley Rd	1.39	50	R									NA		NA		12/22/2003
(620) Mountain Valley Rd	0.11	60	R									NA		NA		10/01/2003
(620) Mountain Valley Rd	0.11	90	R									NA		NA		08/21/2000
(620) Mountain Valley Rd	1.01	60	R									NA		NA		10/01/2003
(620) Smith Creek Rd	0.78	90	R									NA		NA		10/01/2003
(621) Dean Mountain Rd	0.20	30	R									NA		NA		10/22/2003
(622) Hensley Hollow	0.15	120	R									NA		NA		09/16/2003
(622) Hensley Hollow	0.95	120	R									NA		NA		09/16/2003
(623) Mt Pleasant Rd	1.05	1200	G	98%	0%	1%	0%	0%	0%	F	0.083	F	0.539	1300	G	2005

Virginia Department of Transportation
Traffic Engineering Division
2005
Annual Average Daily Traffic Volume Estimates By Section of Route
Rockingham Operational Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Rockingham County																
(623) Mt Pleasant Rd	0.35	1400	G	98%	0%	From: 82-634 W, Tanyard Bridge Rd To: 82-634 E, Huckleberry Rd				C	0.084	F	0.617	1500	G	2005
(623) Mt Pleasant Rd	0.95	790	G	98%	0%	From: 82-634 E, Huckleberry Rd To: 82-624 Mill Ln				F	0.089	F	0.558	820	G	2005
(623) Mt Pleasant Rd	0.95	370	R			From: 82-624 Mill Ln To: 82-622 Hensley Hollow					NA			NA		09/16/2003
(623) Mt Pleasant Rd	1.03	260	R			From: 82-622 Hensley Hollow To: 82-621 Dean Mountain Rd					NA			NA		08/03/2000
(623) Mt Pleasant Rd	0.53	240	R			From: 82-621 Dean Mountain Rd To: 82-625 Thoroughfare Rd					NA			NA		09/16/2003
(624) Mill Ln	2.10	260	G	97%	1%	From: US 33 Spotswood Trail To: 82-623 Mt Pleasant Rd				C	0.108	F	0.516	260	G	2005
(625) Thoroughfare Rd	1.00	830	R			From: 82-759 Fox Mountain Rd; Newtown Rd To: 82-841 Short Run Rd					NA			NA		08/07/2000
(625) Thoroughfare Rd	1.00	540	R			From: 82-841 Short Run Rd To: 82-623 Mt Pleasant Rd					NA			NA		09/16/2003
(625) Thoroughfare Rd	0.50	270	R			From: 82-623 Mt Pleasant Rd To: Shen Natl Pk Bndy S					NA			NA		09/16/2003
(625) Thoroughfare Rd	1.26	190	R			From: Shen Natl Pk Bndy S To: Shen Natl Pk Bndy N					NA			NA		09/16/2003
(625) Thoroughfare Rd	0.80	190	R			From: Shen Natl Pk Bndy N To: Page County Line					NA			NA		08/03/2000
(626) Sandy Bottom Rd	1.29	220	R			From: 82-628 Beldor Rd To: 1.29 ME 82-628					NA			NA		08/07/2000
(626) Sandy Bottom Rd	0.71	70	R			From: 1.29 ME 82-628 To: Shen Natl Pk Bndy					NA			NA		09/11/2003
(627) Powells Gap Rd	0.30	30	R			From: 82-628 Beldor Rd To: Dead End					NA			NA		12/22/2003
(628) Beldor Rd	2.09	30	R			From: Shen Natl Pk Bndy To: 2.09 MN of Bndy					NA			NA		09/11/2003
(628) Beldor Rd	0.91	160	R			From: 2.09 MN of Bndy To: 82-627 Powells Gap Rd					NA			NA		08/07/2000
(628) Beldor Rd	1.70	320	R			From: 82-627 Powells Gap Rd To: 82-626 Sandy Bottom Rd					NA			NA		09/11/2003
(628) Beldor Rd	0.60	620	G	97%	1%	From: 82-626 Sandy Bottom Rd To: US 33 Spotswood Trail				C	0.101	F	0.683	630	G	2005
(629) Steel Rd	0.05	30	R			From: Dead End To: 82-711 Grassy Creek Rd					NA			NA		08/25/2003
(630) Little Gap Rd	1.50	340	R			From: 82-711 Grassy Creek Rd To: 82-754 S, Berrytown Rd					NA			NA		07/31/2000
(631) Dull Hunt Rd	0.30	60	R			From: 82-754 S, Berrytown Rd To: Dead End					NA			NA		10/30/2003
(632) Spitzer Rd	0.25	120	R			From: Dead End To: 82-818 Little Dry River Rd					NA			NA		09/14/2000
						From: 82-619 Phillips Store Rd To: Dead End					NA			NA		09/14/2000

Virginia Department of Transportation
Traffic Engineering Division
2005
Annual Average Daily Traffic Volume Estimates By Section of Route
Rockingham Operational Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Rockingham County																
(634) Sapling Ridge Rd	0.43	200	R			From: US 340 East Side Hwy					NA			NA		08/07/2000
(634) Sapling Ridge Rd	0.96	50	R			To: 0.43 ME US 340					NA			NA		09/11/2003
(634) Tanyard Bridge Rd	0.55	870	G	97%	0%	From: US 33 N, Spotswood Trail					0.095	F	0.623	890	G	2005
(634) Huckleberry Rd	1.20	520	R			From: US 33 S, Spotswood Trail					NA			NA		09/16/2003
(635) River Rd	0.70	1600	G	92%	0%	To: 82-623 W, Mt Pleasant Rd					0.078	F	0.546	1700	G	2005
(635) River Rd	2.58	1000	G	92%	0%	From: 82-623 E, Mt Pleasant Rd					0.083	F	0.550	1000	G	2005
(635) Humes Run Rd	0.32	350	R			To: 82-602 East Point Rd					NA			NA		09/22/2003
(636) Runkels Gap	0.20	50	R			From: 82-665 Dovel Rd					NA			NA		09/22/2003
(636) Runkels Gap Rd	0.98	170	R			To: Dead End					NA			NA		09/22/2003
(636) Runkels Gap Rd	0.92	360	R			From: GW Natl For Bndy					NA			NA		09/22/2003
(636) Bethel Church Rd	1.50	450	R			To: 82-715 Kettle View Rd					NA			NA		09/22/2003
(637) Bryant Hollow Rd	0.37	300	R			From: 82-602 N, East Point Rd					NA			NA		08/10/2000
(637) Bryant Hollow Rd	2.12	380	R			From: 82-602 S, East Point Rd					NA			NA		09/22/2003
(637) Florist Rd	1.20	610	G	99%	0%	To: 82-635 River Rd					0.074	F	0.553	630	G	2005
(638) Samuels Rd	0.24	340	R			From: Bus US 33					NA			NA		08/03/2000
(638) Samuels Rd	0.64	290	R			To: 82-759 Newtown Rd					NA			NA		09/16/2003
(639) Nicholson Rd	0.87	60	R			From: 82-861 Offenbacker Rd					NA			NA		09/16/2003
(639) Manger Hill Rd	0.30	180	R			To: Dead End					NA			NA		09/16/2003
(639) Manger Hill Rd	0.14	260	R			From: 82-640 Model Rd					NA			NA		09/16/2003
(640) Model Rd	2.40	220	R			To: 0.87 MN 82-640					NA			NA		08/10/2000
(640) Model Rd	1.50	60	R			From: US 33 Spotswood Trail					NA			NA		09/16/2003
(640) Model Rd	1.50	60	R			To: 82-900 Mckinery Rd					NA			NA		09/16/2003
(640) Model Rd	1.50	60	R			From: Bus US 33					NA			NA		09/16/2003
(640) Model Rd	2.40	220	R			To: US 33 Spotswood Trail					NA			NA		09/22/2003
(640) Model Rd	1.50	60	R			From: 82-980 Honeysuckle Rd					NA			NA		09/22/2003
(640) Model Rd	1.50	60	R			To: 82-639 Nicholson Rd					NA			NA		09/22/2003

Virginia Department of Transportation
Traffic Engineering Division
2005
Annual Average Daily Traffic Volume Estimates By Section of Route
Rockingham Operational Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Rockingham County																
(640) Model Rd	0.60	20	R			From: 82-639 Nicholson Rd To: Dead End					NA			NA		09/16/2003
(641) Cave Hill Rd	0.77	45	R			From: 82-843 Cemetary Rd To: 0.77 ME 82-843					NA			NA		09/09/2003
(641) Cave Hill Rd	0.33	170	R			From: 82-649 WEST To: 82-649 E, Island Ford Rd					NA			NA		07/31/2000
(641) White Rose Rd	0.99	130	R			From: 82-648 Dave Berry Rd To: 82-643 Waterloo Mill Ln					NA			NA		09/24/2003
(641) White Rose Rd	0.90	47	R			From: 82-644 Mt Olivet Church Rd To: Dead End					NA			NA		09/24/2003
(641) Waterloo Mill Lane	1.00	40	R			From: 0.09 MS 82-649 To: 82-649 Island Ford Rd					NA			NA		09/11/2003
(641) Waterloo Mill Lane	0.20	10	R			From: US 340 East Side Hwy To: 82-644 Mt Olivet Church Rd					NA			NA		07/31/2000
(642) Captain Yancey Rd	0.09	80	R			From: 82-644 Mt Olivet Church Rd To: 82-641 Waterloo Mill Lane; White Rose Rd					NA			NA		09/24/2003
(642) Captain Yancey Rd	3.40	1100	R			From: 82-641 Waterloo Mill Lane To: 82-643 Waterloo Mill Ln					NA			NA		07/31/2000
(643) Waterloo Mill Ln	1.30	50	R			From: US 33 Spotswood Trail To: 1.60 MN US 33				C	0.109	A	0.549	7500	A	2005
(644) Mt Olivet Church Rd	1.40	120	R			From: 82-646 N, Bloomer Springs Rd To: 82-645 Michael Ln					NA			NA		09/24/2003
(644) Mt Olivet Church Rd	0.60	330	R			From: 82-645 Michael Ln To: 82-602; 82-646					NA			NA		08/14/2000
(644) Resort Dr	1.60	7600	A	98%	0%	0%	1%	0%	0%							09/22/2003
(644) Resort Dr	1.70	3100	R			From: 82-644 Resort Dr To: 82-602 East Point Rd					NA			NA		09/22/2003
(644) Resort Dr	0.40	440	R			From: 82-996 McGaheysville Rd To: US 33 Spotswood Trail					NA			NA		09/24/2003
(644) Resort Dr	0.90	490	R			From: 82-644 S, Resort Dr To: 1.29 MN 82-644					NA			NA		08/10/2000
(645) Michael Ln	0.60	80	R			From: 82-644 N, Resort Dr To: 82-602; 82-644					NA			NA		09/22/2003
(646) New Hope Rd	0.12	190	R								NA			NA		09/22/2003
(646) Bloomer Springs Rd	1.68	410	R								NA			NA		09/22/2003
(646) Bloomer Springs Rd	1.29	70	R								NA			NA		09/22/2003
(646) Bloomer Springs Rd	0.21	60	R								NA			NA		09/22/2003
(646) Bloomer Springs Rd	2.30	60	R								NA			NA		09/22/2003

Virginia Department of Transportation
Traffic Engineering Division
2005
Annual Average Daily Traffic Volume Estimates By Section of Route
Rockingham Operational Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Rockingham County																
(647) Judy Lane	0.12	370	R								NA			NA		09/24/2003
(647) McGahey Lane	0.60	NA									NA			NA		
(647) McGahey Lane	1.54	180	R								NA			NA		09/29/2003
(648) Dave Berry Rd	1.60	100	R								NA			NA		09/24/2003
(649) Berrytown Rd	0.52	740	R								NA			NA		09/24/2003
(649) Island Ford Rd	1.57	3800	G	88%	0%	1%	2%	9%	0%	F	0.092	F	0.564	3900	G	2005
(649) Island Ford Rd	1.21	3700	G	88%	0%	1%	2%	9%	0%	C	0.101	F	0.540	3800	G	2005
(649) Stover Dr	0.03	170	R								NA			NA		09/29/2003
(650) Dairy Rd	1.50	80	R								NA			NA		12/11/2003
(650) Three Springs Rd	1.00	80	R								NA			NA		09/09/2003
(650) Power Dam Rd	0.30	210	R								NA			NA		09/11/2003
(650) Power Dam Rd	1.70	80	R								NA			NA		09/11/2003
(650) Power Dam Rd	0.28	100	R								NA			NA		09/11/2003
(651) Power Dam Rd	1.40	340	R								NA			NA		07/31/2000
(651) Power Dam Rd	0.77	250	R								NA			NA		09/09/2003
(652) Three Springs Rd	2.00	170	R								NA			NA		07/27/2000
(652) Lethe Lane	0.20	120	R								NA			NA		09/09/2003
(652) Lethe Lane	0.50	20	R								NA			NA		09/09/2003
(653) Toll Gate Ln	0.10	80	R								NA			NA		09/29/2003
(654) Montevideo Cir	0.11	30	R								NA			NA		09/24/2003
(654) Montevideo Cir	0.07	210	R								NA			NA		09/24/2003
(654) Montevideo Cir	1.43	50	R								NA			NA		12/11/2003

Virginia Department of Transportation
Traffic Engineering Division
2005
Annual Average Daily Traffic Volume Estimates By Section of Route
Rockingham Operational Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Rockingham County																
(655) Penn Laird Dr	0.83	260	R				From: US 33 W, Spotswood Trail To: US 33 MID				NA			NA		09/24/2003
(655) Lawyer Rd	2.48	950	G	96%	1%	1%	1%	1%	0%	C	0.099	F	0.566	970	G	2005
(655) Lawyer Rd	0.70	670	G	96%	1%	1%	1%	1%	0%	F	0.106	F	0.837	690	G	2005
(655) Lawyer Rd	0.90	540	G	96%	1%	1%	1%	1%	0%	F	0.120	F	0.504	550	G	2005
(655) Lawyer Rd	0.90	470	G	96%	1%	1%	1%	1%	0%	F	0.118	F	0.797	480	G	2005
(655) Lawyer Rd	0.20	580	G	96%	1%	1%	1%	1%	0%	F	0.113	F	0.721	590	G	2005
(655) Lawyer Rd	1.20	560	G	96%	1%	1%	1%	1%	0%	F	0.083	F	0.51	570	G	2005
(655) Lawyer Rd	0.10	570	G	96%	1%	1%	1%	1%	0%	F	0.093	F	0.564	580	G	2005
(655) Lawyer Rd	0.90	380	G	96%	1%	1%	1%	1%	0%	F	0.102	F	0.595	390	G	2005
(656) Harper Mill Rd	0.10	30	R				From: 82-655 Lawyer Rd To: 82-671 Doe Hill Rd				NA			NA		09/02/2003
(656) Harper Mill Rd	0.50	40	R				From: 82-671 Doe Hill Rd To: Dead End				NA			NA		09/02/2003
(657) Longley Rd	0.60	110	R				From: 82-708 Goods Mill Rd To: 82-658 Valley View Rd				NA			NA		09/09/2003
(657) Longley Rd	0.50	60	R				From: 82-658 Valley View Rd To: 82-655 Lawyer Rd				NA			NA		09/09/2003
(658) Valley View Rd	0.70	200	R				From: 82-672 Pineville Rd To: 82-657 Longley Rd				NA			NA		07/31/2000
(659) Port Republic Rd	1.88	550	R				From: US 340 East Side Hwy To: 82-663 Browns Gap Rd				NA			NA		09/02/2003
(660) Mishalany Dr	0.80	250	R				From: 82-663 To: Dead End				NA			NA		07/27/2000
(661) Black Rock Rd	0.75	750	R				From: ECL Grottoes To: Shen Natl Pk Bndy				NA			NA		09/02/2003
(661) Black Rock Rd	0.60	120	R				From: Shen Natl Pk Bndy To: Augusta County Line				NA			NA		12/11/2003
(663) Browns Gap Rd	0.91	670	G	97%	1%	1%	1%	1%	0%	C	0.094	F	0.593	690	G	2005
(663) Browns Gap Rd	0.83	420	R				From: ECL Grottoes To: 20-660 Adventure Hill Lane From: 82-660				NA			NA		07/27/2000
(663) Browns Gap Rd	0.16	400	R				From: Shen Natl Pk Bndy To: 82-659				NA			NA		07/27/2000
(663) Browns Gap Rd	0.44	260	R				From: 82-659 To: 82-708				NA			NA		09/02/2003

Virginia Department of Transportation
Traffic Engineering Division
2005
Annual Average Daily Traffic Volume Estimates By Section of Route
Rockingham Operational Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Rockingham County																
(663) Browns Gap Rd	0.07	30	R				82-708					NA		NA		09/02/2003
							Dead End									
(664) Sunrise Dr	0.25	60	R				82-803 Daphna Rd					NA		NA		10/20/2003
							Dead End									
(665) Dovel Rd	0.50	130	R				Dead End					NA		NA		09/22/2003
							82-635					NA		NA		09/22/2003
							82-602									
(666) Mongold Hollow	0.50	46	R				Dead End					NA		NA		10/30/2003
							82-822									
(667) Raines Rd	1.00	40	R				82-668					NA		NA		09/02/2003
							Dead End									
(668) W Timber Ridge Rd	0.30	170	R				Dead End					NA		NA		08/21/2003
							SR 276					NA		NA		08/03/2000
(668) E Timber Ridge Rd	1.47	250	R				82-672					NA		NA		08/03/2000
(668) E Timber Ridge Rd	0.64	210	R				82-828					NA		NA		08/03/2000
(668) E Timber Ridge Rd	0.21	230	R				82-863					NA		NA		08/03/2000
(668) E Timber Ridge Rd	0.63	200	R				82-677					NA		NA		08/03/2000
(668) E Timber Ridge Rd	0.19	360	R				82-669					NA		NA		08/03/2000
(668) E Timber Ridge Rd	1.51	220	R				82-667					NA		NA		08/03/2000
(668) E Timber Ridge Rd	0.18	210	R				82-605 NORTH					NA		NA		08/03/2000
							82-605 SOUTH					NA		NA		12/11/2003
(668) Bingham Rd	0.99	46	R				Augusta County Line					NA		NA		12/11/2003
							Dead End					NA		NA		08/27/2003
(669) Beards Ford Rd	0.10	20	R				82-678					NA		NA		08/27/2003
(669) Diehls Ford Rd	0.90	40	R				82-668					NA		NA		08/27/2003
							Dead End					NA		NA		08/27/2003
(670) Rodehafer Rd	0.30	30	R				82-671					NA		NA		08/27/2003
							SR 276					NA		NA		07/20/2000
(671) Williams Run Rd	0.20	410	R				82-848					NA		NA		08/27/2003
(671) Williams Run Rd	1.80	60	R				82-672 NORTH					NA		NA		07/20/2000
(671) Mill Creek Ch Rd	0.30	110	R				82-672 SOUTH					NA		NA		07/20/2000
(671) Shady Grove Rd	0.80	80	R				82-828					NA		NA		08/27/2003

Virginia Department of Transportation
Traffic Engineering Division
2005
Annual Average Daily Traffic Volume Estimates By Section of Route
Rockingham Operational Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Rockingham County																
(671) Shady Grove Rd	0.30	240	R													07/20/2000
(671) Shady Grove Rd	0.40	270	R													07/20/2000
(671) Doe Hill Rd	1.00	300	R													07/20/2000
(671) Doe Hill Rd	0.05	100	R													07/27/2000
(672) Mill Creek Ch Rd	0.84	80	R													08/27/2003
(672) Mill Creek Ch Rd	0.35	130	R													07/27/2000
(672) Latimer Rd	0.83	46	R													12/11/2003
(672) Pineville Rd	1.00	1400	G	97%	1%	1%	1%	1%	0%	F	0.112	F	0.777	1400	G	2005
(672) Pineville Rd	1.59	1400	G	97%	1%	1%	1%	1%	0%	F	0.129	F	0.714	1400	G	2005
(672) Pineville Rd	1.57	1200	G	97%	1%	1%	1%	1%	0%	C	0.138	F	0.753	1300	G	2005
(673) Mill Creek Ch Rd	0.80	200	R													08/27/2003
(674) Bluff Rd	0.40	30	R													08/27/2003
(674) Duck Run Rd	0.80	90	R													08/27/2003
(675) Spring Valley Circle	0.08	60	R													08/25/2003
(676) Oak Shade Rd	1.00	250	R													07/20/2000
(676) Oak Shade Rd	0.20	230	R													08/27/2003
(676) Oak Shade Rd	1.40	200	R													07/20/2000
(676) Charlie Town Rd	0.30	230	R													08/27/2003
(676) Charlie Town Rd	0.10	130	R													07/20/2000
(677) Scotts Ford Rd	1.40	350	R													07/20/2000
(677) Scotts Ford Rd	0.20	20	R													08/27/2003
(678) Faughts Rd	2.00	70	R													08/18/2003

Virginia Department of Transportation
Traffic Engineering Division
2005
Annual Average Daily Traffic Volume Estimates By Section of Route
Rockingham Operational Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Rockingham County																
(678) Scotts Ford Rd	0.60	480	R								NA			NA		07/20/2000
						From: SR 276 SOUTH										
						To: 82-677										
(678) Beards Ford Rd	1.40	30	R								NA			NA		08/27/2003
						From: 82-669										
						To: SCL Harrisonburg										
(679) Pleasant Valley Rd	0.53	1800	G	97%	1%	1%	1%	1%	0%	F	0.119	F	0.742	1900	G	2005
						From: 82-704 WEST										
(679) Pleasant Valley Rd	0.68	2400	G	97%	1%	1%	1%	1%	0%	C	0.116	F	0.77	2500	G	2005
						From: 82-704 E, Osceola Springs Rd										
						To: 82-704 EAST										
(679) Pleasant Valley Rd	0.78	1800	G	97%	1%	1%	1%	1%	0%	F	0.115	F	0.764	1800	G	2005
						From: 82-689										
(679) Pleasant Valley Rd	2.29	540	G	97%	1%	1%	1%	1%	0%	F	0.11	F	0.672	550	G	2005
						From: SR 276 SOUTH										
						To: SR 276 NORTH										
(679) Battlefield Rd	1.33	120	R								NA			NA		07/20/2000
						From: 82-659										
						To: 82-682										
(680) Oak Ridge Rd	1.50	440	G	97%	1%	0%	1%	0%	0%	F	0.097	F	0.625	450	G	2005
						From: 82-679										
(680) Oak Ridge Rd	0.90	650	G	97%	1%	0%	1%	0%	0%	C	0.114	F	0.769	670	G	2005
						From: 82-659										
						To: 82-682										
(681) Whitesel Ch Rd	1.40	190	R								NA			NA		08/21/2003
						From: 82-846										
(681) Whitesel Ch Rd	0.20	160	R								NA			NA		08/21/2003
						From: 82-988 NORTH										
(681) Whitesel Ch Rd	0.10	230	R								NA			NA		08/21/2003
						From: 82-988 SOUTH										
(681) Whitesel Ch Rd	1.60	100	R								NA			NA		08/21/2003
						From: 82-679										
(682) Friedens Ch Rd	0.52	2600	G	96%	1%	1%	1%	1%	0%	C	0.101	F	0.621	2600	G	2005
						From: SR 257 Friedens Ch Rd										
(682) Friedens Ch Rd	2.08	2300	G	96%	1%	1%	1%	1%	0%	F	0.104	F	0.667	2300	G	2005
						From: 82-867 North River Rd										
(682) Friedens Ch Rd	1.70	2000	G	96%	1%	1%	1%	1%	0%	F	0.102	F	0.61	2000	G	2005
						From: 82-995 Koiner Ford Rd										
						To: SR 276 Cross Keys Rd										
(683) Watertower Rd	0.60	480	R								NA			NA		08/14/2000
						From: 82-655										
						To: Dead End										
(684) Longbow Rd	0.20	300	R								NA			NA		09/29/2003
						From: 82-620										
(684) Longbow Rd	0.15	280	R								NA			NA		09/29/2003
						From: 0.20 ME 82-620										
(684) Wildwood Dr	0.35	90	R								NA			NA		09/29/2003
						From: 82-833										
						To: Dead End										
(685) Caverns Dr	0.60	45	R								NA			NA		09/29/2003
						From: 82-620										
						To: Dead End										
(686) Woods Rd	0.60	80	R								NA			NA		07/17/2000
						From: 82-689										
						To: SR 276										

Virginia Department of Transportation
Traffic Engineering Division
2005
Annual Average Daily Traffic Volume Estimates By Section of Route
Rockingham Operational Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Rockingham County																
(687) Massanetta Spgs Rd	0.60	650	G	98%	1%	1%	0%	1%	0%	F	0.084	F	0.79	660	G	2005
						From: Dead End										
						To: 82-689										
(687) Massanetta Spgs Rd	0.36	1900	G	98%	1%	1%	0%	1%	0%	F	0.118	F	0.568	1900	G	2005
						From: 82-688										
						To: US 33										
(687) Massanetta Spgs Rd	1.09	2800	G	98%	1%	1%	0%	1%	0%	C	0.095	F	0.508	2900	G	2005
						From: Dead End										
(688) Taylor Spring Ln	0.10	50	R								NA			NA		08/21/2003
						From: 82-704										
(688) Taylor Spring Ln	0.50	1200	R								NA			NA		08/21/2003
						From: 82-1002										
(688) Taylor Spring Ln	0.50	570	R								NA			NA		12/11/2003
						From: 82-687										
						To: 82-988										
(689) Spaders Ch Rd	1.10	110	R								NA			NA		08/21/2003
						From: 82-679										
(689) Shen Lake Dr	1.52	920	R								NA			NA		07/20/2000
						From: 82-659										
(689) Shen Lake Dr	0.74	4700	G	99%	0%	0%	0%	0%	0%	F	0.099	F	0.714	4900	G	2005
						From: 82-687										
(689) Shen Lake Dr	1.28	3400	G	99%	0%	0%	0%	0%	0%	C	0.103	F	0.593	3500	G	2005
						From: SR 276										
						To: Dead End										
(690) Captain Shands Rd	0.22	180	R								NA			NA		08/25/2003
						From: 82-802										
(690) Captain Shands Rd	0.18	220	R								NA			NA		08/25/2003
						From: 82-887										
(690) Captain Shands Rd	0.07	270	R								NA			NA		08/25/2003
						From: US 11										
(690) Summit Ch Rd	0.50	280	R								NA			NA		07/13/2000
						From: Augusta County Line										
						To: FR-237; 82-992										
(691) Ford View Rd	0.80	90	R								NA			NA		09/18/2003
						From: Dead End										
						To: Dead End										
(692) River Bluff Rd	0.60	130	R								NA			NA		08/25/2003
						From: 82-693										
						To: 82-867										
(693) Fairview Rd	1.20	380	R								NA			NA		08/18/2003
						From: 82-692										
(693) Fairview Rd	0.70	220	R								NA			NA		07/13/2000
						From: 82-995										
						To: US 11										
(694) Contentment Ln	0.35	30	R								NA			NA		08/25/2003
						From: Dead End										
						To: US 340 SOUTH										
(695) Old Country Rd	0.75	40	R								NA			NA		09/02/2003
						From: US 340 NORTH										
(695) Old Country Rd	0.85	90	R								NA			NA		09/02/2003
						From: 82-659										
						To: Augusta County Line										
(696) Kiser Rd	1.70	380	R								NA			NA		07/13/2000
						From: 82-727										

Virginia Department of Transportation
Traffic Engineering Division
2005
Annual Average Daily Traffic Volume Estimates By Section of Route
Rockingham Operational Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Rockingham County																
(697) Hidden Valley Rd	0.40	40	R			82-698					NA			NA		08/18/2003
						Dead End										
(698) Wise Hollow Rd	0.60	110	R			Augusta County Line					NA			NA		08/25/2003
(698) Wise Hollow Rd	0.25	290	R			82-697					NA			NA		08/25/2003
(698) Wise Hollow Rd	0.95	290	R			0.26 MN 82-697					NA			NA		08/25/2003
(699) Centerville Rd	0.40	640	G	96%	1%	1%	1%	2%	0%	C	0.11	F	0.697	660	G	2005
(699) Centerville Rd	1.39	1000	G	96%	1%	1%	1%	2%	0%	F	0.090	F	0.827	1000	G	2005
(700) Trailer Park Rd	0.27	100	R			Augusta County Line					NA			NA		09/05/2000
(701) Pike Church Rd	1.38	3600	G	92%	1%	1%	2%	5%	0%	F	0.090	F	0.512	3700	G	2005
(701) Silver Lake Rd	0.44	7500	G	92%	1%	1%	2%	5%	0%	C	0.093	F	0.556	7700	G	2005
(701) Silver Lake Rd	0.79	1900	G	92%	1%	1%	2%	5%	0%	F	0.086	F	0.606	2000	G	2005
(701) Silver Lake Rd	1.79	1700	G	92%	1%	1%	2%	5%	0%	F	0.09	F	0.631	1700	G	2005
(701) Cooks Creek Rd	1.45	940	G	97%	0%	1%	1%	1%	0%	C	0.093	F	0.686	970	G	2005
(701) Mt Clinton Pike	0.07	1300	N	92%	1%	1%	2%	5%	0%	N	0.095	N	0.72	1400	N	2005
(701) Reed Rd	1.03	1300	G	92%	1%	1%	2%	5%	0%	F	0.095	F	0.72	1400	G	2005
(702) Old Thirty Three Rd	0.46	240	R			82-712 NORTH					NA			NA		09/28/2000
(702) Old Thirty Three Rd	0.17	210	R			82-712 SOUTH					NA			NA		09/28/2000
(703) Funkhouser Rd	0.25	30	R			Dead End					NA			NA		09/24/2003
(704) Oakwood Dr	1.52	3800	G	96%	0%	1%	1%	2%	0%	C	0.089	F	0.531	3900	G	2005
(704) Cecil Wampler Rd	1.15	3800	G	96%	0%	1%	1%	2%	0%	F	0.100	F	0.598	3900	G	2005
(704) Cecil Wampler Rd	0.02	800	R			82-996					NA			NA		1994
(704) Cecil Wampler Rd	0.38	1400	R			ECL Bridgewater					NA			NA		07/17/2000
(704) Cecil Wampler Rd	0.40	1300	R			US 11					NA			NA		08/21/2003
						82-988 WEST										
						82-988 EAST										
						82-705										
						82-679 WEST										

Virginia Department of Transportation
 Traffic Engineering Division
 2005
 Annual Average Daily Traffic Volume Estimates By Section of Route
 Rockingham Operational Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Rockingham County																
(704) Osceola Springs Rd	0.40	1100	R				82-679 EAST					NA		NA		07/17/2000
(704) Osceola Springs Rd	0.60	880	R				82-711					NA		NA		08/21/2003
(704) Osceola Springs Rd	0.80	1200	R				82-709					NA		NA		07/17/2000
(704) Boyers Rd	0.40	3600	R				82-659 EAST 82-659 WEST					NA		NA		08/21/2003
(704) Boyers Rd	1.50	2800	R				82-688					NA		NA		07/17/2000
(704) Belts Rd	0.61	160	R				ECL Harrisonburg; Gap T					NA		NA		10/01/2003
(705) Cottontail Trail	0.52	740	R				82-988					NA		NA		07/17/2000
(706) Turners Mill Lane	0.05	20	R				82-778					NA		NA		09/21/2000
(707) Bark Wagon Rd	0.23	90	R				Cul-de-Sac					NA		NA		10/29/2003
(708) Goods Mill Rd	0.71	320	R				82-659					NA		NA		07/20/2000
(708) Goods Mill Rd	1.26	290	R				82-674					NA		NA		08/27/2003
(708) Goods Mill Rd	0.27	380	R				82-676 WEST					NA		NA		08/03/2000
(708) Goods Mill Rd	0.24	510	R				82-676 EAST					NA		NA		09/02/2003
(708) Goods Mill Rd	1.48	200	R				82-672					NA		NA		07/31/2000
(708) Goods Mill Rd	0.66	190	R				82-657					NA		NA		09/09/2003
(708) Lynnwood Rd	0.91	390	R				82-655 NORTH 82-655 SOUTH					NA		NA		07/27/2000
(708) Lynnwood Rd	0.15	420	R				82-788 WEST					NA		NA		09/02/2003
(708) Lynnwood Rd	0.52	450	R				82-788 EAST					NA		NA		07/27/2000
(708) Ore Bank Rd	0.03	250	R				US 340					NA		NA		09/02/2003
(708) Ore Bank Rd	0.11	240	R				82-967					NA		NA		07/27/2000
(708) Ore Bank Rd	3.46	260	R				0.11 ME 82-967					NA		NA		09/09/2003
(709) Autumn Ln	0.69	80	R				82-704					NA		NA		08/21/2003
(709) Autumn Ln	0.41	220	R				0.70 MN 82-704					NA		NA		07/20/2000
							82-710									

Virginia Department of Transportation
Traffic Engineering Division
2005
Annual Average Daily Traffic Volume Estimates By Section of Route
Rockingham Operational Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Rockingham County																
(710) Greendaile Rd	1.48	3900	G	98%	0%	From: ECL Harrisonburg				F	0.094	F	0.618	4000	G	2005
(710) Reservoir St	0.83	6600	G	98%	0%	From: 82-659				C	0.100	F	0.566	6700	G	2005
(711) Grassy Creek Rd	0.70	1300	R			From: ECL Harrisonburg								NA		07/17/2000
(711) Grassy Creek Rd	0.21	710	R			From: 82-710								NA		08/21/2003
(712) Lewis Byrd Rd	0.96	210	R			From: 82-629								NA		09/28/2000
(712) W Mosby Rd	0.90	400	R			From: 82-704								NA		08/25/2003
(712) W Mosby Rd	1.54	3900	G	94%	0%	From: 82-704				C	0.101	F	0.522	4000	G	2005
(713) Brunk Lane	0.07	80	R			From: 82-756								NA		1997
(713) Meigs Lane	0.10	1000	R			From: 82-701 SOUTH								NA		09/28/2000
(714) Lilly Square	0.27	40	R			From: 82-701 NORTH								NA		10/14/2003
(715) Kettle View Rd	0.44	90	R			From: WCL Harrisonburg								NA		09/22/2003
(716) Beulah Rd	1.30	180	R			From: Dead End								NA		09/29/2003
(716) Beulah Rd	1.10	170	R			From: SR 42								NA		09/29/2003
(717) Indian Trail Rd	2.60	560	R			From: Dead End								NA		08/14/2000
(717) Indian Trail Rd	0.20	710	R			From: 82-613								NA		09/29/2003
(717) Indian Trail Rd	0.60	680	R			From: 82-613								NA		08/14/2000
(717) Indian Trail Rd	1.60	390	R			From: 82-620								NA		09/29/2003
(717) Indian Trail Rd	0.30	210	R			From: 82-716								NA		08/14/2000
(717) Indian Trail Rd	2.00	330	R			From: 82-620								NA		10/01/2003
(717) Indian Trail Rd	0.40	450	R			From: 82-718 SOUTH								NA		08/21/2000
(717) Indian Trail Rd	1.00	100	R			From: 82-718 NORTH								NA		10/01/2003
(717) Indian Trail Rd	0.30	110	R			From: 82-724 SOUTH								NA		10/01/2003
(717) Indian Trail Rd	0.40	450	R			From: 82-724 NORTH								NA		08/21/2000
(717) Indian Trail Rd	1.00	100	R			From: 82-721								NA		10/01/2003
(717) Indian Trail Rd	0.30	110	R			From: 82-811								NA		10/01/2003
(717) Indian Trail Rd	0.30	110	R			From: 82-934								NA		10/01/2003
(717) Indian Trail Rd	0.30	110	R			From: 82-806								NA		10/01/2003

Virginia Department of Transportation
Traffic Engineering Division
2005
Annual Average Daily Traffic Volume Estimates By Section of Route
Rockingham Operational Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Rockingham County																
(717) Indian Trail Rd	0.10	510	R			From: 82-806					NA			NA		10/01/2003
(717) Indian Trail Rd	0.34	160	R			From: 82-764					NA			NA		08/24/2000
(717) Indian Trail Rd	2.08	60	R			From: 0.34 MN 82-764					NA			NA		10/01/2003
(717) Indian Trail Rd	0.30	40	R			From: 2.42 MN 82-764					NA			NA		08/21/2000
(718) Old Furnace Rd	1.04	1500	G	96%	1%	From: ECL Harrisonburg				C	0.11	F	0.729	1500	G	2005
(718) Old Furnace Rd	1.19	1000	G	96%	1%	From: 82-719 Layman Trestle Rd				F	0.110	F	0.730	1100	G	2005
(718) Minie Ball Lane	1.11	280	R			From: 82-717 SOUTH 82-717 NORTH					NA			NA		08/14/2000
(719) Layman Trestle Rd	2.25	550	R			From: 82-925					NA			NA		08/17/2000
(720) Irish Path	0.90	460	R			From: 82-753					NA			NA		10/22/2003
(720) Shirrtail Alley	0.80	140	R			From: 82-765					NA			NA		10/22/2003
(720) Daniel Smith Lane	0.10	60	R			From: Dead End; Gap Dead End; Gap					NA			NA		09/29/2003
(720) Smithland Rd	0.75	2100	R			From: US 11					NA			NA		08/14/2000
(721) Green Hill Rd	0.73	620	G	95%	0%	From: WCL Harrisonburg				F	0.110	F	0.647	630	G	2005
(721) Green Hill Rd	1.04	850	G	95%	0%	From: 82-613				F	0.104	F	0.679	880	G	2005
(721) Green Hill Rd	1.98	1100	G	97%	0%	From: 82-752 NORTH				C	0.103	F	0.638	1100	G	2005
(721) Linville Edom Rd	1.31	670	G	95%	0%	From: 82-761				F	0.09	F	0.555	690	G	2005
(721) Longs Pump Rd	1.23	1400	G	95%	0%	From: SR 42 SR 42 NORTH				C	0.092	F	0.667	1400	G	2005
(721) Longs Pump Rd	2.06	720	G	95%	0%	From: 82-753 SOUTH				F	0.091	F	0.654	740	G	2005
(721) Fellowship Rd	1.14	860	G	95%	0%	From: 82-753 NORTH				F	0.092	F	0.646	890	G	2005
(722) Armentrout Path	0.20	150	R			From: 82-619					NA			NA		10/01/2003
(722) Armentrout Path	2.40	80	R			From: 82-723					NA			NA		10/01/2003
(722) Armentrout Path	0.20	160	R			From: 2.40 MN 82-723					NA			NA		10/01/2003
						From: 82-717										
						From: 82-620 SOUTH										
						From: 82-723										
						From: 2.40 MN 82-723										
						From: 82-868										

Virginia Department of Transportation
Traffic Engineering Division
2005
Annual Average Daily Traffic Volume Estimates By Section of Route
Rockingham Operational Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Rockingham County																
(722) Armentrout Path	0.20	310	R								NA			NA		08/21/2000
(723) Haines Quarter Rd	0.30	30	R								NA			NA		10/01/2003
(724) Melrose Rd	1.80	410	R								NA			NA		09/18/2000
(724) Melrose Rd	1.10	410	R								NA			NA		09/18/2000
(724) Trinity Church Rd	0.08	330	R								NA			NA		09/29/2003
(724) Trinity Church Rd	0.01	150	R								NA			NA		12/22/2003
(724) Trinity Church Rd	0.45	150	R								NA			NA		12/22/2003
(724) Trinity Church Rd	1.86	110	R								NA			NA		12/22/2003
(724) Flook Lane	1.30	50	R								NA			NA		12/22/2003
(724) Pack Saddle Rd	0.40	130	R								NA			NA		10/01/2003
(725) Etna Rd	0.20	170	R								NA			NA		09/18/2000
(725) Etna Rd	0.10	200	R								NA			NA		09/18/2000
(726) War Branch Rd	1.22	400	R								NA			NA		09/28/2000
(726) Mt Clinton Pike	1.18	390	R								NA			NA		09/28/2000
(726) Mt Clinton Pike	0.08	740	R								NA			NA		10/22/2003
(726) Mt Clinton Pike	2.08	1200	G								0.104	F	0.678	1300	G	2005
(726) Weavers Rd	1.74	1200	N								0.104	N	0.678	1300	N	2005
(726) Erickson Ave	0.37	5500	G	96%	0%	1%	1%	3%	0%	F	0.081	F	0.578	5700	G	2005
(726) Erickson Ave	0.75	5800	G	96%	0%	1%	1%	3%	0%	C	0.085	F	0.682	6000	G	2005
(726) Stone Spring Rd	0.76	3800	G	97%	0%	1%	2%	1%	0%	C	0.088	F	0.650	3900	G	2005
(726) Misty Court	0.22	500	R								NA			NA		07/17/2000
(727) Sangersville Rd	1.96	1700	G	96%	1%	1%	2%	1%	0%	F	0.095	F	0.769	1800	G	2005

Virginia Department of Transportation
Traffic Engineering Division
2005
Annual Average Daily Traffic Volume Estimates By Section of Route
Rockingham Operational Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Rockingham County																
(727) Spring Creek Rd	2.37	3200	G	96%	1%	From: 82-613 E. Jordan Hill Rd To: SR 42 N, Warm Springs Pike				C	NA			3300	G	2005
(727) Airport Rd	1.31	1200	G	96%	1%	From: SR 42 S, Warm Springs Pike To: 82-888				F	0.107	F	0.558	1300	G	2005
(727) Airport Rd	1.79	1300	G	96%	1%	From: 82-888 To: US 11 Lee Highway				F	0.1	F	0.553	1300	G	2005
(728) Gardner Lane	1.20	45	R			From: SR 42 To: 82-727					NA			NA		01/12/2004
(729) Cam Bell Rd	1.00	90	R			From: Augusta County Line To: 82-613					NA			NA		12/21/2003
(730) Community Center Rd	1.30	350	G	93%	3%	From: 82-731 To: Augusta County Line				C	0.138	F	0.647	360	G	2005
(731) Thorny Branch Rd	0.60	180	R			From: Augusta County Line To: 82-730					NA			NA		10/21/2003
(731) Community Center Rd	0.70	440	G	93%	2%	From: 82-730 To: 82-750				C	0.101	F	0.511	450	G	2005
(731) Community Center Rd	0.86	840	G	93%	2%	From: 82-750 To: SR 257 SOUTH SR 257 NORTH				F	0.1	F	0.6	860	G	2005
(731) Daniel Cupp Rd	1.60	230	R			From: SR 257 SOUTH SR 257 NORTH To: 82-742					NA			NA		10/19/2000
(731) Fulton School Rd	1.80	90	R			From: 82-742 To: 82-613					NA			NA		10/14/2003
(731) Kerns Rd	0.50	160	R			From: 82-613 To: 82-743					NA			NA		10/05/2000
(731) Kerns Rd	0.60	190	R			From: 82-743 To: 82-738					NA			NA		10/19/2000
(731) Morris Pottery Rd	0.20	30	R			From: 82-738 To: Dead End					NA			NA		10/14/2003
(732) Coopers Mountain Rd	0.10	270	R			From: US 33 To: 82-840					NA			NA		09/28/2000
(732) Coopers Mountain Rd	0.40	580	R			From: 82-840 To: GW Natl For Bndy					NA			NA		10/14/2003
(732) Coopers Mountain Rd	0.86	480	R			From: GW Natl For Bndy To: 0.86 ME of Bndy					NA			NA		09/28/2000
(732) Coopers Mountain Rd	1.24	660	R			From: 0.86 ME of Bndy To: 82-613 SOUTH 82-613 NORTH					NA			NA		10/14/2003
(732) Horeb Church Rd	1.60	150	R			From: 82-613 SOUTH 82-613 NORTH To: 82-752 SOUTH 82-752 NORTH					NA			NA		10/14/2003
(732) Coakley Town Rd	1.09	200	R			From: 82-752 SOUTH 82-752 NORTH To: 82-734 WEST					NA			NA		10/23/2003
(732) Coakley Town Rd	0.10	340	R			From: 82-734 WEST To: 82-734 EAST					NA			NA		10/16/2000
(732) Coakley Town Rd	0.40	240	R			From: 82-734 EAST To: 82-914					NA			NA		10/23/2003
(732) Coakley Town Rd	0.10	220	R			From: 82-914 To: 82-913					NA			NA		10/16/2000

Virginia Department of Transportation
Traffic Engineering Division
2005
Annual Average Daily Traffic Volume Estimates By Section of Route
Rockingham Operational Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Rockingham County																
(732) Coakley Town Rd	0.80	100	R				From: 82-913				NA			NA		10/21/2003
(732) Coakley Town Rd	0.70	140	R				To: 82-831				NA			NA		10/21/2003
(732) Bowman Rd	1.09	570	G	94%	1%	1%	1%	3%	0%	F	0.101	F	0.513	590	G	2005
(732) Bowman Rd	0.09	1400	N	94%	1%	1%	1%	3%	0%	N	0.093	N	0.583	1400	N	2005
(732) Bowman Rd	0.26	1400	G	94%	1%	1%	1%	3%	0%	F	0.093	F	0.583	1400	G	2005
Town of Davton																
(732) Bowman Rd	0.06	2500	G	94%	1%	1%	1%	3%	0%	F	0.116	F	0.509	2500	G	2005
Rockingham County																
(732) Bowman Rd	0.24	2600	G	94%	1%	1%	1%	3%	0%	C	0.093	F	0.591	2700	G	2005
(733) Dale Enterprise Rd	1.00	45	R				From: 82-701 Gap				NA			NA		10/23/2003
(734) Lumber Mill Rd	0.83	350	R				To: SR 42				NA			NA		10/05/2000
(734) Lumber Mill Rd	0.85	290	R				From: 82-734				NA			NA		10/16/2003
(734) Slab Rd	0.40	230	R				To: US 33				NA			NA		10/14/2003
(734) Bank Church Rd	0.60	140	R				From: SR 257				NA			NA		10/23/2003
(734) Bank Church Rd	0.10	130	R				To: 82-743				NA			NA		10/23/2000
(734) Bank Church Rd	0.80	170	R				From: 82-738 SOUTH				NA			NA		10/23/2003
(734) Bank Church Rd	1.10	190	G	94%	2%	1%	2%	1%	0%	C	0.116	F	0.546	190	G	2005
(735) Linhoss Rd	0.34	90	R				From: 82-738 NORTH				NA			NA		10/23/2003
(735) Linhoss Rd	0.66	60	R				To: 82-752 NORTH				NA			NA		10/23/2003
(736) Wheelbarger Rd	0.30	110	R				From: 82-752 SOUTH				NA			NA		10/23/2003
(736) Rushville Rd	0.80	450	G	94%	2%	1%	1%	2%	0%	C	0.096	F	0.674	460	G	2005
(736) Swope Rd	0.50	130	R				To: 82-914 SOUTH				NA			NA		10/21/2003
(736) Swope Rd	0.40	90	R				From: 82-914 NORTH				NA			NA		10/21/2003
(736) Swope Rd	0.40	90	R				To: 82-732 WEST				NA			NA		10/21/2003
(736) Swope Rd	0.40	90	R				From: 82-732 EAST				NA			NA		10/21/2003
(736) Swope Rd	0.40	90	R				To: US 33				NA			NA		10/21/2003
(736) Swope Rd	0.40	90	R				From: 82-701				NA			NA		10/21/2003
(736) Swope Rd	0.40	90	R				To: 0.35 MN 82-701				NA			NA		10/21/2003
(736) Swope Rd	0.40	90	R				From: 82-736				NA			NA		10/21/2003
(736) Swope Rd	0.40	90	R				To: Dead End				NA			NA		10/21/2003
(736) Swope Rd	0.40	90	R				From: 82-737 WEST				NA			NA		10/21/2003
(736) Swope Rd	0.40	90	R				To: 82-732 NORTH				NA			NA		10/21/2003
(736) Swope Rd	0.40	90	R				From: 82-735				NA			NA		10/21/2003
(736) Swope Rd	0.40	90	R				To: 82-913 SOUTH				NA			NA		10/21/2003

Virginia Department of Transportation
Traffic Engineering Division
2005
Annual Average Daily Traffic Volume Estimates By Section of Route
Rockingham Operational Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Rockingham County																
(736) Swope Rd	0.10	310	R				82-913 SOUTH				NA			NA		10/21/2003
(736) Swope Rd	0.80	110	R				82-913 NORTH				NA			NA		10/23/2000
(737) Rushville Rd	0.90	500	G	92%	2%	2%	2%	2%	0%	C	0.092	F	0.511	520	G	2005
(737) Rushville Rd	0.40	510	G	92%	2%	2%	2%	2%	0%	F	0.108	F	0.591	520	G	2005
(737) Limestone Lane	1.40	240	R				82-736 SOUTH 82-736 NORTH				NA			NA		10/16/2000
(737) Cannery Woods Dr	0.80	320	R				SR 257 NORTH SR 257 SOUTH				NA			NA		10/21/2003
(738) W Dry River Rd	1.71	1200	G	94%	0%	1%	3%	2%	0%	F	0.104	F	0.74	1300	G	2005
(738) W Dry River Rd	1.10	1300	G	94%	0%	1%	3%	2%	0%	C	0.099	F	0.635	1300	G	2005
(738) W Dry River Rd	2.05	1500	G	94%	0%	1%	3%	2%	0%	F	0.101	F	0.622	1600	G	2005
(738) Dry River Rd	1.13	2500	G	97%	0%	1%	1%	1%	0%	C	0.094	F	0.539	2500	G	2005
(739) Witmer Lane	0.20	80	R				Dead End				NA			NA		10/16/2003
(739) Koogler Rd	0.70	110	R				82-743 EAST 82-743 WEST				NA			NA		10/16/2003
(739) Shoreshill Rd	0.35	60	R				32-738 82-738				NA			NA		10/14/2003
(740) Honeyville Rd	0.50	330	R				Dead End				NA			NA		10/06/2003
(741) Robinson Rd	0.60	250	R				82-881 82-742				NA			NA		10/14/2003
(742) Waggys Creek Rd	1.48	520	G	95%	2%	1%	1%	1%	0%	C	0.128	F	0.703	540	G	2005
(742) Waggys Creek Rd	0.50	410	R				82-731				NA			NA		10/14/2003
(742) Waggys Creek Rd	0.89	330	R				82-751				NA			NA		10/05/2000
(742) Union Springs Rd	0.70	340	R				82-933				NA			NA		10/14/2003
(742) Fox Den Rd	0.60	110	R				82-743				NA			NA		10/14/2003
(742) Robinson Rd	0.90	300	R				82-741				NA			NA		10/14/2003
(742) Robinson Rd	0.50	580	R				82-869				NA			NA		10/05/2000
							82-613									

Virginia Department of Transportation
Traffic Engineering Division
2005
Annual Average Daily Traffic Volume Estimates By Section of Route
Rockingham Operational Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Rockingham County																
(743) Union Springs Rd	1.30	450	R				82-742				NA			NA		10/05/2000
							82-613 NORTH									
							82-613 SOUTH									
(743) Honey Run Rd	0.30	200	R								NA			NA		10/14/2003
							82-731									
(743) Honey Run Rd	1.00	90	R								NA			NA		10/16/2003
							82-739 WEST									
(743) Honey Run Rd	0.42	130	R								NA			NA		10/16/2003
							82-739 EAST									
(743) Honey Run Rd	0.07	160	R								NA			NA		10/16/2003
							0.07 ME 82-739									
(743) Honey Run Rd	0.05	160	R								NA			NA		10/16/2003
							82-734									
(743) Honey Run Rd	0.87	60	R								NA			NA		01/12/2004
							82-752 WEST									
(743) Honey Run Rd	0.16	150	R								NA			NA		10/16/2003
							82-752 EAST									
(743) Honey Run Rd	0.40	90	R								NA			NA		10/16/2003
							82-738									
(744) Dry Hollow Rd	0.70	120	R				82-745				NA			NA		10/16/2003
							SR 257									
(745) Martin Miller Rd	0.50	70	R				SR 257				NA			NA		10/16/2003
							82-744									
(745) Martin Miller Rd	0.90	47	R								NA			NA		10/16/2003
							82-752									
(746) Herring Ln	0.25	50	R				SR 42 SOUTH				NA			NA		10/21/2003
							SR 42 NORTH									
(747) Mossy Creek Rd	0.80	40	R				Augusta County Line				NA			NA		10/21/2003
							82-835									
(747) Mossy Creek Rd	0.80	110	R								NA			NA		10/21/2003
							82-727									
(748) Thomas Spring Rd	0.69	170	R				82-613				NA			NA		10/16/2003
							0.69 ME 82-613									
(748) Thomas Spring Rd	0.91	120	R								NA			NA		01/12/2004
							82-870									
(748) Thomas Spring Rd	1.10	200	R								NA			NA		10/16/2000
							82-909									
(748) Thomas Spring Rd	0.40	690	R								NA			NA		10/05/2000
							SR 257									
(749) Lady Bug Rd	1.50	46	R				82-730				NA			NA		10/21/2003
							82-755									
(750) Nazarene Ch Rd	1.10	440	R				82-731				NA			NA		10/05/2000
							82-755 WEST									
(750) Nazarene Ch Rd	0.60	540	R								NA			NA		10/21/2003
							82-755 EAST									

Virginia Department of Transportation
Traffic Engineering Division
2005
Annual Average Daily Traffic Volume Estimates By Section of Route
Rockingham Operational Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Rockingham County																
(750) Nazarene Ch Rd	1.70	390	R											NA		10/19/2000
(751) Rumsey Ln	0.40	60	R											NA		10/21/2003
(752) Beaver Creek Rd	1.99	340	R											NA		10/05/2000
(752) Silver Creek Rd	0.61	340	N											NA		10/05/2000
(752) Crystal Ridge Rd	0.57	150	R											NA		10/06/2003
(752) Keller Rd	0.42	190	R											NA		10/16/2003
(752) Rushville Rd	0.46	850	G	92%	1%	3%	1%	3%	0%	F	0.091	F	0.578	880	G	2005
(752) Hinton Rd	0.86	620	G	92%	1%	3%	1%	3%	0%	F	0.080	F	0.625	640	G	2005
(752) Hinton Rd	1.99	620	G	92%	1%	3%	1%	3%	0%	C	0.099	F	0.517	640	G	2005
(752) Muddy Creek Rd	1.72	510	G	93%	0%	2%	2%	3%	0%	C	0.109	F	0.529	530	G	2005
(752) Muddy Creek Rd	1.90	360	G	92%	1%	3%	1%	3%	0%	F	0.081	F	0.585	370	G	2005
(752) Snapps Creek Rd	2.20	320	R											NA		10/27/2003
(752) Well Hollow Rd	0.24	320	N											NA		10/27/2003
(752) Great Rd	1.04	30	R											NA		10/27/2003
(752) Great Rd	0.70	45	R											NA		01/06/2003
(752) Mt Zion Rd	1.71	260	R											NA		10/29/2003
(752) Wengers Mill Rd	0.02	260	N											NA		10/29/2003
(752) Wengers Mill Rd	0.56	650	G	92%	1%	3%	1%	3%	0%	F	0.083	F	0.607	670	G	2005
(752) Cherry Grove Rd	2.18	270	R											NA		10/29/2003
(752) Hisers Lane	3.06	380	R											NA		09/07/2000
(753) Hollar School Rd	1.36	580	G	93%	0%	1%	4%	3%	0%	F	0.081	F	0.647	590	G	2005
(753) Wengers Mill Rd	1.17	850	G	93%	0%	1%	4%	3%	0%	F	0.098	F	0.737	870	G	2005
(753) Wengers Mill Rd	1.49	970	G	94%	0%	1%	3%	2%	0%	C	0.098	F	0.734	1000	G	2005

Virginia Department of Transportation
Traffic Engineering Division
2005
Annual Average Daily Traffic Volume Estimates By Section of Route
Rockingham Operational Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Rockingham County																
(753) Kratzer Rd	1.65	1100	G	93%	0%	1%	4%	3%	0%	F	0.092	F	0.606	1200	G	2005
						From: SR 42 SOUTH										
(753) Kratzer Rd	1.42	2700	G	93%	0%	1%	4%	3%	0%	F	0.093	F	0.652	2800	G	2005
						From: 82-721 NORTH										
(753) Kratzer Rd	0.78	2700	G	93%	0%	1%	4%	3%	0%	F	0.083	F	0.672	2800	G	2005
						From: 82-765										
(753) Kratzer Rd	1.29	4000	G	93%	0%	1%	4%	3%	0%	C	0.088	F	0.594	4200	G	2005
						From: 82-908										
						To: NCL Harrisonburg										
(754) Rocky Bar Rd	0.20	590	R								NA		NA			09/11/2003
						From: US 340 SOUTH										
(754) Rocky Bar Rd	0.15	370	R								NA		NA			07/31/2000
						From: 82-892										
(754) Rocky Bar Rd	1.08	220	R								NA		NA			09/11/2003
						From: 82-958										
(754) Berrytown Rd	2.10	640	R								NA		NA			07/31/2000
						From: 82-649										
(754) Berrytown Rd	0.90	590	R								NA		NA			09/11/2003
						From: 82-630 SOUTH										
(754) South Branch Rd	0.70	200	R								NA		NA			07/31/2000
						From: US 340 SOUTH MID US 340 NORTH MID										
(754) South Branch Rd	0.40	900	R								NA		NA			09/11/2003
						From: 82-630 NORTH										
						To: US 340 NORTH										
(755) Vance Rd	0.04	130	R								NA		NA			10/05/2000
						From: Augusta County Line										
(755) Windy Cove Rd	0.90	220	R								NA		NA			10/21/2003
						From: 82-821										
(755) Windy Cove Rd	0.50	210	R								NA		NA			10/21/2003
						From: 82-749										
(755) Lambert Town Rd	1.19	330	R								NA		NA			10/16/2003
						From: 82-750 EAST 82-750 WEST										
(756) Liskey Rd	0.93	120	R								NA		NA			09/28/2000
						From: 82-712										
						To: SCL Harrisonburg										
(757) Trimble Rd	0.30	190	R								NA		NA			08/27/2003
						From: 82-676										
						To: 82-659										
(758) Happy Valley Rd	1.50	190	R								NA		NA			09/24/2003
						From: 82-620 SOUTH										
(758) Rainbow Trail	1.00	80	R								NA		NA			09/29/2003
						From: 1.50 MN 82-620										
						To: 82-620 NORTH										
(759) Newtown Rd	0.78	2700	G	98%	0%	1%	1%	0%	0%	C	0.090	F	0.638	2800	G	2005
						From: ECL Elkton										
(759) Newtown Rd	1.17	1900	G	98%	0%	1%	1%	0%	0%	F	0.085	F	0.67	1900	G	2005
						From: 82-861										
(759) Fox Mountain Rd	2.08	1200	G	98%	0%	1%	1%	0%	0%	F	0.107	F	0.589	1200	G	2005
						From: 82-625										
(759) Naked Creek Rd	0.32	1200	N	98%	0%	1%	1%	0%	0%	N	0.107	N	0.589	1200	N	2005
						From: 82-609										
						To: Page County Line										

Virginia Department of Transportation
Traffic Engineering Division
2005
Annual Average Daily Traffic Volume Estimates By Section of Route
Rockingham Operational Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Rockingham County																
(760) Clusters Rd	1.50	130	R											NA		10/19/2000
(761) Ralston Rd	1.60	330	R											NA		10/22/2003
(761) Sky Rd	0.90	370	R											NA		10/19/2000
(761) Sky Rd	0.50	240	R											NA		10/27/2003
(761) Sky Rd	0.90	190	R											NA		09/21/2000
(761) Rocky Lane	0.50	340	R											NA		10/27/2003
(761) Rocky Lane	0.70	340	R											NA		09/21/2000
(761) Rocky Lane	0.70	360	R											NA		1997
(762) Eden Valley Rd	1.60	160	R											NA		09/28/2000
(763) Hopkins Gap Rd	2.25	680	G	97%	0%	1%	1%	1%	0%	F	0.090	F	0.712	700	G	2005
(763) Singers Glen Rd	0.54	2100	G	97%	0%	1%	1%	1%	0%	F	0.092	F	0.668	2100	G	2005
(763) Singers Glen Rd	1.74	3000	G	97%	0%	1%	1%	1%	0%	F	0.090	F	0.664	3100	G	2005
(763) Singers Glen Rd	1.02	2000	G	97%	0%	1%	1%	1%	0%	F	0.095	F	0.682	2100	G	2005
(763) Mt Clinton Pike	1.16	2000	N	97%	0%	1%	1%	1%	0%	N	0.095	N	0.682	2100	N	2005
(763) Mt Clinton Pike	0.18	4000	G	97%	0%	1%	1%	1%	0%	F	0.101	F	0.570	4200	G	2005
(763) Mt Clinton Pike	0.42	4900	G	97%	0%	1%	1%	1%	0%	C	0.094	F	0.580	5100	G	2005
(764) Lacey Heights Ave	0.33	310	R											NA		10/01/2003
(765) Mt Clinton Pike	1.00	700	R											NA		09/21/2000
(765) Amberly Rd	1.30	160	R											NA		10/19/2000
(765) Amberly Rd	0.50	160	R											NA		10/19/2000
(765) Cromer Rd	1.22	160	R											NA		10/22/2003
(765) Cromer Rd	0.16	140	R											NA		10/22/2003
(765) Buttermilk Creek Rd	1.58	1000	G	94%	1%	1%	3%	2%	0%	F	0.11	F	0.607	1000	G	2005

Virginia Department of Transportation
Traffic Engineering Division
2005
Annual Average Daily Traffic Volume Estimates By Section of Route
Rockingham Operational Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Rockingham County																
(765) Gravels Rd	2.39	1200	G	94%	1%	1%	3%	2%	0%	C	0.09	F	0.689	1200	G	2005
(766) Eversole Rd	1.40	380	R								NA		NA			09/21/2000
(767) Willow Run Rd	1.29	70	R								NA		NA			10/22/2003
(767) Willow Run Rd	0.11	150	R								NA		NA			12/22/2003
(767) Hamlet Dr	0.30	190	R								NA		NA			09/21/2000
(768) Antioch Rd	0.70	48	R								NA		NA			01/06/2004
(768) Antioch Rd	0.10	70	R								NA		NA			01/06/2004
(768) Antioch Rd	0.90	40	R								NA		NA			10/27/2003
(769) Thompson Rd	1.30	30	R								NA		NA			10/27/2003
(769) Thompson Rd	0.80	45	R								NA		NA			01/06/2004
(769) Skidmore Rd	0.60	70	R								NA		NA			10/22/2003
(770) Clayborn Rd	0.80	45	R								NA		NA			10/22/2003
(771) Polecat Hollow Rd	0.50	30	R								NA		NA			10/27/2003
(771) Chrisman Rd	1.60	90	R								NA		NA			10/27/2003
(772) Sparkling Springs Rd	0.30	70	R								NA		NA			10/27/2003
(772) Sparkling Springs Rd	0.15	110	R								NA		NA			09/21/2000
(772) Sparkling Springs Rd	0.29	270	R								NA		NA			10/27/2003
(772) Sparkling Springs Rd	0.84	320	R								NA		NA			09/21/2000
(772) Greenmount Rd	0.65	100	R								NA		NA			10/27/2003
(772) Greenmount Rd	1.11	240	R								NA		NA			09/21/2000
(772) Greenmount Rd	1.03	440	R								NA		NA			10/27/2003
(772) Greenmount Rd	1.35	630	R								NA		NA			09/21/2000

Virginia Department of Transportation
 Traffic Engineering Division
 2005
 Annual Average Daily Traffic Volume Estimates By Section of Route
 Rockingham Operational Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Rockingham County																
(773) Chrisman Rd	0.80	90	R				From: 82-771					NA		NA		09/21/2000
							To: 82-772 SOUTH									
							From: 82-772 NORTH									
(773) Mayberry Rd	0.06	270	R									NA		NA		09/21/2000
							To: 82-707									
(773) Mayberry Rd	1.14	130	R									NA		NA		10/29/2003
							To: 82-877									
(773) Mayberry Rd	0.70	90	R									NA		NA		10/29/2003
							To: 82-776									
							From: 82-772									
(774) Joseph Funk Ln	0.50	50	R									NA		NA		10/27/2003
							To: 82-777									
(774) Joseph Funk Ln	0.70	70	R									NA		NA		10/29/2003
							To: 82-877									
(774) Joseph Funk Ln	0.50	250	R									NA		NA		10/29/2003
							To: 82-613									
							From: SR 257 WEST									
(775) Judge Paul Rd	0.24	20	R									NA		NA		10/05/2000
							To: SR 257 EAST									
							From: 82-613 SOUTH									
(776) Frank Lane Rd	0.60	450	R									NA		NA		09/18/2000
							To: 82-773									
(776) Frank Lane Rd	1.80	170	R									NA		NA		10/29/2003
							To: 82-783									
(776) Morning View Rd	1.70	80	R									NA		NA		10/29/2003
							To: 82-613 NORTH									
							From: 82-774									
(777) Peter Driver Lane	0.70	48	R									NA		NA		10/27/2003
							To: 82-613 NORTH									
							From: 82-613 SOUTH									
(777) Well Hollow Rd	0.40	80	R									NA		NA		10/27/2003
							To: 82-752 WEST									
							From: 82-752 EAST									
(777) Well Hollow Rd	1.00	60	R									NA		NA		10/27/2003
							To: 82-761									
(777) Well Hollow Rd	0.80	20	R									NA		NA		10/27/2003
							To: 82-910									
							From: 82-779									
(778) Brenneman Ch Rd	0.12	110	R									NA		NA		10/22/2003
							To: 0.12 ME 82-779									
(778) Brenneman Ch Rd	0.18	140	R									NA		NA		10/22/2003
							To: 82-706									
(778) Brenneman Ch Rd	0.93	190	R									NA		NA		09/21/2000
							To: SR 42									
							From: 82-910									
(779) Acker Ln	0.10	100	R									NA		NA		01/06/2004
							To: 82-778									
(779) Acker Ln	0.60	30	R									NA		NA		10/22/2003
							To: 82-721									
							From: 82-613									
(780) Frog Hollow Rd	0.50	40	R									NA		NA		10/29/2003
							To: 82-781									
(780) Frog Hollow Rd	0.60	60	R									NA		NA		10/29/2003
							To: 82-752 WEST									

Virginia Department of Transportation
Traffic Engineering Division
2005
Annual Average Daily Traffic Volume Estimates By Section of Route
Rockingham Operational Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Rockingham County																
(780) Joes Creek Rd	2.10	60	R				From: 82-752 EAST					NA		NA		01/06/2004
(780) Shaver Mill Rd	1.80	60	R				To: 82-910					NA		NA		10/22/2003
(780) Lindale Rd	0.70	80	R				From: SR 42 SOUTH					NA		NA		10/22/2003
							To: SR 42 NORTH									
(781) Wills Creek Rd	1.10	80	R				From: 82-753					NA		NA		10/29/2003
(781) Wills Creek Rd	1.10	60	R				To: 82-613					NA		NA		10/29/2003
							From: 82-780									
(782) Williamsburg Rd	1.00	40	R				To: 82-752					NA		NA		10/29/2003
(782) Williamsburg Rd	2.01	48	R				From: 82-785					NA		NA		11/03/2003
							To: 82-617									
(783) Frank Lane Rd	0.70	260	R				From: SR 42					NA		NA		10/29/2003
(783) John Brock Rd	0.90	200	R				To: 82-776					NA		NA		09/18/2000
							From: 82-613									
(784) Tide Spring Rd	0.89	50	R				To: 82-753					NA		NA		11/03/2003
(784) Tide Spring Rd	0.51	60	R				From: 82-752									
							To: 0.89 ME 82-752					NA		NA		11/03/2003
(784) Klines Mill Rd	1.58	60	R				From: 82-617 NORTH									
							To: 82-617 SOUTH									
(785) Shultztown Rd	0.50	80	R				From: SR 42					NA		NA		11/03/2003
(785) Shultztown Rd	0.50	60	R				To: 82-753					NA		NA		10/29/2003
							From: 82-782									
(786) Cedar Run Ln	0.70	80	R				To: 82-752; 82-784					NA		NA		10/29/2003
(786) Cedar Run Ln	2.00	170	R				From: 82-880					NA		NA		10/29/2003
							To: 82-752 SOUTH									
(787) Horn Mill Dr	0.30	50	R				From: 82-752 NORTH					NA		NA		11/03/2003
							To: 82-617									
(788) Flank Cir	0.25	10	R				From: 82-613					NA		NA		10/29/2003
							To: Dead End									
(789) Strooptown Rd	1.10	350	R				From: 82-708 WEST					NA		NA		09/02/2003
(789) Strooptown Rd	1.20	350	R				To: 82-708 EAST					NA		NA		08/28/2000
							From: 82-617									
(789) Andrick Mill Rd	0.70	420	R				To: 1.10 MN 82-617					NA		NA		08/28/2000
							From: 82-792									
							To: 82-790 SOUTH					NA		NA		08/28/2000

Virginia Department of Transportation
 Traffic Engineering Division
 2005
 Annual Average Daily Traffic Volume Estimates By Section of Route
 Rockingham Operational Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Rockingham County																
(789) Andrick Mill Rd	0.40	340	R				From: 82-790 SOUTH				NA			NA		10/06/2003
(789) Andrick Mill Rd	0.88	340	R				From: 82-790 NORTH				NA			NA		08/24/2000
							To: 82-881									
(790) Veters Rd	1.20	120	R				From: 82-613				NA			NA		10/06/2003
(790) Veters Rd	1.00	160	R				From: 1.20 ME 82-613				NA			NA		10/06/2003
							To: 82-789 SOUTH									
(790) Getz Dr	1.40	160	R				From: 82-789 NORTH				NA			NA		08/28/2000
							To: 82-617									
(791) Byrd Orchard Rd	0.70	30	R				From: 82-614				NA			NA		10/06/2003
							To: 82-615									
(792) Crossroads Ln	0.40	100	R				From: Dead End				NA			NA		10/06/2003
(792) Crossroads Ln	0.30	260	R				From: 0.40 ME Dead End				NA			NA		10/06/2003
							To: 82-789									
(792) Crossroads Ln	1.00	720	R				From: 82-789				NA			NA		08/28/2000
							To: 82-617									
(793) Long Meadow Dr	1.40	350	G	99%	0%	1%	0%	0%	0%	C	0.099	F	0.5	360	G	2005
(793) Long Meadow Dr	1.00	400	R				From: 82-619				NA			NA		08/21/2000
(793) Hupp Rd	0.10	360	R				From: 82-799 SOUTH				NA			NA		08/24/2000
(793) Concord Ch Rd	1.00	290	R				From: 82-799 NORTH				NA			NA		08/24/2000
(793) Concord Ch Rd	0.70	290	R				From: 82-797				NA			NA		08/21/2000
(793) Concord Ch Rd	0.54	330	R				From: 82-983				NA			NA		08/21/2000
(793) Endless Caverns Rd	1.00	310	R				From: US 11 NORTH				NA			NA		08/21/2000
							From: US 11 SOUTH									
(793) Endless Caverns Rd	0.20	280	R				From: 82-850				NA			NA		08/21/2000
							To: 82-620									
(794) Craney Island Rd	1.28	130	R				From: US 11				NA			NA		08/21/2000
							To: 82-620									
(795) Fairview Ch Rd	1.00	60	R				From: US 11				NA			NA		08/24/2000
							To: Dead End									
(796) Kagey Rd	0.60	130	R				From: 82-799				NA			NA		12/22/2003
(796) Kagey Rd	0.20	140	R				From: 82-797 WEST				NA			NA		08/24/2000
(796) Kagey Rd	0.50	100	R				From: 82-797 EAST				NA			NA		10/06/2003
							To: 82-982									

Virginia Department of Transportation
Traffic Engineering Division
2005
Annual Average Daily Traffic Volume Estimates By Section of Route
Rockingham Operational Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Rockingham County																
(796) Kagey Rd	0.60	120	R											NA	NA	08/21/2000
(796) Moores Mill Rd	1.30	160	R											NA	NA	10/01/2003
(797) Oferell Dr	0.30	100	R											NA	NA	08/21/2000
(797) Newdale School Rd	1.20	40	R											NA	NA	12/22/2003
(798) Hillyard Dr	1.10	150	R											NA	NA	10/16/2003
(798) Hillyard Dr	0.20	190	R											NA	NA	08/21/2000
(798) Hillyard Dr	0.50	60	R											NA	NA	10/16/2003
(798) Tenth Legion Rd	1.00	90	R											NA	NA	08/21/2000
(798) Tenth Legion Rd	1.09	200	R											NA	NA	08/24/2000
(798) Arkton Rd	1.90	560	G	98%	0%	1%	0%	0%	0%	C	0.1	F	0.564	580	G	2005
(798) Huff Trail	0.60	130	R											NA	NA	10/01/2003
(799) Hupp Rd	1.00	130	R											NA	NA	10/16/2003
(799) Hupp Rd	1.00	90	R											NA	NA	10/01/2003
(799) Hupp Rd	0.80	90	R											NA	NA	10/01/2003
(799) Piney Woods Rd	0.90	120	R											NA	NA	10/06/2003
(799) Kay Dr	0.80	130	R											NA	NA	10/06/2003
(800) American Legion Dr	0.60	80	R											NA	NA	12/03/2003
(800) American Legion Dr	0.66	140	R											NA	NA	08/21/2000
(800) American Legion Dr	0.20	400	R											NA	NA	08/21/2000
(800) Co-op Dr	0.01	1800	R											NA	NA	10/16/2003
Town of Timberville																
(800) Co-op Dr	0.01	1800	N											NA	NA	10/16/2003
(800) Co-op Dr	0.36	1200	R											NA	NA	08/28/2000

Virginia Department of Transportation
Traffic Engineering Division
2005
Annual Average Daily Traffic Volume Estimates By Section of Route
Rockingham Operational Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Town of Timberville																
(800) Co-op Dr	0.06	5100	R									NA		NA		10/08/2003
(800) Co-op Dr	0.07	4800	R									NA		NA		08/30/2000
(800) Co-op Dr	0.04	4300	R									NA		NA		12/03/2003
(800) Co-op Dr	0.02	4300	R									NA		NA		12/03/2003
(800) Co-op Dr	0.05	4700	R									NA		NA		08/28/2000
(800) Co-op Dr	0.04	4200	R									NA		NA		10/08/2003
(800) Co-op Dr	0.09	3000	R									NA		NA		10/08/2003
Town of Broadway																
(801) Holsinger Rd	0.15	350	R									NA		NA		08/24/2000
Rockingham County																
(801) Holsinger Rd	1.05	350	R									NA		NA		08/24/2000
(801) Holsinger Rd	0.70	380	R									NA		NA		10/16/2003
(802) Fairfield Dr	0.09	9	R									NA		NA		08/25/2003
(803) Daphna Rd	0.95	290	R									NA		NA		09/18/2000
(803) Daphna Rd	1.00	750	G								0.088	F	0.570	770	G	2005
(803) Daphna Rd	2.41	770	G								0.097	F	0.513	800	G	2005
Town of Broadway																
(803) Daphna Rd	0.12	30	G								0.222	F	0.5	30	G	2005
Rockingham County																
(804) Chenault Dr	0.20	40	R									NA		NA		10/20/2003
(805) Beacon Hill Rd	2.00	90	R									NA		NA		10/22/2003
(806) Lacy Spring Rd	1.00	800	G	96%	0%	2%	1%	1%	0%	F	0.097	F	0.553	820	G	2005
(806) Lacy Spring Rd	1.30	570	R									NA		NA		10/20/2003
(806) Lacy Spring Rd	0.50	630	R									NA		NA		10/20/2003

Virginia Department of Transportation
Traffic Engineering Division
2005
Annual Average Daily Traffic Volume Estimates By Section of Route
Rockingham Operational Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Rockingham County																
(806) Martz Rd	3.40	1100	G	96%	0%	2%	1%	1%	0%	C	0.094	F	0.638	1100	G	2005
(807) Koontz Corner Rd	2.57	200	R								NA		NA			10/01/2003
(808) Big Spring Dr	0.17	30	R								NA		NA			10/01/2003
(809) Trissels Rd	1.04	550	G	97%	0%	2%	1%	1%	0%	F	0.115	F	0.654	570	G	2005
(809) Trissels Rd	1.12	790	G	97%	0%	2%	1%	1%	0%	C	0.117	F	0.642	810	G	2005
(809) Zions Church Rd	0.80	320	R								NA		NA			09/18/2000
(809) Zions Church Rd	0.30	300	R								NA		NA			10/19/2000
(809) Zions Church Rd	0.33	90	R								NA		NA			10/20/2003
(809) Zions Church Rd	0.87	80	R								NA		NA			10/20/2003
(809) Old Sawmill Rd	2.20	310	R								NA		NA			09/14/2000
(809) Wesley Chapel Rd	0.24	10	R								NA		NA			10/01/2003
(810) Harness Shop Rd	0.40	140	R								NA		NA			10/23/2003
(811) Fridleys Gap Rd	2.35	360	R								NA		NA			08/21/2000
(812) Bowers Lane	0.64	230	R								NA		NA			10/08/2003
(812) Wine Store Lane	1.50	60	R								NA		NA			10/08/2003
(813) Lindhaven Rd	0.80	20	R								NA		NA			10/08/2003
(813) Lindhaven Rd	1.30	46	R								NA		NA			10/08/2003
(814) Winfield Rd	0.20	40	R								NA		NA			08/30/2000
(815) Third Hollow Rd	0.60	640	G	98%	0%	1%	0%	0%	0%	C	0.143	F	0.696	660	G	2005
(815) Hollow Rd	1.45	70	R								NA		NA			09/05/2000
(815) Hollow Rd	0.60	20	R								NA		NA			11/03/2003

Virginia Department of Transportation
Traffic Engineering Division
2005
Annual Average Daily Traffic Volume Estimates By Section of Route
Rockingham Operational Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Rockingham County																
(816) Turner Run Rd	0.50	190	R											NA		08/30/2000
(817) Genoa Rd	1.90	60	R											NA		01/06/2003
(817) Genoa Rd	1.40	70	R											NA		01/06/2003
(817) Third Hill Rd	0.40	310	R											NA		08/30/2000
(817) Third Hill Rd	0.10	160	R											NA		11/03/2003
(817) Third Hill Rd	0.79	130	R											NA		11/03/2003
(817) Third Hill Rd	0.43	140	R											NA		11/03/2003
(817) Third Hill Rd	0.14	170	R											NA		10/03/2003
(818) Little Dry River Rd	1.45	8	R											NA		01/06/2004
(818) Little Dry River Rd	2.90	190	R											NA		08/30/2000
(818) Little Dry River Rd	3.52	440	G	96%	1%	1%	1%	1%	0%	F	0.088	F	0.525	450	G	2005
(818) Little Dry River Rd	0.69	610	G	96%	1%	1%	1%	1%	0%	C	0.092	F	0.527	620	G	2005
(819) Yankeetown Rd	1.03	80	R											NA		09/11/2000
(820) Bergton Rd	2.00	1200	G	94%	1%	2%	2%	1%	0%	C	0.096	F	0.733	1300	G	2005
(820) Bergton Rd	0.50	920	G	94%	1%	2%	2%	1%	0%	F	0.085	F	0.546	950	G	2005
(820) Crab Run Rd	0.40	500	G	94%	1%	2%	2%	1%	0%	F	0.110	F	0.642	520	G	2005
(820) Crab Run Rd	1.70	350	G	94%	1%	2%	2%	1%	0%	F	0.109	F	0.645	360	G	2005
(820) Crab Run Rd	0.50	210	R											NA		10/30/2003
(820) Crab Run Rd	1.00	200	R											NA		09/05/2000
(821) Millers Rd	0.30	190	R											NA		10/21/2003
(822) Arbuckle Rd	2.70	80	R											NA		10/30/2003
(822) Arbuckle Rd	0.40	80	R											NA		10/30/2003
(823) Overly Hollow	4.40	90	R											NA		10/30/2003

Virginia Department of Transportation
Traffic Engineering Division
2005
Annual Average Daily Traffic Volume Estimates By Section of Route
Rockingham Operational Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Rockingham County																
(824) Bennett Run Rd	3.15	30	R								NA			NA		01/06/2004
(824) Bennett Run Rd	1.15	90	R								NA			NA		09/05/2000
(825) South River Rd	1.22	3200	G	97%	1%	1%	1%	0%	0%	C	0.089	F	0.64	3300	G	2005
(826) Criders Rd	2.70	60	R								NA			NA		10/30/2003
(826) Criders Rd	1.10	160	R								NA			NA		08/30/2000
(826) Criders Rd	1.70	470	R								NA			NA		09/05/2000
(826) Criders Rd	2.20	650	G	96%	1%	1%	0%	1%	0%	C	0.086	F	0.535	680	G	2005
(828) Stoney Lick Rd	1.60	100	R								NA			NA		08/27/2003
(829) Independent Rd	0.05	320	R								NA			NA		09/16/2003
(829) Mt Hermon Rd	0.45	120	R								NA			NA		08/10/2000
(830) Mauzy Lane	0.50	70	R								NA			NA		10/20/2003
(830) Bulldog Hollow	1.30	160	G	91%	2%	1%	3%	3%	0%	C	0.138	F	0.5	170	G	2005
(831) Harness Shop Rd	1.00	80	R								NA			NA		10/21/2003
(831) Bumblebee Rd	0.40	40	R								NA			NA		10/23/2003
(832) Short Lane	0.05	40	R								NA			NA		08/28/2000
(833) Longbow Rd	0.30	70	R								NA			NA		09/29/2003
(835) Whitney Ln	0.60	30	R								NA			NA		09/29/2003
(836) Lakeview Circle	0.06	60	R								NA			NA		09/29/2003
(837) St Michaels Lane	0.15	30	R								NA			NA		07/13/2000
(838) Old Trail Way	0.11	20	R								NA			NA		09/16/2003

Virginia Department of Transportation
Traffic Engineering Division
2005
Annual Average Daily Traffic Volume Estimates By Section of Route
Rockingham Operational Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Rockingham County																
(840) Bridger Rd	0.05	500	R				82-732				NA			NA		09/28/2000
							US 33									
(841) Short Run Rd	0.32	180	R				Dead End				NA			NA		09/16/2003
							82-625									
(842) Mountain Grove Rd	1.02	140	R				US 33 WEST				NA			NA		08/10/2000
							US 33 EAST									
(842) Slate Rd	0.40	300	R								NA			NA		08/17/2000
							82-654; 82-996									
(843) Cemetary Rd	0.50	90	R				82-651				NA			NA		09/09/2003
							82-641									
(843) Cemetary Rd	0.69	60	R								NA			NA		09/09/2003
							0.69 MN 82-641									
(843) Town Hall Rd	0.41	100	R								NA			NA		07/31/2000
							82-996 NORTH									
(843) Town Hall Rd	0.30	290	R								NA			NA		09/24/2003
							82-996 SOUTH									
(844) Aspen Ave	0.26	390	R				Augusta County Line				NA			NA		09/02/2003
							SCL Grottoes									
(845) Cowan Ln	0.20	110	R				US 11				NA			NA		08/21/2000
							Dead End									
(846) Western View	0.60	20	R				82-989				NA			NA		08/25/2003
							82-681									
(847) Rawley Springs Rd	0.40	210	R				Dead End				NA			NA		09/28/2000
							US 33									
(848) Artillery Rd	1.60	490	R				82-671				NA			NA		08/27/2003
							82-659									
(850) Hulings Ln	1.40	60	R				US 11				NA			NA		08/21/2000
							82-793									
(851) Isaac Lane	0.10	90	R				82-710				NA			NA		07/17/2000
							Cul-de-Sac									
(853) Grace Chapel Rd	0.20	120	R				SR 42 SOUTH				NA			NA		10/28/2003
							82-910									
(853) Grace Chapel Rd	0.30	80	R								NA			NA		10/28/2003
							SR 42 NORTH									
(854) Kaylor Lane	0.10	60	R				Dead End				NA			NA		08/22/2003
							82-679									
(855) Mt. Sinai Rd	0.15	120	R				Dead End				NA			NA		08/17/2000
							82-637									
(856) Settlers Rd	1.00	320	R				Dead End				NA			NA		08/07/2000
							82-340									

Virginia Department of Transportation
Traffic Engineering Division
2005
Annual Average Daily Traffic Volume Estimates By Section of Route
Rockingham Operational Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Rockingham County																
(856) Frog Pond Rd	0.20	40	R											NA		12/22/2003
(857) Scenic Rd	0.12	40	R											NA		12/22/2003
(857) Scenic Rd	0.58	180	R											NA		09/16/2003
(858) Northview Ln	0.22	80	R											NA		09/16/2003
(859)	0.27	110	R											NA		09/18/2000
(859)	0.69	130	R											NA		09/18/2000
(859)	0.11	130	R											NA		09/18/2000
(859)	0.03	NA												NA		
(860) Earmans Loop	0.37	90	R											NA		09/29/2003
(861) Offenbacker Rd	0.14	150	R											NA		09/16/2003
(863) Showalter Rd	0.47	60	R											NA		08/27/2003
(865) German River Rd	1.80	150	R											NA		08/30/2000
(865) Criders Rd	0.60	390	R											NA		10/30/2003
(865) Dovesville Rd	2.10	60	R											NA		08/30/2000
(865) Bergton Rd	1.12	200	R											NA		10/30/2003
(865) Bergton Rd	1.40	410	G	97%	2%	0%	0%	0%	0%	C	0.1	F	0.659	430	G	2005
(866) Turleytown Rd	0.01	510	R											NA		09/07/2000
(867) Old Bridgewater Rd	0.54	830	G	93%	1%	2%	2%	2%	0%	F	0.101	F	0.532	850	G	2005
Town of Mount Crawford																
(867) North River Rd	0.37	670	G	97%	1%	2%	0%	1%	0%	C	0.116	F	0.56	690	G	2005
(867) North River Rd	0.20	500	G	93%	1%	2%	2%	2%	0%	C	0.091	F	0.633	520	G	2005

Virginia Department of Transportation
Traffic Engineering Division
2005
Annual Average Daily Traffic Volume Estimates By Section of Route
Rockingham Operational Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Rockingham County																
(867) North River Rd	1.09	300	G	93%	1%	ECL Mt Crawford				F	0.116	F	0.507	310	G	2005
(867) North River Rd	0.57	430	G	93%	1%	82-693				F	0.111	F	0.5	440	G	2005
(868) Airey Ln	0.30	130	R			82-682										
(868) Airey Ln	0.30	130	R			82-722								NA		10/01/2003
(869) Sweetwater Rd	0.30	40	R			Dead End								NA		10/14/2003
(869) Sweetwater Rd	0.30	40	R			Dead End								NA		10/14/2003
(870) Wright Ln	0.10	40	R			82-742								NA		10/16/2003
(870) Wright Ln	0.10	40	R			82-748								NA		10/16/2003
(871) George Wine Rd	1.09	60	R			SR 257								NA		01/12/2004
(871) George Wine Rd	1.09	60	R			82-613								NA		01/12/2004
(872) Hightown Ln	0.50	170	R			82-619								NA		10/20/2003
(872) Hightown Ln	0.50	170	R			82-721								NA		10/20/2003
(873) Wentworth Dr	0.60	110	R			82-619								NA		10/20/2003
(873) Wentworth Dr	0.80	100	R			0.60 MN 82-619								NA		10/20/2003
(873) Wentworth Dr	0.80	100	R			SR 259								NA		10/20/2003
(874) Lohr Ln	1.10	340	R			82-617								NA		10/06/2003
(874) Lohr Ln	1.10	340	R			82-616								NA		10/06/2003
(875) Heatwole Rd	1.10	150	R			US 33								NA		09/28/2000
(875) Heatwole Rd	1.10	150	R			82-752								NA		09/28/2000
(876) Kieffer Rd	0.04	210	R			82-613								NA		09/21/2000
(876) Kieffer Rd	0.11	160	R			82-889								NA		09/21/2000
(876) Kieffer Rd	0.51	40	R			0.11 ME 82-889								NA		10/29/2003
(876) Kieffer Rd	0.51	40	R			82-752								NA		10/29/2003
(877) Baxter Ln	0.50	140	R			82-773								NA		10/29/2003
(877) Baxter Ln	0.50	140	R			82-774								NA		10/29/2003
(878) Hawse Rd	0.90	120	R			82-753								NA		10/29/2003
(878) Hawse Rd	0.90	120	R			82-879								NA		10/29/2003
(878) Fort Turley Trail	0.90	190	R			82-613								NA		09/11/2000
(879) Fox Turkey Trail	0.60	230	N			82-878								NA		09/07/2000
(879) Fox Turkey Trail	0.60	230	N			82-880								NA		09/07/2000
(879) Cherry Grove Rd	0.30	230	R			82-752								NA		09/07/2000
(880) John Kline Rd	1.60	40	R			82-879								NA		10/29/2003
(880) John Kline Rd	1.60	40	R			82-786								NA		10/29/2003

Virginia Department of Transportation
 Traffic Engineering Division
 2005
 Annual Average Daily Traffic Volume Estimates By Section of Route
 Rockingham Operational Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Rockingham County																
(880) John Kline Rd	0.50	30	R			From: 82-786					NA			NA		10/29/2003
(880) Calvin Lane	0.10	10	R			From: Dead End; Gap Terminus					NA			NA		10/29/2003
(881) Orchard Dr	1.73	1100	G	96%	0%	From: 82-613				F	0.103	F	0.5	1200	G	2005
(881) Orchard Dr	0.36	1200	G	96%	0%	From: 82-789				F	0.103	F	0.675	1300	G	2005
(881) Orchard Dr	1.55	1800	G	96%	0%	From: 82-614				F	0.093	F	0.594	1800	G	2005
						To: NCL Timberville										
Town of Timberville																
(881) Orchard Dr	0.24	2000	G	96%	0%	From: NCL Timberville				C	0.088	F	0.65	2100	G	2005
						To: SR 42										
Rockingham County																
(882)	0.21	30	R			From: 82-721					NA			NA		09/18/2000
						To: 82-753										
(883) Cook Town Rd	1.10	500	R			From: Dead End					NA			NA		10/05/2000
						To: 82-731										
(884) Homestead Rd	1.15	310	R			From: Dead End					NA			NA		08/07/2000
						To: US 340										
(885) James Branch Rd	0.50	110	R			From: 82-620					NA			NA		10/01/2003
						To: Dead End										
(886) Mckeever Ln	0.15	2	R			From: Dead End					NA			NA		10/22/2003
						To: 82-765										
(887) Journeys End Ln	0.10	30	R			From: 82-690					NA			NA		08/18/2003
						To: Dead End										
(888) Waystation Rd	0.20	60	R			From: 82-727					NA			NA		08/18/2003
						To: Dead End										
(889) Glen School Cir	0.24	50	R			From: 82-613					NA			NA		10/29/2003
						To: 82-876										
(890) Buckley Rd	0.70	20	R			From: 82-619					NA			NA		10/06/2003
						To: Dead End										
(891) Mt Paran Ch Rd	0.49	140	R			From: 82-759					NA			NA		08/03/2000
						To: Dead End										
(892) Mountain Farm Rd	1.40	390	R			From: 82-754					NA			NA		07/31/2000
						To: Dead End										
(893) Allen Rd	0.08	80	R			From: 82-659					NA			NA		08/21/2003
						To: Dead End										
(894) Memorial Ln	0.16	60	R			From: 82-895					NA			NA		08/21/2003
						To: 82-710										

Virginia Department of Transportation
 Traffic Engineering Division
 2005
 Annual Average Daily Traffic Volume Estimates By Section of Route
 Rockingham Operational Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Rockingham County																
(895) Fielddale Pl	0.09	520	R			From: WCL Harrisonburg					NA			NA		07/20/2000
(895) Fielddale Pl	0.02	730	R			To: 82-896					NA			NA		08/25/2003
(895) Fielddale Pl	0.18	820	R			From: 0.02 ME 82-896					NA			NA		08/21/2003
(895) Fielddale Pl	0.04	670	R			To: 82-894					NA			NA		07/17/2000
(895) Fielddale Pl						From: 82-710										
(896) Sherwood Ct	0.15	270	R			To: 82-895					NA			NA		08/21/2003
(897) Robin Hood Court	0.09	270	R			From: Cul-de-Sac					NA			NA		07/17/2000
(898) Pleasants Drive	0.51	1200	R			To: 82-705					NA			NA		07/17/2000
(899) Old Turn Pike Road	0.10	60	R			From: Dead End					NA			NA		09/24/2003
(900) Mckinery Rd	0.06	40	R			To: 82-655					NA			NA		10/16/2003
(908) Pulses Hill Lane	0.33	110	R			From: Dead End					NA			NA		12/22/2003
(909) Silver Creek Rd	0.80	350	R			To: 82-753					NA			NA		10/05/2000
(910) Garbers Ch Rd	0.55	2800	G	90%	1%	From: 82-752				C	0.081	F	0.524	2800	G	2005
(910) Switchboard Rd	1.16	1700	G	90%	1%	To: SR 42				F	0.109	F	0.560	1700	G	2005
(910) Fort Lynne Rd	0.50	590	G	90%	1%	From: SCL Harrisonburg				F	0.110	F	0.667	610	G	2005
(910) Fort Lynne Rd	0.90	510	G	90%	1%	To: NCL Harrisonburg				F	0.113	F	0.6	530	G	2005
(910) Fort Lynne Rd	0.30	390	G	90%	1%	From: 82-763 WEST				F	0.115	F	0.65	400	G	2005
(910) Fort Lynne Rd	1.30	280	G	90%	1%	To: 82-763 EAST				F	0.133	F	0.620	290	G	2005
(910) Grist Mill Rd	0.30	140	R			From: 82-767					NA			NA		10/22/2003
(910) Grist Mill Rd	1.10	140	R			To: 82-765 SOUTH					NA			NA		10/19/2000
(910) Grist Mill Rd	0.40	210	R			From: 82-765 NORTH					NA			NA		10/22/2003
(910) Grist Mill Rd	0.90	80	R			To: 82-772					NA			NA		10/22/2003
(910) Grist Mill Rd						From: 82-777										
(910) Grist Mill Rd						To: 82-779										
(910) Grist Mill Rd						From: 82-721										
(910) Grist Mill Rd						To: 82-780										

Virginia Department of Transportation
Traffic Engineering Division
2005
Annual Average Daily Traffic Volume Estimates By Section of Route
Rockingham Operational Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Rockingham County																
(911) Bellview Rd	0.40	210	R								NA		NA			09/21/2000
(912) Lory Mathias Ln	0.14	80	R								NA		NA			10/08/2003
(913) Mole Hill Rd	1.58	160	R								NA		NA			10/16/2000
(913) Silling Rd	0.40	270	R								NA		NA			10/16/2000
(914) Onyx Hill Rd	0.25	110	R								NA		NA			10/23/2003
(914) Harness Shop Rd	0.20	90	R								NA		NA			10/23/2003
(914) Majestic View Rd	0.60	70	R								NA		NA			10/21/2003
(915) Potter John Ln	0.50	90	R								NA		NA			10/14/2003
(916) Dragon Fly Ln	0.10	40	R								NA		NA			10/05/2000
(917) Red Hill Rd	0.60	100	R								NA		NA			08/30/2000
Town of Mount Crawford																
(918)	0.25	100	R								NA		NA			08/18/2003
(919)	0.05	110	R								NA		NA			07/13/2000
Rockingham County																
(919)	0.03	110	R								NA		NA			07/13/2000
(920)	0.10	270	R								NA		NA			07/13/2000
(921) Lairs Run Rd	0.61	110	R								NA		NA			08/30/2000
(922) Ragtown Rd	0.40	70	R								NA		NA			10/01/2003
(923) Donnelly Drive	0.38	120	R								NA		NA			10/16/2000
(924) Briery Branch Rd	7.00	250	R								NA		NA			10/16/2003
(925) Kezzletown Rd	1.03	1800	G	98%	0%	1%	0%	0%	0%	C	0.112	F	0.689	1900	G	2005

Virginia Department of Transportation
Traffic Engineering Division
2005
Annual Average Daily Traffic Volume Estimates By Section of Route
Rockingham Operational Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Rockingham County																
(925) Kezzletown Rd	0.88	1700	G	98%	0%	1%	0%	0%	0%	F	0.106	F	0.664	1700	G	2005
(929) Acorn Ln	0.02	60	R								NA			NA		08/30/2000
(933) Union Springs Rd	1.38	300	R								NA			NA		10/14/2003
(934) Henton Mill Ln	0.10	2	R								NA			NA		10/01/2003
(935) Niswander Ln	0.40	80	R								NA			NA		10/27/2003
(936)	0.05	NA									NA			NA		
(937) Link Way	0.15	60	R								NA			NA		08/30/2000
(938) Fawley Ln	0.22	40	R								NA			NA		08/30/2000
(940) Greenwood Rd	0.50	120	R								NA			NA		09/22/2003
(942) Lairds Knob Dr	0.80	90	R								NA			NA		08/14/2000
(946) Zirkle Ln	0.60	220	R								NA			NA		10/20/2003
(947) Milnes Rd	0.49	130	R								NA			NA		08/10/2000
(947) Milnes Rd	0.40	90	R								NA			NA		08/07/2000
(948) Beard Woods Ln	1.10	210	R								NA			NA		09/18/2000
(949) Fox Hill Drive	0.98	190	R								NA			NA		07/27/2000
(953) Plains Mill Rd	2.20	60	R								NA			NA		08/24/2000
(955) Jacksons Way	0.10	160	R								NA			NA		09/09/2003
(955) Jacksons Way	1.75	100	R								NA			NA		09/09/2003
(958) Barbershop Ln	0.50	240	R								NA			NA		07/31/2000

Virginia Department of Transportation
Traffic Engineering Division
2005
Annual Average Daily Traffic Volume Estimates By Section of Route
Rockingham Operational Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Rockingham County																
(959) CC Turner Trail	0.80	160	R			From: 82-617					NA		NA			10/08/2003
						To: Dead End										
(960) Water Wheel Rd	0.30	80	R			From: 82-953					NA		NA			08/24/2000
						To: SR 211										
(961) Souder Ln	0.50	50	R			From: Dead End					NA		NA			01/06/2004
						To: 82-820										
(963) Windy Knoll Dr	0.20	90	R			From: 82-963					NA		NA			08/14/2000
						To: US 11										
(964) Road 1	0.13	20	R			From: 82-963					NA		NA			08/14/2000
						To: Dead End										
(965) Old Barn Ln	0.30	300	R			From: 82-607					NA		NA			09/16/2003
						To: Dead End										
(967) Mapleton Ln	0.15	10	R			From: 82-708					NA		NA			09/02/2003
						To: Dead End										
(972) Millertown Rd	0.50	220	R			From: Dead End					NA		NA			08/30/2000
						To: 82-612										
(976) Katie Street	0.04	NA				From: 82-978					NA		NA			
						To: Cul-de-Sac										
(978)	0.09	50	R			From: 82-996					NA		NA			08/10/2000
						To: 82-999										
(979) Stephen Conrad Rd	0.64	280	R			From: 82-602					NA		NA			09/16/2003
						To: 82-829										
(979) Mt Hermon Rd	0.26	290	R			From: 82-829					NA		NA			08/10/2000
						To: US 33										
(979) Solsburg Rd	0.10	130	R			From: US 33					NA		NA			08/10/2000
						To: 82-981										
(980) Honeysuckle Rd	0.50	240	R			From: 82-981					NA		NA			08/14/2000
						To: 82-640										
(981) Rockingham Pike	2.63	620	R			From: US 33 WEST					NA		NA			08/10/2000
						To: 82-979										
(981) Rockingham Pike	0.22	780	R			From: 82-979					NA		NA			08/10/2000
						To: US 33 EAST										
(982) Feed Rd	0.06	20	R			From: 82-796					NA		NA			10/01/2003
						To: Dead End										
(983) Quartermile Rd	0.25	30	R			From: 82-793					NA		NA			10/01/2003
						To: Dead End										
(984) Sellers Ln	0.11	47	R			From: SR 259 WEST					NA		NA			09/14/2000
						To: SR 259 EAST										

Virginia Department of Transportation
Traffic Engineering Division
2005
Annual Average Daily Traffic Volume Estimates By Section of Route
Rockingham Operational Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Rockingham County																
(985) Pickering Ln	0.24	40	R											NA		08/21/2000
(986) Stony Point Rd	0.62	90	R											NA		08/21/2000
(986) Stony Point Rd	0.83	60	R											NA		10/01/2003
(987) Dogtown Rd	0.14	10	R											NA		10/01/2003
(988) Scholars Rd	1.37	100	R											NA		08/21/2003
(988) Scholars Rd	0.30	260	R											NA		07/13/2000
(988) Scholard Rd	0.50	240	R											NA		07/13/2000
(988) Scholard Rd	0.80	330	R											NA		07/13/2000
(988) Early Rd	0.30	1400	R											NA		07/17/2000
(988) Early Rd	0.42	1800	R											NA		07/17/2000
(989) Creekside Dr	0.37	90	R											NA		08/18/2003
(989) Valley Branch Rd	0.40	30	R											NA		08/21/2003
(989) Valley Branch Rd	0.40	90	R											NA		08/25/2003
(990) Imboden Rd	0.20	190	R											NA		07/13/2000
(990) Imboden Rd	0.40	190	R											NA		07/13/2000
(990) Imboden Rd	0.80	60	R											NA		08/25/2003
(991) Warble Rd	0.19	80	R											NA		08/14/2000
(991) Conn Rd	0.21	480	R											NA		08/14/2000
(991) Jacob Burner Rd	1.08	330	R											NA		07/31/2000
(991) Jacob Burner Dr	0.25	270	R											NA		07/31/2000
(992) Nucker Rd	0.30	210	R											NA		09/09/2003
(993) Greenhouse Rd	0.62	270	R											NA		07/13/2000

Virginia Department of Transportation
Traffic Engineering Division
2005
Annual Average Daily Traffic Volume Estimates By Section of Route
Rockingham Operational Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Rockingham County																
(993) Greenhouse Rd	0.48	100	R				0.62 MN OF CL					NA		NA		07/13/2000
							Dead End									
(994) Ironhorse Rd	1.10	110	R				Dead End					NA		NA		08/18/2003
							1.10 MN Dead End									
(994) Ironhorse Rd	0.35	140	R				SR 276					NA		NA		08/18/2003
							Dead End									
(995) Koiner Ford Rd	0.40	140	R				82-693					NA		NA		08/18/2003
							82-678									
(995) Koiner Ford Rd	1.49	300	R				82-682					NA		NA		07/13/2000
							US 33 WEST									
(996) McGaheysville Rd	0.82	2000	G	95%	2%	1%	1%	1%	0%	C	0.132	F	0.657	2000	G	2005
							82-672									
(996) McGaheysville Rd	1.57	2200	R				82-843 WEST					NA		NA		05/19/2003
							82-649									
(996) McGaheysville Rd	0.78	2100	R				US 33 EAST					NA		NA		09/24/2003
							82-996									
(997) Piano Ln	0.24	120	R				Dead End					NA		NA		09/24/2003
							Dead End									
(998) Fairyland Ln	0.04	50	R				82-996					NA		NA		09/24/2003
							82-996									
(999) Stumps Rd	0.08	20	R				Dead End; Gap Terminus					NA		NA		1999
							US 33									
(999) Stumps Rd	0.10	20	R				82-689					NA		NA		09/24/2003
							82-1002									
(1000) Lakewood Dr	0.29	410	R				82-1001					NA		NA		08/25/2003
							82-687									
(1000) Lakewood Dr	0.08	280	R				82-1000					NA		NA		08/25/2003
							Cul-de-Sac									
(1000) Lakewood Dr	0.11	300	R				82-1003					NA		NA		08/25/2003
							82-1004									
(1001) Tahoe Court	0.06	60	R				82-1000					NA		NA		08/25/2003
							Cul-de-Sac									
(1002) Arrowhead Rd	0.08	550	R				82-1003					NA		NA		08/25/2003
							82-1004									
(1002) Arrowhead Rd	0.10	450	R				82-1000					NA		NA		08/25/2003
							Cul-de-Sac									
(1002) Arrowhead Rd	0.20	170	R				Cul-de-Sac					NA		NA		08/25/2003

Virginia Department of Transportation
 Traffic Engineering Division
 2005
 Annual Average Daily Traffic Volume Estimates By Section of Route
 Rockingham Operational Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Rockingham County																
1003 Cumberland Dr	0.34	NA					From: 82-689 Shen Lake Dr					NA				
1003 Cumberland Dr	0.25	360	R				To: 82-1006 Winona Lane					NA				08/21/2003
1003 Cumberland Dr	0.15	160	R				From: 82-1002 Arrowhead Rd					NA				08/21/2003
							To: 82-688 Taylor Spring Lane									
1004 Bluewater Rd	0.42	250	R				From: Dead End					NA				08/21/2003
1004 Bluewater Rd	0.15	110	R				To: 82-1002					NA				08/21/2003
							From: 82-688									
1005 Crescent Rd	0.10	100	R				To: Cul-de-Sac					NA				08/25/2003
							From: 82-688									
1006 Winona Lane	0.09	280	R				To: 82-1004					NA				07/17/2000
							From: 82-1003									
1007 Huron Court	0.18	180	R				To: Cul-de-Sac					NA				07/17/2000
							From: 82-1000									
1010 Simmons Gap Rd	0.34	230	R				To: 82-630					NA				09/11/2003
1010 Shady Acres Dr	0.36	130	R				From: 82-1011					NA				09/11/2003
							To: Dead End									
1011 Simmons Gap Rd	0.08	30	R				From: Dead End					NA				09/11/2003
							To: 82-1010									
1013 Cullison Court	0.23	260	R				From: Cul-de-Sac					NA				07/20/2000
							To: 82-704									
1014 Barrington Drive	0.23	NA					From: 82-704 Boyers Rd					NA				
1014 Barrington Drive	0.23	280	R				To: 82-1016 Brookstone Drive					NA				07/20/2000
							From: 82-704 Boyers Rd									
1015 Birkdale Court	0.07	70	R				To: 82-1014					NA				07/20/2000
							From: Cul-de-Sac									
1016 Brookstone Drive	0.12	100	R				To: Cul-de-Sac					NA				07/20/2000
1016 Brookstone Drive	0.08	70	R				From: 82-1014					NA				07/20/2000
							To: Cul-de-Sac									
1017 Broadridge Dr	0.06	NA					From: Dead End					NA				
							To: Dead End; Gap									
1017	0.14	NA					From: Dead End					NA				
							To: 82-1014 Barrington Drive									
1018	0.18	NA					From: 82-1017					NA				
							To: Dead End									

Virginia Department of Transportation
Traffic Engineering Division
2005
Annual Average Daily Traffic Volume Estimates By Section of Route
Rockingham Operational Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Rockingham County																
(1019)	0.05	NA														
(1020) McCall Dr	0.07	260	R											NA		10/16/2000
(1020) McCall Dr	0.07	150	R											NA		10/16/2000
(1020) McCall Dr	0.04	30	R											NA		10/16/2000
(1021) Dogwood Court	0.06	50	R											NA		10/16/2000
(1022) Garden Pl	0.07	80	R											NA		10/16/2000
Town of Mount Crawford																
(1023) Angler Landing	0.06	NA												NA		
(1024) Transom Court	0.10	NA												NA		
Rockingham County																
(1025) Lakeview Dr	0.20	46	R											NA		07/17/2000
(1028)	0.17	NA												NA		
(1030) Lucy Long Dr	0.48	660	R											NA		07/20/2000
(1031) Traveler Road	0.59	210	R											NA		09/02/2003
(1032) Ajax Lane	0.02	NA												NA		
(1033) Road 1	0.04	NA												NA		
(1034)	0.18	NA												NA		
(1035)	0.07	NA												NA		
(1037)	0.05	NA												NA		
(1038)	0.20	NA												NA		
(1039)	0.07	NA												NA		

Virginia Department of Transportation
Traffic Engineering Division
2005
Annual Average Daily Traffic Volume Estimates By Section of Route
Rockingham Operational Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Rockingham County																
(1040) Quail Run Drive	0.15	290	R			From: Bus US 33					NA			NA		08/10/2000
(1040) Quail Run Drive	0.08	160	R			To: 82-1041					NA			NA		08/10/2000
(1041) Morning Dove Lane	0.05	80	R			To: 82-1042					NA			NA		08/10/2000
(1042) Chickadee Circle	0.05	60	R			From: Dead End					NA			NA		08/10/2000
(1043)	0.06	NA				To: 82-1040					NA			NA		
(1043)	0.16	NA				From: 82-843 Town Hall Rd					NA			NA		
(1044)	0.13	NA				To: 82-1044					NA			NA		
(1045)	0.11	NA				From: Cul-de-Sac					NA			NA		
(1046)	0.09	NA				To: 82-1043					NA			NA		
(1050) Stony Run Drive	0.10	130	R			From: 82-647					NA			NA		08/14/2000
(1050) Stony Run Drive	0.14	NA				To: 82-1052					NA			NA		
(1051) Creekside Court	0.09	70	R			From: Dead End					NA			NA		08/14/2000
(1052) Floyd Circle	0.07	70	R			To: 82-1050					NA			NA		08/14/2000
(1053)	0.02	NA				From: Cul-de-Sac					NA			NA		
(1054)	0.05	NA				To: 82-1050 Stony Run Drive					NA			NA		
(1059)	0.12	NA				From: 82-1050 Stony Run Drive					NA			NA		
(1060) Foxcroft Drive	0.39	360	R			To: Cul-de-Sac					NA			NA		08/18/2003
(1061) Houndschase Lane	0.31	160	R			From: 82-704; 82-712					NA			NA		08/18/2003
(1062) Archers Lane	0.09	330	R			To: Cul-de-Sac					NA			NA		08/18/2003
						From: 82-1060					NA			NA		08/18/2003
						To: 82-704					NA			NA		08/18/2003

Virginia Department of Transportation
Traffic Engineering Division
2005
Annual Average Daily Traffic Volume Estimates By Section of Route
Rockingham Operational Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Rockingham County																
(1080) Whispering Pines Lane	0.11	270	R			From: 82-649 Island Ford Rd					NA			NA		09/24/2003
						To: 82-1081 White Pine Ct; 82-1082 Blue Spruce Ct										
(1080) Whispering Pines Lane	0.07	NA				From: 82-1081; 82-1082					NA			NA		
						To: Dead End										
(1081) White Pine Court	0.07	110	R			From: Cul-de-Sac					NA			NA		09/24/2003
						To: 82-1080; 82-1082										
(1082) Blue Spruce Court	0.06	90	R			From: 82-1080; 82-1081					NA			NA		09/24/2003
						To: Cul-de-Sac										
(1090) Three Leagues Road	0.20	NA				From: Dead End					NA			NA		
						To: 82-996										
(1093) Kristin Drive	0.14	220	R			From: Dead End					NA			NA		09/24/2003
						To: 82-842										
(1094) Kathleen Court	0.14	70	R			From: 82-1093 WEST					NA			NA		09/24/2003
						To: 82-1093 EAST										
(1109)	0.07	NA				From: 82-1101 Annexed Harrisonburg					NA			NA		
						To: 82-1102 Annexed Harrisonburg										
(1128) Dawn Drive	0.13	450	R			From: Cul-de-Sac					NA			NA		09/28/2000
						To: 82-1130										
(1129) Diana Court	0.16	320	R			From: 82-1128					NA			NA		09/28/2000
						To: Cul-de-Sac										
(1130) Covenant Dr	0.14	840	R			From: 82-1128					NA			NA		09/28/2000
						To: WCL Harrisonburg										
(1131) Emmaus Road	0.18	360	R			From: Dead End					NA			NA		09/28/2000
						To: 82-1130										
(1132) Grandview Dr	0.06	380	R			From: US 33					NA			NA		10/23/2003
						To: 82-1133										
(1132) Grandview Dr	0.26	240	R			From: Dead End					NA			NA		10/23/2003
						To: 82-1132										
(1133) Glendale Dr	0.08	110	R			From: Dead End					NA			NA		10/23/2003
						To: 82-763										
(1134) Lincolnshire Dr	0.46	540	R			From: Cul-de-Sac					NA			NA		10/23/2000
						To: 82-702 WEST										
(1135) Belmont Dr	0.06	260	R			From: 82-1139					NA			NA		10/23/2003
						To: 82-1138										
(1135) Belmont Dr	0.03	170	R			From: 82-1137					NA			NA		10/23/2003
						To: 82-1136										

Virginia Department of Transportation
Traffic Engineering Division
2005
Annual Average Daily Traffic Volume Estimates By Section of Route
Rockingham Operational Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Rockingham County																
(1135) Belmont Dr	0.05	260	R				From: 82-1136				NA			NA		10/23/2003
(1135) Belmont Dr	0.02	690	R				From: 82-702 EAST				NA			NA		1996
							To: US 33									
(1136) Abbott Circle	0.06	40	R				From: 82-1135				NA			NA		10/23/2003
							To: Cul-de-Sac									
(1137) Bel Ayr View	0.09	80	R				From: Cul-de-Sac				NA			NA		10/23/2003
							To: 82-1135									
(1138) Clement Dr	0.07	48	R				From: Dead End				NA			NA		10/28/2003
(1138) Clement Dr	0.16	100	R				From: 82-1141				NA			NA		10/28/2003
							To: 82-1135									
(1139) Flint Ave	0.22	320	R				From: 82-1135				NA			NA		10/23/2003
(1139) Flint Ave	0.07	410	R				From: 82-1140				NA			NA		10/23/2003
(1139) Flint Ave	0.20	600	R				From: 82-1141				NA			NA		10/28/2003
(1139) Flint Ave	0.12	800	R				From: 82-1142				NA			NA		10/28/2003
							To: 82-726									
(1140) Eckert Cir	0.06	40	R				From: Cul-de-Sac				NA			NA		10/23/2003
							To: 82-1139									
(1141) Dexter Dr	0.04	70	R				From: Dead End				NA			NA		10/28/2003
(1141) Dexter Dr	0.06	120	R				From: 82-1139				NA			NA		10/28/2003
							To: 82-1138									
(1142) Greenwood St	0.09	170	R				From: 82-1182				NA			NA		09/29/2000
(1142) Greenwood St	0.11	280	R				From: 82-1143				NA			NA		10/28/2003
							To: 82-1139									
(1143) Hemlock St	0.30	190	R				From: 82-1146				NA			NA		10/28/2003
							To: 82-1142									
(1144) Rorrer Circle	0.19	90	R				From: Dead End				NA			NA		1997
							To: US 33									
(1146) Nutmeg Court	0.43	800	R				From: 82-1174; 82-1173				NA			NA		10/28/2003
(1146) Nutmeg Court	0.05	310	R				From: 82-1185				NA			NA		10/28/2003
(1146) Nutmeg Court	0.09	210	R				From: 82-1149				NA			NA		10/28/2003
(1146) Nutmeg Court	0.07	150	R				From: 82-1147				NA			NA		10/28/2003
							To: 82-1143									

Virginia Department of Transportation
Traffic Engineering Division
2005
Annual Average Daily Traffic Volume Estimates By Section of Route
Rockingham Operational Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Rockingham County																
(1146) Nutmeg Court	0.10	100	R			From: 82-1143					NA		NA			10/28/2003
						To: Cul-de-Sac										
(1147) Pine Oak Dr	0.14	110	R			From: 82-1146					NA		NA			10/28/2003
						To: 82-1148										
(1147) Pine Oak Dr	0.19	240	R			From: 82-1148					NA		NA			09/28/2000
						To: 82-1182										
(1147) Pine Oak Dr	0.19	1100	R			From: 82-1182					NA		NA			09/28/2000
						To: 82-726										
(1148) Oak Tree Lane	0.06	130	R			From: 82-1182					NA		NA			09/28/2000
						To: 82-1184										
(1148) Oak Tree Lane	0.11	47	R			From: 82-1184					NA		NA			10/28/2003
						To: 82-1147										
(1148) Oak Tree Lane	0.06	60	R			From: 82-1147					NA		NA			10/28/2003
						To: 82-1143										
(1149) Redbud Lane	0.23	90	R			From: Dead End					NA		NA			09/28/2000
						To: 82-1184										
(1151) Harman Rd	0.18	160	R			From: SR 42					NA		NA			1997
						To: Dead End										
(1153)	0.26	100	R			From: 82-1146					NA		NA			10/28/2003
						To: 82-1174										
(1154)	0.06	100	R			From: Cul-de-Sac					NA		NA			10/28/2003
						To: 82-1153										
(1161) Meadows Court	0.13	290	R			From: Cul-de-Sac					NA		NA			07/17/2000
						To: 82-726										
(1163) Rosedale Dr	0.05	90	R			From: Cul-de-Sac					NA		NA			08/21/2003
						To: 82-1166										
(1163) Rosedale Dr	0.08	310	R			From: 82-1166					NA		NA			08/21/2003
						To: 82-1164										
(1163) Rosedale Dr	0.15	760	R			From: 82-1164					NA		NA			08/21/2003
						To: 82-659										
(1164) Annandale Court	0.08	200	R			From: Cul-de-Sac					NA		NA			08/21/2003
						To: 82-1163										
(1165) Robin Road	0.18	100	R			From: US 33					NA		NA			10/23/2000
						To: Cul-de-Sac										
(1166) Rosedale Court	0.05	150	R			From: 82-1163					NA		NA			08/21/2003
						To: Cul-de-Sac										
(1167) Confederacy Dr	0.31	310	R			From: Cul-de-Sac					NA		NA			08/27/2003
						To: 88-1193										
(1167) Confederacy Dr	0.35	570	R			From: 82-1193					NA		NA			07/17/2000
						To: 82-1169										
(1167) Confederacy Dr	0.06	650	R			From: 82-1169					NA		NA			07/17/2000
						To: 82-1168										

Virginia Department of Transportation
Traffic Engineering Division
2005
Annual Average Daily Traffic Volume Estimates By Section of Route
Rockingham Operational Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Rockingham County																
(1167) Confederacy Dr	0.22	850	R				82-1168				NA			NA		07/17/2000
							US 33									
(1168) Cadet Court	0.08	70	R				Cul-de-Sac				NA			NA		07/17/2000
							82-1167									
(1169) Bull Run Rd	0.12	110	R				Dead End				NA			NA		07/17/2000
							82-1167									
(1173) Nutmeg Court	0.07	1100	R				82-1174				NA			NA		10/28/2003
							82-726									
(1174) Wild Cherry Lane	0.22	170	R				82-1173				NA			NA		10/28/2003
							82-1147									
(1175) Inglewood Dr	0.06	190	R				82-726 SOUTH				NA			NA		10/23/2003
							82-1177									
(1175) Inglewood Dr	0.09	160	R				82-1176				NA			NA		10/23/2003
							82-1176									
(1175) Inglewood Dr	0.05	130	R				82-1178				NA			NA		10/23/2003
							82-1178									
(1175) Inglewood Dr	0.03	190	R				82-726 NORTH				NA			NA		10/23/2003
							82-726 NORTH									
(1176) Koffee Lane	0.10	80	R				Cul-de-Sac				NA			NA		10/23/2003
							82-1179									
(1176) Koffee Lane	0.07	190	R				82-1175				NA			NA		10/23/2003
							82-1175									
(1177) Mulberry Lane	0.05	60	R				Cul-de-Sac				NA			NA		10/23/2003
							82-1175									
(1178) Juniper Court	0.05	60	R				Cul-de-Sac				NA			NA		10/23/2003
							82-1175									
(1179) Lyn Wood Ln	0.03	80	R				Cul-de-Sac				NA			NA		10/23/2003
							82-1176									
(1182) Sugar Maple Lane	0.16	200	R				82-1146				NA			NA		09/28/2000
							82-1148									
(1182) Sugar Maple Lane	0.09	230	R				82-1147				NA			NA		09/28/2000
							82-1147									
(1182) Sugar Maple Lane	0.06	240	R				82-1142				NA			NA		09/28/2000
							82-1142									
(1182) Sugar Maple Lane	0.14	100	R				Cul-de-Sac				NA			NA		09/28/2000
							Cul-de-Sac									
(1183) Teak Circle	0.04	40	R				82-1184				NA			NA		09/28/2000
							Cul-de-Sac									
(1184) Quince Dr	0.11	200	R				82-1186				NA			NA		09/28/2000
							82-1146									
(1184) Quince Dr	0.08	120	R				82-1149				NA			NA		09/28/2000
							82-1149									

Virginia Department of Transportation
 Traffic Engineering Division
 2005
 Annual Average Daily Traffic Volume Estimates By Section of Route
 Rockingham Operational Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Rockingham County																
(1184) Quince Dr	0.07	90	R				82-1149				NA			NA		09/28/2000
							82-1148									
(1185) Tulip Terrace	0.03	20	R				Dead End				NA			NA		09/28/2000
(1185) Tulip Terrace	0.12	120	R				82-1186				NA			NA		09/28/2000
							82-1146									
(1186) White Oak Dr	0.15	80	R				Cul-de-Sac				NA			NA		09/28/2000
(1186) White Oak Dr	0.03	10	R				82-1185				NA			NA		09/28/2000
							Dead End									
(1190) Belle Boyd Court	0.08	80	R				Cul-de-Sac				NA			NA		08/27/2003
							82-1167									
(1191) Davis Road	0.11	420	R				Dead End				NA			NA		08/27/2003
							82-1167									
(1192) South Court	0.06	90	R				Cul-de-Sac				NA			NA		08/27/2003
							82-1167									
(1193) Cavalry Lane	0.11	130	R				82-1167				NA			NA		08/27/2003
							Cul-de-Sac									
(1194) Dixie Ridge Run	0.15	100	R				82-1167				NA			NA		08/27/2003
							Cul-de-Sac									
Town of Dayton																
(1201)	0.08	30	R				82-1203				NA			NA		09/28/2000
							82-1204									
(1202)	0.17	210	R				SR 257				NA			NA		10/16/2000
(1202)	0.12	280	R				82-1209				NA			NA		10/16/2000
							WCL Dayton; 82-1208									
Rockingham County																
(1202)	0.29	200	R				WCL Dayton; 82-1208				NA			NA		10/16/2000
							Dead End									
Town of Dayton																
(1203)	0.45	310	R				SR 257				NA			NA		10/16/2000
							82-732									
(1204)	0.45	970	R				SR 257				NA			NA		09/28/2000
							82-732									
(1205)	0.16	150	R				SR 257				NA			NA		09/28/2000
							82-1209									
(1205)	0.12	70	R				92-1209				NA			NA		09/28/2000
							82-1208									
(1206)	0.12	280	R				SR 257				NA			NA		09/28/2000
							82-1209									

Virginia Department of Transportation
 Traffic Engineering Division
 2005
 Annual Average Daily Traffic Volume Estimates By Section of Route
 Rockingham Operational Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Town of Dayton																
(1206)	0.13	260	R			From: 82-1209					NA			NA		09/28/2000
						To: 82-1208										
(1207)	0.40	260	R			From: 82-1209					NA			NA		09/28/2000
						To: 82-732										
(1208)	0.56	730	R			From: WCL Dayton					NA			NA		10/16/2000
						To: Bus SR 42										
(1209)	0.07	90	R			From: 82-1202					NA			NA		10/21/2003
						To: 82-1203										
(1209)	0.09	190	R			From: 82-1203					NA			NA		10/21/2003
						To: 82-1204										
(1209)	0.26	460	R			From: 82-1204					NA			NA		09/28/2000
						To: 82-1207										
(1210)	0.09	160	R			From: 82-1203					NA			NA		10/16/2000
						To: 82-1204										
(1210)	0.09	40	R			From: 82-1204					NA			NA		10/16/2000
						To: 82-1205										
(1211)	0.10	480	R			From: SR 257; Bus SR 42					NA			NA		10/21/2003
						To: SR 42										
(1212)	0.23	450	R			From: Dead End					NA			NA		10/16/2000
						To: 82-732										
Rockingham County																
(1230) Erickson Ave Extended	0.18	NA				From: US 33 Rawley Pike					NA			NA		
						To: 82-9384										
(1230) Erickson Ave Extended	0.34	NA				From: 82-9384					NA			NA		
						To: Cul-de-Sac										
(1231)	0.06	NA				From: 82-1232					NA			NA		
						To: 82-1230 Erickson Ave Extended										
(1232)	0.11	NA				From: Cul-de-Sac					NA			NA		
						To: 82-1231										
(1233)	0.13	NA				From: 82-1230 Erickson Ave Extended					NA			NA		
						To: Cul-de-Sac										
(1234)	0.14	NA				From: Cul-de-Sac					NA			NA		
						To: 82-1230 Erickson Ave Extended										
(1235)	0.05	NA				From: 82-1230 Erickson Ave Extended					NA			NA		
						To: Cul-de-Sac										
(1301) Glade View Dr	0.08	60	R			From: Dead End					NA			NA		1997
						To: 82-1302 Wright Circle										
(1301) Glade View Dr	0.09	180	R			From: 82-1302 Wright Circle					NA			NA		1997
						To: SR 42 Warm Springs Pike										
(1302) Wright Circle	0.06	30	R			From: 82-1302					NA			NA		1997
						To: Dead End										

Virginia Department of Transportation
 Traffic Engineering Division
 2005
 Annual Average Daily Traffic Volume Estimates By Section of Route
 Rockingham Operational Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Rockingham County																
(1304) Shady Lane	0.15	110	R								NA			NA		10/19/2000
(1306) Hill Gap Rd	0.59	270	R								NA			NA		10/16/2000
(1310) Mt Crawford Ave	0.95	3100	R								NA			NA		08/18/2003
(1311) Vista Heights Rd	0.21	150	R								NA			NA		1997
(1314) Countryside Dr	0.05	20	R								NA			NA		10/23/2000
(1314) Countryside Dr	0.08	150	R								NA			NA		10/23/2000
(1315) Cricket Lane	0.09	90	R								NA			NA		10/23/2000
(1330) Red Cedar Lane	0.09	190	R								NA			NA		08/10/2000
(1330) Red Cedar Lane	0.12	60	R								NA			NA		08/10/2000
(1331) Oak Grove	0.08	90	R								NA			NA		08/10/2000
(1331) Oak Grove	0.09	70	R								NA			NA		08/10/2000
Town of Broadway																
(1401)	0.09	60	R								NA			NA		10/16/2003
(1402)	0.11	220	R								NA			NA		10/16/2003
(1403)	0.29	600	R								NA			NA		09/07/2000
(1403)	0.15	190	R								NA			NA		09/07/2000
(1404)	0.07	240	R								NA			NA		10/16/2003
(1405)	0.11	200	R								NA			NA		09/07/2000
(1405)	0.07	210	R								NA			NA		09/07/2000
(1405)	0.10	390	R								NA			NA		09/07/2000
(1406)	0.16	210	R								NA			NA		09/07/2000

Virginia Department of Transportation
 Traffic Engineering Division
 2005
 Annual Average Daily Traffic Volume Estimates By Section of Route
 Rockingham Operational Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Town of Broadway																
(1406)	0.11	1000	R									NA		NA		09/07/2000
(1406)	0.07	930	R									NA		NA		09/07/2000
(1407)	0.12	620	R									NA		NA		09/07/2000
(1407)	0.12	280	R									NA		NA		09/07/2000
(1408)	0.04	990	R									NA		NA		09/07/2000
(1408)	0.06	520	R									NA		NA		09/07/2000
(1408)	0.14	360	R									NA		NA		09/07/2000
(1409)	0.13	200	R									NA		NA		09/07/2000
(1410)	0.09	110	R									NA		NA		09/07/2000
(1411) Shenandoah Ave	0.07	130	R									NA		NA		10/16/2003
(1411) Shenandoah Ave	0.13	80	R									NA		NA		10/16/2003
(1411) Shenandoah Ave	0.05	60	R									NA		NA		10/16/2003
Rockingham County																
(1411)	0.07	60	R									NA		NA		10/16/2003
Town of Broadway																
(1412)	0.22	660	R									NA		NA		10/08/2003
(1413)	0.43	1100	R									NA		NA		10/16/2003
(1414)	0.41	1600	R									NA		NA		10/16/2003
(1414)	0.14	2300	R									NA		NA		10/16/2003
Rockingham County																
(1415) Early Rd	0.34	510	R									NA		NA		10/20/2003
Town of Broadway																
(1415) Early Rd	0.18	510	N									NA		NA		10/20/2003

Virginia Department of Transportation
 Traffic Engineering Division
 2005
 Annual Average Daily Traffic Volume Estimates By Section of Route
 Rockingham Operational Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Town of Broadway																
(1416)	0.16	410	R													09/14/2000
(1416)	0.21	310	R													09/14/2000
(1416)	0.07	150	R													09/14/2000
(1417) East Ave	0.02	50	R													09/07/2000
(1417) East Ave	0.08	180	R													09/07/2000
(1417) East Ave	0.06	380	R													09/07/2000
(1417) East Ave	0.06	570	R													09/07/2000
(1417) East Ave	0.07	780	R													09/14/2000
(1417) East Ave	0.06	1100	R													09/14/2000
(1418)	0.12	170	R													09/14/2000
(1418)	0.07	130	R													09/14/2000
Rockingham County																
(1419) Winsinger Rd	0.20	110	R													10/16/2003
(1419) Winsinger Rd	0.45	310	R													10/16/2003
(1420) Industrial Dr	0.30	340	R													10/16/2003
(1420) Industrial Dr	0.20	20	R													10/16/2003
Town of Broadway																
(1421) E Springbrook Rd	0.20	120	R													10/16/2003
(1421) E Springbrook Rd	0.42	940	R													12/03/2003
(1421) E Springbrook Rd	0.24	640	R													12/03/2003
(1421) E Springbrook Rd	0.43	5100	R													12/03/2003
Rockingham County																
(1421) E Springbrook Rd	0.37	NA														
Town of Broadway																
(1422)	0.10	190	R													09/14/2000

Virginia Department of Transportation
 Traffic Engineering Division
 2005
 Annual Average Daily Traffic Volume Estimates By Section of Route
 Rockingham Operational Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Town of Broadway																
(1423) Elm St	0.22	180	R				From: 82-1429					NA		NA		1986
(1423) Elm St	0.19	600	R				From: 82-1416					NA		NA		09/14/2000
							To: 82-1421									
(1424)	0.06	110	R				From: 82-1428					NA		NA		09/14/2000
(1424)	0.06	220	R				From: 82-1416					NA		NA		09/14/2000
(1424)	0.13	480	R				From: 82-1418					NA		NA		09/14/2000
							To: 82-1421									
(1425)	0.12	120	R				From: Dead End					NA		NA		09/14/2000
(1425)	0.06	30	R				From: 82-1416					NA		NA		09/14/2000
							To: NCL Broadway									
(1426)	0.03	200	R				From: SR 42					NA		NA		09/07/2000
(1426)	0.06	40	R				From: 82-1406					NA		NA		09/07/2000
							To: Dead End									
(1427) Morningside Dr	0.18	320	R				From: 82-1431					NA		NA		09/07/2000
							To: 82-1414									
(1428)	0.16	480	R				From: SR 42					NA		NA		09/07/2000
(1428)	0.21	440	R				From: 82-1424					NA		NA		09/07/2000
							To: 82-1417									
(1429) Broadmoor Lane	0.13	150	R				From: 82-1423 Elm St					NA		NA		09/14/2000
(1429) Broadmoor Lane	0.04	40	R				From: 82-1430 Showater Court					NA		NA		09/14/2000
							To: Dead End									
(1430) Showater Court	0.11	60	R				From: 82-1429					NA		NA		09/14/2000
							To: Cul-de-Sac									
(1431)	0.08	100	R				From: 82-1414					NA		NA		09/07/2000
							To: 82-1427									
(1432)	0.20	NA					From: SR 42					NA		NA		
							To: Dead End									
(1433) Fifth St	0.06	100	R				From: Cul-de-Sac					NA		NA		09/07/2000
							To: 82-1417									
(1434) First St	0.11	260	R				From: Dead End					NA		NA		09/14/2000
							To: 82-1424									
(1435)	0.09	NA					From: 82-1436					NA		NA		
							To: SR 42									

Virginia Department of Transportation
 Traffic Engineering Division
 2005
 Annual Average Daily Traffic Volume Estimates By Section of Route
 Rockingham Operational Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year	
						2Axle	3+Axle	1Trail	2Trail								
Town of Broadway																	
1436	0.16	NA					From: Dead End					NA		NA			
							To: 82-1435										
Rockingham County																	
1437	0.21	NA					From: 82-803 Daphna Rd					NA		NA			
							To: Dead End										
Town of Broadway																	
1438	0.04	450	R				From: Cul-de-Sac					NA		NA		08/21/2000	
							To: SR 259										
1440	0.07	180	R				From: SR 42					NA		NA		09/07/2000	
							To: Cul-de-Sac										
1441	0.12	140	R				From: 82-1440					NA		NA		09/07/2000	
							To: Cul-de-Sac										
1442	0.25	NA					From: 82-1421					NA		NA			
							To: Cul-de-Sac										
Town of Timberville																	
1501	0.05	200	R				From: SR 42					NA		NA		1997	
1501	0.06	130	R				From: 82-1503					NA		NA		1997	
							To: 82-1502										
1501	0.06	80	R				From: 82-1504					NA		NA		1997	
							To: 82-1504										
1502	0.10	60	R				From: 82-1505					NA		NA		1997	
							To: 82-1501										
1503	0.12	100	R				From: 82-1505					NA		NA		1997	
							To: 82-1501										
1504	0.20	160	R				From: 82-617					NA		NA		1997	
							To: 82-1505										
1504	0.15	80	R				From: 82-1501					NA		NA		1997	
							To: 82-1501										
1505	0.07	260	R				From: SR 42					NA		NA		1997	
							To: 82-1503										
1505	0.08	170	R				From: 82-1502					NA		NA		1997	
							To: 82-1502										
1505	0.01	160	R				From: 82-1504					NA		NA		1997	
							To: 82-1504										
1506	0.33	100	R				From: SR 42					NA		NA		1997	
							To: 82-1507										
1507	0.24	660	R				From: 82-800					NA		NA		1997	
							To: SR 42										
1507	0.55	680	R				From: 82-1519 NORTH					NA		NA		1997	
							To: 82-1519 SOUTH										
1507	0.02	800	R				From: SR 211					NA		NA		1997	
							To: SR 211										

Virginia Department of Transportation
 Traffic Engineering Division
 2005
 Annual Average Daily Traffic Volume Estimates By Section of Route
 Rockingham Operational Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Town of Timberville																
(1508)	0.19	600	R				82-800				NA			NA		1997
(1509)	0.13	620	R				82-800 SOUTH				NA			NA		1997
(1509)	0.05	560	R				82-1517				NA			NA		1997
							82-800 NORTH									
Rockingham County																
(1510)	0.10	60	R				Dead End				NA			NA		1997
							82-800 EAST									
Town of Timberville																
(1510)	0.13	140	R				82-800 WEST				NA			NA		1997
(1510)	0.05	130	R				82-1517				NA			NA		1997
							82-800 NORTH									
(1511)	0.07	240	R				82-800 SOUTH				NA			NA		1997
(1511)	0.08	240	R				82-1513				NA			NA		1997
(1511)	0.10	200	R				82-1517				NA			NA		1997
							82-800 NORTH									
(1512)	0.08	190	R				82-800 SOUTH				NA			NA		1997
(1512)	0.08	260	R				82-1513				NA			NA		1997
(1512)	0.10	200	R				82-1517				NA			NA		1997
							82-800 NORTH									
(1513)	0.06	130	R				82-1511				NA			NA		1997
(1513)	0.05	130	R				82-1512				NA			NA		1997
							SR 42									
(1514)	0.07	420	R				SR 42				NA			NA		1997
(1514)	0.28	230	R				82-1515				NA			NA		1997
							SR 211									
(1515)	0.10	310	R				SR 211				NA			NA		1997
(1515)	0.10	220	R				82-1516				NA			NA		1997
							82-1514									
(1516)	0.08	80	R				82-1515				NA			NA		1997
							Dead End									
(1517)	0.03	80	R				82-1509				NA			NA		1997
(1517)	0.06	110	R				82-1510				NA			NA		1997
							82-1511									

Virginia Department of Transportation
Traffic Engineering Division
2005
Annual Average Daily Traffic Volume Estimates By Section of Route
Rockingham Operational Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Town of Timberville																
(1517)	0.06	160	R				82-1511				NA			NA		1997
(1517)	0.05	260	R				82-1512				NA			NA		1997
							SR 42; SR 211									
Rockingham County																
(1518)	0.10	120	R				Dead End				NA			NA		10/16/2003
							82-800									
Town of Timberville																
(1519)	0.06	380	R				82-1507 SOUTH				NA			NA		1997
(1519)	0.20	110	R				82-1520 SOUTH				NA			NA		1997
(1519)	0.13	170	R				82-1520 NORTH				NA			NA		1997
(1520)	0.09	150	R				82-1519 SOUTH				NA			NA		1997
(1520)	0.11	50	R				82-1522				NA			NA		1997
(1521)	0.43	310	R				82-617 WEST				NA			NA		10/06/2003
							ECL Timberville									
Rockingham County																
(1521)	0.02	170	R				ECL Timberville				NA			NA		10/06/2003
							82-617 EAST									
Town of Timberville																
(1522)	0.05	90	R				82-1507				NA			NA		1997
(1523)	0.10	150	R				Dead End				NA			NA		10/08/2003
(1524)	0.08	150	R				Cul-de-Sac				NA			NA		1997
(1524)	0.03	360	R				82-1528				NA			NA		1997
(1524)	0.07	440	R				82-1525				NA			NA		1997
(1525)	0.07	140	R				82-1524				NA			NA		1997
(1525)	0.06	100	R				82-1526				NA			NA		1997
(1526)	0.06	130	R				82-1525				NA			NA		1997
(1526)	0.03	380	R				82-1527				NA			NA		1997
(1527)	0.10	170	R				82-1526				NA			NA		1997
							Cul-de-Sac									

Virginia Department of Transportation
 Traffic Engineering Division
 2005
 Annual Average Daily Traffic Volume Estimates By Section of Route
 Rockingham Operational Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Town of Timberville																
(1528)	0.08	160	R											NA		1997
(1529) Riggleman Dr	0.18	370	R											NA		08/24/2000
(1530) Co-op Dr	0.04	630	R											NA		10/14/2003
(1530) Co-op Dr	0.08	860	R											NA		12/03/2003
(1530) Co-op Dr	0.05	1200	R											NA		08/24/2000
(1530) Co-op Dr	0.08	950	R											NA		12/08/2003
(1530) Co-op Dr	0.02	1100	R											NA		10/14/2003
(1530) Co-op Dr	0.05	1100	R											NA		08/24/2000
(1530) Co-op Dr	0.06	860	R											NA		10/01/2003
Rockingham County																
(1540) Woodcreek Lane	0.23	180	R											NA		08/24/2000
(1541) Dogwood Court	0.05	40	R											NA		08/24/2000
(1542) Appletree Court	0.04	30	R											NA		08/24/2000
(1543)	0.07	NA												NA		
(1544)	0.03	NA												NA		
(1545)	0.03	NA												NA		
(1601) New Haven Rd	0.39	20	R											NA		09/02/2003
(1602) The Point St	0.06	30	R											NA		07/20/2000
(1603) Lower Rd	0.10	190	R											NA		09/09/2003
(1604) Tiger Camp Rd	0.35	70	R											NA		09/09/2003
(1605) Water St	0.34	60	R											NA		09/09/2003

Virginia Department of Transportation
Traffic Engineering Division
2005
Annual Average Daily Traffic Volume Estimates By Section of Route
Rockingham Operational Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Rockingham County																
(1605) Water St	0.15	80	R				From: 82-1607					NA		NA		09/09/2003
(1605) Water St	0.06	30	R				From: 82-659					NA		NA		09/09/2003
							To: 82-1602									
(1606) Kemper Lane	0.40	140	R				From: Dead End					NA		NA		09/02/2003
							To: 82-605									
(1610) Terrace Run	0.15	120	R				From: 82-659					NA		NA		09/02/2003
							To: Cul-de-Sac									
(1701) W Washington Ave	0.05	1100	R				From: ECL Elkton					NA		NA		09/11/2003
(1701) E Washington Ave	0.20	590	R				From: US 340					NA		NA		09/11/2003
(1701) E Washington Ave	0.03	260	R				From: 82-1708					NA		NA		09/11/2003
(1701) E Washington Ave	0.09	110	R				From: 82-1704					NA		NA		09/11/2003
							To: 82-1702									
(1702) Pine St	0.07	60	R				From: 82-1701					NA		NA		09/11/2003
(1702) Pine St	0.05	20	R				From: 82-1705					NA		NA		09/11/2003
							To: Dead End									
(1703) Summit Ave	0.25	750	R				From: US 340					NA		NA		09/11/2003
(1703) Summit Ave	0.38	310	R				From: 82-1704					NA		NA		09/11/2003
							To: US 33									
(1704) High St	0.08	240	R				From: 82-1710					NA		NA		09/11/2003
(1704) High St	0.09	220	R				From: 82-1703					NA		NA		09/11/2003
							To: 82-1701									
(1705) Spring Ave	0.14	30	R				From: Dead End					NA		NA		09/11/2003
(1705) Spring Ave	0.12	80	R				From: 82-1708					NA		NA		09/11/2003
							To: 82-1702									
(1706) Shenandoah Ave	0.50	1900	R				From: NCL Elkton					NA		NA		09/16/2003
							To: US 340									
(1707) Windsong Hills Dr	0.07	70	R				From: Cul-de-Sac					NA		NA		08/10/2000
							To: Bus US 33									
(1708) High St	0.06	160	R				From: 82-1701					NA		NA		09/11/2003
(1708) Marshall Ave	0.09	30	R				From: 82-1705					NA		NA		09/11/2003
							To: Dead End									
(1709) Ore Wash Rd	0.30	20	R				From: SCL Elkton					NA		NA		09/11/2003
							To: US 340									

Virginia Department of Transportation
Traffic Engineering Division
2005
Annual Average Daily Traffic Volume Estimates By Section of Route
Rockingham Operational Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Rockingham County																
(1710) Prospect Ave	0.10	160	R				82-1704				NA		NA			09/11/2003
							Dead End									
(1711) Blue And Gold Dr	0.43	840	R				ECL Elkton				NA		NA			09/11/2003
							82-9750									
(1720) Giants Grave Rd	0.23	110	R				Dead End				NA		NA			09/11/2003
							US 340									
(1801) W Donnagail Dr	0.49	90	R				82-655 NORTH				NA		NA			08/10/2000
							82-1805									
(1801) W Donnagail Dr	0.13	230	R								NA		NA			10/26/2000
							82-1804									
(1801) W Donnagail Dr	0.06	310	R								NA		NA			10/26/2000
							82-1803									
(1801) W Donnagail Dr	0.14	410	R								NA		NA			10/26/2000
							82-655 SOUTH									
(1801) E Donnagail Dr	0.04	230	R				82-655 MID				NA		NA			10/23/2000
							82-1802									
(1801) E Donnagail Dr	0.09	90	R								NA		NA			10/23/2000
							Dead End									
(1802) Massanutten View Dr	0.06	130	R				82-1801				NA		NA			10/23/2000
							Dead End									
(1803) Ann Don Dr	0.03	40	R				82-1801				NA		NA			10/26/2000
							Dead End									
(1804) Presidential Circle	0.08	100	R				82-1801				NA		NA			10/26/2000
							Cul-de-Sac									
(1805) View Mountain Circle	0.05	100	R				82-1801				NA		NA			10/26/2000
							Cul-de-Sac									
(1810) Wild Rose Dr	0.35	210	R				82-683				NA		NA			08/10/2000
							Dead End									
(1901) Apple Tree Dr	0.17	110	R				Dead End				NA		NA			10/22/2003
							82-763									
(9366)	0.25	870	R				82-800				NA		NA			10/26/2000
							Plains Elem Sch									
(9367)	0.12	60	R				82-726				NA		NA			10/23/2000
							0.12 ME 82-726									
(9367)	0.03	40	R				Mt Clinton Elem Sch				NA		NA			10/23/2000
							82-726									
(9368)	0.05	70	R				82-613 Singers				NA		NA			1994
							Glen Elem Sch									
(9369)	0.04	150	R				82-721 Linville-				NA		NA			10/26/2000
							Edom Elem Sch									

Virginia Department of Transportation
Traffic Engineering Division
2005
Annual Average Daily Traffic Volume Estimates By Section of Route
Rockingham Operational Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year	
						2Axle	3+Axle	1Trail	2Trail								
Town of Davton																	
(9370)	0.46	550	R				From: 82-732 Turner				NA			NA		10/26/2000	
							To: Ashby High Sch										
(9370)	0.04	280	R				From: 0.46 MN 82-732				NA			NA		10/26/2000	
							To: Dayton Elem Sch										
(9370)	0.05	130	R				From: 0.50 MN 82-732				NA			NA		10/26/2000	
							To: Dayton Elem Sch										
Rockingham County																	
(9371)	0.06	320	R				From: 82-620 Keezle-				NA			NA		10/23/2000	
							To: Town Elem Sch										
(9372)	0.04	160	R				From: McGaheysville Elem				NA			NA		10/26/2000	
							To: School										
(9372)	0.07	100	R				From: Gap Terminus				NA			NA		10/23/2000	
							To: Y-Intersection										
(9372)	0.19	620	R				From: US 33				NA			NA		10/23/2000	
							To: NCL Grottoes										
(9373)	0.10	140	R				From: NCL Grottoes				NA			NA		10/23/2000	
							To: NCL Grottoes										
(9374)	0.05	820	R				From: SR 259				NA			NA		10/26/2000	
							To: Fulks Run Elem Sch										
(9374)	0.05	820	R				From: 0.05 ME SR 259				NA			NA		10/26/2000	
							To: Dead End										
(9375)	0.03	20	R				From: Port Republic Elem				NA			NA		10/23/2000	
							To: School										
(9375)	0.04	3	R				From: 0.04 MN Dead End				NA			NA		10/23/2000	
							To: Dead End										
(9376)	0.14	350	R				From: 82-9373 SOUTH				NA			NA		10/23/2000	
							To: End Loop										
Town of Broadway																	
(9383)	0.18	NA					From: 82-1421 WEST				NA			NA			
							To: 82-1417; 82-1421 EAST										
Rockingham County																	
(9384)	0.50	NA					From: US 33				NA			NA			
							To: End Loop										
(9392)	0.59	NA					From: 82-655 SCHOOL ROUTE				NA			NA			
							To: Shadow of:741466										
(9467)	0.34	1100	R				From: 82-996				NA			NA		10/23/2000	
							To: Montevideo School										
(9563)	0.60	2800	R				From: US 33				NA			NA		10/23/2000	
							To: Cul-de-Sac										
(9565) Gobbler Rd	0.33	1200	R				From: SR 259				NA			NA		10/23/2000	
							To: Broadway High Sch										

Virginia Department of Transportation
Traffic Engineering Division
2005
Annual Average Daily Traffic Volume Estimates By Section of Route
Rockingham Operational Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Rockingham County																
(9568)	0.32	820	R									NA		NA		10/26/2000
(9568)	0.10	940	R									NA		NA		10/26/2000
(9568)	0.09	660	R									NA		NA		10/26/2000
(9569)	0.09	100	R									NA		NA		10/26/2000
(9749)	0.33	530	R									NA		NA		10/23/2000
(9749)	0.15	410	R									NA		NA		10/23/2000
(9750)	0.15	420	R									NA		NA		10/23/2000
(9750)	0.04	700	R									NA		NA		10/23/2000
(9870)	0.11	1000	R									NA		NA		10/26/2000
(9912)	0.12	1200	R									NA		NA		10/26/2000
(9913)	0.10	30	R									NA		NA		1994
City of Harrisonburg																
(1) 115	Vine St	1.42	8900	G	96%	0%	2%	1%	0%	C	0.094	F	0.503	9800	G	2005
(3) 115	Eastover Dr	0.44	2400	G	96%	0%	1%	0%	2%	F	0.118	F	0.703	2600	G	2005
(4) 115	E. Washington St	0.24	3700	G	94%	1%	3%	2%	1%	F	0.104	F	0.526	4100	G	2005
(4) 115	E. Washington St	0.72	3700	G	94%	1%	3%	2%	1%	C	0.090	F	0.522	4000	G	2005
(5) 115	Acorn Dr	1.16	3600	G	96%	0%	1%	0%	2%	C	0.097	F	0.591	4000	G	2005
(6) 115	Park Rd	0.58	2500	G	98%	0%	1%	0%	0%	C	0.095	F	0.597	2800	G	2005
(6) 115	Park Rd	0.34	1600	G	98%	0%	1%	0%	0%	F	0.109	F	0.598	1800	G	2005
(7) 115	Harmony Rd	0.23	1200	G	98%	0%	1%	0%	0%	C	0.097	F	0.583	1300	G	2005

Virginia Department of Transportation
Traffic Engineering Division
2005
Annual Average Daily Traffic Volume Estimates By Section of Route
Rockingham Operational Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
City of Harrisonburg																
4100 115 Mosby Rd	0.35	6600	G	96%	0%	1%	0%	2%	0%	C	0.093	F	0.525	7200	G	2005
			From: WCL Harrisonburg													
			To: Mosby Ct													
4100 115 Mosby Rd	0.26	8000	G	96%	0%	1%	0%	2%	0%	F	0.094	F	0.500	8700	G	2005
			From: Main St													
			To: Pear St													
4102 115 Pleasant Hill Rd	0.78	10000	G	98%	0%	1%	0%	1%	0%	C	0.087	F	0.514	11000	G	2005
			From: US 11 S Main St													
			To: US 11 Pleasant Hill Rd													
4102 115 Stone Spring Rd	0.65	10000	G	97%	0%	1%	1%	1%	0%	C	0.093	F	0.542	11000	G	2005
			From: Ramblewood Rd													
4102 115 Stone Spring Rd	0.53	9700	G	97%	0%	1%	1%	1%	0%	F	0.093	F	0.577	11000	G	2005
			From: ECL Harrisonburg													
			To: Pleasant Hill Rd													
4103 115 Central Ave	0.14	1600	G	98%	0%	1%	0%	0%	0%	C	0.102	F	0.638	1800	G	2005
			From: Sharon St													
4103 115 Central Ave	0.91	1000	G	98%	0%	1%	0%	0%	0%	F	0.114	F	0.657	1100	G	2005
			From: Maryland Ave													
			To: S High St													
4104 115 South Ave	0.52	6000	G	98%	0%	1%	0%	1%	0%	C	0.09	F	0.514	6500	G	2005
			From: S Main St													
			To: SR 42 High St													
4105 115 Maryland Ave	0.44	8400	G	96%	0%	1%	1%	2%	0%	F	0.09	F	0.541	9200	G	2005
			From: Main St													
			To: High St													
4106 115 Cantrell Ave	0.57	11000	G	98%	0%	1%	1%	1%	0%	F	0.086	F	0.588	12000	G	2005
			From: Ott St													
4106 115 Cantrell Ave	0.68	13000	G	98%	0%	1%	1%	1%	0%	C	0.086	F	0.552	15000	G	2005
			From: Reservoir St													
4106 115 Cantrell Ave	0.18	9900	G	98%	0%	1%	1%	1%	0%	F	0.083	F	0.66	11000	G	2005
			From: E Market St													
			To: SCL Harrisonburg													
4107 115 Reservoir St	0.97	7600	G	99%	0%	1%	0%	0%	0%	F	0.091	F	0.652	8300	G	2005
			From: University Blvd													
4107 115 Reservoir St	0.57	17000	G	99%	0%	1%	0%	0%	0%	F	0.093	F	0.557	19000	G	2005
			From: Eastover Dr													
4107 115 Reservoir St	0.89	10000	G	99%	0%	1%	0%	0%	0%	C	0.094	F	0.503	11000	G	2005
			From: E Market St													
4107 115 Sterling St	0.13	1500	G	95%	1%	2%	1%	2%	0%	F	0.105	F	0.519	1600	G	2005
			From: Gay St													
4107 115 Gay St	0.45	2700	G	95%	1%	2%	1%	2%	0%	F	0.097	F	0.667	3000	G	2005
			From: Sterling St													
			To: Mason St													
4107 115 Gay St	0.33	5100	G	95%	1%	2%	1%	2%	0%	C	0.091	F	0.52	5600	G	2005
			From: N High St													
4107 115 Gay St	0.11	3800	G	95%	1%	2%	1%	2%	0%	F	0.090	F	0.618	4200	G	2005
			From: Chicago Ave													
4107 115 Chicago Ave	0.58	6200	G	98%	0%	1%	0%	0%	0%	C	0.088	F	0.52	6700	G	2005
			From: Gay St													
			To: Waterman Dr													
4107 115 Chicago Ave	0.43	6500	G	98%	0%	1%	0%	0%	0%	F	0.091	F	0.52	7100	G	2005
			From: Waterman Ave													
			To: Mt Clinton Pike													
4108 115 Paul St	0.64	1600	G	98%	0%	1%	0%	0%	0%	C	0.104	F	0.512	1700	G	2005
			From: Eastover Dr													
			To: Mason St													

Virginia Department of Transportation
 Traffic Engineering Division
 2005
 Annual Average Daily Traffic Volume Estimates By Section of Route
 Rockingham Operational Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
City of Harrisonburg																
4108 115 Paul St	0.14	870	G	98%	0%	From: Mason St				F	0.115	F	0.591	950	G	2005
						To: Main St										
4109 115 Grace St	0.27	3600	G	97%	0%	From: High St				C	0.091	F	0.595	3900	G	2005
						To: Main St										
4109 115 Grace St	0.14	5700	G	97%	0%	From: Main St				F	0.086	F	0.55	6300	G	2005
						To: Mason St										
4109 115 Mason St	0.10	6100	G	99%	0%	From: Grace St				F	0.084	F	0.618	6700	G	2005
						To: Cantrell Ave										
4109 115 Mason St	0.20	4400	G	99%	0%	From: Paul St				C	0.09	F	0.675	4800	G	2005
						To: Market St										
4109 115 Mason St	0.41	5300	G	99%	0%	From: Market St				F	0.089	F	0.613	5800	G	2005
						To: Main St										
4109 115 Mason St	0.44	6400	G	99%	0%	From: Main St				F	0.092	F	0.555	7000	G	2005
						To: N High St										
4110 115 Wolfe St	0.23	2700	G	98%	1%	From: N High St				F	0.107	F	0.64	3000	G	2005
						To: N Main St										
4110 115 Wolfe St	0.69	1200	G	98%	1%	From: N Main St				C	0.102	F	0.548	1300	G	2005
						To: Old Furnace Rd										
4110 115 Old Furnace Rd	0.29	3200	G	98%	1%	From: Old Furnace Rd				F	0.1	F	0.668	3500	G	2005
						To: Vine St										
4110 115 Old Furnace Rd	0.91	2400	G	98%	1%	From: Vine St				F	0.105	F	0.633	2600	G	2005
						To: ECL Harrisonburg										
4113 115 Country Club Dr	0.76	8600	G	98%	0%	From: US 33 E				C	0.099	F	0.515	9400	G	2005
						To: Linda Lane										
4113 115 Country Club Dr	0.85	13000	G	98%	0%	From: Linda Lane				F	0.097	F	0.531	14000	G	2005
						To: US 33										
4114 115 Kratzer Ave	0.12	3100	G			From: Noll Dr				0.112	F	0.759	3300	G	2005	
						To: N Liberty St										
4115 115 Liberty St	0.25	3000	G	92%	1%	From: Noll Dr				F	0.109	F	0.6	3200	G	2005
						To: Kratzer Ave										
4115 115 Liberty St	0.32	5200	G	92%	1%	From: Kratzer Ave				F	0.098	F	0.571	5700	G	2005
						To: Edom Rd										
4115 115 Liberty St	0.32	3800	G	92%	1%	From: Edom Rd				F	0.091	F	0.552	4100	G	2005
						To: Charles St										
4115 115 Liberty St	0.80	3300	G	92%	1%	From: Charles St				C	0.096	F	0.512	3600	G	2005
						To: NCL Harrisonburg										
4116 115 Pike Church Rd	0.14	1900	G	92%	1%	From: S Main St				C	0.106	F	0.57	2000	G	2005
						To: WCL Harrisonburg										
4117 115 Pear St	1.09	3200	G	99%	0%	From: Mosby Rd				C	0.088	F	0.509	3500	G	2005
						To: Pleasant Hill Rd										
4118 115 Erickson St	0.72	7700	G	96%	0%	From: WCL Harrisonburg				C	0.088	F	0.622	8400	G	2005
						To: S High St										

Virginia Department of Transportation
Traffic Engineering Division
2005
Annual Average Daily Traffic Volume Estimates By Section of Route
Rockingham Operational Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
City of Harrisonburg																
4119 115 Garbers Church Rd	0.05	3400	G	96%	0%	From: SCL Harrisonburg				F	0.106	F	0.624	3700	G	2005
						To: Erickson St										
4119 115 Garbers Church Rd	1.48	3000	G	96%	0%	From: Erickson Ave				C	0.099	F	0.631	3300	G	2005
						To: US 33 Market St										
4119 115 Switchboard Rd	0.20	1700	G	96%	0%	From: US 33 Market St				F	0.113	F	0.561	1800	G	2005
						To: NCL Harrisonburg, 82-910										
4120 115 Waterman Dr	0.84	4300	G	94%	1%	From: W Market St				C	0.091	F	0.507	4700	G	2005
						To: Chicago Ave										
4121 115 Mt Clinton Pike	0.19	6400	G	94%	1%	From: WCL Harrisonburg				F	0.106	F	0.570	7000	G	2005
						To: College Ave										
4121 115 Mt Clinton Pike	0.10	6600	G	94%	1%	From: College Ave				F	0.107	F	0.563	7200	G	2005
						To: Chicago Ave										
4121 115 Mt Clinton Pike	0.37	7400	G	95%	0%	From: Chicago Ave				C	0.095	F	0.533	8100	G	2005
						To: SR 42 Virginia Ave										
4121 115 Mt Clinton Pike	1.29	7400	G	94%	1%	From: Virginia Ave				F	0.093	F	0.513	8100	G	2005
						To: N Main St										
4122 115 Edom Rd	0.21	2600	G	97%	0%	From: Virginia Ave				F	0.105	F	0.615	2900	G	2005
						To: N Liberty St										
4124 115 Bruce St	0.15	2100	G	97%	0%	From: S High St				C	0.090	F	0.836	2300	G	2005
						To: Liberty St										
4124 115 Bruce St	0.22	1700	G	97%	0%	From: Liberty St				F	0.105	F	1800	G	2005	
						To: Mason St										
4125 115 Keezletown Rd	0.76	2100	G	95%	1%	From: Country Club Rd				F	0.107	F	0.602	2300	G	2005
						To: ECL Harrisonburg										
4127 115 Greendale Rd	1.05	3200	G	95%	1%	From: Pleasant Valley Rd				C	0.105	F	0.626	3500	G	2005
						To: ECL Harrisonburg										
4128 115 Pleasant Valley Rd	0.67	4900	G	87%	1%	From: SCL Harrisonburg				F	0.096	F	0.555	5400	G	2005
						To: RTE 710 Greendale Rd										
4128 115 Pleasant Valley Rd	0.73	7000	G	87%	1%	From: Greendale Rd				C	0.093	F	0.521	7600	G	2005
						To: S Main St										
Town of Bridgewater																
1 176 Oakwood Dr	0.78	3600	G	97%	0%	From: Main St				C	0.081	F	0.524	3700	G	2005
						To: ECL Bridgewater										
1903 176 N River Rd	0.19	2400	G	97%	1%	From: N Main St				F	0.085	F	0.522	2500	G	2005
						To: Dry River Rd										
1903 176 Dry River Rd	0.43	3200	G	97%	1%	From: N River Rd				C	0.089	F	0.612	3300	G	2005
						To: NCL Bridgewater										
Town of Elkton																
1924 216 W. Spotswood Ave	0.29	5800	G	99%	0%	From: Bus US 33				C	0.095	F	0.591	5900	G	2005
						To: Stuart Ave										
1924 216 E. Spotswood Ave	0.51	3300	F	96%	1%	From: Stuart Ave				C	0.090	F	0.563	3500	F	2005
						To: North Rd										

Virginia Department of Transportation
Traffic Engineering Division
2005
Annual Average Daily Traffic Volume Estimates By Section of Route
Rockingham Operational Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Town of Elkton																
1924 215 Newtown Rd	0.09	2900	G	99%	0%	From: North Rd				F	0.096	F	0.625	3000	G	2005
						To: ECL Elkton										
1925 216 North Rd	0.04	3200	G	98%	0%	From: Spottswood Ave				C	0.095	F	0.597	3200	G	2005
						To: ECL Elkton										
Town of Grottoes																
2 27R Cary St	0.23	1100	G	98%	0%	From: East Side Hwy				F	0.109	F	0.595	1100	G	2005
						To: ECL Grottoes										
4 22B 2nd Street	0.13	2400	G	98%	0%	From: Aspen Ave				F	NA		2400	G	2005	
						To: US 340										
987 22B Dogwood Ave	0.39	2500	G	98%	0%	From: SCL Grottoes				F	0.099	F	0.507	2500	G	2005
						To: 6Th St										
987 22R Dogwood Ave	0.94	3400	G	98%	0%	From: 6Th St				C	0.108	F	0.526	3500	G	2005
						To: NCL Grottoes										
2955 22B 6th Street	0.38	2000	G	98%	0%	From: Dogwood Ave				F	0.095	F	0.515	2000	G	2005
						To: Aspen St										
City of Harrisonburg																
2nd Street		300	G			From: Hartman Dr on North End				0.111	F		330	G	2005	
						To: Willow St on South End										
Alleghany Ave		160	G			From: Clay St				0.119	F		170	G	2005	
						To: Star Crest Dr										
Blue Ridge Rd		4100	G			From: Star Crest Dr				0.091	F		4400	G	2005	
						To: Country Club Dr										
Bluestone St		160	G			From: Monument Ave				0.137	F		180	G	2005	
						To: Dead End										
Broad View Dr		470	G			From: Star Crest Dr				0.106	F		510	G	2005	
						To: Sparrow Ct										
Campbell St		290	G			From: N. Mason St				0.096	F		320	G	2005	
						To: Ott St										
Carlton St		6700	G			From: Reservoir St				0.107	F		7300	G	2005	
						To: Market St										
Cedar St		150	G			From: S. Dogwood Dr				0.13	F	0.571	170	G	2005	
						To: West Ave										
Charles St		2200	G			From: N Liberty St				0.111	F		2400	G	2005	
						To: N Main St										
Clay St		260	G			From: Country Club				0.143	F		280	G	2005	
						To: Alleghany Ave										
Clinton St		270	G			From: Jefferson St				0.104	F	0.517	290	G	2005	
						To: N Main St										

Virginia Department of Transportation
Traffic Engineering Division
2005
Annual Average Daily Traffic Volume Estimates By Section of Route
Rockingham Operational Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
City of Harrisonburg																
Crawford St		1500	G							0.147	F	0.536	1600	G	2005	
Crawford St		730	G							0.155	F	0.605	780	G	2005	
Dale Cir		90	G							0.158	F		100	G	2005	
E Gay St		4600	G							0.095	F		5100	G	2005	
Elmwood Dr		250	G							0.109	F		270	G	2005	
Green St		150	G							0.13	F		160	G	2005	
Hartman Dr		210	G							0.111	F		230	G	2005	
Hillandale Ave		670	G							0.148	F		730	G	2005	
Hillcrest Dr		280	G							0.172	F		300	G	2005	
Hillside Ave		80	G							0.179	F		90	G	2005	
Holly Hill Drive		210	G							0.143	F		230	G	2005	
Monument Ave		1200	G							0.143	F		1300	G	2005	
Moore St		120	G							0.135	F		130	G	2005	
Newman Ave		880	G							0.102	F		960	G	2005	
S. Dogwood Dr		1500	G							0.092	F		1600	G	2005	
South Ave		940	G							0.111	F		1000	G	2005	
Spottswood Dr		130	G							0.147	F		140	G	2005	
Star Crest Dr		380	G							0.118	F		420	G	2005	
Statton Rd		50	G							0.177	F	0.611	50	G	2005	

Virginia Department of Transportation
 Traffic Engineering Division
 2005
 Annual Average Daily Traffic Volume Estimates By Section of Route
 Rockingham Operational Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
City of Harrisonburg																
Sutter St		220	G							0.098	F		240	G	2005	
Valley St		220	G							0.137	F		240	G	2005	
W. View St		220	G							0.126	F		250	G	2005	
W. Water St		440	G							0.145	F		480	G	2005	
Walnut St		420	G							0.086	F		460	G	2005	
Willow St		1000	G							0.115	F		1100	G	2005	
Wilson Ave		120	G							0.176	F	0.535	130	G	2005	
Town of Bridgewater																
Collegeview Dr		1200	G							0.095	F		1300	G	2005	
E College St		1300	G							0.099	F		1400	G	2005	
Town of Elkton																
Ashby Ave		130	G							0.153	F		150	G	2005	
Town of Grottoes																
11th Street		150	G							0.108	F		170	G	2005	
9th Street		NA								NA			NA			