

2005

**Virginia Department of Transportation
Daily Traffic Volume Estimates
Including Vehicle Classification Estimates**

where available

Jurisdiction Report

88

Spotsylvania County
City of Fredericksburg

Prepared By

**Virginia Department of Transportation
Traffic Engineering Division**

In Cooperation With

**U.S. Department of Transportation
Federal Highway Administration**

Virginia Department of Transportation
Traffic Engineering Division
Traffic Monitoring Section

The Virginia Department of Transportation (VDOT) conducts a program where traffic count data are gathered from sensors in or along streets and highways and other sources. From these data, estimates of the average number of vehicles that traveled each segment of road are calculated. VDOT periodically publishes booklets listing these estimates.

One of these booklets, titled “Average Daily Traffic Volumes with Vehicle Classification Data, on Interstate, Arterial and Primary Routes” includes a list of each Interstate and Primary highway segment with the estimated Annual Average Daily Traffic (AADT) for that segment. AADT is the total annual traffic estimate divided by the number of days in the year. This booklet also includes information such as estimates of the percentage of the AADT made up by 6 different vehicle types, ranging from cars to double trailer trucks; estimated Annual Average Weekday Traffic (AAWDT), which is the number of vehicles estimated to have traveled the segment of highway during a 24 hour weekday averaged over the year; as well as Peak Hour and Peak Direction factors used by planners to formulate design criteria.

In addition to the Primary and Interstate publication, one hundred books are published periodically, one for each of 100 areas across the state defined by VDOT for record-keeping purposes. These books include traffic volume estimates for roads within the county, cities, and towns within the area. These books are titled “Daily Traffic Volumes Including Vehicle Classification Estimates, where available; Jurisdiction Report numbers 00 through 99”.

Also available are a number of reports summarizing the average Vehicle Miles Traveled (VMT) in selected jurisdictions and other categories of highways. There are many different ways to present traffic volume summary information. Because the user determines the value of each presentation, the reports have been redesigned based on user requests and feedback. The people of the VDOT Traffic Engineering Division Traffic Monitoring Section who produce these books welcome requests for other helpful ways of presenting the summary information.

A compact disc (CD) is available that includes files in the Adobe® Portable Document Format (PDF) that can be displayed, searched, and printed using common desktop computer equipment. The CD includes the publications described above as well as a number of other reports, including specialized VMT summaries and smaller AADT reports for each city and town separately.

Publication Notes

Parallel Roads

For road inventory and management purposes, some roadways are counted separately by direction and have separately published traffic estimates for each direction of travel. Examples of such roadways are the interstate system and routes with separated facilities and (usually) one-way traffic facilities in urban areas. In these publications, they are referred to as parallel roads. As a convenience for the users of the publication, the listing for segments of roads with parallel segments are published with both the traffic estimates for their own direction of travel (e.g. I-95 Northbound) as well as the estimate of the total of all traffic on the same route including parallel roadways (all directions of I-95). The publication will have a “Combined Traffic Estimates for Parallel Roadways on this Route” or “Combined Traffic” identifiers for the combined direction of travel estimates.

Roadways such as I-395 with a North segment, a South segment and a separate Reversible lane segment will have the estimate for more than two parallel roadways included in the entire combined traffic estimate.

Some routes have very complicated paths through cities and towns. These parallel paths may be too complex to allow a relationship between nearby sections of the opposite direction on the same route. In this case, to indicate that the traffic estimates for such a road segment may not include all directions of traffic on that route, the line that would list the combined values will indicate “NA” for not available.

VDOT’s traffic monitoring program includes more than 100,000 segments of roads and highways ranging from several mile sections of Interstate highways to very short sections of city streets. Due to problems experienced obtaining some traffic count data, and the level of quality necessary to maintain confidence in the data, no estimate is currently available for some segments of roadway. These segments are included in the publications indicating “NA” for not available. It is the intention of the VDOT Traffic Engineering Division Traffic Monitoring group to obtain the data necessary and to report traffic volume estimates on all road segments included in these publications.

Many of the road segments in this program are local secondary roads. The amount and detail of data collected on these roads are not as great as the data collected on higher volume roads. The vehicle classification, average weekday traffic volumes, and the theoretical design hour traffic volumes are not calculated for these roads. The publications indicate “NA” for the information that is not available.

This publication is based on a traffic monitoring program initiated in 1997. Because the data collection techniques and statistical evaluation processes are different than those used in previous years, comparison with previous publications may be misleading.

Glossary of Terms:

Route: The Route Number assigned to this segment of roadway with the master inventory route number if this is an overlapping route, with official street or highway name if available.

Length: Length of the traffic segment in miles.

AADT: Annual Average Daily Traffic. The estimate of typical daily traffic on a road segment for all days of the week, Sunday through Saturday, over the period of one year.

QA: Quality of AADT:

- A Average of Complete Continuous Count Data
- B Average of Selected Continuous Count Data
- F Factored Short Term Traffic Count Data
- G Factored Short Term Traffic Count Data with Growth Element
- H Historical Estimate
- M Manual Uncounted Estimate
- N AADT of Similar Neighboring Traffic Link
- O Provided By External Source
- R Raw Traffic Count, Unfactored

4Tire: Percentage of the traffic volume made up of motorcycles, passenger cars, vans and pickup trucks.

Bus: Percentage of the traffic volume made up of busses.

2Axle Truck: Percentage of the traffic volume made up of 2 axle single unit trucks (not including pickups and vans).

3+Axle Truck: Percentage of the traffic volume made up of single unit trucks with three or more axles.

1Trail Truck: Percentage of the traffic volume made up of units with a single trailer.

2Trail Truck: Percentage of the traffic volume made up of units with more than one trailer.

QC: Quality of Classification Data:

- A Average of Complete Continuous Count Data
- B Average of Selected Continuous Count Data
- C Short Term Classified Traffic Count Data
- F Factored Short Term Traffic Count Data
- H Historical Estimate
- M Mass Collective Average
- N Classification Estimates of Similar Neighboring Traffic Link

K Factor: The estimate of the portion of the traffic volume traveling during the peak hour or design hour.

QK: Quality of the Peak Hour estimate:

- A Factor based on 30th Highest Hour Observed During at least 250 days of Continuous Traffic Data
- B Factor based on other Hour Observed During Less than 250 days of Continuous Traffic Data
- F Factor based on Highest Hour Collected at in a 48 Hour Weekday Period
- M Factor based on Manual Estimate of design hour
- N Peak Hour Factor of Similar Neighboring Traffic Link
- O Provided by External Source

Dir Factor: The estimate of the portion of the traffic volume traveling in the peak direction during the peak hour..

AAWDT: Average Annual Weekday Traffic. The estimate of typical traffic over the period of one year for the days between Monday through Thursday inclusive.

QW: Quality of AAWDT:

- A Average of Complete Continuous Count Data
- B Average of Selected Continuous Count Data
- F Factored Short Term Traffic Count Data
- G Factored Short Term Traffic Count Data with Growth Element
- M Manual Uncounted Estimate
- N AAWDT of Similar Neighboring Traffic Link
- O Provided by External Source

Year: Year for which the published values are appropriate. If the Quality of AADT (QA) is "R", the year is the year that the raw traffic count was collected, and if available,

Route Shield Legend

Route Systems



Interstate Route

Traffic volume data for Interstate Routes and some other routes are reported separately by direction, as well as combined.



US Route



Virginia State Route



Frontage Road (F precedes frontage route number)



Secondary Route

Special Routes



Bus - Business Route

Bypas - Bypass Route

Truck - Truck Route



ALT - Alternate Route

Wve - Wve Route connector



P - Parallel Route; Southbound or Westbound direction lanes of a numbered route where they are on a different road facility than the other direction.



The VDOT Maintenance Jurisdiction number is displayed below the Secondary Route Number if the Maintenance Jurisdiction is different than the jurisdiction in the title of the report.












Virginia Department of Transportation
Traffic Engineering Division
2005
Annual Average Daily Traffic Volume Estimates By Section of Route
Spotsylvania Operational Area

Route	Jurisdiction	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW
							2Axle	3+Axle	1Trail	2Trail						
							From: Caroline County Line									
1 Jefferson Davis Hwy	Spotsylvania County	2.61	9800	F	94%	0%	1%	2%	2%	0%	F	0.086	F	0.668	10000	F
							To: 88-606 Thornburg									
1 Jefferson Davis Hwy	Spotsylvania County	4.25	13000	F	94%	0%	1%	2%	2%	0%	F	0.088	F	0.61	13000	F
							From: 88-608 Massaponax Church Rd									
1 Jefferson Davis Hwy	Spotsylvania County	2.52	19000	F	95%	1%	1%	1%	2%	0%	C	0.091	F	0.612	19000	F
							To: US 17 Mills Dr									
1 17 Jefferson Davis Hwy	Spotsylvania County	0.93	48000	F	98%	0%	1%	0%	1%	0%	F	0.072	F	0.632	51000	F
							To: I-95									
1 Jefferson Davis Hwy	Spotsylvania County	0.96	25000	F	98%	0%	1%	0%	1%	0%	F	0.079	F	0.549	27000	F
							From: Bus US 1; SR 208 Four Mile Fork									
							To: US 1 Bus; SR 208 Four Mile Fork									
1 Jefferson Davis Hwy	Spotsylvania County	1.30	31000	F	98%	0%	1%	0%	1%	0%	F	0.084	F	0.655	33000	F
							To: SCL Fredericksburg									
1 Jefferson Davis Blvd	City of Fredericksburg	1.48	33000	A	98%	0%	1%	0%	1%	0%	C	0.099	A	0.614	36000	A
							To: SR 3									
1 Jefferson Davis Blvd	City of Fredericksburg	0.90	31000	F	98%	0%	1%	0%	1%	0%	F	0.083	F	0.582	34000	F
							From: College Ave									
1 Jefferson Davis Blvd	City of Fredericksburg	0.59	29000	F	98%	0%	1%	0%	1%	0%	F	0.078	F	0.525	31000	F
							To: Fall Hill Ave									
1 Jefferson Davis Blvd	City of Fredericksburg	0.29	23000	F	98%	0%	1%	0%	1%	0%	F	0.079	F	0.642	25000	F
							To: Bus US 1 Princess Anne Ave									
1 17 Jefferson Davis Blvd	City of Fredericksburg	0.11	32000	N	98%	0%	1%	0%	1%	0%	N	0.085	N	0.674	35000	N
							To: NCL Fredericksburg									
							From: US 1, SR 208									
Bus 1 LaFayette Blvd	Spotsylvania County	1.52	21000	F	96%	1%	1%	1%	1%	0%	C	0.083	F	0.506	23000	F
							To: SCL Fredericksburg									
Bus 1 LaFayette Blvd	City of Fredericksburg	1.42	21000	F	96%	1%	1%	1%	1%	0%	F	0.084	F	0.553	23000	F
							To: SR 3; Blue and Grey Parkway									
Bus 1 LaFayette Blvd	City of Fredericksburg	0.38	10000	F	96%	1%	1%	1%	1%	0%	F	0.091	F	0.619	11000	F
							To: 111-3957 Sunken Rd									
Bus 1 LaFayette Blvd	City of Fredericksburg	0.56	9200	F	96%	1%	1%	1%	1%	0%	F	0.088	F	0.641	10000	F
							To: 111-3961 Kenmore Ave									
Bus 1 LaFayette Blvd	City of Fredericksburg	0.10	4600	N	98%	1%	1%	0%	0%	0%	N	0.094	N	0.618	5000	N
							To: Bus US 1 Par, Bus 17 Par Princess Anne St									
Bus 1 LaFayette Blvd	City of Fredericksburg	0.06	4600	F	98%	1%	1%	0%	0%	0%	F	0.094	F	0.618	5000	F
							To: Bus US 17 Caroline St									

Virginia Department of Transportation
Traffic Engineering Division
2005
Annual Average Daily Traffic Volume Estimates By Section of Route
Spotsylvania Operational Area

Route	Jurisdiction	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW
							2Axle	3+Axle	1Trail	2Trail						
From: Bus US 17, Lafayette Blvd																
Bus 1 Bus 17 2 Caroline St	City of Fredericksburg	0.38	4700	F	98%	1%	1%	0%	0%	0%	F	0.084	F	5100	F	
Combined Traffic Estimates for 2 Parallel Roadways on this Route:			12000	F	98%	1%	1%	0%	0%	0%	F	NA		13000	F	
To: Bus SR 3 William St																
Bus 1 Bus 17 Caroline St	City of Fredericksburg	0.51	5400	F	98%	1%	1%	0%	0%	0%	C	0.082	F	5900	F	
Combined Traffic Estimates for 2 Parallel Roadways on this Route:			13000	F	98%	1%	1%	0%	0%	0%	C	0.094	F	0.655	15000	F
To: Herndon St																
From: Caroline St																
Bus 1 Bus 17 Herndon St	City of Fredericksburg	0.06	5400	F	98%	1%	1%	0%	0%	0%	F	0.082	F	5900	F	
To: Bus US 1 Par Princess Anne St																
From: Bus US 1 Par Herndon St																
Bus 1 Bus 17 Princess Anne St	City of Fredericksburg	0.70	11000	F	98%	1%	1%	0%	0%	0%	C	0.094	F	0.657	12000	F
To: US 1 Jefferson Davis Highway																
From: Bus US 1, Bus US 17 Lafayette Blvd																
Bus 1 Bus 17 2 Princess Anne St	City of Fredericksburg	0.37	7400	F	98%	1%	1%	0%	0%	0%	F	0.1	F	8100	F	
Combined Traffic Estimates for 2 Parallel Roadways on this Route:			12000	F	98%	1%	1%	0%	0%	0%	F	NA		13000	F	
To: Bus SR 3 William St																
From: Bus SR 3 William St																
Bus 1 Bus 17 Princess Anne St	City of Fredericksburg	0.52	8100	F	98%	1%	1%	0%	0%	0%	C	0.101	F	8900	F	
Combined Traffic Estimates for 2 Parallel Roadways on this Route:			13000	F	98%	1%	1%	0%	0%	0%	C	0.094	F	0.655	15000	F
To: Bus US 1 Herndon St																
From: Caroline County Line																
2 Sandy Lane Dr	Spotsylvania County	1.36	5800	F	94%	1%	1%	2%	2%	0%	F	0.091	F	0.591	6000	F
To: US 17 Mills Dr																
From: Bus US 17																
2 Bus 17 Tidewater Trail	Spotsylvania County	3.56	11000	F	94%	1%	1%	2%	2%	0%	C	0.092	F	0.627	12000	F
To: 88-1301																
From: 88-1301																
2 Bus 17 Tidewater Trail	Spotsylvania County	0.97	22000	F	94%	1%	1%	2%	2%	0%	F	0.081	F	0.602	24000	F
To: ECL Fredericksburg																
From: ECL Fredericksburg																
2 Bus 17 Dixon St	City of Fredericksburg	0.55	23000	F	93%	1%	1%	2%	3%	0%	C	0.082	F	0.61	25000	F
To: Ramp from SR 3 Connector																
From: Ramp from SR 3 Connector																
2 Bus 17 Dixon St	City of Fredericksburg	0.26	10000	F	98%	1%	1%	0%	0%	0%	C	0.093	F	0.631	11000	F
To: Charles St																
From: Charles St																
2 Bus 17 Dixon St	City of Fredericksburg	0.06	4900	F	98%	1%	1%	0%	0%	0%	F	0.094	F	0.639	5300	F
Combined Traffic Estimates for 2 Parallel Roadways on this Route:			11000	F	98%	1%	1%	0%	0%	0%	F	NA		12000	F	
To: Princess Anne St																
From: Princess Anne St																
2 Bus 17 Princess Anne St	City of Fredericksburg	0.26	5800	F	97%	1%	1%	0%	0%	0%	C	0.079	F	0.507	6400	F
Combined Traffic Estimates for 2 Parallel Roadways on this Route:			8200	F	97%	1%	1%	0%	0%	0%	C	0.079	F		9000	F
To: Bus US 1																














Virginia Department of Transportation
Traffic Engineering Division
2005
Annual Average Daily Traffic Volume Estimates By Section of Route
Spotsylvania Operational Area

Route	Jurisdiction	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	
							2Axle	3+Axle	1Trail	2Trail							
   Princess Anne St	From: <input type="text" value="Bus US 1"/>	City of Fredericksburg	0.37	7400	F	98%	1%	1%	0%	0%	0%	F	0.1	F	8100	F	
	To: <input type="text" value="Bus SR 3 William St"/>	Combined Traffic Estimates for 2 Parallel Roadways on this Route:	12000	F	98%	1%	1%	0%	0%	0%	F	NA		13000	F		
 Plank Rd	From: <input type="text" value="Orange County Line"/>	Spotsylvania County	5.27	23000	F	94%	1%	1%	1%	3%	0%	F	0.079	F	0.555	24000	F
	To: <input type="text" value="88-610 Elys Ford Rd"/>	Spotsylvania County	2.99	30000	F	94%	1%	1%	1%	3%	0%	C	0.077	F	0.582	32000	F
 Plank Rd	From: <input type="text" value="88-626 Andora Dr"/>	Spotsylvania County	1.33	42000	F	94%	1%	1%	1%	3%	0%	F	0.074	F	0.62	45000	F
	To: <input type="text" value="88-627 Gordon Rd"/>	Spotsylvania County	1.53	55000	F	94%	1%	1%	1%	3%	0%	F	0.073	F	0.637	59000	F
 Plank Rd	From: <input type="text" value="88-639 Salem Church Rd"/>	Spotsylvania County	1.09	70000	F	94%	1%	1%	1%	3%	0%	F	0.072	F	0.554	75000	F
	To: <input type="text" value="WCL Fredericksburg"/>	City of Fredericksburg	0.34	80000	G	94%	1%	1%	1%	3%	0%	F	NA		85000	G	
 Plank Rd	From: <input type="text" value="I-95"/>	City of Fredericksburg	0.61	53000	F	93%	1%	1%	2%	4%	0%	F	0.071	F	0.502	57000	F
	To: <input type="text" value="Oakwood St"/>	City of Fredericksburg	0.63	46000	F	93%	1%	1%	2%	4%	0%	F	0.072	F	0.52	50000	F
 Plank Rd	From: <input type="text" value="US 1 Jefferson Davis Hwy"/>	City of Fredericksburg	0.24	39000	F	93%	1%	1%	2%	4%	0%	F	0.079	F	0.558	42000	F
	To: <input type="text" value="Bus SR 3 William St"/>	City of Fredericksburg	0.53	30000	F	93%	1%	1%	2%	4%	0%	C	0.080	F	0.521	32000	F
 Blue and Grey Parkway	From: <input type="text" value="Bus US 1 LaFayette Blvd"/>	City of Fredericksburg	1.00	35000	F	93%	1%	1%	2%	4%	0%	F	0.080	F	0.519	38000	F
	To: <input type="text" value="Bus US 17 SR 2 Dixon St"/>	City of Fredericksburg	0.36	37000	F	93%	1%	1%	2%	4%	0%	F	0.085	F	0.615	40000	F
 William St	From: <input type="text" value="ECL Fredericksburg"/>	City of Fredericksburg	0.14	14000	F	99%	0%	1%	0%	0%	0%	F	0.086	F	0.552	15000	F
	To: <input type="text" value="SR 3 Blue and Grey Parkway"/>	City of Fredericksburg	0.30	12000	F	99%	0%	1%	0%	0%	0%	C	0.086	F	0.591	13000	F
 William St	From: <input type="text" value="111-3958 Hanover St"/>	City of Fredericksburg	0.48	12000	F	98%	0%	1%	0%	0%	0%	C	0.086	F	0.538	14000	F
	To: <input type="text" value="111-3955 College Ave"/>	City of Fredericksburg	0.48	12000	F	98%	0%	1%	0%	0%	0%	C	0.086	F	0.538	14000	F
	To: <input type="text" value="SR 3 Par, Washington Ave"/>																

Virginia Department of Transportation
Traffic Engineering Division
2005
Annual Average Daily Traffic Volume Estimates By Section of Route
Spotsylvania Operational Area

Route	Jurisdiction	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW
							2Axle	3+Axle	1Trail	2Trail						
Bus 3 William St	From: SR 3 Par, Washington Ave City of Fredericksburg	0.37	6100	F	98%	0%	1%	0%	0%	0%	C	0.096	F	0.557	6700	F
Combined Traffic Estimates for 2 Parallel Roadways on this Route:			12000	F	98%	1%	1%	0%	0%	0%	F	0.096	F		13000	F
Bus 3 William St	To: Bus US 1 Caroline St City of Fredericksburg	0.07	6600	F	98%	0%	1%	0%	0%	0%	F	0.103	F	0.64	7200	F
Combined Traffic Estimates for 2 Parallel Roadways on this Route:			13000	F	98%	1%	1%	0%	0%	0%	F	0.095	F		14000	F
Bus 3 William St	To: Bus SR 3 Par, Sophia St City of Fredericksburg	0.03	17000	G	98%	0%	1%	0%	0%	0%	F	0.096	N	0.572	19000	G
Combined Traffic Estimates for 2 Parallel Roadways on this Route:																
Bus 3 Washington Ave	To: WCL Stafford City of Fredericksburg	0.07	5700	F	98%	1%	1%	0%	0%	0%	F	0.096	F		6300	F
Combined Traffic Estimates for 2 Parallel Roadways on this Route:			12000	F	98%	1%	1%	0%	0%	0%	F	0.096	F		13000	F
Bus 3 Amelia St	To: 111-3963 Amelia St From: 111-3963, Washington Ave City of Fredericksburg	0.43	4900	F	98%	1%	1%	0%	0%	0%	C	0.089	F		5300	F
Combined Traffic Estimates for 2 Parallel Roadways on this Route:			11000	F	98%	1%	1%	0%	0%	0%	C	NA			12000	F
Bus 3 Sophia St	To: 111-3973 Sophia St From: 111-3973, Amelia St City of Fredericksburg	0.07	6200	F	98%	1%	1%	0%	0%	0%	F	0.089	F		6800	F
Combined Traffic Estimates for 2 Parallel Roadways on this Route:			13000	F	98%	1%	1%	0%	0%	0%	F	0.095	F		14000	F
17 Mills Dr	To: Bus SR 3 William St From: Caroline County Line Spotsylvania County	1.89	5600	F	93%	1%	1%	1%	5%	0%	F	0.083	F	0.551	5000	F
17 Mills Dr	To: SR 2; Bus US 17 From: Spotsylvania County	1.23	6800	F	93%	1%	1%	1%	5%	0%	F	0.087	F	0.547	6100	F
17 Mills Dr	To: 88-609 Jim Morris Rd; Thornton Rolling Rd From: Spotsylvania County	3.17	13000	F	92%	1%	1%	2%	4%	0%	C	0.09	F	0.585	11000	F
17 Mills Dr	To: 88-771; 88-1035 From: Spotsylvania County	1.35	26000	F	93%	1%	1%	1%	5%	0%	F	0.078	F	0.552	23000	F
17 1 Jefferson Davis Hwy	To: US 1 Jefferson Davis Hwy From: US 1 Spotsylvania County	0.93	48000	F	98%	0%	1%	0%	1%	0%	F	0.072	F	0.632	51000	F
17 95	To: I-95 N From: US 1 Jefferson Davis Hwy Spotsylvania County	2.81														
Combined Traffic Estimates for 2 Parallel Roadways on this Route:			118000	F	82%	1%	1%	1%	15%	1%	F	0.066	F	0.559	103000	F
17 95	To: SCL Fredericksburg From: City of Fredericksburg (Maint: 88)	0.89														
Combined Traffic Estimates for 2 Parallel Roadways on this Route:			118000	F	82%	1%	1%	1%	15%	1%	F	NA			103000	F
To: SR 3																

Virginia Department of Transportation
Traffic Engineering Division
2005
Annual Average Daily Traffic Volume Estimates By Section of Route
Spotsylvania Operational Area

Route	Jurisdiction	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	
							2Axle	3+Axle	1Trail	2Trail							
	From: SR 3																
	City of Fredericksburg (Maint: 88)	2.29					See I-95 for directional traffic volume estimates for this segment.										
	Combined Traffic Estimates for 2 Parallel Roadways on this Route: 160000 F 83% 1% 1% 1% 15% 1% F 0.065 F 0.570 140000 F																
	To: Stafford County Line																
 Tidewater Trail	From: US 17 Mills Dr, SR 2 Sandy Lane Dr	Spotsylvania County	3.56	11000	F	94%	1%	1%	2%	2%	0%	C	0.092	F	0.627	12000	F
	To: 88-1310																
 Tidewater Trail	From: 88-1310	Spotsylvania County	0.97	22000	F	94%	1%	1%	2%	2%	0%	F	0.081	F	0.602	24000	F
	To: ECL Fredericksburg																
 Dixon St	From: ECL Fredericksburg	City of Fredericksburg	0.55	23000	F	93%	1%	1%	2%	3%	0%	C	0.082	F	0.61	25000	F
	To: Ramp from Rte. 3 Connector																
 Dixon St	From: Ramp from Rte. 3 Connector	City of Fredericksburg	0.26	10000	F	98%	1%	1%	0%	0%	0%	C	0.093	F	0.631	11000	F
	To: Charles St																
 Dixon St	From: Charles St	City of Fredericksburg	0.06	4900	F	98%	1%	1%	0%	0%	0%	F	0.094	F	0.639	5300	F
	Combined Traffic Estimates for 2 Parallel Roadways on this Route: 11000 F 98% 1% 1% 0% 0% 0% F NA 12000 F																
	To: Princess Anne St																
 Dixon St	From: Princess Anne St	City of Fredericksburg	0.06	2500	F	98%	1%	1%	0%	0%	0%	F	0.123	F		2700	F
	Combined Traffic Estimates for 2 Parallel Roadways on this Route: 8300 F 98% 1% 1% 0% 0% 0% F 0.08 F 0.613 9100 F																
	To: Caroline St																
 Caroline Street	From: Caroline St	City of Fredericksburg	0.24	2400	F	98%	0%	1%	0%	0%	0%	C	0.128	F		2600	F
	Combined Traffic Estimates for 2 Parallel Roadways on this Route: 8200 F 97% 1% 1% 0% 0% 0% C 0.079 F 9000 F																
	To: Lafayette Blvd																
 Caroline St	From: Lafayette Blvd	City of Fredericksburg	0.38	4700	F	98%	1%	1%	0%	0%	0%	F	0.084	F		5100	F
	Combined Traffic Estimates for 2 Parallel Roadways on this Route: 12000 F 98% 1% 1% 0% 0% 0% F NA 13000 F																
	To: Bus SR 3 William St																
 Caroline St	From: Bus SR 3 William St	City of Fredericksburg	0.51	5400	F	98%	1%	1%	0%	0%	0%	C	0.082	F		5900	F
	Combined Traffic Estimates for 2 Parallel Roadways on this Route: 13000 F 98% 1% 1% 0% 0% 0% C 0.094 F 0.655 15000 F																
	To: Herndon St																
 Herndon St	From: Herndon St	City of Fredericksburg	0.06	5400	F	98%	1%	1%	0%	0%	0%	F	0.082	F		5900	F
	To: BUS US 1 Par Princess Anne St																
 Princess Anne St	From: BUS US 1 Par Herndon St	City of Fredericksburg	0.70	11000	F	98%	1%	1%	0%	0%	0%	C	0.094	F	0.657	12000	F
	To: US 1 Jefferson Davis Highway																
 Jefferson Davis Blvd	From: BUS US 1 Princess Anne Ave	City of Fredericksburg	0.11	32000	N	98%	0%	1%	0%	1%	0%	N	0.085	N	0.674	35000	N
	To: NCL Fredericksburg																

Virginia Department of Transportation
Traffic Engineering Division
2005
Annual Average Daily Traffic Volume Estimates By Section of Route
Spotsylvania Operational Area

Route	Jurisdiction	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW
							2Axle	3+Axle	1Trail	2Trail						
Bus 17 2 Princess Anne St	From: Dixon Street															
	City of Fredericksburg	0.26	5800	F	97%	1%	1%	0%	0%	0%	C	0.079	F	0.507	6400	F
Combined Traffic Estimates for 2 Parallel Roadways on this Route:			8200	F	97%	1%	1%	0%	0%	0%	C	0.079	F		9000	F
		To: Bus US 1, Bus US 17 Lafayette Blvd														
North 95	From: Caroline County Line															
	Spotsylvania County	1.61	38000	G	84%	1%	1%	1%	13%	1%	F	0.064	F		33000	G
Combined Traffic Estimates for 2 Parallel Roadways on this Route:			78000	G	82%	1%	1%	1%	15%	1%	F	NA			67000	G
		To: 88-606 Mudd Tavern Rd														
North 95	From: 88-606 Mudd Tavern Rd															
	Spotsylvania County	7.97	47000	A	84%	1%	1%	1%	13%	1%	C	0.104	A		42000	A
Combined Traffic Estimates for 2 Parallel Roadways on this Route:			97000	F	82%	1%	1%	1%	15%	1%	C	0.093	A	0.531	86000	F
		To: US 1, US 17 Jefferson Davis Hwy														
North 95 17	From: US 1, US 17 Jefferson Davis Hwy															
	Spotsylvania County	2.81	57000	F	84%	1%	1%	1%	13%	1%	F	0.065	F		51000	F
Combined Traffic Estimates for 2 Parallel Roadways on this Route:			118000	F	82%	1%	1%	1%	15%	1%	F	0.066	F	0.559	103000	F
		To: SCL Fredericksburg														
North 95 17	From: SCL Fredericksburg															
	City of Fredericksburg (Maint: 88)	0.89	57000	F	84%	1%	1%	1%	13%	1%	F	0.065	F		51000	F
Combined Traffic Estimates for 2 Parallel Roadways on this Route:			118000	F	82%	1%	1%	1%	15%	1%	F	NA			103000	F
		To: SR 3 Plank Rd														
North 95 17	From: SR 3 Plank Rd															
	City of Fredericksburg (Maint: 88)	2.29	82000	F	84%	1%	1%	1%	13%	1%	F	0.07	F		73000	F
Combined Traffic Estimates for 2 Parallel Roadways on this Route:			160000	F	83%	1%	1%	1%	15%	1%	F	0.065	F	0.570	140000	F
		To: Stafford County Line														
South 95	From: Caroline County Line															
	Spotsylvania County	2.07	40000	G	81%	1%	1%	1%	16%	1%	F	0.078	F		34000	G
Combined Traffic Estimates for 2 Parallel Roadways on this Route:			78000	G	82%	1%	1%	1%	15%	1%	F	NA			67000	G
		To: 88-606 Mudd Tavern Rd														
South 95	From: 88-606 Mudd Tavern Rd															
	Spotsylvania County	7.27	49000	F	81%	1%	1%	1%	16%	1%	C	0.087	B		44000	F
Combined Traffic Estimates for 2 Parallel Roadways on this Route:			97000	F	82%	1%	1%	1%	15%	1%	C	NA			86000	F
		To: US 1, US 17 Jefferson Davis Hwy														
South 95 17	From: US 1, US 17 Jefferson Davis Hwy															
	Spotsylvania County	2.90	61000	F	81%	1%	1%	1%	16%	1%	F	0.076	F		52000	F
Combined Traffic Estimates for 2 Parallel Roadways on this Route:			118000	F	82%	1%	1%	1%	15%	1%	F	0.066	F	0.559	103000	F
		To: SCL Fredericksburg														
South 95 17	From: SCL Fredericksburg															
	City of Fredericksburg (Maint: 88)	1.61	61000	F	81%	1%	1%	1%	16%	1%	F	0.076	F		52000	F
Combined Traffic Estimates for 2 Parallel Roadways on this Route:			118000	F	82%	1%	1%	1%	15%	1%	F	NA			103000	F
		To: SR 3 Plank Rd														
South 95 17	From: SR 3 Plank Rd															
	City of Fredericksburg (Maint: 88)	1.76	78000	F	81%	1%	1%	1%	16%	1%	F	0.079	F		68000	F
Combined Traffic Estimates for 2 Parallel Roadways on this Route:			160000	F	83%	1%	1%	1%	15%	1%	F	0.065	F	0.570	140000	F
		To: Stafford County Line														

Virginia Department of Transportation
 Traffic Engineering Division
 2005
 Annual Average Daily Traffic Volume Estimates By Section of Route
 Spotsylvania Operational Area

Route	Jurisdiction	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW
							2Axle	3+Axle	1Trail	2Trail						
208 Courthouse Rd	Spotsylvania County	3.64	4900	F	91%	2%	2%	2%	3%	0%	F	0.096	F	0.523	5100	F
208 Courthouse Rd	Spotsylvania County	8.85	7000	F	91%	2%	2%	2%	3%	0%	F	0.086	F	0.642	7200	F
208 Courthouse Rd	Spotsylvania County	2.43	5400	F	91%	2%	2%	2%	3%	0%	C	0.102	F	0.683	5600	F
208 Courthouse Rd	Spotsylvania County	3.41	4600	F	91%	2%	2%	2%	3%	0%	F	0.092	F	0.581	4700	F
208 Courthouse Rd	Spotsylvania County	0.54	8900	F	91%	2%	2%	2%	3%	0%	F	0.093	F	0.532	9100	F
208 Courthouse Rd	Spotsylvania County	2.84	19000	F	91%	2%	2%	2%	3%	0%	F	0.084	F	0.635	20000	F
208 Courthouse Rd	Spotsylvania County	3.74	38000	F	91%	2%	2%	2%	3%	0%	F	0.083	F	0.592	41000	F
522 Zachary Taylor Hwy	Spotsylvania County	1.01	2700	F	91%	1%	2%	2%	5%	0%	C	0.094	F	0.551	2800	F
522 Zachary Taylor Hwy	Spotsylvania County	0.94	2600	F	91%	1%	2%	2%	5%	0%	F	0.092	F	0.513	2700	F

Virginia Department of Transportation
Traffic Engineering Division
2005
Annual Average Daily Traffic Volume Estimates By Section of Route
Spotsylvania Operational Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Spotsylvania County																
(F163) Mallard Rd	0.60	NA										NA		NA		
(F163) Mallard Rd	0.62	NA										NA		NA		
(F164)	0.05	NA										NA		NA		
(F167) Glenwood Dr	0.12	NA										NA		NA		
(F168) Clark Ct	0.16	NA										NA		NA		
(F690)	1.55	NA										NA		NA		
(F691) Wicker St	0.32	NA										NA		NA		
(F691) Kershaw St	0.58	NA										NA		NA		
(F691) Kershaw St	0.50	NA										NA		NA		
(F692)	0.20	NA										NA		NA		
(F693)	0.31	NA										NA		NA		
(F694)	0.08	NA										NA		NA		
(F695)	0.22	NA										NA		NA		
(F696) Overview Dr	1.81	NA										NA		NA		
(F697) Lavue Lane	0.36	NA										NA		NA		
(704/88) Lawyers Rd	0.05	90	R									NA		NA		12/02/2002
(600) Herndon Rd	0.64	640	R									NA		NA		09/10/2002
(600) Herndon Rd	0.66	560	R									NA		NA		08/08/2005
(600) Herndon Rd	0.50	810	R									NA		NA		09/10/2002
(601) Arritt Rd	1.84	810	F	96%	1%	1%	1%	2%	0%	F	0.091	F	0.724	830	F	2005

Virginia Department of Transportation
Traffic Engineering Division
2005
Annual Average Daily Traffic Volume Estimates By Section of Route
Spotsylvania Operational Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Spotsylvania County																
(601) Lewiston Rd	3.21	1100	F	96%	1%	1%	1%	2%	0%	C	0.093	F	0.505	1100	F	2005
						From: 88-622 N, Fairview Rd										
(601) Lewiston Rd	3.73	1500	F	96%	1%	1%	1%	2%	0%	F	0.097	F	0.533	1500	F	2005
						From: 88-614 N, Breaknock Rd										
(601) Lawyers Rd	1.59	2100	F	96%	1%	1%	1%	1%	0%	C	0.09	F	0.566	2200	F	2005
						From: SR 208 S, Courthouse Rd										
(601) Lawyers Rd	2.96	1600	F	96%	1%	1%	1%	1%	0%	F	0.102	F	0.523	1600	F	2005
						From: 88-721 Grand Brooks Rd										
(601) Lawyers Rd	0.97	770	R								NA		NA			10/03/2002
						From: 88-612 Stubbs Bridge Rd										
(601) Lawyers Rd	1.92	690	R								NA		NA			10/07/2002
						From: 88-653 Powell Rd										
(601) Lawyers Rd	2.15	870	F	96%	1%	1%	1%	1%	0%	F	0.092	F	0.55	890	F	2005
						From: 88-652 Belmont Rd										
(601) Lawyers Rd	0.94	1700	F	96%	1%	1%	1%	1%	0%	F	0.088	F	0.619	1700	F	2005
						From: 88-651 Tatum Rd										
(602) Massey Rd	1.71	580	R								NA		NA			10/07/2002
						From: 88-608 Catharpin Rd										
						To: Dead End										
						To: SR 208 Courthouse Rd										
(603) Arcadia Rd	0.70	900	R								NA		NA			10/10/2002
						From: Caroline County Line										
(603) Arcadia Rd	0.89	3200	F	97%	0%	1%	1%	0%	0%	C	0.097	F	0.720	3300	F	2005
						From: 88-605 Marye Rd										
						To: US 1 Jefferson Davis Hwy										
(604) Blanton Rd	1.93	310	R								NA		NA			10/10/2002
						From: 88-605 Marye Rd										
						To: Caroline County Line										
(605) Swift Rd	1.00	110	R								NA		NA			10/24/2005
						From: Dead End										
						To: 88-622 E, Fairview Rd										
(605) Wallers Rd	2.42	650	R								NA		NA			10/08/2002
						From: 88-622 W, Fairview Rd										
(605) Marye Rd	1.95	720	R								NA		NA			10/10/2002
						From: 88-738 N, Partlow Rd										
(605) Marye Rd	3.38	1400	F	97%	1%	1%	0%	1%	0%	F	0.098	F	0.738	1400	F	2005
						From: 88-738 S, Partlow Rd										
(605) Marye Rd	3.16	2200	F	97%	1%	1%	0%	1%	0%	C	0.102	F	0.744	2300	F	2005
						From: 88-658 Shirleys Hill Rd										
(605) Marye Rd	0.26	590	R								NA		NA			10/10/2002
						From: 88-647 Blaydes Corner Rd										
						To: 88-603 Arcadia Rd										
						To: Caroline County Line										
(606) Post Oak Rd	2.67	880	F	93%	1%	2%	2%	3%	0%	F	0.093	F	0.564	910	F	2005
						From: 88-608 Catharpin Rd										
(606) Post Oak Rd	0.93	1500	F	93%	1%	2%	2%	3%	0%	F	0.093	F	0.628	1500	F	2005
						From: 88-612 W, Pamunkey Rd										
(606) Post Oak Rd	3.80	850	F	93%	1%	2%	2%	3%	0%	F	0.104	F	0.537	870	F	2005
						From: 88-612 E, Stubbs Bridge Rd										
(606) Post Oak Rd	4.14	1400	F	93%	1%	2%	2%	3%	0%	C	0.098	F	0.626	1400	F	2005
						From: 88-650 Margo Rd										
(606) Morris Rd	3.15	7700	F	94%	1%	1%	2%	2%	0%	C	0.088	F	0.674	7900	F	2005
						From: SR-208 W, Courthouse Rd										
						From: SR 208 Courthouse Rd; 88-738 Partlow Rd										
						To: 88-617 Hams Ford Rd										

Virginia Department of Transportation
Traffic Engineering Division
2005
Annual Average Daily Traffic Volume Estimates By Section of Route
Spotsylvania Operational Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Spotsylvania County																
(606) Morris Rd	1.41	9900	F	94%	1%	From: 88-617 Hams Ford Rd To: 88-617 Hams Ford Rd				F	0.084	F	0.697	10000	F	2005
(606) Mudd Tavern Rd	0.51	12000	F	93%	1%	From: US 1 Jefferson Davis Hwy To: US 1 Jefferson Davis Hwy				C	0.077	F	0.648	12000	F	2005
(606) Mudd Tavern Rd	1.00	2100	F	93%	1%	From: I-95 To: I-95				C	0.089	F	0.529	2200	F	2005
(607) Guinea Station Rd	1.20	1300	R			From: US 1 Jefferson Davis Hwy To: US 1 Jefferson Davis Hwy					NA			NA		10/21/2002
(607) Guinea Station Rd	2.30	530	R			From: 88-633 Church Pond Rd To: 88-633 Church Pond Rd					NA			NA		10/21/2002
(608) Catharpin Rd	1.04	1900	F	96%	1%	From: Orange County Line To: Orange County Line				F	0.101	F	0.527	1900	F	2005
(608) Catharpin Rd	6.02	1300	F	96%	1%	From: 88-606 Post Oak Rd To: 88-606 Post Oak Rd				F	0.11	F	0.679	1300	F	2005
(608) Catharpin Rd	0.28	2600	F	96%	1%	From: 88-612 W, Pamunkey Rd To: 88-612 W, Pamunkey Rd				C	0.090	F	0.668	2700	F	2005
(608) Robert E Lee Dr	1.85	1300	R			From: 88-612 E, Catharpin Rd To: 88-612 E, Catharpin Rd					NA			NA		10/22/2002
(608) Robert E Lee Dr	2.01	1900	R			From: 88-649 W, Seays Rd To: 88-649 W, Seays Rd					NA			NA		10/22/2002
(608) Robert E Lee Dr	1.65	2100	R			From: 88-693 Gladly Fork Rd To: 88-693 Gladly Fork Rd					NA			NA		10/22/2002
(608) Robert E Lee Dr	0.36	2800	R			From: 88-747 Old Mill Lane To: 88-747 Old Mill Lane					NA			NA		10/22/2002
(608) Robert E Lee Dr	1.17	8000	F	96%	1%	From: 88-648 Block House Rd To: 88-648 Block House Rd				C	0.088	F	0.598	8200	F	2005
(608) Massaponax Church Rd	3.90	3000	F	91%	2%	From: 88-613 Brock Rd To: SR 208 Courthouse Rd				F	0.120	F	0.658	3000	F	2005
(608) Massaponax Church Rd	0.95	9300	F	91%	2%	From: 88-628 Smith Station Rd To: 88-628 Smith Station Rd				C	0.106	F	0.623	9500	F	2005
(608) Massaponax Church Rd	2.56	5900	F	96%	2%	From: US 1 Jefferson Davis Hwy To: US 1 Jefferson Davis Hwy				C	0.102	F	0.597	6100	F	2005
(608) Massaponax Church Rd	1.97	3000	F	96%	2%	From: 88-668 To: 88-668				F	0.111	F	0.509	3100	F	2005
(608) Benchmark Rd	2.65	4000	F	96%	2%	From: US-17 W, Mills Dr To: US-17 E, Mills Dr				F	0.106	F	0.651	4100	F	2005
(609) Thornton Rolling Rd	1.86	1900	R			From: US 17 Bus; SR 2 Tidewater Trail To: US 17 Bus; SR 2 Tidewater Trail					NA			NA		10/21/2002
(609) Jim Morris Rd	1.51	1600	R			From: Caroline County Line To: Caroline County Line					NA			NA		10/21/2002
(610) Elys Ford Rd	3.90	2400	F	97%	1%	From: US 17 Mills Dr To: US 17 Mills Dr				C	0.094	F	0.657	2400	F	2005
(610) Elys Ford Rd	0.98	5200	F	97%	1%	From: Bus US 17, SR 2 Tidewater Trail To: Bus US 17, SR 2 Tidewater Trail				F	0.100	F	0.562	5300	F	2005
(610) Old Plank Rd	1.85	3600	F	98%	1%	From: Culpeper County Line To: Culpeper County Line				F	0.106	F	0.578	3600	F	2005
						From: 88-616 US Ford Rd To: 88-616 US Ford Rd										
						From: SR-3 W, Plank Rd To: SR-3 W, Plank Rd										
						From: 88-612 Catharpin Rd To: 88-612 Catharpin Rd										

Virginia Department of Transportation
Traffic Engineering Division
2005
Annual Average Daily Traffic Volume Estimates By Section of Route
Spotsylvania Operational Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Spotsylvania County																
(610) Old Plank Rd	2.85	12000	F	98%	1%	1%	0%	0%	0%	C	0.086	F	0.624	13000	F	2005
						From: 88-612 Catharpin Rd										
(610) Old Plank Rd	0.21	3300	F	98%	1%	1%	0%	0%	0%	F	0.089	F	0.554	3600	F	2005
						From: 88-620 E, Harrison Rd										
(610) Old Plank Rd	0.51	5200	F	98%	1%	1%	0%	0%	0%	F	0.087	F	0.898	5700	F	2005
						From: 88-627 Gordon Rd										
						To: SR-3 E, Plank Rd										
(611) Windy Acres Lane	0.35	170	R								NA			NA		09/10/2002
						From: Dead End										
(611) Windy Acres Lane	0.20	200	R								NA			NA		08/08/2005
						From: 88-682 Parker Lane										
(611) Windy Acres Lane	1.10	310	R								NA			NA		08/08/2005
						From: 88-621 Orange Plank Rd										
						To: Orange County Line										
(612) Monrovia Rd	1.46	620	R								NA			NA		10/03/2002
						From: Orange County Line										
(612) Monrovia Rd	2.53	470	F	95%	1%	2%	1%	1%	0%	F	0.111	F	0.541	480	F	2005
						From: US 522 Zachary Taylor Hwy										
(612) Stubbs Bridge Rd	0.38	1100	F	95%	1%	2%	1%	1%	0%	C	0.093	F	0.509	1100	F	2005
						From: 88-719 W, Days Bridge Rd										
						To: 88-719 E, Days Bridge Rd										
(612) Stubbs Bridge Rd	3.87	900	F	95%	1%	2%	1%	1%	0%	F	0.092	F	0.704	930	F	2005
						From: 88-663 Comfort Lane										
(612) Stubbs Bridge Rd	3.18	750	F	95%	1%	2%	1%	1%	0%	F	0.094	F	0.742	770	F	2005
						From: 88-601 Lawyers Rd										
(612) Pamunkey Rd	4.14	840	F	98%	0%	1%	1%	0%	0%	F	0.099	F	0.846	860	F	2005
						From: 88-606 W, Post Oak Rd										
(612) Catharpin Rd	3.24	1800	F	98%	0%	1%	1%	0%	0%	F	0.088	F	0.697	1800	F	2005
						From: 88-608 E, Robert E Lee Dr										
(612) Catharpin Rd	4.30	3300	F	98%	0%	1%	1%	0%	0%	C	0.083	F	0.621	3400	F	2005
						From: 88-613 Brock Rd										
						To: 88-610 Old Plank Rd										
(613) Brock Rd	1.63	4700	F	94%	3%	1%	2%	0%	0%	C	0.099	F	0.533	4800	F	2005
						From: SR 208 Courthouse Rd										
(613) Brock Rd	4.01	4000	F	94%	3%	1%	2%	0%	0%	F	0.101	F	0.567	4100	F	2005
						From: 88-648 Block House Rd										
(613) Brock Rd	4.78	3400	F	94%	3%	1%	2%	0%	0%	F	0.096	F	0.612	3400	F	2005
						From: 88-612 S, Catharpin Rd										
(613) Brock Rd	1.52	4200	F	94%	3%	1%	2%	0%	0%	F	0.089	F	0.525	4200	F	2005
						From: 88-621 Orange Plank Rd										
						To: SR 3 Plank Rd										
(614) Breaknock Rd	0.20	8	R								NA			NA		10/08/2002
						From: Dead End										
(614) Breaknock Rd	1.30	230	R								NA			NA		10/08/2002
						From: 88-1520 Billman Dr										
(614) Dickerson Rd	1.60	450	R								NA			NA		10/08/2002
						From: 88-601 N, Lewiston Rd										
						To: 88-601 S, Lewiston Rd										
(614) Dickerson Rd	1.57	470	R								NA			NA		10/31/2005
						From: 88-657 Edenton Rd										
(614) Dickerson Rd	0.20	680	R								NA			NA		10/31/2005
						From: 88-1797 Wilton Lane										
						To: 0.20 ME 88-1797										

Virginia Department of Transportation
Traffic Engineering Division
2005
Annual Average Daily Traffic Volume Estimates By Section of Route
Spotsylvania Operational Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Spotsylvania County																
614 Dickerson Rd	0.43	830	R				0.20 ME 88-1797					NA		NA		10/31/2005
614 Duerson Lane	1.95	790	R				88-656 Towles Rd					NA		NA		10/08/2002
							88-738 Partlow Rd									
615 Rapidan Dr	0.45	740	R				88-610 Elys Ford Rd					NA		NA		09/04/2002
615 Rapidan Dr	0.47	550	R				88-753 Rapidan Rd					NA		NA		09/04/2002
615 Rapidan Dr	1.10	310	R				0.47 MN 88-753					NA		NA		09/04/2002
							Dead End									
616 US Ford Rd	2.29	1800	R				88-610 Elys Ford Rd					NA		NA		09/04/2002
							88-620 Spottswood Furnace Rd									
617 Hams Ford Rd	1.80	130	R				88-605 Marye Rd					NA		NA		11/02/2005
617 Hams Ford Rd	1.20	1000	R				88-645 Sunset Rd					NA		NA		10/10/2002
							88-606 Morris Rd									
618 River Rd	0.76	1100	R				SR 3 Plank Rd					NA		NA		10/17/2002
618 River Rd	0.14	1400	R				88-1790					NA		NA		10/17/2002
618 River Rd	0.05	2600	R				0.14 ME 88-1790					NA		NA		10/30/2005
618 River Rd	0.38	2500	R				88-1794					NA		NA		10/03/2005
618 River Rd	0.82	2400	R				88-1736					NA		NA		10/03/2005
618 River Rd	1.47	1600	R				88-620 Spottswood Furnace Rd					NA		NA		10/17/2002
618 River Rd	0.67	2000	R				88-1740 River Bluffs Dr					NA		NA		10/17/2002
618 River Rd	1.14	2100	R				88-1737 Sedgwick Dr					NA		NA		10/17/2002
618 River Rd	1.33	2200	R				88-1750 Riverdowns Dr					NA		NA		10/17/2002
618 River Rd	0.91	2500	R				1.33 ME 88-1750					NA		NA		10/17/2002
							88-639 Bragg Rd									
619 Mill Rd	1.25	710	R				88-620 Spottswood Furnace Rd					NA		NA		10/22/2002
619 Mill Rd	0.30	130	R				88-1033					NA		NA		10/22/2002
							Cul-de-Sac									
620 Spottswood Furnace Rd	1.24	810	R				88-610 Elys Ford Rd					NA		NA		09/04/2002
620 Spottswood Furnace Rd	0.74	180	R				88-1733 Antler Rd					NA		NA		09/04/2002
620 Spottswood Furnace Rd	1.80	260	R				0.74 ME 88-1733					NA		NA		10/03/2005
							88-616 US Ford Rd									

Virginia Department of Transportation
Traffic Engineering Division
2005
Annual Average Daily Traffic Volume Estimates By Section of Route
Spotsylvania Operational Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Spotsylvania County																
(620) Spotswood Furnace Rd	1.92	240	R			From: 88-616 US Ford Rd					NA			NA		10/03/2005
(620) Spotswood Furnace Rd	2.65	970	R			From: 88-618 River Rd					NA			NA		10/17/2002
(620) Harrison Rd	0.49	4300	F	99%	0%	From: SR 3 W, Plank Rd To: SR 3 E, Plank Rd				F	0.087	F	0.714	4700	F	2005
(620) Harrison Rd	0.59	13000	F	99%	0%	From: 88-627 Gordon Rd				F	0.102	F	0.599	14000	F	2005
(620) Harrison Rd	1.09	16000	F	99%	0%	From: 88-706 Cherry Rd				F	0.099	F	0.597	18000	F	2005
(620) Harrison Rd	1.73	14000	F	99%	0%	From: 88-639 W, Leavells Rd				C	0.102	F	0.662	16000	F	2005
(620) Harrison Rd	0.92	17000	F	99%	0%	From: 88-1344				F	0.129	F	0.805	19000	F	2005
(620) Harrison Rd	0.18	5400	F	99%	0%	From: US 1 Jefferson Davis Hwy To: Bus US 1 Lafayette Blvd				C	0.096	F	0.543	5900	F	2005
(621) Orange Plank Rd	1.60	1700	R			From: Orange County Line					NA			NA		09/10/2002
(621) Orange Plank Rd	3.30	3800	F	93%	2%	From: 88-611 Windy Acres Lane				C	0.087	F	0.568	3900	F	2005
(621) Orange Plank Rd	2.10	6100	R			From: 88-613 Brock Rd					NA			NA		09/10/2002
(622) Lucks Rd	0.95	160	R			From: Dead End					NA			NA		10/08/2002
(622) Fairview Rd	1.20	1300	R			From: 88-601 S; Arritt Rd To: 88-601 Lewiston Rd; Arritt Rd					NA			NA		10/08/2002
(622) Fairview Rd	1.60	840	R			From: 88-605 W; Wallers Rd To: 88-605 W, Wallers Rd					NA			NA		10/10/2002
(623) Stewart Rd	0.90	120	R			From: 88-738 Partlow Rd To: 88-613 Brock Rd					NA			NA		10/17/2005
(624) Piney Branch Rd	2.10	900	R			From: 88-612 Catharpin Rd					NA			NA		10/22/2002
(625) Ashby Dr	0.50	1000	R			From: Dead End					NA			NA		09/12/2002
(625) Ashby Dr	1.00	2000	R			From: 88-714 Cloverdale St					NA			NA		09/12/2002
(626) Andora Dr	0.41	8200	R			From: 88-674 Chancellor Rd					NA			NA		09/12/2002
(627) Gordon Rd	1.45	3800	F	98%	0%	From: 88-610 Old Plank Rd					NA			NA		09/12/2002
(627) Gordon Rd	2.07	4900	F	98%	0%	From: 88-613 Brock Rd				F	0.097	F	0.668	3900	F	2005
(627) Gordon Rd	0.91	12000	F	98%	0%	From: 88-732 Mallard Point Lane				F	0.091	F	0.685	5000	F	2005
(627) Gordon Rd	0.91	12000	F	98%	0%	From: 88-628 Smith Station Rd				F	0.088	F	0.599	12000	F	2005
						To: 88-674 Chancellor Rd										

Virginia Department of Transportation
Traffic Engineering Division
2005
Annual Average Daily Traffic Volume Estimates By Section of Route
Spotsylvania Operational Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Spotsylvania County																
(627) Gordon Rd	1.42	16000	F	98%	0%	1%	1%	0%	0%	C	0.082	F	0.647	18000	F	2005
						From: 88-674 Chancellor Rd										
(627) Gordon Rd	0.12	15000	F	98%	0%	1%	1%	0%	0%	F	0.080	F	0.619	16000	F	2005
						From: 88-620 Harrison Rd										
						To: 88-610 Plank Rd										
(628) Smith Station Rd	1.79	6500	R								NA			NA		09/16/2002
						From: 88-608 Massaponax Church Rd										
(628) Smith Station Rd	1.50	7700	R								NA			NA		09/16/2002
						From: 88-639 Leavells Rd										
(628) Smith Station Rd	1.60	9000	F	97%	0%	1%	2%	0%	0%	C	0.093	F	0.575	9800	F	2005
						From: SR 208 Courthouse Rd										
(628) Smith Station Rd	0.91	6100	F	97%	0%	1%	2%	0%	0%	F	0.093	F	0.569	6300	F	2005
						From: 88-1157										
						To: 88-627 Gordon Rd										
(629) Foster Rd	0.56	5000	R								NA			NA		11/19/2005
						From: 88-628 Smith Station Rd										
						To: SR 208 Courthouse Rd										
(630) Corene Rd	0.38	20	R								NA			NA		10/24/2005
						From: 88-655 Ridge Rd										
						To: SR 208 Courthouse Rd										
(631) American Legion Dr	0.05	790	R								NA			NA		08/03/2005
						From: SR 208 Courthouse Rd										
(631) American Legion Dr	0.16	810	R								NA			NA		08/03/2005
						From: 88-742										
						To: SR 208 Courthouse Rd										
(632) Roxbury Mill Rd South	1.00	490	R								NA			NA		10/21/2002
						From: US 1 S, Jefferson Davis Hwy										
(632) Roxbury Mill Rd South	0.12	70	R								NA			NA		10/31/2005
						From: 1.00 MN US 1										
(632) Roxbury Mill Rd North	0.96	1300	R								NA			NA		11/02/2005
						From: Dead End: Gap										
(632) Hickory Ridge Rd	3.40	950	R								NA			NA		10/21/2002
						From: US 1 MID, Jefferson Davis Hwy										
						To: US 1 N, Jefferson Davis Hwy										
(633) Church Pond Rd	1.40	1000	R								NA			NA		10/21/2002
						From: 88-607 Guinea Station Rd										
						To: 88-608 Massaponax Church Rd										
(634) Flippo Dr	2.60	150	R								NA			NA		10/21/2002
						From: 88-607 Guinea Station Rd										
						To: 88-608 Massaponax Church Rd										
(635) Lee Hill School Dr	2.53	3600	R								NA			NA		09/09/2002
						From: US 17 Mills Dr										
						To: 88-736 Eagle Dr										
(636) Ewell Rd	0.09	1600	R								NA			NA		11/14/2005
						From: SR 208 E, Courthouse Rd										
(636) Ewell Rd	0.30	1400	R								NA			NA		11/14/2005
						From: 88-1209 Pegram Lane										
(636) Hood Dr	0.44	13000	R								NA			NA		11/14/2005
						From: SR 208 W, Courthouse Rd										
(636) Mine Rd	1.47	15000	F	97%	1%	1%	1%	0%	0%	C	0.087	F	0.510	16000	F	2005
						From: US 1 Jefferson Davis Hwy										
(636) Mine Rd	2.30	5800	F	97%	1%	1%	1%	0%	0%	F	0.093	F	0.643	6000	F	2005
						From: 88-638 Lansdowne Rd										
						To: 88-608 Benchmark Rd										

Virginia Department of Transportation
Traffic Engineering Division
2005
Annual Average Daily Traffic Volume Estimates By Section of Route
Spotsylvania Operational Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year	
						2Axle	3+Axle	1Trail	2Trail								
Spotsylvania County																	
(637)	0.09	40	R								NA			NA		09/25/2002	
(638)	Lansdowne Rd	1.92	7100	F	96%	1%	1%	1%	1%	0%	C	0.093	F	0.71	7800	F	2005
(639)	Leavells Rd	1.48	3000	R							NA			NA		08/26/2002	
(639)	Leavells Rd	0.43	6600	R							NA			NA		08/26/2002	
(639)	Leavells Rd	0.69	8900	R							NA			NA		08/26/2002	
(639)	Leavells Rd	2.08	24000	F	98%	1%	0%	0%	0%	0%	F	0.092	F	0.515	26000	F	2005
(639)	Salem Church Rd	1.45	27000	F	98%	1%	0%	0%	0%	0%	C	0.094	F	0.561	30000	F	2005
(639)	Bragg Rd	0.91	16000	F	98%	1%	0%	0%	0%	0%	F	0.086	F	0.681	17000	F	2005
(640)	Black Meadow Rd	1.60	830	R							NA			NA		10/03/2005	
(641)	Gatewood Rd	0.20	170	R							NA			NA		10/08/2002	
(642)	Woolfolk Rd	0.80	150	R							NA			NA		09/26/2005	
(643)	Haleys Mill Rd	2.50	190	R							NA			NA		10/24/2005	
(643)	Williams Lane	0.96	100	R							NA			NA		10/24/2005	
(644)	Village Dr	0.09	120	R							NA			NA		08/27/2002	
(644)	Marshall Dr	0.07	70	R							NA			NA		08/27/2002	
(645)	Sunset Rd	1.20	550	R							NA			NA		10/10/2002	
(645)	Sunset Rd	0.85	660	R							NA			NA		10/10/2002	
(645)	Sunset Rd	0.25	840	R							NA			NA		10/31/2005	
(646)	Stanfield Rd	3.48	270	R							NA			NA		10/10/2002	
(647)	Twilight Lane	0.10	90	R							NA			NA		11/02/2005	
(647)	Blaydes Corner Rd	3.80	450	R							NA			NA		10/10/2002	

Virginia Department of Transportation
Traffic Engineering Division
2005
Annual Average Daily Traffic Volume Estimates By Section of Route
Spotsylvania Operational Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Spotsylvania County																
(648) Block House Rd	2.26	830	R				From: 88-738 Partlow Rd				NA			NA		10/31/2005
(648) Block House Rd	1.15	1000	R				To: 2.26 MN 88-738				NA			NA		10/31/2005
(648) Block House Rd	2.94	6900	F	94%	1%	1%	2%	1%	0%	C	0.093	F	0.568	7000	F	2005
(648) Block House Rd	1.12	2300	F	94%	1%	1%	2%	1%	0%	F	0.104	F	0.556	2400	F	2005
(649) Seays Rd	1.10	750	R				From: 88-606 Post Oak Rd				NA			NA		10/22/2002
(649) Seays Rd	1.20	860	R				To: 88-703 Mastin Lane				NA			NA		10/22/2002
(649) Mill Pond Rd	2.30	480	R				From: 88-608 W, Robert E Lee Dr 88-608 E, Robert E Lee Dr				NA			NA		10/22/2002
(650) Margo Rd	1.30	430	R				To: 88-612 Catharpin Rd				NA			NA		10/07/2002
(651) Tatum Rd	0.10	390	R				From: 88-733 Brockenburg Rd				NA			NA		10/07/2002
(651) Houston Lane	0.25	40	R				To: 88-606 Post Oak Rd				NA			NA		09/27/2005
(652) Belmont Rd	1.00	460	R				From: Orange County Line				NA			NA		10/03/2002
(652) Belmont Rd	2.10	420	R				To: 88-601 Lawyers Rd				NA			NA		10/03/2002
(653) Orange Springs Rd	1.90	200	R				From: 88-719 Days Bridge Rd				NA			NA		10/03/2002
(653) Jones Powell Rd	1.70	310	R				To: 88-652 N, Belmont Rd 88-652 S, Belmont Rd				NA			NA		10/03/2002
(654) Windway Dr	0.55	120	R				From: 88-601 Lawyers Rd				NA			NA		09/26/2005
(654) Windway Dr	0.03	2	R				To: 88-612 Monrovia Rd				NA			NA		09/26/2005
(655) Ridge Rd	1.78	260	R				From: SR 208 Courthouse Rd				NA			NA		10/07/2002
(655) Ridge Rd	1.45	250	R				To: 88-1545 Windway Dr				NA			NA		10/07/2002
(656) Towles Mill Rd	2.77	390	R				From: 88-601 Lawyers Rd				NA			NA		10/31/2005
(656) Towles Mill Rd	0.13	700	R				To: 88-614 Dickerson Rd				NA			NA		10/31/2005
(656) Towles Mill Rd	2.30	590	R				From: 88-614 Dickerson Rd				NA			NA		10/07/2002
							To: 2.77 MN 88-614				NA			NA		10/07/2002
							From: 88-691 Block Rock Dr				NA			NA		10/07/2002
							To: SR 208 Courthouse Rd				NA			NA		10/07/2002

Virginia Department of Transportation
Traffic Engineering Division
2005
Annual Average Daily Traffic Volume Estimates By Section of Route
Spotsylvania Operational Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Spotsylvania County																
(657) Edenton Rd	3.40	210	R											NA		10/08/2002
(658) Mount Olive Rd	3.10	500	R											NA		10/10/2002
(658) Shirleys Hill Rd	2.00	410	F	95%	3%	0%	0%	1%	0%	C	0.103	F	0.575	420	F	2005
(659) Lanes Corner Rd	2.80	130	R											NA		10/24/2005
(660) Len Hart Lane	0.70	90	R											NA		11/02/2005
(661) Hudgins Rd	0.30	1800	R											NA		11/09/2005
(661) Hudgins Rd	0.31	1400	R											NA		11/09/2005
(662) Log Cabin Rd	1.92	70	R											NA		11/02/2005
(663)	0.97	280	R											NA		10/03/2002
(664) Granite Springs Rd	1.10	130	R											NA		09/27/2005
(665) Belfonte Rd	0.60	370	R											NA		10/08/2002
(665) Belfonte Rd	1.40	270	R											NA		10/24/2005
(666) Tribble Rd	0.57	70	R											NA		11/02/2005
(667) Robinson Rd	0.80	170	R											NA		10/24/2005
(667) Robinson Rd	0.41	20	R											NA		10/07/2002
(668)	2.84	300	R											NA		10/21/2002
(669)	0.27	110	R											NA		10/10/2002
(669) Trivette Rd	0.33	60	R											NA		11/02/2005
(669) Butler Rd	1.39	100	R											NA		11/02/2005
(669) Butler Rd	0.81	200	R											NA		11/02/2005

Virginia Department of Transportation
Traffic Engineering Division
2005
Annual Average Daily Traffic Volume Estimates By Section of Route
Spotsylvania Operational Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Spotsylvania County																
(669) Smith Rd	1.15	40	R			From: 88-738 N, Partlow Rd					NA			NA		11/02/2005
						To: Caroline County Line										
(670) Winding Rd	1.65	420	R			From: 88-738 Partlow Rd					NA			NA		10/10/2002
						To: 88-605 Marye Rd										
(671)	0.41	510	R			From: SR 208 Courthouse Rd					NA			NA		09/25/2002
						To: 88-1031										
(672)	0.44	240	R			From: 88-608 Massaponax Church Rd					NA			NA		10/21/2002
						To: Dead End										
(673) Piedmont Dr	0.30	4900	R			From: 88-628 Smith Station Rd					NA			NA		08/29/2005
						To: 88-1154 Fawn Circle										
(673) Piedmont Dr	0.68	5900	R			From: 88-1100 Deerskin Dr					NA			NA		09/12/2005
						To: 88-1100 Deerskin Dr										
(673) Piedmont Dr	1.20	8100	R			From: 88-620 Harrison Rd					NA			NA		09/14/2005
						To: 88-620 Harrison Rd										
(674) Chancellor Rd	0.50	3700	R			From: 88-610 Old Plank Rd					NA			NA		09/17/2002
						To: 88-625 Ashby Dr										
(674) Chancellor Rd	0.60	3500	R			From: 0.60 M SE 88-625					NA			NA		09/18/2002
						To: 88-627 Gordon Rd										
(674) Chancellor Rd	0.90	5200	R			From: 88-610 Old Plank Rd					NA			NA		09/18/2002
						To: 88-627 Gordon Rd										
(675) Five Mile Rd	1.00	860	R			From: SR 3 Plank Rd					NA			NA		09/20/2005
						To: Dead End										
(676) Cookstown Rd	0.90	140	R			From: 88-613 Brock Rd					NA			NA		08/08/2005
						To: Dead End										
(677)	0.23	620	R			From: Dead End					NA			NA		09/25/2002
						To: US 1 Jefferson Davis Hwy										
(678) Shepherds Rd	3.03	610	R			From: 88-605 Marye Rd					NA			NA		11/02/2005
						To: Dead End										
(679)	1.10	310	R			From: Caroline County Line					NA			NA		10/10/2002
						To: 88-738 Partlow Rd										
(680) Granite Springs Rd	1.20	280	R			From: 88-664 Granite Springs Rd					NA			NA		09/27/2005
						To: 1.20 MN 88-664										
(680) Granite Springs Rd	1.00	350	R			From: 88-601 Lawyers Rd					NA			NA		09/27/2005
						To: 88-601 Lawyers Rd										
(681) Lorraine Ave	0.12	930	R			From: US 1 Bus; Lafayette Blvd					NA			NA		08/18/2005
						To: 88-1201 Madeline Ave										
(681) Lorraine Ave	0.12	850	R			From: 88-1204 Laurel Ave; 88-1219					NA			NA		08/18/2005
						To: 88-1222 Lorraine Ct										
(681) Lorraine Ave	0.09	690	R			From: 88-9393 Spotswood Elementary School					NA			NA		08/18/2005
						To: 88-9393 Spotswood Elementary School										

Virginia Department of Transportation
Traffic Engineering Division
2005
Annual Average Daily Traffic Volume Estimates By Section of Route
Spotsylvania Operational Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Spotsylvania County																
(681) Lorraine Ave	0.08	430	R			From: 88-9393 Spotswood Elementary School					NA			NA		08/18/2005
						To: 88-1370 Ann Davis Dr										
(682) Parker Lane	0.95	60	R			From: 88-611 Windy Acres Lane					NA			NA		08/08/2005
						To: Dead End										
(683) Bartlett Lane	0.17	30	R			From: Dead End					NA			NA		10/05/2005
						To: 88-698 Harry Lee Dr										
(683) Bartlett Lane	0.30	40	R			From: 88-698 Harry Lee Dr					NA			NA		10/05/2005
						To: Dead End										
(684) Craigs Church Lane	0.65	280	R			From: 88-608 Catharpin Rd					NA			NA		09/27/2005
						To: 88-754 Hayden Rd										
(684) Craigs Church Lane	0.95	150	R			From: 88-754 Hayden Rd					NA			NA		09/27/2005
						To: Dead End										
(685) Pritchett Rd	0.45	150	R			From: Dead End					NA			NA		10/22/2002
						To: 88-648 Block House Rd										
(686)	0.16	140	R			From: US 1 Jefferson Davis Hwy					NA			NA		08/05/2002
						To: US 1 Bus										
(687) Shirley Rd	1.20	70	R			From: 88-653 Orange Springs Rd					NA			NA		09/27/2005
						To: Orange County Line										
(688)	1.01	440	R			From: SR 3 Plank Rd					NA			NA		09/03/2002
						To: Dead End										
(689) Gentry Lane	0.30	60	R			From: 88-601 Lewiston Rd					NA			NA		10/24/2005
						To: Dead End										
(690) Peppertree Rd	0.40	20	R			From: Dead End					NA			NA		08/08/2005
						To: 0.40 MN Dead End										
(690) Peppertree Rd	0.60	120	R			From: 0.40 MN Dead End					NA			NA		08/08/2005
						To: 88-600 Herndon Rd										
(691) Black Rock Dr	1.51	170	R			From: 88-656 Towles Rd					NA			NA		10/07/2002
						To: SR 208 Courthouse Rd										
(692) Sunnybrook Farm Rd	0.75	70	R			From: Dead End					NA			NA		10/31/2005
						To: 88-608 Robert E Lee Dr										
(693) Gladly Fork Rd	0.40	40	R			From: 88-608 Robert E Lee Dr					NA			NA		10/31/2005
						To: Dead End										
(694) Heatherstone Dr	0.35	3400	R			From: SR 3 Plank Rd					NA			NA		02/02/2005
						To: 88-745										
(694) Heatherstone Dr	0.13	1900	R			From: 88-745					NA			NA		02/02/2005
						To: 88-1160 Duke of Gloucester St										
(694) Heatherstone Dr	0.37	360	R			From: 88-1160 Duke of Gloucester St					NA			NA		02/02/2005
						To: Dead End										
(695)	0.16	750	R			From: US 1 Jefferson Davis Hwy					NA			NA		08/05/2002
						To: US 1 Bus										

Virginia Department of Transportation
Traffic Engineering Division
2005
Annual Average Daily Traffic Volume Estimates By Section of Route
Spotsylvania Operational Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Spotsylvania County																
(696) Sullivan Rd	1.10	70	R													09/27/2005
(697) Red Hill Rd	0.50	480	R													10/22/2002
(698) Harry Lee Dr	0.10	110	R													10/05/2005
(699) French Acors Rd	0.96	270	R													10/10/2002
(700)	0.20	660	R													10/29/2002
(701) Rumsey Lane	0.70	40	R													10/31/2005
(702) Curtis Lane	0.90	150	R													10/31/2005
(703) Mastin Lane	0.20	110	R													10/31/2005
(704) Hadamar Rd	1.05	160	R													11/02/2005
(705) Jennings Lane	0.50	150	R													10/31/2005
(706) Cherry Rd	0.65	1600	F	98%	0%	1%	0%	0%	0%	C	0.095	F	0.517	1800	F	2005
(707) Chewning Lane	0.40	230	R													09/03/2002
(707) Chewning Lane	0.06	350	R													09/20/2005
(708) Bernstein Rd	0.18	120	R													09/03/2002
(709) Alsop Town Rd	0.54	240	R													10/31/2005
(710) Taskforce Dr	0.16	3900	R													09/14/2005
(710) Maple Grove Dr	0.16	4400	R													09/20/2005
(710) Bragg Rd	0.27	2000	R													09/20/2005
(710) Bragg Rd	0.11	950	R													09/20/2005
(711) Southpoint Pkwy	0.11	13000	R													08/15/2005

Virginia Department of Transportation
Traffic Engineering Division
2005
Annual Average Daily Traffic Volume Estimates By Section of Route
Spotsylvania Operational Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Spotsylvania County																
(711) Rollingwood Dr	0.31	580	R				From: SR 208 Courthouse Rd					NA		NA		08/15/2005
(711) Rollingwood Dr	0.27	230	R				To: 88-746					NA		NA		08/15/2005
(712) Bradley Lane	0.40	150	R				From: SR 208 Courthouse Rd					NA		NA		10/24/2005
(713)	1.41	160	R				To: Dead End					NA		NA		10/08/2002
(714) Cloverdale St	0.36	48	R				From: Dead End					NA		NA		09/29/2005
(714) Cloverdale St	0.34	530	R				To: 0.36 MN Dead End					NA		NA		09/29/2005
(715) Camp Town Rd	0.50	320	R				From: 88-648 Block House Rd					NA		NA		10/31/2002
(716) Southgate Ave	0.28	320	R				To: Dead End					NA		NA		08/27/2002
(716) Southgate Ave	0.05	110	R				From: Bus US 1 Lafayette Blvd					NA		NA		08/27/2002
(718) Hebron Church Rd	0.60	180	R				To: 88-1219 Bancroft Rd					NA		NA		10/31/2005
(719) Days Bridge Rd	2.83	260	R				From: Dead End					NA		NA		10/03/2002
(719) Days Bridge Rd	1.83	750	R				To: SR 208 Courthouse Rd					NA		NA		10/13/2002
(719) Days Bridge Rd	1.18	1100	R				From: Orange County Line					NA		NA		10/03/2002
(720) Confederate Cemetery	0.25	20	R				To: 88-652 Belmont Rd					NA		NA		08/01/2005
(721) Grand Brooks Rd	4.01	200	R				From: 88-612 E. Stubbs Bridge Rd					NA		NA		10/24/2005
(722) Tanglewood Rd	0.82	500	R				To: Louisa County Line					NA		NA		09/16/2002
(722) Tanglewood Rd	0.08	60	R				From: Dead End					NA		NA		10/31/2005
(723) Dovey Rd	0.92	120	R				To: 88-1430					NA		NA		10/03/2002
(724) Wigglesworth Rd	0.50	20	R				From: Dead End					NA		NA		11/02/2005
(725) Talley Rd	0.70	120	R				To: 88-612 Stubbs Bridge Rd					NA		NA		10/17/2005
							From: Dead End					NA		NA		10/17/2005
							To: 88-658 Mount Olive Rd					NA		NA		10/17/2005
							From: Dead End					NA		NA		10/17/2005
							To: 88-613 Brock Rd					NA		NA		10/17/2005

Virginia Department of Transportation
Traffic Engineering Division
2005
Annual Average Daily Traffic Volume Estimates By Section of Route
Spotsylvania Operational Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Spotsylvania County																
(726) Ryland Payne Rd	0.65	100	R											NA		10/24/2005
(727) Rosser St	0.20	60	R											NA		10/05/2005
(728) Wheeler Rd	0.65	210	R											NA		10/31/2005
(729)	0.19	830	R											NA		08/05/2002
(730)	0.16	110	R											NA		08/05/2002
(732) Mallard Point Rd	0.30	40	R											NA		08/03/2005
(733) Brockenburg Rd	0.68	360	R											NA		10/07/2002
(734)	0.80	340	R											NA		10/22/2002
(735)	0.09	400	R											NA		10/22/2002
(736) Eagle Dr	0.05	2000	R											NA		10/22/2002
(736)	0.36	70	R											NA		10/21/2002
(738) Partlow Rd	1.98	1600	F	96%	0%	1%	1%	2%	0%	F	0.094	F	0.568	1700	F	2005
(738) Partlow Rd	2.97	1600	F	96%	0%	1%	1%	2%	0%	C	0.087	F	0.528	1600	F	2005
(738) Partlow Rd	3.83	2500	F	96%	0%	1%	1%	2%	0%	F	0.085	F	0.709	2500	F	2005
(738) Partlow Rd	1.74	3200	F	96%	0%	1%	1%	2%	0%	F	0.089	F	0.749	3300	F	2005
(738) Partlow Rd	2.01	3800	F	96%	0%	1%	1%	2%	0%	F	0.087	F	0.763	3900	F	2005
(739) Dickenson Dr	0.03	360	R											NA		07/31/2002
(739) Dickenson Dr	0.31	290	R											NA		07/31/2002
(740) Wrights Lane	0.05	930	R											NA		09/03/2002
(740) Wrights Lane	0.04	20	R											NA		09/03/2002

Virginia Department of Transportation
Traffic Engineering Division
2005
Annual Average Daily Traffic Volume Estimates By Section of Route
Spotsylvania Operational Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Spotsylvania County																
(741)		0.02	1100	R										NA		09/03/2002
(742)	Timberbrook Lane	0.54	100	R										NA		10/24/2005
(743)	Lewis Thorburn Rd	0.79	1800	R										NA		09/17/2002
(744)	Dogwood Ave	0.26	140	R										NA		07/31/2002
(745)		0.13	70	R										NA		09/03/2002
(745)		0.18	490	R										NA		09/03/2002
(746)		0.05	120	R										NA		09/23/2002
(747)	Old Mill Lane	1.54	180	R										NA		10/31/2005
(747)	Old Mill Lane	0.35	630	R										NA		10/31/2005
(748)	Three Cedars Lane	0.12	80	R										NA		08/31/2005
(748)		0.91	2900	R										NA		08/07/2002
(749)	Old Telegraph Rd	0.44	100	R										NA		10/31/2005
(750)	Lee Dr	0.30	60	R										NA		09/12/2002
(752)	Fenton Rd	0.49	90	R										NA		10/24/2005
(753)	Rapidan Rd	0.45	230	R										NA		10/03/2005
(754)	Hayden Rd	0.30	40	R										NA		09/27/2005
(755)		0.17	30	R										NA		09/09/2002
(756)		0.41	2800	R										NA		03/14/2002
(756)		0.43	1800	R										NA		03/14/2002
(757)	Moss Lane	0.27	6	R										NA		10/24/2005

Virginia Department of Transportation
Traffic Engineering Division
2005
Annual Average Daily Traffic Volume Estimates By Section of Route
Spotsylvania Operational Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Spotsylvania County																
(758) Lee Hill Park Rd	0.20	980	R			From: 88-635 Lee Hill School Dr					NA			NA		10/19/2005
						To: Dead End										
(759) Orrock Lane	0.73	20	R			From: FR-163 Mallard Rd					NA			NA		10/31/2005
						To: Caroline County Line										
(760) Willow Oaks Dr	0.20	1500	R			From: SR 3 Plank Rd					NA			NA		09/08/2005
						To: 88-1755 S, McClain St										
(760) Corter Ave	0.11	1000	R			From: 88-1755 N, McClain St					NA			NA		09/08/2005
						To: 88-1755 N, McClain St										
(760) Corter Ave	0.06	960	R			From: 88-1756 Willow Woods Dr					NA			NA		09/08/2005
						To: 88-1756 Willow Woods Dr										
(760) Corter Ave	0.05	800	R			From: 88-1757 Drew Lane					NA			NA		09/08/2005
						To: 88-1757 Drew Lane										
(760) Corter Ave	0.11	670	R			From: 88-1758 Middleton Dr					NA			NA		09/08/2005
						To: 88-1758 Middleton Dr										
(762) White Shop Rd	0.30	30	R			From: Dead End					NA			NA		09/26/2005
						To: 88-719 Days Bridge Rd										
(763) Don Rd	0.60	60	R			From: 88-719 Days Bridge Rd					NA			NA		09/26/2005
						To: Dead End										
(764)	0.53	390	R			From: 88-639 Leavells Rd					NA			NA		08/07/2002
						To: 88-1292										
(765) Crossroads Pkwy	0.47	110	R			From: Dead End					NA			NA		10/21/2002
						To: Bus US 17 Mills Dr										
(766) Nyland Rd	0.61	110	R			From: Cul-de-Sac					NA			NA		11/02/2005
						To: 88-634 Flippo Dr										
(767) Wildwood Court	0.11	49	R			From: Dead End					NA			NA		08/11/2005
						To: 88-635 Lee Hill School Dr										
(768) Blount Dr	1.28	90	R			From: Dead End					NA			NA		10/24/2005
						To: 88-601 Lewistown Rd										
(770) Northeast Dr	0.64	1300	R			From: Dead End					NA			NA		08/11/2005
						To: FR-696 Overview Dr										
(771) Cosner Dr	0.31	1300	R			From: Dead End					NA			NA		08/11/2005
						To: FR-696 Overview Dr										
(771) Cosner Dr	0.03	4200	R			From: US 17; 88-1035					NA			NA		08/11/2005
						To: US 17; 88-1035										
(775)	0.06	3100	R			From: 88-639 Salem Church Rd					NA			NA		1999
						To: 88-776										
(776)	0.09	90	R			From: Cul-de-Sac					NA			NA		1999
						To: 88-775										
(776)	0.17	3100	R			From: 88-1118 Norris Dr					NA			NA		1999
						To: 88-1118 Norris Dr										

Virginia Department of Transportation
Traffic Engineering Division
2005
Annual Average Daily Traffic Volume Estimates By Section of Route
Spotsylvania Operational Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Spotsylvania County																
(777) Round Hill Rd	0.16	90	R								NA			NA		10/17/2005
(778) Landon Lane	0.07	30	R								NA			NA		10/17/2005
(780) Corridor Dr	0.58	650	R								NA			NA		08/03/2005
(790)	0.07	240	R								NA			NA		10/29/2002
(990)	0.85	170	R								NA			NA		10/28/2002
(991)	0.15	40	R								NA			NA		10/28/2002
(992)	0.39	100	R								NA			NA		10/28/2002
(999) Greentree Dr	0.16	110	R								NA			NA		11/07/2005
(1000) Cedar Brook Dr	0.13	680	R								NA			NA		11/07/2005
(1001) Kemper Dr	0.07	60	R								NA			NA		11/07/2005
(1002) Bent Tree Dr	0.79	160	R								NA			NA		11/07/2005
(1004) Briarbend Ct	0.21	120	R								NA			NA		11/07/2005
(1005) Leavels Crossing Dr	0.76	320	R								NA			NA		11/07/2005
(1006) Rainwood Dr	0.46	220	R								NA			NA		11/07/2005
(1007) Priest Ct	0.05	40	R								NA			NA		11/07/2005
(1008) Jamie Ct	0.16	170	R								NA			NA		11/07/2005
(1009) Lotus Ct	0.05	40	R								NA			NA		11/07/2005
(1010)	0.46	170	R								NA			NA		10/03/2002
(1013)	0.09	50	R								NA			NA		10/02/2002

Virginia Department of Transportation
Traffic Engineering Division
2005
Annual Average Daily Traffic Volume Estimates By Section of Route
Spotsylvania Operational Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Spotsylvania County																
(1014) Cowger Ct	0.09	120	R				From: 88-1274 Lovett Dr				NA			NA		11/07/2005
							To: Cul-de-Sac									
(1015)	0.05	30	R				From: Cul-de-Sac				NA			NA		09/25/2002
							To: 88-1014 Cowger Ct									
(1016)	0.80	210	R				From: Cul-de-Sac				NA			NA		09/25/2002
							To: 88-1274 W, Lovett Dr									
(1017)	0.18	200	R				From: Cul-de-Sac				NA			NA		10/02/2002
							To: 88-608 Massaponax Church Rd									
(1018) State Place	0.04	40	R				From: 88-1024 Colechester St				NA			NA		08/11/2005
							To: Cul-de-Sac									
(1019) Harvard St	0.06	210	R				From: 88-1024 W, Colechester St				NA			NA		08/11/2005
							To: 88-1020 Chatham Court									
(1019) Harvard St	0.06	130	R				From: 88-1024 E, Colechester St				NA			NA		08/11/2005
							To: Cul-de-Sac									
(1020) Chatham Court	0.09	80	R				From: Cul-de-Sac				NA			NA		08/11/2005
							To: 88-1019 Harvard St									
(1021) Fullerton Court	0.10	280	R				From: 88-1035				NA			NA		08/11/2005
							To: 88-1022 Crossgate Dr									
(1021) Fullerton Court	0.07	100	R				From: Cul-de-Sac				NA			NA		08/11/2005
							To: 88-1021 Fullerton Court									
(1022) Crossgate Dr	0.14	130	R				From: 88-1023 Westover Court				NA			NA		08/11/2005
							To: 88-1024 Colechester St									
(1022) Crossgate Dr	0.06	70	R				From: Cul-de-Sac				NA			NA		08/11/2005
							To: 88-1022 Crossgate Dr									
(1023) Westover Court	0.05	48	R				From: Cul-de-Sac				NA			NA		08/11/2005
							To: 88-1022 Crossgate Dr									
(1024) Colechester St	0.12	130	R				From: Cul-de-Sac				NA			NA		08/11/2005
							To: 88-1019 E, Harvard St									
(1024) Colechester St	0.23	110	R				From: 88-1019 W, Harvard St				NA			NA		08/11/2005
							To: 88-1018 State Place									
(1024) Colechester St	0.18	500	R				From: 88-1018 State Place				NA			NA		08/11/2005
							To: 88-1022 Crossgate Dr									
(1024) Colechester St	0.08	620	R				From: 88-1022 Crossgate Dr				NA			NA		08/11/2005
							To: 88-1035									
(1025)	0.04	70	R				From: Cul-de-Sac				NA			NA		09/09/2002
							To: 88-1117									
(1026)	0.03	40	R				From: Cul-de-Sac				NA			NA		09/09/2002
							To: 88-1117									

Virginia Department of Transportation
 Traffic Engineering Division
 2005
 Annual Average Daily Traffic Volume Estimates By Section of Route
 Spotsylvania Operational Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Spotsylvania County																
(1027)	0.06	150	R			From: 88-1028					NA			NA		09/09/2002
						To: 88-663										
(1028)	1.33	80	R			From: Begin Loop					NA			NA		10/03/2002
(1028)	0.11	90	R			From: 88-1027					NA			NA		10/03/2002
						To: End Loop										
(1029)	0.42	4500	R			From: 88-635 Lee Hill School Dr					NA			NA		10/29/2002
						To: Dead End										
(1030) Debon Lane	0.07	70	R			From: 88-671					NA			NA		11/19/2005
						To: Cul-de-Sac										
(1031)	0.06	46	R			From: Dead End					NA			NA		09/25/2002
						To: 88-671										
(1032) Gobbler Court	0.09	40	R			From: 88-1033					NA			NA		09/20/2005
						To: Cul-de-Sac										
(1033)	0.75	170	R			From: 88-619 Mill Rd					NA			NA		10/22/2002
						To: Cul-de-Sac										
(1034) Gunston Hall Rd	0.58	530	R			From: 88-1036					NA			NA		08/10/2005
						To: Dead End										
(1035)	1.04	4400	R			From: US 17 Mills Dr					NA			NA		09/09/2002
						To: Cul-de-Sac										
(1036)	0.22	910	R			From: 88-1034 Gunston Hall Rd					NA			NA		09/09/2002
						To: 88-1035										
(1037) Monticello St	0.15	1900	R			From: 88-1035					NA			NA		09/09/2002
(1037) Monticello St	0.33	1200	R			From: 88-1045 Avalon Way					NA			NA		08/11/2005
(1037) Monticello St	0.15	1000	R			From: 88-1061 Fendale Lane					NA			NA		08/11/2005
(1037) Monticello St	0.37	1000	R			From: 88-1063 Oatlands Place					NA			NA		10/29/2002
						To: 88-635 Lee Hill School Dr										
(1038) Wickham Ct	0.05	40	R			From: 88-1034 Gunston Hall Rd					NA			NA		08/10/2005
						To: Cul-de-Sac										
(1039) Murven Park Lane	0.13	60	R			From: Cul-de-Sac					NA			NA		08/10/2005
(1039) Murven Park Lane	0.05	50	R			From: 88-1034 Gunston Hall Rd					NA			NA		08/10/2005
						To: Cul-de-Sac										
(1040)	0.02	40	R			From: 88-1196					NA			NA		07/31/2002
						To: Cul-de-Sac										
(1041)	0.02	60	R			From: 88-1196					NA			NA		07/31/2002
						To: Cul-de-Sac										

Virginia Department of Transportation
Traffic Engineering Division
2005
Annual Average Daily Traffic Volume Estimates By Section of Route
Spotsylvania Operational Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Spotsylvania County																
(1042)	0.02	40	R				88-1196				NA			NA		07/31/2002
							Cul-de-Sac									
(1043)	0.02	40	R				88-1196				NA			NA		07/31/2002
							Cul-de-Sac									
(1044)	0.12	60	R				Dead End				NA			NA		11/07/2002
							88-1034 Gunston Hall Rd									
(1045) Avalon Way	0.08	80	R				Cul-de-Sac				NA			NA		08/15/2005
							88-1046 Oakhill Rd									
(1045) Avalon Way	0.04	250	R				88-1037 Monticello St				NA			NA		08/15/2005
							88-1048 Mount Vernon Place									
(1045) Avalon Way	0.06	260	R				88-1049 Prestwoud Ct				NA			NA		08/15/2005
							Cul-de-Sac									
(1045) Avalon Way	0.17	110	R				88-1045 Avalon Way				NA			NA		08/15/2005
							88-1047 Kenmore Ct									
(1046) Oakhill Rd	0.05	160	R				Cul-de-Sac				NA			NA		08/15/2005
							88-1046 Oakhill Rd									
(1046) Oakhill Rd	0.08	80	R				Cul-de-Sac				NA			NA		08/15/2005
							88-1046 Oakhill Rd									
(1047) Kenmore Ct	0.07	48	R				Cul-de-Sac				NA			NA		08/15/2005
							88-1045 Avalon Way									
(1048) Mount Vernon Place	0.11	110	R				Cul-de-Sac				NA			NA		08/15/2005
							88-1045 Avalon Way									
(1048) Mount Vernon Place	0.10	47	R				Cul-de-Sac				NA			NA		08/15/2005
							88-1045 Avalon Way									
(1049) Prestwoud Ct	0.09	70	R				Cul-de-Sac				NA			NA		08/15/2005
							88-1045 Avalon Way									
(1050)	0.04	80	R				88-1118 Norris Dr				NA			NA		1995
							Cul-de-Sac									
(1051)	0.20	160	R				88-1044				NA			NA		11/07/2002
							Cul-de-Sac									
(1052)	0.32	170	R				88-1205 Artillery Ridge Rd				NA			NA		10/17/2002
							88-1053									
(1053)	0.13	90	R				88-1205 Artillery Ridge Rd				NA			NA		10/17/2002
							88-1052									
(1054)	0.79	170	R				Cul-de-Sac				NA			NA		10/03/2002
							88-612 Monrovia Rd									
(1055) Venison Dr	0.31	370	R				88-1059 Antelope Trl				NA			NA		11/09/2005
							88-673 Piedmont Dr									

Virginia Department of Transportation
Traffic Engineering Division
2005
Annual Average Daily Traffic Volume Estimates By Section of Route
Spotsylvania Operational Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Spotsylvania County																
(1056) Doeskin Dr	0.16	80	R				From: 88-1055 Venison Dr				NA			NA		11/09/2005
							To: 88-1100 Deerskin Dr									
(1057) Buckskin Lane	0.16	150	R				From: 88-1055 Venison Dr				NA			NA		11/09/2005
							To: 88-1100 Deerskin Dr									
(1058) Deer Dr	0.17	210	R				From: 88-1055 Venison Dr				NA			NA		11/09/2005
							To: 88-1100 Deerskin Dr									
(1059) Antelope Trl	0.19	150	R				From: 88-1055 Venison Dr				NA			NA		11/09/2005
							To: 88-1100 Deerskin Dr									
(1060) Minuteman Ct	0.19	140	R				From: 88-1044				NA			NA		08/10/2005
							To: Cul-de-Sac									
(1061) Fendale Lane	0.05	230	R				From: 88-1037 Monticello St				NA			NA		08/16/2005
							To: 88-1062 Weston Court									
(1061)	0.16	160	R				From: 88-1062 Weston Court				NA			NA		08/15/2005
							To: Cul-de-Sac									
(1062) Weston Court	0.06	50	R				From: 88-1061 Fendale Lane				NA			NA		08/15/2005
							To: Cul-de-Sac									
(1063) Oatlands Place	0.05	250	R				From: 88-1037 Monticello St				NA			NA		08/15/2005
							To: 88-1064 Ramsay Dr									
(1063) Oatlands Place	0.11	120	R				From: 88-1064 Ramsay Dr				NA			NA		08/15/2005
							To: Cul-de-Sac									
(1064) Ramsay Dr	0.16	80	R				From: 88-1063 Oatlands Place				NA			NA		08/15/2005
							To: Cul-de-Sac									
(1065)	0.20	110	R				From: 88-673 Piedmont Dr				NA			NA		1995
							To: Cul-de-Sac									
(1066)	0.46	70	R				From: Dead End				NA			NA		1995
							To: 88-1065 EAST									
(1067)	0.14	70	R				From: Dead End				NA			NA		1995
							To: Cul-de-Sac									
(1068)	0.19	250	R				From: Cul-de-Sac				NA			NA		10/31/2002
							To: 88-1091 Lancaster Ring Rd									
(1069) Saltburn Ct	0.10	100	R				From: Cul-de-Sac				NA			NA		10/26/2005
							To: 88-1068									
(1069) Saltburn Ct	0.06	90	R				From: 88-1068				NA			NA		10/31/2002
							To: Cul-de-Sac									
(1070) Juniper Ct	0.07	60	R				From: 88-1237 Butternut Dr				NA			NA		11/16/2005
							To: Cul-de-Sac									
(1071) Kerrydale Cir	0.23	80	R				From: 88-1237 W, Butternut Dr				NA			NA		11/16/2005
							To: 88-1237 E, Butternut Dr									

Virginia Department of Transportation
Traffic Engineering Division
2005
Annual Average Daily Traffic Volume Estimates By Section of Route
Spotsylvania Operational Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Spotsylvania County																
(1072) Dairy jDr	0.30	90	R								NA			NA		09/26/2005
(1073) Springfield Farm Lane	0.30	40	R								NA			NA		09/26/2005
(1074) Derrick Circle	0.05	10	R								NA			NA		09/26/2005
(1075)	0.48	60	R								NA			NA		10/07/2002
(1076) Danielville Dr	0.14	40	R								NA			NA		09/27/2005
(1077)	0.09	80	R								NA			NA		10/31/2002
(1078)	0.80	140	R								NA			NA		10/22/2002
(1079)	0.18	70	R								NA			NA		10/22/2002
(1080) Sorrell Ct	0.14	120	R								NA			NA		10/26/2005
(1081) Hastings Court East	0.21	110	R								NA			NA		10/26/2005
(1082)	0.04	50	R								NA			NA		08/29/2002
(1083)	0.03	90	R								NA			NA		08/19/2002
(1084)	0.04	40	R								NA			NA		08/19/2002
(1085) Shamrock Dr	0.33	460	R								NA			NA		11/09/2005
(1086) Gallagher Dr	0.15	110	R								NA			NA		11/09/2005
(1087) Kildare Ct	0.03	40	R								NA			NA		11/09/2005
(1088) Dublin Ct	0.04	60	R								NA			NA		11/09/2005
(1088) Larry Lane	0.05	90	R								NA			NA		11/09/2005
(1089)	0.13	640	R								NA			NA		10/31/2002

Virginia Department of Transportation
Traffic Engineering Division
2005
Annual Average Daily Traffic Volume Estimates By Section of Route
Spotsylvania Operational Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Spotsylvania County																
(1090)	0.49	3500	R											NA		10/31/2002
(1091) Lancaster Ring Rd	0.09	1600	R											NA		10/31/2002
(1091) Lancaster Ring Rd	0.55	1100	R											NA		10/31/2002
(1091) Lancaster Ring Rd	0.56	430	R											NA		10/26/2005
(1091) Lancaster Ring Rd	0.60	480	R											NA		10/26/2005
(1092)	0.23	70	R											NA		10/31/2002
(1093)	0.34	110	R											NA		10/31/2002
(1094) Witneys Ct	0.12	300	R											NA		10/26/2005
(1094) Witneys Ct	0.07	310	R											NA		10/31/2002
(1095)	0.34	260	R											NA		09/17/2002
(1096)	0.15	130	R											NA		09/17/2002
(1097) Banbury Ct	0.06	40	R											NA		09/17/2002
(1098)	0.16	380	R											NA		10/31/2002
(1099) Manette Dr	0.06	180	R											NA		10/26/2005
(1099) Manette Dr	0.11	340	R											NA		10/31/2002
(1100) Deerskin Dr	0.22	420	R											NA		09/14/2005
(1100) Deerskin Dr	0.10	670	R											NA		09/14/2005
(1101)	0.13	390	R											NA		1999
(1101)	0.07	450	R											NA		1999
(1101)	0.04	580	R											NA		1999
(1101)	0.06	610	R											NA		1999

Virginia Department of Transportation
 Traffic Engineering Division
 2005
 Annual Average Daily Traffic Volume Estimates By Section of Route
 Spotsylvania Operational Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Spotsylvania County																
(1102)	0.20	130	R				From: 88-1106							NA		1999
							To: 88-1103									
(1103)	0.03	20	R				From: Dead End							NA		1999
							To: 88-1102									
(1103)	0.07	170	R				From: 88-1102							NA		1999
							To: 88-1101									
(1104)	0.12	390	R				From: 88-1101							NA		1999
							To: 88-1109									
(1104)	0.05	490	R				From: 88-1109							NA		1999
							To: 88-1108									
(1104)	0.03	710	R				From: 88-1108							NA		1999
							To: 88-1112									
(1105)	0.03	47	R				From: 88-1101							NA		1999
							To: Cul-de-Sac									
(1106)	0.02	30	R				From: Dead End							NA		08/19/2002
							To: 88-1102									
(1106)	0.08	80	R				From: 88-1102							NA		08/19/2002
							To: 88-1101									
(1106)	0.04	350	R				From: 88-1101							NA		08/19/2002
							To: 88-1107									
(1106)	0.06	320	R				From: 88-1107							NA		08/19/2002
							To: 88-1108									
(1106)	0.07	680	R				From: 88-1108							NA		08/29/2002
							To: Dead End									
(1106)	0.06	450	R				From: 88-1112							NA		08/29/2002
							To: 88-1280 Taft Dr									
(1106)	0.05	570	R				From: 88-1280 Taft Dr							NA		08/29/2002
							To: 88-1114 Kennedy Lane									
(1106)	0.19	280	R				From: 88-1114 Kennedy Lane							NA		08/29/2002
							To: 88-1186 Truman Circle									
(1106)	0.10	240	R				From: 88-1186 Truman Circle							NA		08/29/2002
							To: 88-1185 Buchanan Ct									
(1106)	0.03	360	R				From: 88-1185 Buchanan Ct							NA		08/29/2002
							To: 88-639; 88-1111									
(1107)	0.14	40	R				From: 88-1106							NA		1999
							To: 88-1108									
(1108)	0.12	540	R				From: 88-1106							NA		1999
							To: 88-1107									
(1108)	0.17	660	R				From: 88-1107							NA		1999
							To: 88-1104									
(1109)	0.11	110	R				From: Cul-de-Sac							NA		08/29/2002
							To: 88-1104									
(1110)	0.28	190	R				From: 88-639 Salem Church Rd							NA		09/09/2002
							To: 88-1111									

Virginia Department of Transportation
Traffic Engineering Division
2005
Annual Average Daily Traffic Volume Estimates By Section of Route
Spotsylvania Operational Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Spotsylvania County																
(1111)	0.20	340	R				88-639; 88-1106					NA		NA		09/09/2002
(1111)	0.12	NA					88-1110					NA		NA		
							Dead End									
(1112)	0.18	480	R				88-1114 Kennedy Lane					NA		NA		08/29/2002
(1112)	0.16	380	R				88-1331 Pierce Ct					NA		NA		08/29/2002
(1112)	0.26	670	R				88-1281 Ford Rd					NA		NA		08/29/2002
(1112)	0.07	840	R				88-1106					NA		NA		08/29/2002
(1112)	0.06	1100	R				88-1113					NA		NA		08/29/2002
(1112)	0.19	1300	R				88-1282 McKinley Dr					NA		NA		08/29/2002
(1112)	0.10	1700	R				88-1104					NA		NA		08/29/2002
							SR 3 Plank Rd									
(1113)	0.11	180	R				88-1112					NA		NA		08/29/2002
(1113)	0.10	380	R				88-1114 Kennedy Lane					NA		NA		08/29/2002
							Dead End									
(1114)	Kennedy Lane	0.05	2000	R			88-639 Salem Church Rd					NA		NA		09/14/2005
(1114)	Kennedy Lane	0.09	1600	R			88-1112					NA		NA		09/14/2005
(1114)	Kennedy Lane	0.19	1500	R			88-1330 S, Roosevelt Rd					NA		NA		09/14/2005
(1114)	Kennedy Lane	0.07	1700	R			88-1330 N, Roosevelt Rd					NA		NA		09/14/2005
(1114)	Kennedy Lane	0.07	1900	R			88-1106					NA		NA		09/14/2005
(1114)	Kennedy Lane	0.06	1900	R			88-1113					NA		NA		09/14/2005
(1114)	Kennedy Lane	0.28	1700	R			88-1282 McKinley Dr					NA		NA		09/14/2005
							SR 3 Plank Rd									
(1115)	Maple Grove Dr	0.32	2000	R			88-1563 Hazel Court					NA		NA		09/20/2005
(1115)	Maple Grove Dr	0.06	3000	R			88-1117					NA		NA		09/20/2005
(1115)	Maple Grove Dr	0.29	5600	R			88-1116					NA		NA		09/20/2005
							88-710 Maple Grove Dr; Taskforce Dr									
(1116)	Blake Dr	0.12	560	R			88-1117 Glazebrook Dr					NA		NA		09/09/2002
(1116)	Blake Dr	0.07	1400	R			88-1122 Dinwiddie Dr					NA		NA		09/09/2002
							88-1119 Rick Court									

Virginia Department of Transportation
 Traffic Engineering Division
 2005
 Annual Average Daily Traffic Volume Estimates By Section of Route
 Spotsylvania Operational Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Spotsylvania County																
(1116) Blake Dr	0.14	2900	R											NA		09/09/2002
(1117) Glazebrook Dr	0.06	490	R											NA		09/09/2002
(1117) Glazebrook Dr	0.07	310	R											NA		09/09/2002
(1117) Glazebrook Dr	0.05	220	R											NA		09/09/2002
(1117) Glazebrook Dr	0.04	220	R											NA		09/09/2002
(1117) Glazebrook Dr	0.11	320	R											NA		09/09/2002
(1117) Glazebrook Dr	0.06	510	R											NA		09/09/2002
(1117) Glazebrook Dr	0.02	570	R											NA		09/09/2002
(1117) Glazebrook Dr	0.06	600	R											NA		09/09/2002
(1117) Glazebrook Dr	0.06	630	R											NA		09/09/2002
(1118) Norris Dr	0.07	2800	R											NA		09/20/2005
(1118) Norris Dr	0.12	2400	R											NA		09/20/2005
(1118) Norris Dr	0.05	2500	R											NA		09/20/2005
(1118) Norris Dr	0.11	110	R											NA		09/20/2005
(1119) Rick Court	0.04	40	R											NA		09/20/2005
(1119) Rick Court	0.05	2500	R											NA		09/20/2005
(1120) Arnall Ct	0.04	40	R											NA		09/09/2002
(1121)	0.06	60	R											NA		09/09/2002
(1122)	0.11	80	R											NA		09/09/2002
(1123)	0.06	90	R											NA		09/09/2002
(1123)	0.10	190	R											NA		09/09/2002
(1124)	0.03	47	R											NA		09/09/2002

Virginia Department of Transportation
 Traffic Engineering Division
 2005
 Annual Average Daily Traffic Volume Estimates By Section of Route
 Spotsylvania Operational Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Spotsylvania County																
(1125)	0.10	70	R				From: 88-1133					NA		NA		1999
							To: Cul-de-Sac									
(1126)	0.05	48	R				From: 88-1133					NA		NA		1999
							To: Cul-de-Sac									
(1127)	0.05	50	R				From: 88-1133					NA		NA		1999
							To: Cul-de-Sac									
(1128)	0.09	160	R				From: 88-1146 Lavelle Dr					NA		NA		08/28/2002
							To: Cul-de-Sac									
(1129)	0.03	45	R				From: 88-1141					NA		NA		08/29/2002
							To: Cul-de-Sac									
(1130)	0.09	1100	R				From: 88-1131					NA		NA		1999
							To: 88-710 Bragg Rd; Maple Grove Dr									
(1131)	0.09	220	R				From: 88-1133					NA		NA		1999
							To: 88-1139									
(1131)	0.04	240	R				From: 88-1138					NA		NA		1999
							To: 38-1138									
(1131)	0.31	470	R				From: 88-1130					NA		NA		1999
							To: 88-1130									
(1131)	0.02	580	R				From: 88-1137					NA		NA		1999
							To: 88-1137									
(1131)	0.10	340	R				From: 88-1135					NA		NA		1999
							To: 88-1135									
(1131)	0.05	380	R				From: 88-1134					NA		NA		1999
							To: 88-1134									
(1131)	0.06	440	R				From: 88-1133					NA		NA		1999
							To: 88-1133									
(1131)	0.07	210	R				From: 88-1132 Barkley Dr					NA		NA		1999
							To: Cul-de-Sac									
(1132) Barkley Dr	0.04	60	R				From: 88-1136					NA		NA		1999
							To: 88-1136									
(1132) Barkley Dr	0.16	190	R				From: 88-1131					NA		NA		1999
							To: 88-1131									
(1133)	0.08	60	R				From: Dead End					NA		NA		1999
							To: 88-1131									
(1133)	0.07	160	R				From: 88-1127					NA		NA		1999
							To: 88-1127									
(1133)	0.06	140	R				From: 88-1126					NA		NA		1999
							To: 88-1126									
(1133)	0.07	120	R				From: 88-1135					NA		NA		1999
							To: 88-1135									
(1133)	0.06	220	R				From: 88-1134					NA		NA		1999
							To: 88-1134									
(1133)	0.04	240	R				From: 88-1125					NA		NA		1999
							To: 88-1125									

Virginia Department of Transportation
Traffic Engineering Division
2005
Annual Average Daily Traffic Volume Estimates By Section of Route
Spotsylvania Operational Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Spotsylvania County																
(1133)	0.16	350	R				From: 88-1125					NA		NA		1999
(1133)	0.16	410	R				To: 88-1136					NA		NA		1999
(1133)	0.04	1200	R				From: 88-1131					NA		NA		1999
							To: 88-710 Bragg Rd									
(1134)	0.15	60	R				From: 88-1133					NA		NA		1999
(1134)	0.16	190	R				To: 88-1136					NA		NA		1999
							To: 88-1131									
(1135)	0.10	60	R				From: 88-1133					NA		NA		1999
(1135)	0.06	150	R				To: 88-1138					NA		NA		1999
(1135)	0.20	200	R				From: 88-1136					NA		NA		1999
							To: 88-1131									
(1136)	0.06	80	R				From: 88-1135					NA		NA		1999
(1136)	0.07	110	R				To: 88-1134					NA		NA		1999
(1136)	0.07	60	R				From: 88-1133					NA		NA		1999
							To: 88-1132 Barkley Dr									
(1137)	0.26	240	R				From: 88-1138					NA		NA		1999
							To: 88-1131									
(1138)	0.09	20	R				From: 88-1131					NA		NA		1999
(1138)	0.09	49	R				To: 88-1137					NA		NA		1999
							To: 88-1135									
(1139)	0.08	50	R				From: Cul-de-Sac					NA		NA		1999
							To: 88-1131									
(1140)	0.03	110	R				From: Dead End					NA		NA		08/19/2002
(1140)	0.04	2400	R				To: 88-1145 Tara Dr					NA		NA		08/19/2002
(1140)	0.07	2500	R				From: 88-1149					NA		NA		08/29/2002
(1140)	0.08	2600	R				To: 88-1143					NA		NA		08/29/2002
(1140)	0.21	3800	R				From: 88-1141					NA		NA		08/29/2002
(1140)	0.21	4000	R				To: 88-1178 St Patrick St					NA		NA		08/29/2002
							To: SR 3 Plank Rd									
(1141)	0.09	170	R				From: 88-1145 Tara Dr					NA		NA		08/29/2002
							To: 88-1129									

Virginia Department of Transportation
 Traffic Engineering Division
 2005
 Annual Average Daily Traffic Volume Estimates By Section of Route
 Spotsylvania Operational Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Spotsylvania County																
(1141)	0.09	610	R													08/29/2002
(1141)	0.14	1000	R													08/29/2002
(1141)	0.13	490	R													08/29/2002
(1141)	0.08	380	R													08/29/2002
(1142)	0.03	47	R													08/29/2002
(1142)	0.13	130	R													08/29/2002
(1142)	0.05	200	R													08/29/2002
(1143)	0.05	170	R													08/29/2002
(1143)	0.12	130	R													08/29/2002
(1144)	0.03	40	R													08/29/2002
(1145) Tara Dr	0.10	2900	R													09/13/2005
(1145) Tara Dr	0.15	890	R													09/13/2005
(1145) Tara Dr	0.13	360	R													09/13/2005
(1145) Tara Dr	0.10	160	R													09/13/2005
(1145) Tara Dr	0.03	60	R													09/13/2005
(1146) Lavelle Dr	0.08	330	R													09/13/2005
(1146) Lavelle Dr	0.10	320	R													09/13/2005
(1146) Lavelle Dr	0.12	120	R													09/13/2005
(1146) Lavelle Dr	0.06	60	R													09/13/2005
(1147)	0.05	750	R													08/19/2002
(1147)	0.11	1200	R													08/19/2002
(1147)	0.18	1900	R													08/19/2002
(1147)	0.11	2300	R													08/19/2002

Virginia Department of Transportation
 Traffic Engineering Division
 2005
 Annual Average Daily Traffic Volume Estimates By Section of Route
 Spotsylvania Operational Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Spotsylvania County																
(1147)	0.04	2600	R				From: 88-1279 Durham Dr					NA		NA		08/19/2002
(1147)	0.06	3100	R				From: 88-1148 EAST					NA		NA		08/19/2002
							To: 88-620 Harrison Rd									
(1148)	0.19	60	R				From: 88-1147					NA		NA		08/19/2002
							To: 88-1147									
(1149)	0.06	80	R				From: Cul-de-Sac					NA		NA		11/07/2002
							To: 88-1140									
(1150)	0.20	200	R				From: 88-1154 Fawn Circle					NA		NA		1999
(1150)	0.09	240	R				From: 88-1153 Bambi Ct					NA		NA		1999
(1150)	0.13	250	R				From: 88-1152 Buck Lane					NA		NA		1999
(1150)	0.03	490	R				From: 88-1151 Doe Circle					NA		NA		1999
							To: 88-673 Piedmont Dr									
(1151) Doe Circle	0.20	210	R				From: 88-1150					NA		NA		09/12/2005
							To: Dead End									
(1152) Buck Lane	0.05	830	R				From: Cul-de-Sac					NA		NA		09/12/2005
							To: 88-1150									
(1153) Bambi Ct	0.03	50	R				From: Cul-de-Sac					NA		NA		09/12/2005
							To: 88-1150									
(1154) Fawn Circle	0.08	70	R				From: Dead End					NA		NA		08/29/2005
(1154) Fawn Circle	0.03	260	R				From: 88-1150					NA		NA		08/29/2005
							To: 88-673 Piedmont Dr									
(1155)	0.09	130	R				From: 88-673 Piedmont Dr					NA		NA		08/26/2002
							To: Cul-de-Sac									
(1156)	0.13	180	R				From: 88-673 Piedmont Dr					NA		NA		08/26/2002
							To: Cul-de-Sac									
(1157) Elk Dr	0.15	240	R				From: 88-628 Smith Station Rd					NA		NA		08/29/2005
(1157) Elk Dr	0.16	120	R				From: 88-1158					NA		NA		08/29/2005
							To: Dead End									
(1158)	0.17	190	R				From: 88-1157 Elk Dr					NA		NA		08/26/2002
							To: 88-1159 Ashton Cir									
(1159) Ashton Cir	0.02	49	R				From: Cul-de-Sac					NA		NA		08/29/2005
(1159) Ashton Cir	0.09	280	R				From: 88-1158					NA		NA		08/29/2005
							To: 88-673 Piedmont Dr									

Virginia Department of Transportation
Traffic Engineering Division
2005
Annual Average Daily Traffic Volume Estimates By Section of Route
Spotsylvania Operational Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Spotsylvania County																
(1160) Duke of Gloucester St	0.06	190	R			From: 88-1163 Candlewood St					NA			NA		10/17/2005
(1160) Duke of Gloucester St	0.06	270	R			To: 88-1162 Buxley Ct					NA			NA		10/17/2005
(1160) Duke of Gloucester St	0.10	330	R			From: 88-1161 Belle Meade					NA			NA		10/17/2005
						To: 88-694 Heatherstone Dr										
(1161) Belle Meade	0.06	80	R			From: Cul-de-Sac					NA			NA		10/17/2005
						To: 88-1160 Duke of Gloucester St										
(1162) Buxley Ct	0.06	60	R			From: Cul-de-Sac					NA			NA		10/17/2005
						To: 88-1160 Duke of Gloucester St										
(1163) Candlewood St	0.09	110	R			From: Dead End					NA			NA		10/17/2005
(1163) Candlewood St	0.08	80	R			From: 88-1160 Duke of Gloucester St					NA			NA		10/17/2005
						To: Dead End										
(1164)	0.05	70	R			From: 88-1100 Deerskin Dr					NA			NA		08/26/2002
						To: Cul-de-Sac										
(1165)	0.05	530	R			From: 88-638 Lansdowne Rd					NA			NA		09/30/2002
(1165)	0.06	400	R			To: 88-1167					NA			NA		09/30/2002
(1165)	0.15	260	R			To: 88-1168					NA			NA		09/30/2002
(1165)	0.06	140	R			To: 88-1170					NA			NA		09/30/2002
						To: 88-1171										
(1166)	0.11	150	R			From: Dead End					NA			NA		09/30/2002
(1166)	0.08	380	R			To: 88-1169					NA			NA		09/30/2002
(1166)	0.03	450	R			To: 88-1168					NA			NA		09/30/2002
						To: 88-638 Lansdowne Rd										
(1167)	0.17	80	R			From: 88-1165					NA			NA		09/30/2002
						To: 88-1168										
(1168)	0.14	110	R			From: 88-1165					NA			NA		09/30/2002
(1168)	0.07	150	R			To: 88-1167					NA			NA		09/30/2002
						To: 88-1166										
(1169)	0.09	250	R			From: 88-1166					NA			NA		09/30/2002
(1169)	0.08	120	R			To: 88-1170					NA			NA		09/30/2002
(1169)	0.03	60	R			To: 88-1171					NA			NA		09/30/2002
						To: Dead End										

Virginia Department of Transportation
Traffic Engineering Division
2005
Annual Average Daily Traffic Volume Estimates By Section of Route
Spotsylvania Operational Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Spotsylvania County																
(1170)	0.13	140	R			From: 88-1165					NA		NA			09/30/2002
						To: 88-1169										
(1171)	0.11	90	R			From: 88-1165					NA		NA			09/30/2002
						To: 88-1169										
(1172)	0.13	230	R			From: 88-1173					NA		NA			09/13/2002
						To: 88-745										
(1173)	0.18	520	R			From: 88-1174					NA		NA			09/03/2002
						To: 88-1172										
(1173)	0.10	50	R			From: 88-1172					NA		NA			09/03/2002
						To: Dead End										
(1174)	0.15	60	R			From: Dead End					NA		NA			09/03/2002
						To: 88-1173										
(1174)	0.06	40	R			From: 88-1173					NA		NA			09/03/2002
						To: Dead End										
(1175) Albany St	0.38	280	R			From: 88-1316 E, Roanoke St					NA		NA			09/20/2005
						To: 88-1316 W, Roanoke St										
(1175) Albany St	0.13	610	R			From: 88-1176					NA		NA			09/20/2005
						To: 88-1176 Oak Ridge Ct										
(1175) Albany St	0.27	830	R			From: 88-1147					NA		NA			09/20/2005
						To: 88-1177 Burlington Dr										
(1176) Oak Ridge Ct	0.03	47	R			From: Cul-de-Sac					NA		NA			09/20/2005
						To: 88-1175 Albany St										
(1177) Burlington Dr	0.06	80	R			From: 88-1279 Durham Dr					NA		NA			09/20/2005
						To: 88-1175 Albany St										
(1177) Burlington Dr	0.14	200	R			From: 88-1147					NA		NA			09/20/2005
						To: Dead End										
(1178) St Patrick St	0.06	30	R			From: 88-1140					NA		NA			09/13/2005
						To: 88-1179 Murphy Ct										
(1178) St Patrick St	0.04	130	R			From: 88-1179 Murphy Ct					NA		NA			09/13/2005
						To: Dead End										
(1179) Murphy Ct	0.04	46	R			From: Cul-de-Sac					NA		NA			09/13/2005
						To: 88-1178 St Patrick St										
(1180) Harvestdale Dr	0.05	1100	R			From: 88-674 Chancellor Rd					NA		NA			09/08/2005
						To: 88-1181 Silverleaf Lane										
(1180) Harvestdale Dr	0.16	640	R			From: 88-1182 Harvest Lane					NA		NA			09/08/2005
						To: 88-1182 Harvest Lane										
(1180) Harvestdale Dr	0.27	180	R			From: Cul-de-Sac					NA		NA			09/08/2005
						To: Cul-de-Sac										

Virginia Department of Transportation
Traffic Engineering Division
2005
Annual Average Daily Traffic Volume Estimates By Section of Route
Spotsylvania Operational Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Spotsylvania County																
(1181) Silverleaf Lane	0.11	250	R				88-1610					NA		NA		09/08/2005
(1181) Silverleaf Lane	0.21	240	R				88-1182 E, Harvest Lane					NA		NA		09/08/2005
(1181) Silverleaf Lane	0.17	240	R				88-1180 Harvestdale Dr					NA		NA		09/08/2005
(1181) Silverleaf Lane	0.11	110	R				88-1182 W, Harvest Lane					NA		NA		09/08/2005
							Cul-de-Sac									
(1182) Harvest Lane	0.06	60	R				88-1181 W, Silverleaf Lane					NA		NA		09/08/2005
(1182) Harvest Lane	0.06	270	R				88-1180 Harvestdale Dr					NA		NA		09/08/2005
(1182) Harvest Lane	0.11	200	R				88-1181 E, Silverleaf Lane					NA		NA		09/08/2005
(1182) Harvest Lane	0.18	60	R				88-1610					NA		NA		09/12/2002
							88-1611									
							Cul-de-Sac									
(1183)	0.05	50	R				88-1187 Breezewood Dr					NA		NA		1999
(1183)	0.11	230	R				88-1294 Powers St					NA		NA		1999
(1183)	0.11	420	R				88-1195					NA		NA		1999
							Cul-de-Sac									
(1184)	0.09	60	R				88-1187 Breezewood Dr					NA		NA		1999
(1184)	0.22	330	R				88-1195					NA		NA		1999
							88-1106									
(1185) Buchanan Ct	0.09	110	R				Cul-de-Sac					NA		NA		09/14/2005
							88-1106									
(1186) Truman Circle	0.03	40	R				Cul-de-Sac					NA		NA		09/14/2005
							88-1183									
(1187) Breezewood Dr	0.06	170	R				88-1199					NA		NA		08/22/2005
(1187) Breezewood Dr	0.05	300	R				88-1184					NA		NA		08/22/2005
(1187) Breezewood Dr	0.06	510	R				88-639 Leavells Rd					NA		NA		08/22/2005
(1187) Breezewood Dr	0.11	1200	R				88-1188 Stoney Creek Dr					NA		NA		08/22/2005
(1187) Breezewood Dr	0.11	1500	R				88-1189					NA		NA		08/22/2005
(1187) Breezewood Dr	0.04	1700	R				88-1254 Foxhall Circle; Fairfield Circle					NA		NA		08/22/2005
(1187) Breezewood Dr	0.05	1800	R				Glenside Circle					NA		NA		08/22/2005
(1187) Breezewood Dr	0.05	1800	R				88-1359 Bainbridge Lane					NA		NA		08/22/2005

Virginia Department of Transportation
Traffic Engineering Division
2005
Annual Average Daily Traffic Volume Estimates By Section of Route
Spotsylvania Operational Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Spotsylvania County																
(1187) Breezewood Dr	0.06	2000	R				From: 88-1359 Bainbridge Lane					NA		NA		08/22/2005
(1187) Breezewood Dr	0.11	2000	R				To: 88-1358 Bradbury Circle					NA		NA		08/22/2005
(1187) Breezewood Dr	0.07	2200	R				From: 88-1356 Mayfair Dr					NA		NA		08/22/2005
(1187) Breezewood Dr	0.09	2400	R				To: 88-1355; 88-1360					NA		NA		08/22/2005
							From: SR 208; 88-1223									
(1188) Stoney Creek Dr	0.10	780	R				From: 88-1187 Breezewood Dr					NA		NA		09/06/2005
(1188) Stoney Creek Dr	0.10	1700	R				To: 88-1190					NA		NA		09/06/2005
(1188) Stoney Creek Dr	0.05	1700	R				From: 88-1192					NA		NA		09/06/2005
(1188) Stoney Creek Dr	0.10	1800	R				To: 88-1189					NA		NA		09/06/2005
(1188) Stoney Creek Dr	0.05	1900	R				From: 88-1490 Valley View Rd					NA		NA		09/06/2005
(1188) Stoney Creek Dr	0.09	1900	R				To: 88-1361 S, White Lake Dr					NA		NA		09/06/2005
(1188) Stoney Creek Dr	0.09	1900	R				From: 88-1491 Dapple Grey Court					NA		NA		09/06/2005
(1188) Stoney Creek Dr	0.08	2300	R				To: 88-1492 Inglewood Dr					NA		NA		09/06/2005
(1188) Stoney Creek Dr	0.08	2500	R				From: 88-1363 Stable Way					NA		NA		09/06/2005
(1188) Stoney Creek Dr	0.06	3500	R				To: 88-1496 Chinaberry Court					NA		NA		09/06/2005
(1188) Stoney Creek Dr	0.30	4000	R				From: 88-1361 N, White Lake Dr					NA		NA		09/06/2005
(1188) Stoney Creek Dr	0.10	5600	R				To: 88-1590 Ballantraye Dr					NA		NA		09/06/2005
							From: SR 208 Courthouse Rd									
(1189)	0.14	100	R				From: 88-1188 Stoney Creek Dr					NA		NA		08/26/2002
(1189)	0.10	270	R				To: 88-1190					NA		NA		08/26/2002
							From: 88-1187 Breezewood Dr									
(1190)	0.05	830	R				From: 88-1191					NA		NA		08/26/2002
(1190)	0.07	790	R				To: 88-1194					NA		NA		08/26/2002
(1190)	0.06	150	R				From: 88-1188 Stoney Creek Dr					NA		NA		08/26/2002
(1190)	0.06	130	R				To: 88-1193					NA		NA		08/26/2002
							From: 88-1189									
(1191)	0.09	70	R				From: Cul-de-Sac					NA		NA		08/26/2002
(1191)	0.09	790	R				To: 88-1190					NA		NA		08/26/2002
							From: 88-639 Leavells Rd									

Virginia Department of Transportation
Traffic Engineering Division
2005
Annual Average Daily Traffic Volume Estimates By Section of Route
Spotsylvania Operational Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Spotsylvania County																
(1192)	0.04	30	R								NA			NA		08/26/2002
(1193)	0.04	70	R								NA			NA		08/26/2002
(1194)	0.06	80	R								NA			NA		08/26/2002
(1195)	0.11	130	R								NA			NA		1999
(1195)	0.06	630	R								NA			NA		1999
(1195)	0.06	880	R								NA			NA		1999
(1195)	0.06	1600	R								NA			NA		1999
(1195)	0.05	1700	R								NA			NA		1999
(1195)	0.06	1800	R								NA			NA		1999
(1196)	0.28	320	R								NA			NA		07/31/2002
(1196)	0.07	430	R								NA			NA		07/31/2002
(1197)	0.03	50	R								NA			NA		07/31/2002
(1198)	0.02	50	R								NA			NA		07/31/2002
(1199)	0.12	170	R								NA			NA		1999
(1199)	0.21	340	R								NA			NA		1999
(1199)	0.10	2400	R								NA			NA		1999
(1200) Kendale Lane	0.08	90	R								NA			NA		09/20/2005
(1201) Madeline Ave	0.06	100	R								NA			NA		09/21/2005
(1202) Stratford Ave	0.13	250	R								NA			NA		08/18/2005
(1202) Stratford Ave	0.12	180	R								NA			NA		08/18/2005
(1202) Stratford Ave	0.05	90	R								NA			NA		08/18/2005

Virginia Department of Transportation
 Traffic Engineering Division
 2005
 Annual Average Daily Traffic Volume Estimates By Section of Route
 Spotsylvania Operational Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Spotsylvania County																
(1203) East Strafford Ave	0.05	48	R				88-716 Southgate Ave					NA		NA		08/18/2005
							88-1202 Stratford Ave									
(1204) Laurel Ave	0.24	1800	R				Bus US 1 Lafayette Rd					NA		NA		1999
							88-1231 N, Rosemont Lane									
(1204) Laurel Ave	0.07	1400	R				88-1231 Rosemont Lane					NA		NA		1999
							88-1237 W, Butternut Dr									
(1204) Laurel Ave	0.06	810	R				88-1239 W, Beechnut St					NA		NA		1999
							88-1336 Azalea Dr									
(1204) Laurel Ave	0.05	710	R				88-1237 Mid, Butternut Dr					NA		NA		1999
							88-1237 S, Butternut Dr									
(1204) Laurel Ave	0.09	750	R				88-1269 N, Rosewood Dr					NA		NA		1999
							88-1269 S, Rosewood Dr									
(1204) Laurel Ave	0.04	780	R				88-1220 Lombardy Dr					NA		NA		1999
							88-1221 Laurel Ct									
(1204) Laurel Ave	0.10	780	R				88-1231 Rosemont Lane					NA		NA		1999
							88-681 Lorraine Ave									
(1204) Bancroft Rd	0.06	200	R				88-1235 Clay St					NA		NA		08/27/2002
							Dead End									
(1205) Artillery Ridge Rd	0.44	350	R				88-1240 Parkview Dr					NA		NA		08/22/2005
							88-1208 Gunnery Court									
(1205) Artillery Ridge Rd	0.24	590	R				88-1207 Battery Lane					NA		NA		08/22/2005
							88-1206 Caison Way									
(1205) Artillery Ridge Rd	0.10	670	R				88-638 Lansdowne Rd					NA		NA		08/22/2005
							88-1205 Artillery Ridge Rd									
(1206) Caison Way	0.10	80	R				Dead End					NA		NA		08/22/2005
							Dead End									
(1207) Battery Lane	0.14	60	R				88-1205 Artillery Ridge Rd					NA		NA		08/22/2005
							88-1205 Artillery Ridge Rd									
(1208) Gunnery Court	0.08	40	R				Dead End									
							88-636 Ewell Rd									
(1209) Pegram Lane	0.15	480	R				Dead End					NA		NA		09/06/2005

Virginia Department of Transportation
 Traffic Engineering Division
 2005
 Annual Average Daily Traffic Volume Estimates By Section of Route
 Spotsylvania Operational Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Spotsylvania County																
(1210)	0.15	360	R			From: US 1 Bus					NA			NA		08/27/2002
(1210)	0.13	290	R			From: 88-1211					NA			NA		08/27/2002
						To: Dead End										
(1211) Tignor Lane	0.08	250	R			From: 88-1212 Alexandria St					NA			NA		08/27/2002
						To: 88-661 Hudgins Rd										
(1211) Rose Ave	0.06	120	R			From: 88-1214 Early St					NA			NA		08/27/2002
						To: 88-1215 East McLaws St										
(1211)	0.06	190	R			From: 88-1210					NA			NA		08/27/2002
						To: 88-1216 Pender St										
(1211)	0.06	40	R			From: Dead End					NA			NA		08/27/2002
						To: Dead End										
(1212) Alexandria St	0.04	50	R			From: Dead End					NA			NA		08/27/2002
						To: 88-1211 Tignor Lane										
(1212) Alexandria St	0.09	200	R			From: Dead End					NA			NA		08/27/2002
						To: Dead End										
(1213) Archer St	0.05	140	R			From: US 1 Bus; Lafayette Blvd					NA			NA		09/21/2005
						To: Dead End										
(1214) Early St	0.12	230	R			From: Bus US 1 Lafayette Blvd					NA			NA		09/21/2005
						To: 88-1211 Rose Ave										
(1214) Early St	0.10	40	R			From: Dead End					NA			NA		09/21/2005
						To: Dead End										
(1215) East McLaws St	0.14	170	R			From: Bus US 1 Lafayette Blvd					NA			NA		09/21/2005
						To: 88-1211 Rose Ave										
(1216) Pender St	0.14	630	R			From: US 1 Bus; Lafayette Blvd					NA			NA		09/21/2005
						To: 88-1211 Rose Ave										
(1216) Pender St	0.10	650	R			From: Dead End					NA			NA		09/21/2005
						To: Dead End										
(1217) Rodes St	0.09	90	R			From: US 1 Bus; 88-1227					NA			NA		09/21/2005
						To: Dead End										
(1218)	0.10	90	R			From: Dead End					NA			NA		09/12/2002
						To: 88-636 Mine Rd										
(1219) Bancroft Rd	0.06	1900	R			From: 88-1235 Clay St					NA			NA		08/18/2005
						To: 88-1236 Garfield Ct										
(1219) Bancroft Rd	0.09	1800	R			From: 88-716 Southgate Ave					NA			NA		08/18/2005
						To: 88-1202 Stratford Ave										
(1219) Bancroft Rd	0.04	1600	R			From: 88-681 Lorraine Ave					NA			NA		08/18/2005
						To: 88-681 Lorraine Ave										

Virginia Department of Transportation
Traffic Engineering Division
2005
Annual Average Daily Traffic Volume Estimates By Section of Route
Spotsylvania Operational Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Spotsylvania County																
(1220) Lombardy Dr	0.11	170	R				From: 88-681 Lorraine Ave					NA		NA		08/22/2005
(1220) Lombardy Dr	0.08	60	R				From: 88-1204 Laurel Ave					NA		NA		08/22/2005
							To: Cul-de-Sac									
(1221) Laurel Ct	0.04	40	R				From: Dead End					NA		NA		08/22/2005
							To: 88-1204 Laurel Ave									
(1222) Lorraine Ct	0.04	60	R				From: 88-681 Lorraine Ave					NA		NA		08/22/2005
							To: Dead End									
(1223)	0.17	1900	R				From: SR 208; 88-1187					NA		NA		09/25/2002
(1223)	0.12	2000	R				From: 88-1224 SOUTH					NA		NA		09/25/2002
(1223)	0.13	2000	R				From: 88-1224 NORTH					NA		NA		09/25/2002
							To: Dead End; Gap Terminus									
(1223)	0.23	1700	R				From: 88-1982 Gap Terminus					NA		NA		09/25/2002
(1223)	0.06	60	R				From: 88-1005 Leavels Crossing Dr					NA		NA		09/25/2002
							To: Dead End									
(1224)	0.21	50	R				From: 88-1223					NA		NA		09/25/2002
							To: 88-1223									
(1225) McGowan Dr	0.06	190	R				From: Dead End					NA		NA		09/06/2005
(1225) McGowan Dr	0.05	280	R				From: 88-1226 N, Wilcox St					NA		NA		09/06/2005
(1225) McGowan Dr	0.05	410	R				From: 88-1226 S, Wilcox St					NA		NA		09/06/2005
							To: 88-636 Hood Dr									
(1226) Wilcox St	0.02	30	R				From: 88-1225 S, McGowan Dr					NA		NA		09/06/2005
(1226) Wilcox St	0.07	40	R				From: 88-1245 Wilcox St					NA		NA		09/06/2005
							To: 88-1225 N, McGowan Dr									
(1227) Olde Greenwich Dr	0.38	2800	R				From: Bus US 1 Lafayette Blvd					NA		NA		09/21/2005
							To: Dead End									
(1228) Redwood Dr	0.08	770	R				From: Bus US 1 Lafayette Blvd					NA		NA		08/27/2002
(1228) Redwood Dr	0.06	680	R				From: 88-1229 Midway St					NA		NA		08/27/2002
(1228) Redwood Dr	0.06	590	R				From: 88-1230 Redwood Cir					NA		NA		08/27/2002
							To: 88-1231 Rosemont Lane									
(1229) Midway St	0.08	110	R				From: 88-1228 Redwood Dr					NA		NA		08/27/2002
							To: Cul-de-Sac									
(1230) Redwood Cir	0.07	90	R				From: 88-1228 Redwood Dr					NA		NA		08/27/2002
							To: Cul-de-Sac									

Virginia Department of Transportation
Traffic Engineering Division
2005
Annual Average Daily Traffic Volume Estimates By Section of Route
Spotsylvania Operational Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Spotsylvania County																
(1231) Rosemont Lane	0.05	630	R									NA		NA		08/18/2005
(1231) Rosemont Lane	0.06	620	R									NA		NA		08/18/2005
(1231) Rosemont Lane	0.03	460	R									NA		NA		08/18/2005
(1231) Rosemont Lane	0.11	980	R									NA		NA		08/18/2005
(1231) Rosemont Lane	0.07	750	R									NA		NA		08/18/2005
(1232) Tulip Cir	0.10	140	R									NA		NA		08/22/2005
(1232) Tulip Cir	0.11	120	R									NA		NA		08/22/2005
(1232) Tulip Circle	0.03	40	R									NA		NA		08/22/2005
(1233) Chestnut Lane	0.04	50	R									NA		NA		08/22/2005
(1233) Chestnut Lane	0.17	80	R									NA		NA		08/22/2005
(1234)	0.29	7600	R									NA		NA		11/14/2002
(1234)	0.39	7700	R									NA		NA		11/14/2002
(1234)	0.64	5700	R									NA		NA		11/14/2002
(1235)	0.10	2100	R									NA		NA		08/27/2002
(1235)	0.13	230	R									NA		NA		08/27/2002
(1236) Garfield Ct	0.06	140	R									NA		NA		08/18/2005
(1237) Butternut Dr	0.24	1200	R									NA		NA		10/17/2002
(1237) Butternut Dr	0.08	740	R									NA		NA		10/17/2002
(1237) Butternut Dr	0.05	520	R									NA		NA		10/16/2002
(1237) Butternut Dr	0.32	380	R									NA		NA		10/16/2002
(1237) Butternut Dr	0.07	190	R									NA		NA		10/16/2002
(1237) Butternut Dr	0.11	220	R									NA		NA		10/16/2002
(1237) Butternut Dr	0.14	480	R									NA		NA		10/16/2002

Virginia Department of Transportation
Traffic Engineering Division
2005
Annual Average Daily Traffic Volume Estimates By Section of Route
Spotsylvania Operational Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Spotsylvania County																
(1238) Sycamore Dr	0.13	140	R				From: 88-1237 Butternut Dr					NA		NA		10/17/2002
(1238) Sycamore Dr	0.07	90	R				To: 88-1243 Birch Cir					NA		NA		10/17/2002
(1238) Sycamore Dr	0.04	50	R				From: 88-1239 Beechnut St					NA		NA		10/17/2002
							To: Dead End									
(1239) Beechnut St	0.16	210	R				From: 88-1204 Laurel Ave					NA		NA		10/17/2002
							To: 88-1238 Sycamore Dr									
(1240) Parkview Dr	0.18	610	R				From: 88-638 Lansdowne Rd					NA		NA		08/22/2005
(1240) Parkview Dr	0.12	390	R				To: 88-1241 E, Longwood Dr					NA		NA		08/22/2005
(1240) Parkview Dr	0.32	330	R				From: 88-1241 W, Longwood Dr					NA		NA		08/22/2005
							To: Dead End									
(1241) Longwood Dr	0.43	150	R				From: 88-1240 W, Parkview Dr					NA		NA		08/22/2005
							To: 88-1240 E, Parkview Dr									
(1242) Pella Lane	0.29	250	R				From: 88-628 Smith Station Rd					NA		NA		08/31/2005
							To: Cul-de-Sac									
(1243) Birch Cir	0.03	150	R				From: 88-1238 Sycamore Dr					NA		NA		10/17/2002
							To: Cul-de-Sac									
(1244) Tulip Place	0.04	80	R				From: 88-1232 Tulip Cir					NA		NA		08/22/2005
							To: Cul-de-Sac									
(1245) Wilcox St	0.03	30	R				From: Dead End					NA		NA		09/06/2005
							To: 88-1226 Wilcox St									
(1246) Industrial Dr	0.45	5800	R				From: 88-1247 Industrial Ct					NA		NA		09/21/2005
							To: US 1; Ent Ser Rd									
(1247) Industrial Ct	0.18	1700	R				From: 88-1246 Industrial Dr					NA		NA		09/21/2005
							To: Cul-de-Sac									
(1248)	0.50	2000	R				From: 88-636 Ewell Rd					NA		NA		09/25/2002
							To: Dead End									
(1249)	0.21	210	R				From: Dead End					NA		NA		1999
(1249)	0.04	340	R				To: 88-2053 Amelia Dr					NA		NA		1999
(1249)	0.03	420	R				From: 88-2052					NA		NA		1999
(1249)	0.06	1000	R				To: 88-2050					NA		NA		1999
(1249)	0.09	240	R				From: 88-636 Mine Rd					NA		NA		1999
(1249)	0.16	90	R				To: 88-1250 Tulip Poplar Lane					NA		NA		1999
							To: Cul-de-Sac									

Virginia Department of Transportation
Traffic Engineering Division
2005
Annual Average Daily Traffic Volume Estimates By Section of Route
Spotsylvania Operational Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Spotsylvania County																
(1250) Tulip Poplar Lane	0.20	80	R				88-1249					NA		NA		08/15/2005
							88-1251 Iron Wood Lane									
(1251) Iron Wood Lane	0.08	230	R				88-636 Mine Rd					NA		NA		08/15/2005
							88-1250 Tulip Poplar Lane							NA		1999
(1251) Iron Wood Lane	0.06	10	R				88-1317					NA		NA		1999
							Cul-de-Sac									
(1252)	0.05	270	R				US 1 Jefferson Davis Hwy					NA		NA		09/16/2002
							Dead End									
(1253) Noel Drive	0.30	100	R				Cul-de-Sac					NA		NA		10/19/2005
							88-636 Mine Rd									
(1254) Fairfield Circle	0.05	60	R				Dead End					NA		NA		08/22/2005
							88-1187 Breezewood Dr							NA		08/22/2005
(1254) Foxhall Circle	0.05	70	R				Cul-de-Sac					NA		NA		08/22/2005
							Cul-de-Sac									
(1255)	0.15	140	R				Cul-de-Sac					NA		NA		08/05/2002
							88-1264							NA		08/05/2002
(1255)	0.06	320	R				88-1263							NA		08/05/2002
							88-1262							NA		08/05/2002
(1255)	0.06	670	R				88-1261							NA		08/05/2002
							88-1260							NA		08/05/2002
(1255)	0.06	840	R				88-1259							NA		08/05/2002
							88-1258							NA		08/05/2002
(1255)	0.06	1300	R				88-1256							NA		08/05/2002
							88-639 Leavells Rd							NA		08/05/2002
(1256)	0.23	110	R				88-1255					NA		NA		08/05/2002
							88-1257									
(1257)	0.12	190	R				88-1276					NA		NA		08/05/2002
							88-1264							NA		08/05/2002
(1257)	0.06	370	R				88-1263							NA		08/05/2002
							88-1262							NA		08/05/2002
(1257)	0.06	550	R				88-1261							NA		08/05/2002
							88-1260							NA		08/05/2002
(1257)	0.06	750	R				88-1260							NA		08/05/2002
							88-1260							NA		08/05/2002

Virginia Department of Transportation
Traffic Engineering Division
2005
Annual Average Daily Traffic Volume Estimates By Section of Route
Spotsylvania Operational Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Spotsylvania County																
(1257)	0.06	1000	R													08/05/2002
(1257)	0.06	1200	R													08/05/2002
(1257)	0.06	1300	R													08/05/2002
(1257)	0.07	1500	R													08/05/2002
(1258)	0.23	140	R													08/05/2002
(1259)	0.23	190	R													08/05/2002
(1260)	0.24	160	R													08/05/2002
(1261)	0.25	170	R													08/05/2002
(1262)	0.13	160	R													08/05/2002
(1262)	0.13	180	R													08/05/2002
(1263)	0.14	130	R													08/05/2002
(1263)	0.13	130	R													08/05/2002
(1264)	0.20	170	R													08/05/2002
(1264)	0.08	120	R													08/05/2002
(1265) Meadowview Dr	0.24	460	R													08/15/2005
(1265) Meadowview Dr	0.07	1100	R													08/15/2005
(1266) Hillside Lane	0.30	130	R													08/15/2005
(1266) Hillside Lane	0.43	310	R													08/15/2005
(1267) Circle One Dr	0.04	48	R													08/15/2005
(1268) Fern Ct	0.09	80	R													11/14/2005
(1269) Rosewood Dr	0.23	130	R													11/14/2005

Virginia Department of Transportation
Traffic Engineering Division
2005
Annual Average Daily Traffic Volume Estimates By Section of Route
Spotsylvania Operational Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Spotsylvania County																
(1270) Cambridge Dr	0.77	1000	R				From: 88-1821 NORTH					NA		NA		08/29/2005
(1270) Devonne Dr	0.15	790	R				To: 88-639 Leavells Rd					NA		NA		08/29/2005
(1270) Devonne Dr	0.05	610	R				From: 88-1271 Jamie Court					NA		NA		08/29/2005
(1270) Devonne Dr	0.19	540	R				To: 88-1272 Shawn Dr					NA		NA		08/29/2005
							From: 88-1274 Lovett Dr									
(1271) Jamie Court	0.13	190	R				To: Cul-de-Sac					NA		NA		08/29/2005
							From: 88-1270 Devonne Dr									
(1272) Shawn Dr	0.10	70	R				To: 88-1274 Lovett Dr					NA		NA		08/29/2005
							From: 88-1270 Devonne Dr									
(1273) Lee White Lane	0.12	130	R				To: 88-1274 Lovett Dr					NA		NA		08/29/2005
							From: 88-1270 Devonne Dr									
(1274) Lovett Dr	0.98	580	R				To: Cul-de-Sac					NA		NA		08/29/2005
							From: 88-1002 Bent Tree Dr									
(1275)	0.05	20	R				To: 88-1263					NA		NA		08/05/2002
							From: 88-1262									
(1276)	0.03	70	R				To: Cul-de-Sac					NA		NA		08/05/2002
							From: 88-1257									
(1276)	0.09	80	R				To: 88-1264					NA		NA		08/05/2002
							From: Dead End									
(1277) Quality Dr	0.12	470	R				To: 88-1247 Industrial Ct					NA		NA		11/16/2005
							From: 88-1312 Cleveland Ct									
(1278) Burman Lane	0.26	320	R				To: 88-1147					NA		NA		09/20/2005
							From: 88-1312 Cleveland Ct									
(1279) Durham Dr	0.22	290	R				To: 88-1147					NA		NA		09/20/2005
							From: 88-1314 Columbus Court									
(1279) Durham Dr	0.07	380	R				To: 88-1313 Dayton Ct					NA		NA		09/20/2005
							From: 88-1177 Burlington Dr									
(1279) Durham Dr	0.12	520	R				To: 88-1300 Wilmington Court					NA		NA		09/20/2005
							From: 88-1147									
(1280) Taft Dr	0.19	70	R				To: 88-1281 Ford Rd					NA		NA		09/14/2005
							From: 88-1330 Roosevelt Rd									
(1280) Taft Dr	0.07	200	R				To: 88-1106					NA		NA		09/14/2005

Virginia Department of Transportation
Traffic Engineering Division
2005
Annual Average Daily Traffic Volume Estimates By Section of Route
Spotsylvania Operational Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Spotsylvania County																
(1281) Ford Rd	0.06	130	R													09/14/2005
(1281) Ford Rd	0.04	90	R													09/14/2005
(1282) McKinley Dr	0.04	660	R													09/14/2005
(1282) McKinley Dr	0.07	750	R													09/14/2005
(1282) McKinley Dr	0.07	60	R													09/14/2005
(1283) Madison Ct	0.04	40	R													09/14/2005
(1284) Old Leavells Rd	0.12	370	F	98%	1%	1%	0%	0%	0%	F	0.114	F	0.652	410	F	2005
(1284) Old Leavells Rd	0.24	370	F	98%	1%	1%	0%	0%	0%	C	0.105	F	0.585	400	F	2005
(1285)	0.09	47	R													1999
(1286)	0.06	390	R													07/31/2002
(1286)	0.06	260	R													07/31/2002
(1286)	0.20	320	R													07/31/2002
(1286)	0.05	480	R													07/31/2002
(1286)	0.12	540	R													07/31/2002
(1286)	0.06	840	R													07/31/2002
(1287)	0.24	190	R													07/31/2002
(1287)	0.13	300	R													07/31/2002
(1288)	0.19	100	R													07/31/2002
(1289)	0.09	90	R													07/31/2002
(1290) Galaxie Dr	0.05	280	R													09/06/2005
(1290) Galaxie Dr	0.06	510	R													09/06/2005
(1290) Galaxie Dr	0.06	840	R													09/06/2005

Virginia Department of Transportation
Traffic Engineering Division
2005
Annual Average Daily Traffic Volume Estimates By Section of Route
Spotsylvania Operational Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Spotsylvania County																
(1290) Galaxie Dr	0.04	1100	R				88-1345				NA			NA		09/06/2005
(1290) Galaxie Dr	0.05	1600	R				88-1291 Patterson Ave				NA			NA		09/06/2005
(1290) Galaxie Dr	0.25	2300	R				88-764				NA			NA		09/06/2005
							88-639 Leavells Rd									
(1291) Patterson Ave	0.22	160	R				88-1292				NA			NA		08/31/2005
(1291) Patterson Ave	0.17	340	R				88-1290 Galaxie Dr				NA			NA		08/31/2005
(1291) Patterson Ave	0.13	160	R				88-1349				NA			NA		08/31/2005
							88-1292 EAST									
(1292)	0.06	860	R				88-639 Leavells Rd				NA			NA		08/07/2002
(1292)	0.06	690	R				88-1291 Patterson Ave				NA			NA		08/07/2002
(1292)	0.06	450	R				88-1345				NA			NA		08/07/2002
(1292)	0.06	340	R				88-1346				NA			NA		08/07/2002
(1292)	0.16	230	R				88-1347				NA			NA		08/07/2002
(1292)	0.23	260	R				88-1290 Galaxie Dr				NA			NA		08/07/2002
(1292)	0.07	200	R				88-1347 EAST				NA			NA		08/07/2002
(1292)	0.07	140	R				88-1346				NA			NA		08/07/2002
(1292)	0.07	160	R				88-1346 EAST				NA			NA		08/07/2002
(1292)	0.07	160	R				88-1345 EAST				NA			NA		08/07/2002
(1292)	0.07	140	R				88-1291 E, Patterson Ave				NA			NA		08/07/2002
(1292)	0.05	250	R				88-1291 Patterson Ave				NA			NA		08/07/2002
(1292)	0.04	60	R				88-764				NA			NA		08/07/2002
(1292)	0.04	60	R				88-1365				NA			NA		08/07/2002
(1293) Hamway Dr	0.05	60	R				Cul-de-Sac				NA			NA		08/29/2005
(1293) Hamway Dr	0.14	260	R				Cul-de-Sac				NA			NA		08/29/2005
(1294) Powers St	0.05	100	R				88-1294 Powers St				NA			NA		08/29/2005
(1294) Powers St	0.05	110	R				88-1195				NA			NA		08/29/2005
(1295) Chancellor Rd	0.06	270	R				88-1293 Hamway Dr				NA			NA		07/31/2002
							88-1297				NA			NA		08/29/2005
							88-1183				NA			NA		08/29/2005
							88-674 Chancellor Rd				NA			NA		07/31/2002
							88-1296				NA			NA		07/31/2002

Virginia Department of Transportation
Traffic Engineering Division
2005
Annual Average Daily Traffic Volume Estimates By Section of Route
Spotsylvania Operational Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Spotsylvania County																
(1295)	0.33	200	R			From: 88-1296					NA			NA		07/31/2002
(1295)	0.06	20	R			From: 88-1305 Highland Court					NA			NA		07/31/2002
						To: Cul-de-Sac										
(1296)	0.19	70	R			From: 88-1295					NA			NA		07/31/2002
						To: Cul-de-Sac										
(1297)	0.12	110	R			From: 88-1294 Powers St					NA			NA		1999
						To: 88-1195										
(1298) Shannon Dr	0.64	1900	R			From: 88-638 Lansdowne Rd					NA			NA		10/05/2005
						To: Dead End										
(1299) Twin Springs Dr	0.55	220	R			From: 88-620 Harrison Rd					NA			NA		09/14/2005
						To: Cul-de-Sac										
(1300) Wilmington Court	0.05	45	R			From: 88-1279 Durham Dr					NA			NA		09/20/2005
						To: Cul-de-Sac										
(1301)	0.17	890	R			From: US 17 Bus					NA			NA		1999
						To: 88-1306										
(1301)	0.17	610	R			From: 88-1306					NA			NA		1999
						To: 88-1302										
(1301)	0.20	430	R			From: 88-1302					NA			NA		1999
						To: 88-1304										
(1301)	0.05	60	R			From: 88-1304					NA			NA		1999
						To: 88-1309										
(1302)	0.05	70	R			From: 88-1303					NA			NA		1999
						To: 88-1301										
(1303)	0.18	590	R			From: US 17 Bus					NA			NA		1999
						To: 88-1306										
(1303)	0.17	430	R			From: 88-1306					NA			NA		1999
						To: 88-1302										
(1303)	0.20	210	R			From: 88-1302					NA			NA		1999
						To: 88-1304										
(1304)	0.06	130	R			From: 88-1310					NA			NA		1999
						To: 88-1303										
(1304)	0.05	180	R			From: 88-1303					NA			NA		1999
						To: 88-1301										
(1304)	0.08	110	R			From: 88-1301					NA			NA		1999
						To: Dead End										
(1305) Highland Court	0.14	50	R			From: Cul-de-Sac					NA			NA		11/07/2005
						To: 88-1295										
(1306)	0.06	220	R			From: 88-1310					NA			NA		1999
						To: 88-1303										
(1306)	0.05	40	R			From: 28-1303					NA			NA		1999
						To: 88-1301										

Virginia Department of Transportation
Traffic Engineering Division
2005
Annual Average Daily Traffic Volume Estimates By Section of Route
Spotsylvania Operational Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Spotsylvania County																
(1307) Brook Dr	0.02	290	R			From: US 17 Bus					NA			NA		10/05/2005
(1307) Brook Dr	0.28	160	R			From: 88-1308 S, Vance Dr					NA			NA		10/05/2005
(1307) Brook Dr	0.25	60	R			From: 88-1308 N, Vance Dr					NA			NA		10/05/2005
						To: Dead End										
(1308) Vance Dr	0.30	70	R			From: 88-1307 Brook Dr					NA			NA		10/05/2005
						To: 88-1307 Brook Dr										
(1309)	0.05	46	R			From: Dead End					NA			NA		1999
						To: 88-1301										
(1310)	0.20	1800	R			From: US 17 Bus					NA			NA		1999
(1310)	0.37	390	R			From: 88-1306					NA			NA		1999
						To: 88-1304										
(1311) Maden St	0.21	210	R			From: 88-1312 Cleveland Ct					NA			NA		09/20/2005
						To: 88-1147										
(1312) Cleveland Ct	0.10	120	R			From: Cul-de-Sac					NA			NA		09/20/2005
(1312) Cleveland Ct	0.05	100	R			From: 88-1278 Burman Lane					NA			NA		09/20/2005
(1312) Cleveland Ct	0.05	60	R			From: 88-1311 Maden St					NA			NA		09/20/2005
(1312) Cleveland Ct	0.06	60	R			From: 88-1279 Durham Dr					NA			NA		08/19/2002
						To: 88-2010										
(1313) Dayton Ct	0.03	50	R			From: 88-1279 Durham Dr					NA			NA		09/20/2005
						To: Cul-de-Sac										
(1314) Columbus Court	0.05	40	R			From: 88-1279 Durham Dr					NA			NA		09/20/2005
						To: Cul-de-Sac										
(1315)	0.22	110	R			From: 88-609 Thornton Rolling Rd					NA			NA		10/21/2002
						To: Cul-de-Sac										
(1316) Roanoke St	0.12	200	R			From: Cul-de-Sac					NA			NA		11/14/2005
						To: 88-1175 E, Albany St										
(1317)	0.16	110	R			From: 88-1251 Iron Wood Lane					NA			NA		1999
						To: Cul-de-Sac										
(1318) One Iron Blvd	0.04	1900	R			From: 88-1319					NA			NA		10/19/2005
						To: 88-636 Mine Rd										
(1319)	0.30	1600	R			From: Cul-de-Sac					NA			NA		10/31/2002
(1319)	0.22	280	R			From: 88-1318 One Iron Blvd					NA			NA		10/31/2002
						To: 88-1397 Watford Lane										

Virginia Department of Transportation
Traffic Engineering Division
2005
Annual Average Daily Traffic Volume Estimates By Section of Route
Spotsylvania Operational Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Spotsylvania County																
(1320)	0.09	470	R			From: US 17 Bus										09/04/2002
(1320)	0.34	390	R			From: 88-1323										09/04/2002
						To: 88-1322										
(1321)	0.11	480	R			From: US 17 Bus										09/04/2002
(1321)	0.34	370	R			From: 88-1323										09/04/2002
						To: 88-1322										
(1322)	0.15	130	R			From: Cul-de-Sac										09/04/2002
(1322)	0.06	140	R			From: 88-1321										09/04/2002
						To: 88-1320										
(1323)	0.06	60	R			From: 88-1320										09/04/2002
						To: 88-1321										
(1324) Lassen Lane	0.20	1800	R			From: FR-691 Kershaw St										11/14/2002
						To: Bus US 1 Lafayette Blvd										
(1325) Rebecca Rd	0.09	110	R			From: 88-1326 South Brooks Dr										10/27/2005
						To: 88-1328 Gerber Dr										
(1326) South Brooks Dr	0.28	100	R			From: 88-1340 Vicky Lane										10/27/2005
(1326) South Brooks Dr	0.08	60	R			From: 88-1327 Brandon Lane										10/27/2005
(1326) South Brooks Dr	0.06	80	R			From: 88-1328 Gerber Dr										10/27/2005
						To: 88-1322										
(1327) Brandon Lane	0.09	100	R			From: 88-1326 South Brooks Dr										10/27/2005
						To: 88-1328 Gerber Dr										
(1328) Gerber Dr	0.38	900	R			From: US 17 Bus; Tidewater Trail										10/27/2005
(1328) Gerber Dr	0.15	80	R			From: 88-1327 Brandon Lane										10/27/2005
						To: 88-1326 South Brooks Dr										
(1329) Earlene St	0.08	80	R			From: 88-1326 South Brooks Dr										10/27/2005
						To: 88-1328 Gerber Dr										
(1330) Roosevelt Rd	0.13	100	R			From: 88-1112										09/14/2005
(1330) Roosevelt Rd	0.34	190	R			From: 88-1114 S, Kennedy Lane										09/14/2005
(1330) Roosevelt Rd	0.08	130	R			From: 88-1114 N, Kennedy Lane										09/14/2005
						To: 88-1280 N, Taft Dr										
(1331) Pierce Ct	0.13	50	R			From: 88-1112										09/14/2005
						To: Cul-de-Sac										
(1332) Eisenhower Lane	0.22	290	R			From: 88-1112										09/14/2005
						To: 88-1114 Kennedy Lane										

Virginia Department of Transportation
Traffic Engineering Division
2005
Annual Average Daily Traffic Volume Estimates By Section of Route
Spotsylvania Operational Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Spotsylvania County																
(1333) Coolidge Court	0.04	47	R			From: 88-1332 Eisenhower Lane					NA			NA		09/14/2005
						To: Cul-de-Sac										
(1334)	0.11	60	R			From: 88-1326 South Brooks Dr					NA			NA		09/04/2002
						To: 88-1328 Gerber Dr										
(1335)	0.10	60	R			From: 88-1326 South Brooks Dr					NA			NA		09/04/2002
						To: 88-1328 Gerber Dr										
(1336) Azalea Dr	0.15	200	R			From: 88-1237 Buttemut Dr					NA			NA		08/22/2005
						To: 88-1337 Mahogany Lane										
(1336) Azalea Dr	0.05	120	R			From: 88-1204 Laurel Ave					NA			NA		08/22/2005
						To: 88-1237 Buttemut Dr										
(1337) Mahogany Lane	0.07	90	R			From: 88-1339 Jonquil Ct					NA			NA		08/22/2005
						To: 88-1336 Azalia Dr										
(1338) Myrtle Court	0.03	47	R			From: 88-1237 Buttemut Dr					NA			NA		08/22/2005
						To: Cul-de-Sac										
(1339) Jonquil Ct	0.11	80	R			From: Cul-de-Sac					NA			NA		08/22/2005
						To: 88-1337 Mahogany Lane										
(1340) Vicky Lane	0.09	220	R			From: 88-1326 South Brooks Dr					NA			NA		10/27/2005
						To: 88-1328 Gerber Dr										
(1341) Charles Washington Av	0.06	260	R			From: 88-1343 Signal Corp Dr					NA			NA		09/06/2005
						To: 88-1342 Boxwood Rd										
(1341) Charles Washington Av	0.05	420	R			From: 88-620 Harrison Rd					NA			NA		09/06/2005
						To: Cul-de-Sac										
(1342) Boxwood Rd	0.25	180	R			From: Cul-de-Sac					NA			NA		09/06/2005
						To: 88-1341 Charles Washington Ave										
(1343) Signal Corp Dr	0.12	160	R			From: 88-1344 Beauclaire Blvd					NA			NA		09/06/2005
						To: 88-1341 Charles Washington Ave										
(1343) Signal Corp Dr	0.13	210	R			From: 88-1353 Statesman Ct					NA			NA		09/06/2005
						To: 88-1352 Carriage House Ct										
(1343) Signal Corp Dr	0.06	130	R			From: 88-1344 Beauclaire Blvd					NA			NA		09/06/2005
						To: Cul-de-Sac										
(1344) Beauclaire Blvd	0.18	480	R			From: 88-1343 Signal Corp Dr					NA			NA		10/05/2005
						To: 88-1351 Fielding Lewis Ct										
(1344) Beauclaire Blvd	0.06	600	R			From: 88-1351 Fielding Lewis Ct					NA			NA		10/05/2005
						To: 88-1343 Signal Corp Dr										
(1344) Beauclaire Blvd	0.10	670	R			From: 88-1343 Signal Corp Dr					NA			NA		10/05/2005
						To: 88-620 Harrison Rd										
(1344) Beauclaire Blvd	0.07	890	R			From: 88-620 Harrison Rd					NA			NA		10/05/2005
						To: 88-620 Harrison Rd										

Virginia Department of Transportation
Traffic Engineering Division
2005
Annual Average Daily Traffic Volume Estimates By Section of Route
Spotsylvania Operational Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Spotsylvania County																
(1344) Kingswood Blvd	0.04	3100	R											NA	NA	1999
(1344) Kingswood Blvd	0.06	2800	R											NA	NA	1999
(1344) Kingswood Blvd	0.08	2500	R											NA	NA	1999
(1344) Kingswood Blvd	0.48	2200	R											NA	NA	1999
(1344) Kingswood Blvd	0.08	1900	R											NA	NA	1999
(1344) Kingswood Blvd	0.08	1800	R											NA	NA	1999
(1344) Kingswood Blvd	0.05	1700	R											NA	NA	1999
(1344) Kingswood Blvd	0.06	840	R											NA	NA	1999
(1344) Kingswood Blvd	0.06	750	R											NA	NA	1999
(1344) Kingswood Blvd	0.06	680	R											NA	NA	1999
(1344) Kingswood Blvd	0.70	570	R											NA	NA	1999
(1345)	0.13	120	R											NA	NA	08/07/2002
(1345)	0.20	120	R											NA	NA	08/07/2002
(1345)	0.18	180	R											NA	NA	08/07/2002
(1345)	0.09	80	R											NA	NA	08/07/2002
(1346)	0.17	100	R											NA	NA	08/07/2002
(1346)	0.24	160	R											NA	NA	08/07/2002
(1347)	0.15	80	R											NA	NA	08/07/2002
(1347)	0.20	180	R											NA	NA	08/07/2002
(1348)	0.08	80	R											NA	NA	08/07/2002
(1349)	0.26	150	R											NA	NA	08/07/2002
(1350)	0.81	540	R											NA	NA	08/05/2002
(1351) Fielding Lewis Ct	0.05	40	R											NA	NA	11/09/2005

Virginia Department of Transportation
Traffic Engineering Division
2005
Annual Average Daily Traffic Volume Estimates By Section of Route
Spotsylvania Operational Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Spotsylvania County																
(1351) Fielding Lewis Ct	0.05	50	R				From: 88-1344 Beauclaire Blvd					NA		NA		11/09/2005
							To: Cul-de-Sac									
(1352) Carriage House Ct	0.10	90	R				From: Cul-de-Sac					NA		NA		11/09/2005
							To: 88-1343 Signal Corp Dr									
(1353) Statesman Ct	0.04	40	R				From: 88-1343 Signal Corp Dr					NA		NA		11/09/2005
							To: Cul-de-Sac									
(1354) Glenside Circle	0.04	30	R				From: 88-1187 Breezewood Dr					NA		NA		11/07/2005
							To: Cul-de-Sac									
(1355) Merrymount Dr	0.13	100	R				From: 88-1356 Mayfair Dr					NA		NA		11/07/2005
							To: 88-1187; 88-1360									
(1356) Mayfair Dr	0.26	90	R				From: Dead End					NA		NA		11/07/2005
							To: Cul-de-Sac									
(1357) Whitecliff Dr	0.07	80	R				From: Cul-de-Sac					NA		NA		11/07/2005
							To: 88-1356 Mayfair Dr									
(1358) Bradbury Circle	0.04	60	R				From: Cul-de-Sac					NA		NA		11/07/2005
							To: 88-1187 Breezewood Dr									
(1359) Bainbridge Lane	0.08	80	R				From: Dead End					NA		NA		11/07/2005
(1359) Bainbridge Lane	0.09	90	R				From: 88-1187 Breezewood Dr					NA		NA		11/07/2005
							To: Cul-de-Sac									
(1360) Sanford Circle	0.10	150	R				From: 88-1187; 88-1355					NA		NA		11/07/2005
							To: Cul-de-Sac									
(1361) White Lake Dr	0.44	100	R				From: 88-1188 W, Stoney Creek Dr					NA		NA		11/14/2005
							To: 88-1188 E, Stoney Creek Dr									
(1362) Victoria Court	0.07	60	R				From: Cul-de-Sac					NA		NA		11/14/2005
							To: 88-1361 White Lake Dr									
(1363) Stable Way	0.10	160	R				From: Cul-de-Sac					NA		NA		11/14/2005
							To: 88-1188 Stoney Creek Dr									
(1364) Trottef Circle	0.10	90	R				From: Cul-de-Sac					NA		NA		11/14/2005
							To: 88-1363 Stable Way									
(1365)	0.05	60	R				From: Cul-de-Sac					NA		NA		08/07/2002
							To: 88-1292									
(1366)	0.09	80	R				From: 88-764					NA		NA		08/07/2002
							To: Cul-de-Sac									
(1367)	0.06	80	R				From: Cul-de-Sac					NA		NA		08/07/2002
							To: 88-1349									
(1368)	0.25	290	R				From: Cul-de-Sac					NA		NA		10/24/2002
							To: 88-1372									

Virginia Department of Transportation
 Traffic Engineering Division
 2005
 Annual Average Daily Traffic Volume Estimates By Section of Route
 Spotsylvania Operational Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Spotsylvania County																
(1368)	0.07	350	R				From: 88-1372					NA		NA		10/24/2002
(1368)	0.27	790	R				From: 88-1369					NA		NA		10/24/2002
							To: US 17 Bus									
(1369) Sharon Springs Dr	0.25	110	R				From: 88-1368					NA		NA		10/19/2005
							To: 88-1373 Pittston Rd									
(1370) Ann Davis Dr	0.35	230	R				From: Cul-de-Sac					NA		NA		11/14/2005
							To: 88-681 Lorraine Ave									
(1371) Hilltop Court	0.05	60	R				From: Cul-de-Sac					NA		NA		11/14/2005
							To: 88-1370 Ann Davis Dr									
(1372) South Fulton	0.25	100	R				From: 88-1368					NA		NA		10/19/2005
							To: 88-1373 Pittston Rd									
(1373) Pittston Rd	0.23	370	R				From: Cul-de-Sac					NA		NA		10/24/2002
							To: 88-1372 South Fulton									
(1373) Pittston Rd	0.09	260	R				From: 88-1369 Sharon Springs Dr					NA		NA		10/19/2005
							To: 88-1369 Sharon Springs Dr									
(1373) Pittston Rd	0.26	200	R				From: 88-1368					NA		NA		10/19/2005
							To: 88-1368									
(1374)	0.27	800	R				From: 88-1368					NA		NA		10/24/2002
							To: 88-609 Jim Morris Rd									
(1375)	0.29	1600	R				From: 88-694 Heatherstone Dr					NA		NA		09/03/2002
							To: 88-1380									
(1376)	0.30	780	R				From: 88-1375					NA		NA		09/03/2002
							To: 88-1381 Clover Dr									
(1377)	0.29	1100	R				From: 88-1376					NA		NA		09/03/2002
							To: 88-1382									
(1378)	0.18	150	R				From: 88-1375					NA		NA		09/03/2002
							To: 88-1377									
(1379)	0.20	140	R				From: 88-1380					NA		NA		09/03/2002
							To: 88-1380									
(1380)	0.66	950	R				From: 88-1375					NA		NA		09/03/2002
							To: Cul-de-Sac									
(1381) Clover Dr	0.42	130	R				From: 88-1375					NA		NA		10/17/2005
							To: Cul-de-Sac									
(1382)	0.08	2900	R				From: 88-1377					NA		NA		09/03/2002
							To: 88-639 Bragg Rd									
(1383)	0.30	260	R				From: 88-636 Mine Rd					NA		NA		09/26/2002
							To: Dead End									

Virginia Department of Transportation
Traffic Engineering Division
2005
Annual Average Daily Traffic Volume Estimates By Section of Route
Spotsylvania Operational Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Spotsylvania County																
(1384) Abbey Lane	0.29	200	R				From: 88-1385 W, Windsor Dr				NA			NA		11/14/2005
							To: 88-1385 E, Windsor Dr									
(1385) Windsor Dr	0.51	1200	R				From: 88-1389 Ascot Cir				NA			NA		11/14/2005
							To: 88-639 Leavells Rd									
(1386) Cathedral Dr	0.18	190	R				From: 88-1385 Windsor Dr				NA			NA		11/14/2005
							To: Cul-de-Sac									
(1387) Loriella Park Dr	0.64	1300	R				From: 88-1389 W, Ascot Cir				NA			NA		11/14/2005
							To: 88-639 Leavells Rd									
(1388) Westminster Ct	0.05	45	R				From: 88-1385 Windsor Dr				NA			NA		11/14/2005
							To: Cul-de-Sac									
(1389) Ascot Cir	0.46	140	R				From: 88-1394				NA			NA		11/04/2002
							To: 80-1387									
(1389) Ascot Cir	0.06	460	R				From: 88-1385 Windsor Dr				NA			NA		11/14/2005
							To: End of Loop									
(1389) Ascot Cir	0.30	150	R				From: Cul-de-Sac				NA			NA		11/14/2005
							To: 88-1350									
(1390)	0.35	130	R				From: Dead End				NA			NA		08/05/2002
							To: 88-1350									
(1392) Longview Lane	0.09	80	R				From: Cul-de-Sac				NA			NA		08/29/2005
							To: 88-1350									
(1393)	0.12	100	R				From: Cul-de-Sac				NA			NA		11/04/2002
							To: 88-1350									
(1394)	0.17	70	R				From: 88-1389 Begin Loop				NA			NA		11/04/2002
							To: Cul-de-Sac									
(1395) Park Dr	0.23	1100	R				From: Cul-de-Sac				NA			NA		11/17/2005
							To: 88-1246 Industrial Dr									
(1396) Freedom Court	0.13	670	R				From: 88-1246 Industrial Dr				NA			NA		11/16/2005
							To: Cul-de-Sac									
(1397) Watford Lane	0.38	700	R				From: 88-636 Mine Rd				NA			NA		12/12/2002
							To: 88-1522 Bricken Lane									
(1397) Watford Lane	0.26	130	R				From: Cul-de-Sac				NA			NA		10/27/2005
							To: Cul-de-Sac									
(1398) Ashland Ct	0.04	30	R				From: Cul-de-Sac				NA			NA		09/30/2002
							To: 88-1397 Watford Lane									
(1399)	0.34	20	R				From: Cul-de-Sac				NA			NA		11/07/2002
							To: Cul-de-Sac									
(1400)	0.15	170	R				From: Cul-de-Sac				NA			NA		08/21/2002
							To: 88-1405 Meadowlark Lane									

Virginia Department of Transportation
Traffic Engineering Division
2005
Annual Average Daily Traffic Volume Estimates By Section of Route
Spotsylvania Operational Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Spotsylvania County																
(1401) Wild Turkey Dr	0.20	2000	R				From: SR 208 Courthouse Rd							NA	NA	08/01/2005
(1401) Wild Turkey Dr	0.09	1700	R				To: 88-1402 Robin Lane							NA	NA	08/01/2005
(1401) Wild Turkey Dr	0.08	1300	R				To: 88-1403 Bluebird Lane							NA	NA	08/01/2005
(1401) Wild Turkey Dr	0.06	910	R				To: 88-1406 Redbird Lane							NA	NA	08/01/2005
(1401) Wild Turkey Dr	0.17	600	R				To: 88-1408 Mockingbird Lane							NA	NA	08/01/2005
(1401) Wild Turkey Dr	0.13	210	R				To: 88-1417 Bobwhite Lane							NA	NA	08/01/2005
(1402) Robin Lane	0.10	290	R				To: 88-1405 Meadowlark Lane							NA	NA	08/01/2005
(1402) Robin Lane	0.06	80	R				To: 88-1401 Wild Turkey Dr							NA	NA	08/01/2005
(1403) Bluebird Lane	0.06	80	R				To: 88-1404 Woodcock Lane							NA	NA	08/01/2005
(1403) Bluebird Lane	0.08	270	R				To: Dead End							NA	NA	08/21/2002
(1403) Bluebird Lane	0.06	300	R				To: 88-1421							NA	NA	08/21/2002
(1403) Bluebird Lane	0.09	610	R				To: 88-1423							NA	NA	08/21/2002
(1403) Bluebird Lane	0.06	100	R				To: 88-1401 Wild Turkey Dr							NA	NA	08/21/2002
(1403) Bluebird Lane	0.04	30	R				To: 88-1405 Meadowlark Lane							NA	NA	08/01/2005
(1404) Woodcock Lane	0.07	240	R				To: 88-1404 Woodcock Lane							NA	NA	08/01/2005
(1404) Woodcock Lane	0.19	200	R				To: Dead End							NA	NA	08/01/2005
(1405) Meadowlark Lane	0.10	80	R				To: 88-1402 Robin Lane							NA	NA	08/01/2005
(1405) Meadowlark Lane	0.14	220	R				To: 88-1403 Bluebird Lane							NA	NA	08/01/2005
(1405) Meadowlark Lane	0.10	350	R				To: 88-1408 Mockingbird Lane							NA	NA	08/01/2005
(1405) Meadowlark Lane	0.07	170	R				To: Cul-de-Sac							NA	NA	08/21/2002
(1405) Meadowlark Lane	0.11	160	R				To: 88-1421							NA	NA	08/21/2002
(1405) Meadowlark Lane	0.12	120	R				To: 88-1400							NA	NA	08/21/2002
(1405) Meadowlark Lane	0.08	100	R				To: 88-1417 Bobwhite Lane							NA	NA	08/01/2005
(1405) Meadowlark Lane	0.11	130	R				To: 88-1418 Goldfinch Circle							NA	NA	08/01/2005
(1405) Meadowlark Lane	0.05	70	R				To: 88-1401 Wild Turkey Dr							NA	NA	08/01/2005
(1405) Meadowlark Lane	0.08	100	R				To: 88-1408 Mockingbird Lane							NA	NA	08/01/2005
(1405) Meadowlark Lane	0.11	130	R				To: 88-1406 Redbird Lane							NA	NA	08/01/2005
(1405) Meadowlark Lane	0.05	70	R				To: 88-1403 Bluebird Lane							NA	NA	08/01/2005
(1405) Meadowlark Lane							To: Cul-de-Sac									

Virginia Department of Transportation
Traffic Engineering Division
2005
Annual Average Daily Traffic Volume Estimates By Section of Route
Spotsylvania Operational Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Spotsylvania County																
(1406) Redbird Lane	0.07	250	R			From: 88-1401 Wild Turkey Dr					NA			NA		08/01/2005
(1406) Redbird Lane	0.12	100	R			From: 88-1407 Raven Circle					NA			NA		08/01/2005
						To: 88-1405 Meadowlark Lane										
(1407) Raven Circle	0.04	40	R			From: 88-1406 Redbird Lane					NA			NA		08/01/2005
						To: Dead End										
(1408) Mockingbird Lane	0.26	410	R			From: 88-1401 Wild Turkey Dr					NA			NA		08/01/2005
(1408) Mockingbird Lane	0.06	230	R			From: 88-1405 Meadowlark Lane					NA			NA		08/01/2005
(1408) Mockingbird Lane	0.06	120	R			From: 88-1404 Woodcock Lane					NA			NA		08/01/2005
						To: 88-1409 Sparrow Lane										
(1409) Sparrow Lane	0.03	48	R			From: Cul-de-Sac					NA			NA		08/01/2005
						To: 88-1408 Mockingbird Lane										
(1410)	0.09	420	R			From: 88-1412					NA			NA		08/21/2002
(1410)	0.05	570	R			From: 88-1411					NA			NA		08/21/2002
(1410)	0.12	910	R			From: 88-1415					NA			NA		08/21/2002
(1410)	0.09	1600	R			From: 88-1414					NA			NA		08/21/2002
						To: 88-613 Brock Rd										
(1411)	0.07	80	R			From: 88-1410					NA			NA		08/21/2002
						To: Cul-de-Sac										
(1412)	0.16	140	R			From: 88-1437 WEST					NA			NA		08/21/2002
(1412)	0.14	120	R			From: 88-1437 EAST					NA			NA		08/21/2002
						To: Dead End										
(1413)	0.08	80	R			From: 88-1410					NA			NA		08/21/2002
						To: Cul-de-Sac										
(1414)	0.06	260	R			From: 88-1437					NA			NA		08/21/2002
(1414)	0.21	340	R			From: 88-1415					NA			NA		08/21/2002
(1414)	0.09	690	R			From: 88-1416					NA			NA		08/21/2002
						To: 88-1410										
(1415)	0.06	110	R			From: 88-1414					NA			NA		08/21/2002
(1415)	0.28	70	R			From: 88-1416					NA			NA		08/21/2002
						To: 88-1410										
(1416)	0.05	260	R			From: 88-1415					NA			NA		08/21/2002
						To: 88-1436										

Virginia Department of Transportation
Traffic Engineering Division
2005
Annual Average Daily Traffic Volume Estimates By Section of Route
Spotsylvania Operational Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Spotsylvania County																
(1416)	0.10	180	R				88-1436				NA			NA		08/21/2002
(1416)	0.04	70	R				88-1435				NA			NA		08/21/2002
(1417)	0.12	470	R				88-1401 Wild Turkey Dr				NA			NA		08/01/2005
(1418)	0.04	45	R				Cul-de-Sac				NA			NA		08/01/2005
(1419)	0.24	190	R				88-613 Brock Rd				NA			NA		08/01/2005
(1420)	0.52	150	R				Dead End				NA			NA		08/21/2002
(1421)	1.43	1000	R				SR 208 Courthouse Rd				NA			NA		08/21/2002
(1422)	0.08	100	R				88-1421				NA			NA		08/21/2002
(1423)	0.09	140	R				88-1403 Bluebird Lane				NA			NA		08/21/2002
(1424)	0.07	250	R				Cul-de-Sac				NA			NA		08/21/2002
(1424)	0.19	320	R				88-1425				NA			NA		08/21/2002
(1425)	0.09	700	R				88-1424				NA			NA		08/21/2002
(1426)	0.08	150	R				SR 208 Courthouse Rd				NA			NA		08/21/2002
(1427)	0.08	70	R				88-1421				NA			NA		08/21/2002
(1428)	0.48	250	R				88-606 Morris Rd				NA			NA		09/16/2002
(1429)	0.42	150	R				88-606 Morris Rd				NA			NA		09/16/2002
(1430)	0.24	320	R				Cul-de-Sac				NA			NA		09/16/2002
(1430)	0.17	100	R				88-722 Tanglewood Rd				NA			NA		09/16/2002
(1431)	0.46	1100	R				88-639 S. Salem Church Rd				NA			NA		09/25/2002
							88-639; 88-1114 NORTH									

Virginia Department of Transportation
Traffic Engineering Division
2005
Annual Average Daily Traffic Volume Estimates By Section of Route
Spotsylvania Operational Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Spotsylvania County																
(1432) Armand Ct	0.07	80	R											NA		08/21/2002
(1433)	0.17	270	R											NA		08/21/2002
(1434)	0.20	140	R											NA		08/21/2002
(1435)	0.09	60	R											NA		08/21/2002
(1436)	0.05	70	R											NA		08/21/2002
(1437)	0.15	320	R											NA		08/21/2002
(1437)	0.20	150	R											NA		08/21/2002
(1437)	0.21	60	R											NA		08/21/2002
(1438) Godwin Dr	0.09	120	R											NA		08/01/2005
(1439) Stanley Court	0.09	80	R											NA		08/01/2005
(1440)	0.71	650	R											NA		09/16/2002
(1441) Arabian Trl	0.38	250	R											NA		09/16/2002
(1442)	0.47	190	R											NA		09/16/2002
(1443)	0.15	90	R											NA		09/16/2002
(1444) Mustang Court	0.13	40	R											NA		11/02/2005
(1445)	0.25	110	R											NA		10/31/2002
(1446) Appaloosa Dr	0.40	230	R											NA		09/16/2002
(1447)	0.19	110	R											NA		09/16/2002
(1448)	0.06	30	R											NA		09/16/2002

Virginia Department of Transportation
Traffic Engineering Division
2005
Annual Average Daily Traffic Volume Estimates By Section of Route
Spotsylvania Operational Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Spotsylvania County																
(1449)	0.13	1100	R				From: 88-1431				NA		NA			11/04/2002
							To: Cul-de-Sac									
(1450) Jeans Dr	0.19	340	R				From: 88-1451 Lando Dr				NA		NA			08/01/2005
							To: SR 208 Courthouse Rd									
(1451) Lando Dr	0.07	30	R				From: Cul-de-Sac				NA		NA			08/01/2005
							To: 88-1450 Jeans Dr									
(1451) Lando Dr	0.10	230	R				From: 88-1452 Stephen Dr				NA		NA			08/01/2005
							To: Dead End									
(1452) Stephen Dr	0.04	8	R				From: 88-1453 Marc Dr				NA		NA			08/01/2005
							To: 88-1451 Lando Dr									
(1452) Stephen Dr	0.20	60	R				From: Cul-de-Sac				NA		NA			08/01/2005
							To: Cul-de-Sac									
(1453) Marc Dr	0.17	100	R				From: 88-1452 Stephen Dr				NA		NA			08/01/2005
							To: 88-1453 Marc Dr									
(1454) Ronnie Court	0.04	20	R				From: Cul-de-Sac				NA		NA			08/01/2005
							To: Dead End									
(1455) Taverneer Lane	0.13	60	R				From: 88-1456 East Point Circle				NA		NA			11/12/2002
							To: 88-606 Morris Rd									
(1455)	0.32	610	R				From: 88-1455 Taverneer Lane				NA		NA			10/31/2005
							To: Cul-de-Sac									
(1456) East Point Circle	0.07	70	R				From: SR 208 Courthouse Rd				NA		NA			10/31/2005
							To: 88-1458 Sourwood Court									
(1457) Cloverhill Rd	0.15	500	R				From: 88-1459 Pioneer Court				NA		NA			08/03/2005
							To: 88-1460 Cloverhill Court									
(1457) Cloverhill Rd	0.36	270	R				From: Cul-de-Sac				NA		NA			08/03/2005
							To: 88-1457 Cloverhill Rd									
(1457) Cloverhill Rd	0.16	170	R				From: Dead End				NA		NA			08/03/2005
							To: 88-1457 Cloverhill Rd									
(1457) Coverhill Rd	0.16	70	R				From: Cul-de-Sac				NA		NA			08/03/2005
							To: 88-1457 Coverhill Rd; Cloverhill Rd									
(1458) Sourwood Court	0.38	90	R				From: 88-1469 Ashbrook Ct				NA		NA			11/12/2002
							To: 88-620; 88-1299									

Virginia Department of Transportation
Traffic Engineering Division
2005
Annual Average Daily Traffic Volume Estimates By Section of Route
Spotsylvania Operational Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Spotsylvania County																
(1462) North Point Dr	0.27	60	R								NA			NA		11/02/2005
(1462) North Point Dr	0.29	230	R								NA			NA		11/02/2005
(1462) Larkin Chew Rd	0.28	660	R								NA			NA		11/02/2005
(1463)	0.27	150	R								NA			NA		10/21/2002
(1464)	0.13	40	R								NA			NA		10/21/2002
(1464)	0.12	40	R								NA			NA		10/21/2002
(1465) Collingwood Court	0.14	210	R								NA			NA		09/14/2005
(1466)	0.05	30	R								NA			NA		11/12/2002
(1467)	0.49	620	R								NA			NA		10/28/2002
(1468) Alicia Ct	0.11	90	R								NA			NA		10/28/2002
(1469) Ashbrook Ct	0.11	40	R								NA			NA		11/13/2002
(1470) Bloomsbury Lane	0.11	40	R								NA			NA		08/29/2005
(1470) Bloomsbury Lane	0.10	110	R								NA			NA		08/29/2005
(1470) Bloomsbury Lane	0.21	280	R								NA			NA		08/29/2005
(1470) Bloomsbury Lane	1.39	760	R								NA			NA		08/29/2005
(1471)	0.10	100	R								NA			NA		08/05/2002
(1472)	0.09	70	R								NA			NA		08/05/2002
(1473) Trisler Dr	0.22	360	R								NA			NA		11/09/2005
(1474) Griffith Way	0.34	570	R								NA			NA		11/09/2005
(1475) Salem Station Blvd	0.86	2200	R								NA			NA		11/14/2005

Virginia Department of Transportation
Traffic Engineering Division
2005
Annual Average Daily Traffic Volume Estimates By Section of Route
Spotsylvania Operational Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Spotsylvania County																
(1476) Castle Court	0.08	70	R								NA			NA		11/14/2005
(1477) Queens Mill Circle	0.43	120	R								NA			NA		11/14/2005
(1478) Regal Court	0.10	110	R								NA			NA		11/14/2005
(1479) Crown Court	0.09	80	R								NA			NA		11/14/2005
(1480) Prince Court	0.07	80	R								NA			NA		11/14/2005
(1481) Cheshire Court	0.07	90	R								NA			NA		11/14/2005
(1482) Yorkshire Court	0.11	110	R								NA			NA		11/14/2005
(1483)	0.24	60	R								NA			NA		11/12/2002
(1484)	0.07	30	R								NA			NA		11/12/2002
(1485) Sunkist Court	0.04	40	R								NA			NA		11/07/2005
(1486)	0.37	150	R								NA			NA		10/29/2002
(1487)	0.22	130	R								NA			NA		10/29/2002
(1488) Aldrich Ct	0.09	10	R								NA			NA		10/29/2002
(1489) Market St	0.21	10000	R								NA			NA		11/14/2002
(1490) Valley View Rd	0.27	110	R								NA			NA		11/14/2005
(1491) Dapple Grey Court	0.04	40	R								NA			NA		11/14/2005
(1492) Inglewood Dr	0.19	290	R								NA			NA		11/14/2005
(1493) Courtland Lane	0.13	170	R								NA			NA		11/14/2005
(1494) Woods Court	0.06	40	R								NA			NA		11/14/2005

Virginia Department of Transportation
Traffic Engineering Division
2005
Annual Average Daily Traffic Volume Estimates By Section of Route
Spotsylvania Operational Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Spotsylvania County																
(1495) Rodeo Court	0.06	70	R				From: 88-1492 Inglewood Dr				NA			NA		11/14/2005
							To: Cul-de-Sac									
(1496) Chinaberry Court	0.17	110	R				From: 88-1188 Stoney Creek Dr				NA			NA		11/14/2005
							To: Cul-de-Sac									
(1497) Carmine Circle	0.06	60	R				From: 88-1496 Chinaberry Court				NA			NA		11/14/2005
							To: Cul-de-Sac									
(1498) Abingdon Court	0.22	90	R				From: 88-1465 Collingwood Court				NA			NA		09/14/2005
							To: 88-1499 Halifax Court									
(1499) Halifax Court	0.07	190	R				From: 88-1431				NA			NA		09/14/2005
							To: Cul-de-Sac									
(1501) Valentine Dr	0.43	80	R				From: Cul-de-Sac				NA			NA		10/24/2005
							To: 88-1502 Katy-Ber Dr									
(1501) Valentine Dr	0.07	120	R				From: 88-1502 Katy-Ber Dr				NA			NA		10/24/2005
							To: 88-622 Lucks Rd									
(1502) Katy-Ber Dr	0.11	40	R				From: Cul-de-Sac				NA			NA		10/24/2005
							To: 88-1501 Valentine Dr									
(1503) Waddell Rd	0.11	10	R				From: Cul-de-Sac				NA			NA		10/24/2005
							To: 88-1501 Valentine Dr									
(1504) Pierson Dr	0.33	1000	R				From: Cul-de-Sac				NA			NA		10/05/2005
							To: 0.33 MN of Cul-de-Sac									
(1505)	0.15	60	R				From: 88-719 Days Bridge Rd				NA			NA		10/03/2002
							To: Parkwood Circle									
(1505)	0.43	40	R				From: Parkwood Circle				NA			NA		10/03/2002
							To: Cul-de-Sac									
(1506) Parkwood Circle	0.16	30	R				From: 88-1505				NA			NA		09/26/2005
							To: Cul-de-Sac									
(1507) Cedar Lane	0.10	30	R				From: 88-1505				NA			NA		09/26/2005
							To: Cul-de-Sac									
(1508)	0.13	10	R				From: 88-1505				NA			NA		10/03/2002
							To: Cul-de-Sac									
(1509)	0.19	NA					From: 88-1368				NA			NA		
							To: 88-1373 Pittston Rd									
(1510)	0.40	450	R				From: 88-738 Partlow Rd				NA			NA		11/07/2002
							To: 88-1511									
(1510)	0.47	230	R				From: 88-1511				NA			NA		11/07/2002
							To: Cul-de-Sac									
(1511)	0.11	70	R				From: Dead End				NA			NA		11/07/2002
							To: 88-1510									
(1511)	0.45	110	R				From: 88-1510				NA			NA		11/07/2002
							To: Cul-de-Sac									

Virginia Department of Transportation
Traffic Engineering Division
2005
Annual Average Daily Traffic Volume Estimates By Section of Route
Spotsylvania Operational Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Spotsylvania County																
(1512) Harris Mill Court	0.29	510	R								NA			NA		10/05/2005
(1513) Carriage Way Lane	0.15	280	R								NA			NA		10/05/2005
(1514)	0.96	160	R								NA			NA		08/21/2002
(1515) Oxbow Court	0.14	90	R								NA			NA		10/05/2005
(1516)	0.24	50	R								NA			NA		10/03/2002
(1517) Lake Point Dr	0.66	80	R								NA			NA		09/26/2005
(1518) Ventura Lane	0.24	200	R								NA			NA		09/20/2005
(1519) Argall Lane	0.10	100	R								NA			NA		09/20/2005
(1520) Billman Dr	0.20	70	R								NA			NA		11/07/2002
(1521) Eustace Dr	0.28	49	R								NA			NA		11/07/2002
(1521) Eustace Dr	0.06	30	R								NA			NA		11/07/2002
(1522) Bricken Lane	0.20	130	R								NA			NA		10/27/2005
(1523) Little River Dr	0.12	140	R								NA			NA		10/27/2005
(1524) Purley Dr	0.09	80	R								NA			NA		10/27/2005
(1525) Morning Glory Dr	0.03	30	R								NA			NA		10/24/2005
(1525) Morning Glory Dr	0.38	130	R								NA			NA		10/24/2005
(1526) Dukes Dr	0.27	70	R								NA			NA		10/24/2005
(1527)	1.00	430	R								NA			NA		10/21/2002
(1528)	0.40	150	R								NA			NA		10/21/2002

Virginia Department of Transportation
Traffic Engineering Division
2005
Annual Average Daily Traffic Volume Estimates By Section of Route
Spotsylvania Operational Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Spotsylvania County																
(1529)	0.12	90	R											NA		10/21/2002
(1530)	0.41	20	R											NA		10/03/2002
(1531)	0.10	20	R											NA		10/03/2002
(1532)	0.27	150	R											NA		10/05/2005
(1532)	0.19	140	R											NA		10/05/2005
(1533)	0.05	90	R											NA		10/05/2005
(1534)	0.10	30	R											NA		10/03/2002
(1535)	0.37	50	R											NA		10/03/2002
(1536)	0.09	80	R											NA		09/26/2005
(1536)	0.15	140	R											NA		09/26/2005
(1536)	0.20	200	R											NA		09/26/2005
(1536)	0.31	260	R											NA		09/26/2005
(1537)	0.18	50	R											NA		09/26/2005
(1538)	0.20	45	R											NA		09/26/2005
(1539)	0.22	20	R											NA		09/26/2005
(1539)	0.05	10	R											NA		09/26/2005
(1540)	0.28	50	R											NA		09/26/2005
(1541)	0.16	70	R											NA		10/03/2002
(1542)	0.12	90	R											NA		10/03/2002
(1542)	0.32	40	R											NA		10/03/2002

Virginia Department of Transportation
Traffic Engineering Division
2005
Annual Average Daily Traffic Volume Estimates By Section of Route
Spotsylvania Operational Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Spotsylvania County																
(1543)	0.46	60	R				88-1542				NA		NA			10/03/2002
							Cul-de-Sac									
(1545) Windway Dr	0.62	90	R				Cul-de-Sac				NA		NA			09/26/2005
							88-654 Windway Dr									
(1546) Windy Hill Ct	0.12	10	R				88-1545 Windway Dr				NA		NA			09/26/2005
							Dead End									
(1548) Bellevue Court	0.10	110	R				Cul-de-Sac				NA		NA			10/19/2005
							88-1368									
(1549) Heriot Row Court	0.14	80	R				Cul-de-Sac				NA		NA			10/19/2005
							88-1368									
(1550) Whitfield Lane	0.28	90	R				Cul-de-Sac				NA		NA			10/08/2002
							88-622 Lucks Rd									
(1551) Lakeside Woods Dr	0.17	90	R				88-1550 Whitfield Lane				NA		NA			10/08/2002
							88-1552 Laken Woods Dr									
(1552) Laken Woods Dr	0.06	30	R				Dead End				NA		NA			10/08/2002
							88-1551 Lakeside Woods Dr									
(1552) Laken Woods Dr	0.06	40	R				Cul-de-Sac				NA		NA			10/08/2002
(1553) Commons Court	0.05	60	R				Cul-de-Sac				NA		NA			10/05/2005
							88-1344 Kingswood Blvd									
(1554) Monarch Court	0.05	60	R				Cul-de-Sac				NA		NA			10/05/2005
							88-1344 Kingswood Blvd									
(1555) Waterford Dr	1.63	260	R				Cul-de-Sac				NA		NA			08/01/2005
							88-608 Massaponax Church Rd									
(1556) Lismore Lane	0.17	49	R				88-1555 Waterford Dr				NA		NA			08/01/2005
							Cul-de-Sac									
(1557) Tranquility Court	0.13	40	R				88-1555 Waterford Dr				NA		NA			08/01/2005
							Cul-de-Sac									
(1558) Harvest Glen Court	0.12	100	R				Cul-de-Sac				NA		NA			10/05/2005
							88-1344 Kingswood Blvd									
(1559) Integrity Court	0.11	90	R				Cul-de-Sac				NA		NA			10/05/2005
							88-1344 Kingswood Blvd									
(1560) Raynold Court	0.10	60	R				88-1115 Maple Grove Dr				NA		NA			11/09/2005
							Cul-de-Sac									
(1561) Doran Rd	0.23	100	R				88-1563 Hazel Court				NA		NA			11/09/2005
							88-1115 Maple Grove Dr									
(1562) Copperleaf Rd	0.08	160	R				88-1561 Doran Rd				NA		NA			11/09/2005
							88-1115 Maple Grove Dr									

Virginia Department of Transportation
Traffic Engineering Division
2005
Annual Average Daily Traffic Volume Estimates By Section of Route
Spotsylvania Operational Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Spotsylvania County																
(1563) Hazel Court	0.16	140	R											NA		11/09/2005
(1563) Hazel Court	0.31	300	R											NA		11/09/2005
(1564)	0.04	30	R											NA		1999
(1564)	0.24	80	R											NA		1999
(1564)	0.07	160	R											NA		1999
(1564)	0.16	320	R											NA		1999
(1564)	0.32	170	R											NA		1999
(1564)	0.05	120	R											NA		1999
(1564)	0.24	90	R											NA		1999
(1565)	0.16	90	R											NA		1999
(1565)	0.15	220	R											NA		11/12/2002
(1566)	0.05	40	R											NA		11/12/2002
(1567)	0.25	110	R											NA		1999
(1568)	0.20	80	R											NA		1999
(1569)	0.09	20	R											NA		1999
(1571)	0.08	80	R											NA		08/05/2002
(1572) Ashley Ct	0.09	70	R											NA		08/05/2002
(1573)	0.18	45	R											NA		08/05/2002
(1574) Hillwood Court	0.19	90	R											NA		08/29/2005
(1575) Pineberry Court	0.04	60	R											NA		08/29/2005
(1576)	0.06	80	R											NA		1999

Virginia Department of Transportation
 Traffic Engineering Division
 2005
 Annual Average Daily Traffic Volume Estimates By Section of Route
 Spotsylvania Operational Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Spotsylvania County																
(1577)	0.06	80	R				From: 88-1344 Kingswood Blvd				NA			NA		1999
							To: Cul-de-Sac									
(1578)	0.06	70	R				From: 88-1344 Kingswood Blvd; Kingswood Blvd				NA			NA		1999
							To: Cul-de-Sac									
(1579)	0.06	80	R				From: 88-1344 Kingswood Blvd; Kingswood Blvd				NA			NA		1999
							To: Cul-de-Sac									
(1580)	0.12	120	R				From: Cul-de-Sac				NA			NA		1999
							To: 88-1344 S, Kingswood Blvd									
(1580)	0.57	80	R				From: 88-1344 S, Kingswood Blvd				NA			NA		1999
							To: 88-1344 N, Kingswood Blvd									
(1580)	0.09	130	R				From: 88-1344 N, Kingswood Blvd				NA			NA		09/25/2002
							To: Cul-de-Sac									
(1581)	0.11	80	R				From: Cul-de-Sac				NA			NA		1999
							To: 88-1344 Kingswood Blvd									
(1581)	0.16	150	R				From: 88-1344 Kingswood Blvd				NA			NA		09/25/2002
							To: Dead End									
(1582)	0.04	80	R				From: 88-1580				NA			NA		1999
							To: Cul-de-Sac									
(1583)	0.08	120	R				From: Cul-de-Sac				NA			NA		1999
							To: 88-1344 Kingswood Blvd									
(1583)	0.04	40	R				From: 88-1344 Kingswood Blvd				NA			NA		1999
							To: Cul-de-Sac									
(1584) Alton Ct	0.04	40	R				From: Cul-de-Sac				NA			NA		10/05/2005
							To: 88-1344 Kingswood Blvd									
(1584) Alton Ct	0.05	60	R				From: 88-1344 Kingswood Blvd				NA			NA		10/05/2005
							To: Cul-de-Sac									
(1585)	0.20	180	R				From: Cul-de-Sac				NA			NA		1999
							To: 88-1586									
(1585)	0.13	350	R				From: 88-1586				NA			NA		1999
							To: 88-1344 Kingswood Blvd									
(1585)	0.06	80	R				From: 88-1344 Kingswood Blvd				NA			NA		1999
							To: Cul-de-Sac									
(1586)	0.06	60	R				From: Cul-de-Sac				NA			NA		1999
							To: 88-1585									
(1587)	0.05	50	R				From: Cul-de-Sac				NA			NA		1999
							To: 88-1344 Kingswood Blvd									
(1588) Ropers Run	0.04	20	R				From: Cul-de-Sac				NA			NA		10/24/2005
							To: 88-1591 Horseshoe Bend Dr									
(1588) Ropers Run	0.06	70	R				From: 88-1591 Horseshoe Bend Dr				NA			NA		10/24/2005
							To: 88-601 Arritt Rd									
(1589) Waterside Dr	0.33	40	R				From: Cul-de-Sac				NA			NA		10/24/2005
							To: 88-601 Arritt Rd									

Virginia Department of Transportation
Traffic Engineering Division
2005
Annual Average Daily Traffic Volume Estimates By Section of Route
Spotsylvania Operational Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Spotsylvania County																
(1590) Ballantraye Dr	0.20	3400	R				From: 88-1188 Stoney Creek Dr					NA		NA		11/14/2005
							To: 88-711 Southpoint Pkwy									
(1591) Horseshoe Bend Dr	0.21	30	R				From: 88-1588 Ropers Run					NA		NA		10/24/2005
							To: Cul-de-Sac									
(1592)	0.75	80	R				From: Begin Loop					NA		NA		11/04/2002
							To: 88-639 Bragg Rd									
(1593) Old Dickerson's Rd	0.49	260	R				From: 88-719 Days Bridge Rd					NA		NA		09/26/2005
							To: Cul-de-Sac									
(1594) Drummers Lane	0.16	30	R				From: Cul-de-Sac					NA		NA		09/26/2005
							To: 88-1593 Old Dickerson's Rd									
(1594) Drummers Lane	0.11	20	R				From: Cul-de-Sac					NA		NA		09/26/2005
							To: Cul-de-Sac									
(1595) Castaway Beach Lane	0.18	10	R				From: Cul-de-Sac					NA		NA		09/26/2005
							To: 88-1593 Old Dickerson's Rd									
(1596) Deer Hill Rd	0.14	20	R				From: 88-1593 Old Dickerson's Rd					NA		NA		09/26/2005
							To: Cul-de-Sac									
(1597) Sugar Hollow	0.19	120	R				From: Cul-de-Sac					NA		NA		09/26/2005
							To: 88-1593 Old Dickerson's Rd									
(1598) Hidden Brook	0.17	40	R				From: 88-1597 Sugar Hollow					NA		NA		09/26/2005
							To: Cul-de-Sac									
(1599) Edgewood Dr	0.05	6	R				From: 88-1593 Old Dickerson's Rd					NA		NA		09/26/2005
							To: Cul-de-Sac									
(1601) Winewood Dr	0.17	160	R				From: Dead End					NA		NA		08/08/2005
							To: 88-1602 Small Court									
(1601) Winewood Dr	0.40	760	R				From: 88-621 Orange Plank Rd					NA		NA		08/08/2005
							To: 88-1601 Winewood Dr									
(1602) Small Court	0.03	40	R				From: 88-1601 Winewood Dr					NA		NA		08/08/2005
							To: Dead End									
(1603) Maplewood Dr	0.07	80	R				From: Cul-de-Sac					NA		NA		08/08/2005
							To: 88-1607 Cherrywood Dr									
(1603) Maplewood Dr	0.07	210	R				From: 88-1607 Cherrywood Dr					NA		NA		08/08/2005
							To: 88-1606 Ashwood Ct									
(1603) Maplewood Dr	0.06	130	R				From: 88-1606 Ashwood Ct					NA		NA		08/08/2005
							To: 88-1605 Birchwood Court									
(1603) Maplewood Dr	0.07	90	R				From: 88-1605 Birchwood Court					NA		NA		08/08/2005
							To: 88-1604 Oakdale Court									
(1603) Maplewood Dr	0.07	120	R				From: 88-1604 Oakdale Court					NA		NA		08/08/2005
							To: 88-1601 Winewood Dr									
(1604) Oakdale Court	0.05	40	R				From: 88-1603 Maplewood Dr					NA		NA		08/08/2005
							To: Cul-de-Sac									

Virginia Department of Transportation
Traffic Engineering Division
2005
Annual Average Daily Traffic Volume Estimates By Section of Route
Spotsylvania Operational Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Spotsylvania County																
1605	Birchwood Court	0.06	60	R								NA		NA		08/08/2005
1606	Ashwood Ct	0.08	90	R								NA		NA		08/08/2005
1607	Cherrywood Dr	0.07	290	R								NA		NA		08/08/2005
1607	Cherrywood Dr	0.12	440	R								NA		NA		08/08/2005
1608	Timberwood Rd	0.07	80	R								NA		NA		08/08/2005
1610		0.14	50	R								NA		NA		09/30/2002
1611		0.04	10	R								NA		NA		09/30/2002
1612	Brittany Commons Blvd	0.28	3000	R								NA		NA		11/07/2005
1613		0.12	80	R								NA		NA		11/04/2002
1614		0.05	40	R								NA		NA		11/04/2002
1615		0.81	470	R								NA		NA		09/30/2002
1616	Ardwick Cir	0.34	70	R								NA		NA		09/30/2002
1617		0.03	60	R								NA		NA		09/30/2002
1618		0.08	70	R								NA		NA		09/30/2002
1619		0.08	110	R								NA		NA		09/30/2002
1620	Fox Gate Dr	0.26	640	R								NA		NA		10/03/2005
1621	Fox Gate Lane	0.98	350	R								NA		NA		10/03/2005
1622		0.19	200	R								NA		NA		10/28/2002
1623	Bridlerain Court	0.19	100	R								NA		NA		10/03/2005

Virginia Department of Transportation
Traffic Engineering Division
2005
Annual Average Daily Traffic Volume Estimates By Section of Route
Spotsylvania Operational Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Spotsylvania County																
(1624) Pelham Dr	0.07	230	R			From: 88-621 Orange Plank Rd					NA			NA		08/08/2005
(1624) Pelham Dr	0.10	180	R			To: 88-1625 Dana Ct					NA			NA		08/08/2005
(1624) Pelham Dr	0.11	130	R			From: 88-1626 Tracy Lane					NA			NA		08/08/2005
(1624) Pelham Dr	0.14	50	R			To: 88-1627 Kelsey Cir					NA			NA		08/08/2005
						From: Cul-de-Sac										
(1625) Dana Ct	0.13	45	R			To: Cul-de-Sac					NA			NA		08/08/2005
						From: 88-1624 Pelham Dr										
(1626) Tracy Lane	0.11	40	R			To: Cul-de-Sac					NA			NA		08/08/2005
						From: 88-1624 Pelham Dr										
(1627) Kelsey Circle	0.13	48	R			To: Cul-de-Sac					NA			NA		08/08/2005
						From: 88-621 Orange Plank Rd										
(1628) Kirk Lane	0.17	50	R			To: Cul-de-Sac					NA			NA		08/08/2005
						From: 88-621 Orange Plank Rd										
(1629) West Lake Circle	0.12	40	R			To: Cul-de-Sac					NA			NA		08/08/2005
						From: 88-608 Massaponax Church Rd										
(1630)	0.29	220	R			To: 88-1631					NA			NA		09/16/2002
						From: 88-1632										
(1631)	0.47	80	R			To: Cul-de-Sac					NA			NA		09/16/2002
						From: Dead End										
(1632)	0.08	20	R			To: 88-1631					NA			NA		09/16/2002
(1632)	0.16	46	R			To: Cul-de-Sac					NA			NA		09/16/2002
						From: Cul-de-Sac										
(1633)	0.18	70	R			To: 88-1621 Fox Gate Lane					NA			NA		10/29/2002
						From: 88-1621 Fox Gate Lane										
(1634)	0.19	60	R			To: Cul-de-Sac					NA			NA		10/29/2002
						From: Dead End										
(1635)	0.09	40	R			To: 88-780 Corridor Dr					NA			NA		09/16/2002
						From: 88-1638 SOUTHWEST										
(1636)	0.49	70	R			To: 88-1638 NORTHEAST					NA			NA		09/16/2002
						From: 88-1643 South Oaks Ave										
(1637)	0.17	60	R			To: 88-1638					NA			NA		09/16/2002
						From: 88-608 Massaponax Church Rd										
(1638)	0.65	1000	R			To: 88-1647					NA			NA		09/16/2002
						From: 88-1638										
(1639)	0.06	60	R			To: Dead End					NA			NA		09/16/2002

Virginia Department of Transportation
 Traffic Engineering Division
 2005
 Annual Average Daily Traffic Volume Estimates By Section of Route
 Spotsylvania Operational Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Spotsylvania County																
(1640) Edinburgh Dr	0.98	990	R				SR 208 Courthouse Rd				NA			NA		09/19/2002
							End Loop									
(1641) Coventry Ct	0.11	160	R				88-1640 Edinburgh Dr				NA			NA		09/19/2002
							Cul-de-Sac									
(1642) Dover Ct	0.05	130	R				88-1640 Edinburgh Dr				NA			NA		09/19/2002
							Cul-de-Sac									
(1643) South Oaks Ave	0.21	220	R				88-1636				NA			NA		08/03/2005
							88-1638									
(1643) South Oaks Ave	0.08	490	R				88-1649 South Oaks Court				NA			NA		08/03/2005
							88-1647									
(1643) South Oaks Ave	0.05	680	R				88-1646 Oak Glen Court				NA			NA		08/03/2005
							88-1645 Southfork Court									
(1643) South Oaks Ave	0.07	990	R				88-1644 Lesley Court				NA			NA		08/03/2005
							88-780 Corridor Dr									
(1643) South Oaks Ave	0.03	1100	R				Cul-de-Sac				NA			NA		08/03/2005
							88-1643 South Oaks Ave									
(1644) Lesley Court	0.17	160	R				Cul-de-Sac				NA			NA		08/15/2005
							88-1643 South Oaks Ave									
(1644) Lesley Court	0.06	60	R				Cul-de-Sac				NA			NA		08/15/2005
							88-1643 South Oaks Ave									
(1645) Southfork Court	0.16	140	R				Cul-de-Sac				NA			NA		08/15/2005
							Cul-de-Sac									
(1646) Oak Glen Court	0.07	80	R				88-1643 South Oaks Ave				NA			NA		08/03/2005
							Cul-de-Sac									
(1646) Oak Glen Court	0.13	140	R				Cul-de-Sac				NA			NA		08/03/2005
							88-1638									
(1647)	0.04	220	R				88-1648 Veld Court				NA			NA		09/16/2002
							88-1643 South Oaks Ave									
(1647)	0.10	210	R				Cul-de-Sac				NA			NA		09/16/2002
							88-1647									
(1648) Veld Court	0.08	90	R				Cul-de-Sac				NA			NA		08/03/2005
							88-1643 South Oaks Ave									
(1649) South Oaks Court	0.06	60	R				88-628 Smith Station Rd				NA			NA		1995
							Cul-de-Sac									
(1650)	0.97	200	R				88-628 Smith Station Rd				NA			NA		1995
							88-1652 NORTH									

Virginia Department of Transportation
Traffic Engineering Division
2005
Annual Average Daily Traffic Volume Estimates By Section of Route
Spotsylvania Operational Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Spotsylvania County																
(1651)	0.06	100	R				From: 88-1652 NORTH					NA		NA		1995
(1651)	0.60	100	R				From: 88-1653					NA		NA		1995
							To: 88-1653									
(1652)	0.57	160	R				From: 88-1650					NA		NA		1999
							To: End Loop									
(1653)	0.04	48	R				From: Cul-de-Sac					NA		NA		1999
(1653)	0.14	140	R				From: 88-1666					NA		NA		1999
(1653)	0.14	390	R				From: 88-1651 NORTH					NA		NA		1999
(1653)	0.10	160	R				From: 88-1651					NA		NA		1999
(1653)	0.07	290	R				From: 88-1655 Maple Ridge Dr					NA		NA		1999
(1653)	0.21	650	R				From: 88-1650					NA		NA		1999
(1653)	0.09	450	R				From: 88-1662					NA		NA		1999
(1653)	0.07	410	R				From: 88-1663					NA		NA		1999
(1653)	0.09	300	R				From: 88-1664					NA		NA		1999
(1653)	0.20	120	R				From: 88-1658 Cedar Post Lane					NA		NA		1999
							To: Cul-de-Sac									
(1654)	0.10	NA					From: Cul-de-Sac					NA		NA		
							To: 88-635 Lee Hill School Dr									
(1655) Maple Ridge Dr	0.41	200	R				From: 88-1653					NA		NA		11/09/2005
							To: 88-1658 Cedar Post Lane									
(1656) Bentwood Court	0.04	40	R				From: Cul-de-Sac					NA		NA		11/09/2005
							To: 88-1655 Maple Ridge Dr									
(1657) Whipperwhill Court	0.04	48	R				From: 88-1655 Maple Ridge Dr					NA		NA		11/09/2005
							To: Cul-de-Sac									
(1658) Cedar Post Lane	1.02	210	R				From: 88-1907					NA		NA		11/09/2005
							To: Cul-de-Sac									
(1659) Bradford St	0.12	120	R				From: 88-1650					NA		NA		11/09/2005
							To: Cul-de-Sac									
(1660) Heavenwood Court	0.08	70	R				From: 88-1650					NA		NA		11/09/2005
							To: Cul-de-Sac									
(1661) Southridge Ct	0.08	210	R				From: Cul-de-Sac; O.08 MW					NA		NA		11/09/2005
							To: 88-1658 Cedar Post Lane									

Virginia Department of Transportation
Traffic Engineering Division
2005
Annual Average Daily Traffic Volume Estimates By Section of Route
Spotsylvania Operational Area

Route	Length	AADT	QA	4Tire	Bus	Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Spotsylvania County																
(1661) Southridge Ct	0.16	110	R				From: 88-1658 Cedar Post Lane					NA		NA		11/09/2005
							To: Cul-de-Sac									
(1662)	0.13	100	R				From: 88-1653					NA		NA		1999
							To: 88-1663									
(1662)	0.18	130	R				From: 88-1663					NA		NA		1999
							To: 88-1658 Cedar Post Lane									
(1662)	0.24	320	R				From: 88-1658 Cedar Post Lane					NA		NA		1999
							To: 88-1902									
(1662)	0.05	200	R				From: 88-1902					NA		NA		1999
							To: 88-1903									
(1662)	0.09	130	R				From: 88-1903					NA		NA		1999
							To: 88-1658 E, Cedar Post Lane									
(1663)	0.15	80	R				From: 88-1651					NA		NA		1995
							To: 88-1650									
(1663)	0.09	46	R				From: 88-1650					NA		NA		1999
							To: 88-1662									
(1663)	0.06	190	R				From: 88-1662					NA		NA		1999
							To: 88-1653									
(1664)	0.15	90	R				From: 88-1653					NA		NA		1999
							To: 88-1658; 88-1906									
(1665)	0.06	70	R				From: 88-1651 WEST					NA		NA		11/04/2002
							To: 88-1651 EAST									
(1666)	0.06	50	R				From: Cul-de-Sac					NA		NA		11/04/2002
							To: 88-1653									
(1667) Crestfield Lane	0.13	120	R				From: Cul-de-Sac					NA		NA		11/04/2002
							To: 88-1668 Autumn Wood Dr									
(1667)	0.21	150	R				From: 88-1668 Autumn Wood Dr					NA		NA		08/29/2005
							To: 88-1678 Silverbrook Dr									
(1668) Autumn Wood Dr	0.09	160	R				From: 88-1677 Springwood Dr					NA		NA		08/29/2005
							To: Dead End									
(1668) Autumn Wood Dr	0.16	260	R				From: Dead End					NA		NA		11/04/2002
							To: 88-1669									
(1668) Autumn Wood Dr	0.07	630	R				From: 88-1669					NA		NA		11/04/2002
							To: 88-628; 88-1651									
(1669)	0.37	150	R				From: 88-1668 Autumn Wood Dr					NA		NA		11/04/2002
							To: 88-1678 Silverbrook Dr									
(1670)	0.21	470	R				From: 88-627 Gordon Rd					NA		NA		08/19/2002
							To: 88-1673									
(1671)	0.23	70	R				From: 88-1670					NA		NA		08/19/2002
							To: 88-1675									
(1672)	0.14	200	R				From: 88-1670					NA		NA		08/19/2002
							To: Cul-de-Sac									

Virginia Department of Transportation
Traffic Engineering Division
2005
Annual Average Daily Traffic Volume Estimates By Section of Route
Spotsylvania Operational Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Spotsylvania County																
(1673)	0.23	170	R				From: 88-1670					NA		NA		08/19/2002
							To: 88-1674									
(1674)	0.17	170	R				From: 88-1673					NA		NA		08/19/2002
							To: Cul-de-Sac									
(1675)	0.21	490	R				From: 88-1673					NA		NA		08/19/2002
							To: 88-627 Gordon Rd									
(1676)	0.07	100	R				From: Cul-de-Sac					NA		NA		11/04/2002
							To: 88-1668 Autumn Wood Dr									
(1677) Springwood Dr	0.19	60	R				From: Cul-de-Sac					NA		NA		08/29/2005
							To: Cul-de-Sac									
(1678) Silverbrook Dr	0.22	400	R				From: Dead End					NA		NA		08/29/2005
							To: 88-628 Smith Station Rd									
(1679) Saxony Circle	0.06	90	R				From: Dead End					NA		NA		08/29/2005
							To: 88-1667									
(1680)	0.63	450	R				From: Cul-de-Sac					NA		NA		09/17/2002
							To: SR 3 Plank Rd									
(1681)	0.69	130	R				From: 88-1680					NA		NA		09/17/2002
							To: 88-1680									
(1682) Mindy Court	0.12	130	R				From: 88-1689					NA		NA		10/19/2005
							To: Cul-de-Sac									
(1683) Tatiana Court	0.05	60	R				From: 88-1689					NA		NA		10/19/2005
							To: Cul-de-Sac									
(1684) Timberlake Rd	0.41	240	R				From: 88-2155 Hickory Hill Dr					NA		NA		10/19/2005
							To: 88-1691 Layton St									
(1684) Timberlake Rd	0.29	560	R				From: 88-1615					NA		NA		10/19/2005
							To: Cul-de-Sac									
(1685) East Glen Dower Dr	0.24	80	R				From: Cul-de-Sac					NA		NA		10/19/2005
							To: Cul-de-Sac									
(1686)	0.28	1000	R				From: 88-1037 Monticello St					NA		NA		11/07/2002
							To: 88-1689									
(1687)	0.04	40	R				From: Cul-de-Sac					NA		NA		11/07/2002
							To: 88-1686									
(1688)	0.23	190	R				From: Cul-de-Sac					NA		NA		11/07/2002
							To: 88-1686									
(1689)	0.70	220	R				From: Cul-de-Sac					NA		NA		11/07/2002
							To: Dead End									
(1690) Heather Greens Cir	0.69	290	R				From: 88-629 Foster Rd					NA		NA		1999
							To: Cul-de-Sac									

Virginia Department of Transportation
Traffic Engineering Division
2005
Annual Average Daily Traffic Volume Estimates By Section of Route
Spotsylvania Operational Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Spotsylvania County																
(1691) Layton St	0.10	80	R									NA		NA		10/19/2005
(1691) Layton St	0.06	110	R									NA		NA		10/19/2005
(1692) Jansen Ct	0.06	40	R									NA		NA		10/19/2005
(1693) Albert Dr	0.45	200	R									NA		NA		10/19/2005
(1694) Twiford Court	0.07	90	R									NA		NA		10/19/2005
(1695) Andrews Mill Lane	0.20	70	R									NA		NA		10/19/2005
(1696) River Junction Dr	0.88	180	R									NA		NA		11/07/2005
(1697) Gold Mine Court	0.26	40	R									NA		NA		11/07/2005
(1698) Riverview Dr	0.49	30	R									NA		NA		11/07/2005
(1699) Junction Ct	0.12	20	R									NA		NA		11/07/2005
(1700)	0.39	90	R									NA		NA		10/07/2002
(1701) Ni River Dr	0.42	80	R									NA		NA		08/03/2005
(1701) Ni River Dr	0.06	140	R									NA		NA		08/03/2005
(1701) Ni River Dr	0.14	230	R									NA		NA		08/03/2005
(1701) Ni River Dr	0.09	590	R									NA		NA		08/03/2005
(1701) Ni River Dr	0.14	480	R									NA		NA		08/03/2005
(1701) Ni River Dr	0.13	660	R									NA		NA		08/03/2005
(1702) Marathon Pl	0.14	190	R									NA		NA		08/03/2005
(1703) Shaw Dr	0.34	240	R									NA		NA		08/03/2005
(1703) Shaw Dr	0.19	100	R									NA		NA		08/03/2005

Virginia Department of Transportation
Traffic Engineering Division
2005
Annual Average Daily Traffic Volume Estimates By Section of Route
Spotsylvania Operational Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Spotsylvania County																
(1704) Colise Lane	0.15	49	R				From: 88-1703 Shaw Dr					NA		NA		08/03/2005
							To: 88-1701 Ni River Dr									
(1705) Helena Terrace	0.11	130	R				From: 88-1701 Ni River Dr					NA		NA		08/03/2005
							To: 88-1706 Beau Court									
(1705) Helena Terrace	0.13	90	R				From: 88-1706 Beau Court					NA		NA		08/03/2005
							To: Cul-de-Sac									
(1706) Beau Court	0.06	30	R				From: 88-1705 Helena Terrace					NA		NA		08/03/2005
							To: Cul-de-Sac									
(1707)	0.10	190	R				From: 88-1708; 88-1709					NA		NA		09/04/2002
							To: 88-616 US Ford Rd									
(1708)	0.86	30	R				From: 88-1709; 88-1707					NA		NA		09/04/2002
							To: 88-1709									
(1709)	0.88	40	R				From: 88-1708; 88-1707					NA		NA		09/04/2002
							To: 88-1710									
(1710)	0.98	160	R				From: 88-616 US Ford Rd					NA		NA		09/04/2002
							To: Cul-de-Sac									
(1711) Avocet Way	0.44	480	R				From: 88-1712 Cinnamon Teal					NA		NA		09/29/2005
							To: 88-625 Ashby Dr									
(1712) Cinnamon Teal	0.27	910	R				From: 88-612 Catharpin Rd					NA		NA		11/05/2002
							To: 88-1713									
(1712) Cinnamon Teal	0.46	1000	R				From: 88-1713					NA		NA		09/29/2005
							To: 88-1723 S. Blue Herron Circle									
(1712) Cinnamon Teal	0.84	520	R				From: 88-1723 S. Blue Herron Circle					NA		NA		09/29/2005
							To: 88-625 Ashby Dr									
(1713)	0.35	60	R				From: 88-1712 Cinnamon Teal					NA		NA		11/05/2002
							To: Dead End									
(1714)	0.14	210	R				From: 88-613 Brock Rd					NA		NA		10/22/2002
							To: 88-1715									
(1714)	0.36	70	R				From: 88-1715					NA		NA		10/22/2002
							To: Cul-de-Sac									
(1715)	0.90	300	R				From: 88-1714					NA		NA		10/22/2002
							To: Cul-de-Sac									
(1716) Ashleigh Park Blvd	0.18	550	R				From: 88-610 Old Plank Rd					NA		NA		11/05/2002
							To: Dead End									
(1716) Ashleigh Park Blvd	0.05	20	R				From: 88-1753 Stonehenge Dr					NA		NA		09/08/2005
							To: Dead End									
(1717)	0.13	190	R				From: 88-1784 Wales Dr					NA		NA		09/08/2005
							To: 88-1716 Ashleigh Park Blvd									
(1717) Heathrow Dr	0.19	80	R				From: 88-1716 Ashleigh Park Blvd					NA		NA		11/05/2002
							To: 88-1719									

Virginia Department of Transportation
 Traffic Engineering Division
 2005
 Annual Average Daily Traffic Volume Estimates By Section of Route
 Spotsylvania Operational Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Spotsylvania County																
(1718) Sterling Dr	0.29	450	R			From: 88-1784 Wales Dr					NA			NA		09/08/2005
(1718) Sterling Dr	0.11	70	R			To: 88-1716 Ashleigh Park Blvd					NA			NA		11/05/2002
						From: 88-1719										
(1719)	0.22	90	R			To: 88-1716 Ashleigh Park Blvd					NA			NA		11/05/2002
						From: 88-1717 Heathrow Dr										
(1720)	0.41	230	R			To: 88-620 Spotswood Furnace Rd					NA			NA		10/17/2002
(1720)	0.06	45	R			From: 88-1722					NA			NA		10/17/2002
						To: Cul-de-Sac										
(1721)	0.34	150	R			From: 88-620 Spotswood Furnace Rd					NA			NA		10/17/2002
						To: 88-1722										
(1722)	0.10	46	R			From: 88-1720					NA			NA		10/17/2002
(1722)	0.10	40	R			To: 88-1721					NA			NA		10/17/2002
						To: Cul-de-Sac										
(1723) Blue Herron Circle	0.51	100	R			From: 88-1712 S, Cinnamon Teal					NA			NA		09/29/2005
						To: 88-1712 N, Cinnamon Teal										
(1724) Sanderling Court	0.09	70	R			From: 88-1723 Blue Herron Circle					NA			NA		09/29/2005
						To: Cul-de-Sac										
(1725) Millstream Dr	0.59	310	R			From: 88-1726 Millwood Dr					NA			NA		10/31/2002
						To: 88-747 Old Mill Lane										
(1726) Millwood Dr	0.50	170	R			From: 88-1727 Millwood Ct					NA			NA		10/31/2002
(1726) Millwood Dr	0.36	230	R			To: 88-747 Old Mill Lane					NA			NA		10/31/2002
(1726) Millwood Dr	0.16	46	R			From: 88-1725 Millstream Dr					NA			NA		10/31/2002
						To: Dead End										
(1727) Millwood Ct	0.09	50	R			From: Dead End					NA			NA		10/31/2002
(1727) Millwood Ct	0.06	60	R			To: 88-1726 Millwood Dr					NA			NA		10/31/2002
						To: Cul-de-Sac										
(1728) Canvasback Court	0.19	110	R			From: Cul-de-Sac					NA			NA		09/29/2005
						To: 88-1712 Cinnamon Teal										
(1729)	0.29	110	R			From: 88-620 Spotswood Furnace Rd					NA			NA		09/04/2002
						To: Cul-de-Sac										
(1730)	0.76	150	R			From: Cul-de-Sac					NA			NA		09/04/2002
						To: 88-620 Spotswood Furnace Rd										
(1731)	0.16	40	R			From: Cul-de-Sac					NA			NA		09/04/2002
						To: 88-1732										

Virginia Department of Transportation
Traffic Engineering Division
2005
Annual Average Daily Traffic Volume Estimates By Section of Route
Spotsylvania Operational Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Spotsylvania County																
(1731)	0.50	160	R				From: 88-1732							NA		09/04/2002
							To: 88-620 Spotswood Furnace Rd									
(1732)	0.27	60	R				From: 88-1731							NA		09/04/2002
							To: Cul-de-Sac									
(1733) Antler Rd	0.60	260	R				From: 88-620 Spotswood Furnace Rd							NA		09/04/2002
							To: 88-1734 Antler Ct									
(1733) Antler Rd	0.22	40	R				From: 88-1734 Antler Ct							NA		09/04/2002
							To: Cul-de-Sac									
(1734) Antler Ct	0.26	80	R				From: Cul-de-Sac							NA		09/04/2002
							To: 88-1733 Antler Rd									
(1735)	0.25	90	R				From: Cul-de-Sac							NA		10/17/2002
							To: 88-618 River Rd									
(1736)	0.18	60	R				From: 88-618 River Rd							NA		10/17/2002
							To: Cul-de-Sac									
(1737) Sedgwick Dr	0.21	150	R				From: 88-618 River Rd							NA		10/17/2005
							To: 88-1738 McLane Pl									
(1737) Sedgwick Dr	0.22	70	R				From: 88-1738 McLane Pl							NA		10/17/2005
							To: Cul-de-Sac									
(1738) McLane Pl	0.10	90	R				From: 88-1737 Sedgwick Dr							NA		10/17/2005
							To: Cul-de-Sac									
(1739) Floral Pl	0.12	30	R				From: 88-1741 River Bend Dr E							NA		10/17/2002
							To: Cul-de-Sac									
(1740) River Bluffs Dr	0.13	560	R				From: 88-618 River Rd							NA		10/17/2005
							To: 88-1741 River Bend Dr									
(1740) River Bluffs Dr	0.35	290	R				From: 88-1741 River Bend Dr E; River Bend Dr W							NA		10/17/2005
							To: Cul-de-Sac									
(1741) River Bend Dr W	0.32	60	R				From: Cul-de-Sac							NA		10/17/2005
							To: 88-1742 Old Ridge Rd									
(1741) River Bend Dr W	0.48	180	R				From: 88-1742 Old Ridge Rd							NA		10/17/2005
							To: 88-1740 River Bluffs Dr									
(1741) River Bend Dr E	0.64	140	R				From: 88-1740 River Bluffs Dr							NA		10/17/2005
							To: Dead End									
(1742) Old Ridge Rd	0.13	60	R				From: Cul-de-Sac							NA		10/17/2005
							To: 88-1743 Bluff Point Rd									
(1742) Old Ridge Rd	0.06	100	R				From: 88-1743 Bluff Point Rd							NA		10/17/2005
							To: 88-1741 River Bend Dr W									
(1743) Bluff Point Rd	0.21	49	R				From: 88-1742 Old Ridge Rd							NA		10/17/2005
							To: Cul-de-Sac									
(1744) Goldview Dr	0.62	240	R				From: 88-1740 River Bluffs Dr							NA		10/17/2005
							To: Cul-de-Sac									

Virginia Department of Transportation
Traffic Engineering Division
2005
Annual Average Daily Traffic Volume Estimates By Section of Route
Spotsylvania Operational Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Spotsylvania County																
(1745) Beech Tree Ct	0.19	90	R			From: 88-1744 Goldview Dr					NA			NA		10/17/2005
						To: Cul-de-Sac										
(1746) River Oak Pl	0.25	80	R			From: 88-1744 Goldview Dr					NA			NA		10/17/2005
						To: Cul-de-Sac										
(1747) Wesley Dr	0.42	100	R			From: SR 3 Plank Rd					NA			NA		10/03/2005
						To: Cul-de-Sac										
(1748) Hemlock Ct	0.20	20	R			From: 88-1741 River Bend Dr W					NA			NA		10/17/2005
						To: Cul-de-Sac										
(1749) Snowy Egret Court	0.53	170	R			From: Dead End					NA			NA		09/29/2005
						To: 88-1711 Avocet Way										
(1750) Riverdowns Dr	0.28	160	R			From: 88-618 River Rd					NA			NA		10/17/2005
						To: 88-1751 Rosecroft Dr										
(1750)	0.12	30	R			From: Cul-de-Sac					NA			NA		10/17/2005
						To: Cul-de-Sac										
(1751) Rosecroft Dr	0.20	90	R			From: 88-1750 Riverdowns Dr					NA			NA		10/17/2005
						To: Cul-de-Sac										
(1752)	0.28	110	R			From: 88-610 Old Plank Rd					NA			NA		09/17/2002
						To: Cul-de-Sac										
(1753) Stonehenge Dr	0.42	280	R			From: 88-1718 Sterling Dr					NA			NA		09/08/2005
						To: 88-1716 Ashleigh Park Blvd										
(1753)	0.37	280	R			From: Cul-de-Sac					NA			NA		09/08/2005
						To: Cul-de-Sac										
(1754) Knight Court	0.11	110	R			From: 88-1753					NA			NA		09/08/2005
						To: Cul-de-Sac										
(1755) McClain St	0.04	60	R			From: Cul-de-Sac					NA			NA		08/26/2002
						To: 88-1756 Willow Woods Dr										
(1755) McClain St	0.06	250	R			From: 88-1756 Willow Woods Dr					NA			NA		08/26/2002
						To: 88-760 S, Corter Ave										
(1755) McClain St	0.20	40	R			From: 88-760 S, Corter Ave					NA			NA		08/26/2002
						To: 88-760 N, Corter Ave										
(1756) Willow Woods Dr	0.23	80	R			From: 88-760 Corter Ave					NA			NA		08/26/2002
						To: 88-1755 McClain St										
(1757) Drew Lane	0.15	190	R			From: 88-760 Corter Ave					NA			NA		09/08/2005
						To: 88-1758 W, Middleton Dr										
(1757) Drew Lane	0.21	70	R			From: 88-1758 W, Middleton Dr					NA			NA		09/08/2005
						To: 88-1758 E, Middleton Dr										
(1758) Middleton Dr	0.06	60	R			From: 88-1757 W, Drew Lane					NA			NA		09/08/2005
						To: 88-760 Corter Ave										
(1758) Middleton Dr	0.10	600	R			From: 88-760 Corter Ave					NA			NA		09/08/2005
						To: 88-1757 E, Drew Lane										

Virginia Department of Transportation
 Traffic Engineering Division
 2005
 Annual Average Daily Traffic Volume Estimates By Section of Route
 Spotsylvania Operational Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Spotsylvania County																
(1758) Middleton Dr	0.11	640	R			From: 88-1757 E. Drew Lane					NA			NA		09/08/2005
						To: 88-620 Spottswood Furnace Rd										
(1759) General Sickles Court	0.14	60	R			From: Cul-de-Sac					NA			NA		11/07/2005
						To: 88-1762 Perimeter Dr										
(1760) Springfield Dr	0.60	540	R			From: 88-1237 Buttemut Dr					NA			NA		1999
						To: Cul-de-Sac										
(1761) Kyle Ct	0.06	100	R			From: Cul-de-Sac					NA			NA		1999
						To: 88-1760 Springfield Dr										
(1762) Perimeter Dr	0.25	240	R			From: 88-1759 General Sickles Court					NA			NA		11/07/2005
						To: 88-1774										
(1762) Perimeter Dr	0.81	840	R			From: 88-616 US Ford Rd					NA			NA		11/05/2002
						To: 88-1762 Perimeter Dr										
(1763)	0.38	100	R			From: 88-1762 Perimeter Dr					NA			NA		11/05/2002
						To: Cul-de-Sac										
(1764) Barnes Ct	0.10	30	R			From: Cul-de-Sac					NA			NA		11/05/2002
						To: 88-1763										
(1765)	0.07	50	R			From: Dead End					NA			NA		09/10/2002
						To: 88-1770										
(1765)	0.18	70	R			From: 88-1770					NA			NA		09/10/2002
						To: 88-1772										
(1765)	0.08	340	R			From: 88-1772					NA			NA		09/10/2002
						To: 88-1771										
(1765)	0.07	610	R			From: 88-1771					NA			NA		09/10/2002
						To: 88-1770										
(1765)	0.10	820	R			From: 88-1770					NA			NA		09/10/2002
						To: 88-1769										
(1765)	0.10	970	R			From: 88-1769					NA			NA		09/10/2002
						To: 88-1768										
(1765)	0.06	1100	R			From: 88-1768					NA			NA		09/10/2002
						To: 88-1767										
(1765)	0.05	1200	R			From: 88-1767					NA			NA		09/10/2002
						To: 88-1766										
(1765)	0.05	1300	R			From: 88-1766					NA			NA		09/10/2002
						To: 88-610 Old Plank Rd										
(1766)	0.05	60	R			From: 88-1765					NA			NA		09/10/2002
						To: Cul-de-Sac										
(1767)	0.08	80	R			From: Cul-de-Sac					NA			NA		09/10/2002
						To: 88-1765										
(1768)	0.10	160	R			From: 88-1765					NA			NA		09/10/2002
						To: 88-1769										
(1769)	0.15	100	R			From: 88-1765					NA			NA		09/10/2002
						To: 88-1768										

Virginia Department of Transportation
Traffic Engineering Division
2005
Annual Average Daily Traffic Volume Estimates By Section of Route
Spotsylvania Operational Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Spotsylvania County																
(1770)	0.32	120	R											NA		09/10/2002
(1770)	0.16	220	R											NA		09/10/2002
(1771)	0.12	70	R											NA		09/10/2002
(1772)	0.12	90	R											NA		09/10/2002
(1773)	0.16	60	R											NA		10/28/2002
(1774)	0.32	110	R											NA		10/28/2002
(1775)	0.36	90	R											NA		10/28/2002
(1776)	0.12	60	R											NA		10/28/2002
(1777)	0.12	70	R											NA		10/28/2002
(1778)	0.13	60	R											NA		10/28/2002
(1779) Quail Meadows Dr	0.34	130	R											NA		11/02/2005
(1780)	0.26	520	R											NA		09/12/2002
(1781)	0.19	150	R											NA		09/12/2002
(1782)	0.20	150	R											NA		09/12/2002
(1783)	0.13	40	R											NA		09/12/2002
(1784) Wales Dr	0.40	80	R											NA		09/08/2005
(1786) Musket Ridge Lane	0.10	150	R											NA		10/03/2005
(1786) Musket Ridge Lane	0.16	100	R											NA		10/03/2005
(1786) Musket Ridge Lane	0.10	20	R											NA		10/03/2005

Virginia Department of Transportation
Traffic Engineering Division
2005
Annual Average Daily Traffic Volume Estimates By Section of Route
Spotsylvania Operational Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Spotsylvania County																
(1787) Pipe Run Dr	0.09	100	R				From: 88-1789 Bayonet Point Court; Bayonet Point Ct				NA			NA		10/03/2005
(1787) Pipe Run Dr	0.30	46	R				From: 88-1788 Canteen Circle				NA			NA		10/03/2005
							To: 88-1786 Musket Ridge Lane									
(1788) Canteen Circle	0.40	60	R				From: 88-1787 Pipe Run Dr				NA			NA		10/03/2005
							To: 88-1786 Musket Ridge Lane									
(1789) Bayonet Point Ct	0.09	160	R				From: 88-618 River Rd				NA			NA		10/03/2005
(1789) Bayonet Point Court	0.19	40	R				From: 88-1787 Pipe Run Dr				NA			NA		10/03/2005
							To: Dead End									
(1790)	0.44	580	R				From: SR 3 Plank Rd				NA			NA		10/17/2002
							To: 88-618 River Rd									
(1791)	0.25	90	R				From: 88-1790				NA			NA		10/17/2002
							To: Cul-de-Sac									
(1792)	0.27	60	R				From: SR 3 Plank Rd				NA			NA		10/17/2002
							To: Cul-de-Sac									
(1793) Trench Court	0.06	30	R				From: Dead End				NA			NA		10/03/2005
(1793) Trench Court	0.31	90	R				From: 88-1795 Campfire Lane				NA			NA		10/03/2005
							To: 88-618 River Rd									
(1794)	0.31	150	R				From: Cul-de-Sac				NA			NA		10/17/2002
							To: 88-618 River Rd									
(1795) Campfire Lane	0.24	100	R				From: 88-1793 Trench Court				NA			NA		10/03/2005
							To: 88-618 River Rd									
(1796)	0.22	80	R				From: Cul-de-Sac				NA			NA		10/28/2002
							To: SR 208 Courthouse Rd									
(1797) Wilton Lane	0.58	120	R				From: 88-614 Dickerson Rd				NA			NA		10/08/2002
							To: Dead End									
(1798) Elizabeth Court	0.06	30	R				From: Cul-de-Sac				NA			NA		10/03/2005
							To: 88-1794									
(1799) Wood Ibis Court	0.13	90	R				From: Dead End				NA			NA		09/29/2005
							To: 88-1712 Cinnamon Teal									
(1800)	0.32	240	R				From: SR 208 Courthouse Rd				NA			NA		08/21/2002
							To: Cul-de-Sac									
(1801)	0.14	50	R				From: 88-1800				NA			NA		08/21/2002
							To: 88-1802									
(1802)	0.10	50	R				From: 88-1800				NA			NA		08/21/2002
							To: Cul-de-Sac									

Virginia Department of Transportation
Traffic Engineering Division
2005
Annual Average Daily Traffic Volume Estimates By Section of Route
Spotsylvania Operational Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Spotsylvania County																
(1803)	0.46	NA					From: 88-619 Mill Rd					NA		NA		
							To: Cul-de-Sac									
(1805) St Catherines Court	0.17	130	R				From: Dead End					NA		NA		11/07/2005
							To: 88-1090									
(1806) Dartmoor Court	0.19	140	R				From: Dead End					NA		NA		11/07/2005
							To: 88-1091 Lancaster Ring Rd									
(1807) Dunstable Court	0.07	70	R				From: Dead End					NA		NA		11/07/2005
							To: 88-1091 Lancaster Ring Rd									
(1808) Wellington Glen Dr	0.23	430	R				From: 88-674 Chancellor Rd					NA		NA		09/29/2005
							To: 88-1809 Regency Glen Dr									
(1809) Regency Glen Dr	0.43	240	R				From: 88-1808 Wellington Glen Dr					NA		NA		09/29/2005
							To: Cul-de-Sac									
(1810)	0.27	410	R				From: 88-674 Chancellor Rd					NA		NA		09/17/2002
							To: Cul-de-Sac									
(1811)	0.18	230	R				From: 88-1810					NA		NA		09/17/2002
							To: Cul-de-Sac									
(1812)	0.04	48	R				From: Cul-de-Sac					NA		NA		09/17/2002
							To: 88-1811									
(1813)	0.13	160	R				From: 88-1811					NA		NA		09/17/2002
							To: Cul-de-Sac									
(1814)	0.24	270	R				From: Cul-de-Sac					NA		NA		09/17/2002
							To: 88-1813									
(1815)	0.06	90	R				From: Cul-de-Sac					NA		NA		09/17/2002
							To: 88-1814									
(1816)	0.06	360	R				From: 88-674 Chancellor Rd					NA		NA		09/17/2002
							To: 88-1814									
(1817)	0.13	100	R				From: 88-1818					NA		NA		10/28/2002
							To: 88-1270 Cambridge Dr									
(1818)	0.16	140	R				From: Dead End					NA		NA		10/28/2002
							To: 88-1270 Cambridge Dr									
(1819)	0.06	70	R				From: 88-1821					NA		NA		10/28/2002
							To: Dead End									
(1820)	0.10	650	R				From: 88-1270 Cambridge Dr					NA		NA		10/28/2002
							To: Cul-de-Sac									
(1821)	0.31	410	R				From: 88-1270 Cambridge Dr					NA		NA		10/28/2002
							To: 88-1270 S. Cambridge Dr									
(1822)	0.14	80	R				From: Cul-de-Sac					NA		NA		10/28/2002
							To: 88-1270 Cambridge Dr									

Virginia Department of Transportation
 Traffic Engineering Division
 2005
 Annual Average Daily Traffic Volume Estimates By Section of Route
 Spotsylvania Operational Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Spotsylvania County																
(1823)	0.10	180	R				88-743; 88-1824					NA		NA		09/17/2002
							Cul-de-Sac									
(1824)	0.04	60	R				Cul-de-Sac					NA		NA		09/17/2002
							88-743; 88-1823									
(1825) Peach Tree Dr	0.15	120	R				Cul-de-Sac					NA		NA		09/29/2005
							88-1828 Blossom Wood Court									
(1825) Peach Tree Dr	0.12	330	R				Cul-de-Sac					NA		NA		09/29/2005
							88-1827 Bridgewood Court									
(1825) Peach Tree Dr	0.22	450	R				Cul-de-Sac					NA		NA		09/29/2005
							88-1826 Sandalwood Lane									
(1825) Peach Tree Dr	0.09	660	R				Cul-de-Sac					NA		NA		09/29/2005
							88-743; 88-1835									
(1826) Sandalwood Lane	0.06	60	R				88-1825 Peach Tree Dr					NA		NA		09/29/2005
							Cul-de-Sac									
(1827) Bridgewood Court	0.13	180	R				88-1825 Peach Tree Dr					NA		NA		09/29/2005
							Cul-de-Sac									
(1828) Blossom Wood Court	0.14	150	R				Cul-de-Sac					NA		NA		09/29/2005
							88-1825 Peach Tree Dr									
(1829) Live Oak Court	0.06	60	R				88-743 Lewis Thorburn Rd					NA		NA		09/29/2005
							Cul-de-Sac									
(1830)	0.20	100	R				88-616 US Ford Rd					NA		NA		09/04/2002
							Cul-de-Sac									
(1831) Willow Court	0.09	100	R				Cul-de-Sac					NA		NA		09/29/2005
							88-743 Lewis Thorburn Rd									
(1831) Sumac Court	0.04	40	R				Cul-de-Sac					NA		NA		09/29/2005
							Cul-de-Sac									
(1832) White Pine Court	0.08	110	R				Cul-de-Sac					NA		NA		09/29/2005
							88-743 Lewis Thorburn Rd									
(1833) Cedar Cove Court	0.04	30	R				88-743 Lewis Thorburn Rd					NA		NA		09/29/2005
							Cul-de-Sac									
(1834) Locust Court	0.11	150	R				Cul-de-Sac					NA		NA		09/29/2005
							88-743 Lewis Thorburn Rd									
(1835) Red Ash Court	0.05	60	R				88-743; 88-1825					NA		NA		09/29/2005
							Cul-de-Sac									
(1836) Elmwood Lane	0.14	170	R				88-743 Lewis Thorburn Rd					NA		NA		09/29/2005
							88-1837 Highland Oaks Dr									
(1837) Highland Oaks Dr	0.15	70	R				88-1836 Elmwood Lane					NA		NA		09/29/2005
							88-1838 Walnut St									
(1837) Highland Oaks Dr	0.05	40	R				Cul-de-Sac					NA		NA		09/29/2005
							Cul-de-Sac									

Virginia Department of Transportation
 Traffic Engineering Division
 2005
 Annual Average Daily Traffic Volume Estimates By Section of Route
 Spotsylvania Operational Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Spotsylvania County																
(1838) Walnut St	0.09	310	R			From: 88-743 Lewis Thorburn Rd					NA			NA		09/29/2005
(1838) Walnut St	0.11	100	R			From: 88-1839 Spruce Court					NA			NA		09/29/2005
						To: 88-1837 Highland Oaks Dr										
(1839) Spruce Court	0.05	30	R			From: Cul-de-Sac					NA			NA		09/29/2005
						To: 88-1838 Walnut St										
(1840)	0.18	760	R			From: 88-1842 Begin Loop					NA			NA		09/17/2002
						To: 88-610 Old Plank Rd										
(1841)	0.31	190	R			From: 88-1840					NA			NA		09/17/2002
						To: Cul-de-Sac										
(1842)	1.31	160	R			From: 88-1840 Begin Loop					NA			NA		09/17/2002
						To: End Loop										
(1843)	0.08	50	R			From: Cul-de-Sac					NA			NA		09/17/2002
						To: 88-1842										
(1844)	0.07	49	R			From: Cul-de-Sac					NA			NA		09/17/2002
						To: 88-1842										
(1845) Catharines Furnace Cou	0.11	60	R			From: 88-1842					NA			NA		10/03/2005
						To: Cul-de-Sac										
(1846)	0.14	120	R			From: Cul-de-Sac					NA			NA		09/17/2002
						To: 88-1842										
(1847)	0.63	290	R			From: Dead End					NA			NA		10/24/2002
						To: 88-610 Old Plank Rd										
(1848)	0.11	90	R			From: Dead End					NA			NA		10/24/2002
						To: 88-1847										
(1849) Westerlo Court	0.06	60	R			From: 88-1861 Waterman Dr					NA			NA		08/31/2005
						To: Cul-de-Sac										
(1850)	0.48	3700	R			From: 88-628 Smith Station Rd					NA			NA		09/25/2002
(1850)	0.06	1200	R			From: 88-1851 EAST					NA			NA		09/25/2002
						To: 88-1862										
(1851)	0.93	240	R			From: 88-1854					NA			NA		09/25/2002
(1851)	0.18	360	R			From: 88-1850 EAST					NA			NA		09/25/2002
						To: 88-1859										
(1851)	0.07	NA				From: 88-1859					NA			NA		
						To: Dead End										
(1852) Hope Cour	0.05	60	R			From: Cul-de-Sac					NA			NA		08/31/2005
						To: 88-1851										
(1853) Justice Dr	0.06	46	R			From: 88-1851					NA			NA		08/31/2005
						To: 88-1855 Sweetbriar Dr										

Virginia Department of Transportation
 Traffic Engineering Division
 2005
 Annual Average Daily Traffic Volume Estimates By Section of Route
 Spotsylvania Operational Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Spotsylvania County																
(1854)	0.29	820	R				From: 88-1850						NA		NA	08/26/2002
(1854)	0.26	980	R				To: 88-1859 WEST						NA		NA	08/26/2002
(1854)	0.03	1400	R				From: 88-1859 E, Charlesfield Dr						NA		NA	08/26/2002
							To: 88-639 Leavells Rd									
(1855) Sweetbriar Dr	0.53	300	R				From: 88-1854						NA		NA	08/31/2005
							To: 88-1851									
(1856) Cranston Lane	0.39	560	R				From: 88-1862						NA		NA	08/31/2005
(1856) Cranston Lane	0.06	1100	R				From: 88-1867 Danford St						NA		NA	08/31/2005
(1856)	0.11	180	R				To: 88-1851						NA		NA	09/25/2002
							To: 88-1850									
(1857) Providence Court	0.12	150	R				From: 88-1850						NA		NA	08/31/2005
							To: Cul-de-Sac									
(1858) Thayer Court	0.17	250	R				From: 88-1850						NA		NA	08/31/2005
							To: 88-1859									
(1859) Charlesfield Dr	0.03	450	R				From: 88-1854 EAST						NA		NA	08/26/2002
(1859)	0.25	330	R				To: 88-1865 S, Benevolent St						NA		NA	08/31/2005
(1859)	0.29	850	R				To: 88-1865 N, Benevolent St						NA		NA	08/31/2005
(1859)	0.06	330	R				To: 88-1858 Thayer Court						NA		NA	08/31/2005
							To: 88-1851									
(1861) Waterman Dr	0.08	70	R				From: Cul-de-Sac						NA		NA	08/31/2005
(1861) Waterman Dr	0.34	330	R				To: 88-1859						NA		NA	08/31/2005
							To: Cul-de-Sac									
(1862)	0.21	NA					From: Dead End						NA		NA	
(1862)	0.15	580	R				To: 88-1867 Danford St						NA		NA	09/25/2002
(1862)	0.09	730	R				To: 88-1850						NA		NA	09/25/2002
(1862)	0.06	NA					To: 88-1863 Barton Lane						NA		NA	
							To: Dead End									
(1863) Barton Lane	0.12	590	R				From: 88-1862						NA		NA	08/31/2005
							To: 88-1868 West Melody Court									
(1865) Benevolent St	0.19	130	R				From: 88-1859 S, Charlesfield Dr						NA		NA	08/31/2005
							To: 88-1859 NORTH									

Virginia Department of Transportation
Traffic Engineering Division
2005
Annual Average Daily Traffic Volume Estimates By Section of Route
Spotsylvania Operational Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Spotsylvania County																
(1866) Avery St	0.06	48	R				From: 88-1867 Danford St To: 88-1856 Cranston Lane				NA			NA		08/31/2005
(1867) Danford St	0.10	150	R				From: Cul-de-Sac To: 88-1856 Cranston Lane				NA			NA		08/31/2005
(1867) Danford St	0.18	320	R				From: 88-1856 Cranston Lane To: 88-1866 Avery St				NA			NA		08/31/2005
(1867) Danford St	0.58	180	R				From: 88-1866 Avery St To: Dead End				NA			NA		09/25/2002
(1868) West Melody Court	0.12	160	R				From: 88-1863 Barton Lane To: 88-1869 North Cranston Lane				NA			NA		08/31/2005
(1868) West Melody Court	0.11	NA					From: 88-1869 North Cranston Lane To: Dead End				NA			NA		
(1869) North Cranston Lane	0.15	170	R				From: Cul-de-Sac To: 88-1868 West Melody Court				NA			NA		08/31/2005
(1869)	0.15	NA					From: 88-1868 West Melody Court To: 88-1862				NA			NA		
(1870) Aspen Lane	0.40	440	R				From: Cul-de-Sac To: Cul-de-Sac				NA			NA		09/16/2002
(1871)	0.31	180	R				From: Cul-de-Sac To: 88-1870 Aspen Lane				NA			NA		09/16/2002
(1872)	0.05	10	R				From: 88-1871 To: Cul-de-Sac				NA			NA		09/16/2002
(1873)	0.09	670	R				From: 88-1874 To: 88-610 Old Plank Rd				NA			NA		11/05/2002
(1874)	0.53	380	R				From: 88-1827; 88-1825 To: Cul-de-Sac				NA			NA		11/05/2002
(1875)	0.05	40	R				From: 88-1874 To: Cul-de-Sac				NA			NA		11/05/2002
(1876)	0.07	90	R				From: 88-1825 Peach Tree Dr To: Cul-de-Sac				NA			NA		11/05/2002
(1877)	0.09	NA					From: 88-1753 Stonehenge Dr To: 88-1784 Wales Dr				NA			NA		
(1878)	0.17	NA					From: 88-1718 Sterling Dr To: 88-1753 Stonehenge Dr				NA			NA		
(1879)	0.16	NA					From: 88-1869 To: Dead End				NA			NA		
(1880)	0.18	370	R				From: 88-1881 WEST To: 88-620 Harrison Rd				NA			NA		09/19/2002
(1881)	0.20	210	R				From: 88-1880 WEST To: 88-1880 EAST				NA			NA		09/19/2002

Virginia Department of Transportation
Traffic Engineering Division
2005
Annual Average Daily Traffic Volume Estimates By Section of Route
Spotsylvania Operational Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Spotsylvania County																
(1882) Mossy Bank Lane	0.37	360	R									NA		NA		10/19/2005
(1883) Hackberry Court	0.05	60	R									NA		NA		10/19/2005
(1884) Fieldstone Court	0.09	30	R									NA		NA		10/19/2005
(1885) Cotter Court	0.04	60	R									NA		NA		10/19/2005
(1886)	0.41	NA										NA		NA		
(1887)	0.13	850	R									NA		NA		11/05/2002
(1888)	0.09	110	R									NA		NA		11/05/2002
(1889)	0.05	40	R									NA		NA		11/05/2002
(1890)	0.50	440	R									NA		NA		10/10/2002
(1891)	0.32	80	R									NA		NA		10/10/2002
(1891)	1.14	350	R									NA		NA		10/10/2002
(1892)	0.18	40	R									NA		NA		10/10/2002
(1893)	0.60	120	R									NA		NA		10/10/2002
(1894) Crown Grant Dr	0.05	1200	R									NA		NA		11/07/2005
(1895) Chesney Dr	0.34	380	R									NA		NA		11/07/2005
(1902)	0.05	40	R									NA		NA		08/26/2002
(1903)	0.04	70	R									NA		NA		08/26/2002
(1904)	0.12	190	R									NA		NA		08/26/2002
(1905)	0.06	60	R									NA		NA		08/26/2002

Virginia Department of Transportation
Traffic Engineering Division
2005
Annual Average Daily Traffic Volume Estimates By Section of Route
Spotsylvania Operational Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Spotsylvania County																
(1906)	0.11	110	R				88-1658; 88-1664					NA		NA		1999
							Cul-de-Sac									
(1908)	0.07	90	R				88-1917					NA		NA		10/24/2002
							Cul-de-Sac									
(1909)	0.06	60	R				88-1917					NA		NA		10/24/2002
							Cul-de-Sac									
(1910) Smoketree Blvd	0.14	330	R				88-1911 Arbor Glen Dr					NA		NA		10/12/2005
							88-1912 Cedar Crest Dr									
(1910) Smoketree Blvd	0.09	1800	R				88-610 Old Plank Rd					NA		NA		10/12/2005
							88-1916 Woodland View Dr									
(1911) Arbor Glen Dr	0.16	160	R				88-1910 Smoketree Blvd					NA		NA		10/24/2002
							88-1912 Cedar Crest Dr									
(1911) Arbor Glen Dr	0.15	110	R				88-1912 Cedar Crest Dr					NA		NA		10/12/2005
							Cul-de-Sac									
(1911) Arbor Glen Dr	0.11	90	R				88-1915 Hickory Creek Dr					NA		NA		10/12/2005
							88-1913									
(1912) Cedar Crest Dr	0.06	320	R				88-1911 Arbor Glen Dr					NA		NA		10/12/2005
							88-1910 Smoketree Blvd									
(1912) Cedar Crest Dr	0.06	730	R				88-1910 Smoketree Blvd					NA		NA		10/24/2002
							Dead End									
(1912) Cedar Crest Dr	0.11	950	R				88-1916 Woodland View Dr					NA		NA		10/12/2005
							88-1914 Timbermill Lane									
(1912) Cedar Crest Dr	0.09	200	R				88-1912 Cedar Crest Dr					NA		NA		10/24/2002
							88-1913									
(1913)	0.18	130	R				88-1916 Woodland View Dr					NA		NA		10/24/2002
							88-1914 Timbermill Lane									
(1913)	0.16	330	R				88-1912 Cedar Crest Dr					NA		NA		10/24/2002
							88-1916 Woodland View Dr									
(1914) Timbermill Lane	0.16	130	R				88-1913					NA		NA		10/12/2005
							88-1916 Woodland View Dr									
(1915) Hickory Creek Dr	0.30	220	R				88-1912 Cedar Crest Dr					NA		NA		10/12/2005
							Cul-de-Sac									
(1915) Hickory Creek Dr	0.05	30	R				88-1919					NA		NA		10/12/2005
							88-1915 Hickory Creek Dr									
(1916) Woodland View Dr	0.42	180	R				88-1914 Timbermill Lane					NA		NA		10/24/2002
							88-1913									
(1916) Woodland View Dr	0.08	140	R				88-1916 Woodland View Dr					NA		NA		10/24/2002
							88-1914 Timbermill Lane									
(1916) Woodland View Dr	0.11	200	R				88-1913					NA		NA		10/12/2005
							88-1912 Cedar Crest Dr									
(1916) Woodland View Dr	0.38	230	R				88-1912 Cedar Crest Dr					NA		NA		10/24/2002

Virginia Department of Transportation
Traffic Engineering Division
2005
Annual Average Daily Traffic Volume Estimates By Section of Route
Spotsylvania Operational Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Spotsylvania County																
(1917)	0.51	1300	R				From: 88-1916 Woodland View Dr					NA		NA		10/24/2002
							To: 88-610 Old Plank Rd									
(1918)	0.17	190	R				From: 88-1916 Woodland View Dr					NA		NA		10/24/2002
							To: 88-1917									
(1919)	0.29	590	R				From: 88-1925					NA		NA		10/24/2002
							To: 88-1917									
(1920)	Locklear Landing Dr	0.18	40	R			From: Cul-de-Sac					NA		NA		11/12/2005
							To: 88-1923 Tree Haven Lane									
(1920)	Locklear Landing Dr	0.13	170	R			From: 88-1923 Tree Haven Lane					NA		NA		11/02/2005
							To: 88-1921									
(1920)	Locklear Landing Dr	0.35	330	R			From: 88-1921					NA		NA		11/02/2005
							To: 88-738 Partlow Rd									
(1921)		0.33	230	R			From: 88-1920 Locklear Landing Dr					NA		NA		09/16/2002
							To: Cul-de-Sac									
(1922)	Maxie Lee Court	0.18	40	R			From: Cul-de-Sac					NA		NA		11/12/2005
							To: 88-1921									
(1923)	Tree Haven Lane	0.20	60	R			From: Cul-de-Sac					NA		NA		11/02/2005
							To: 88-1924 Ta River Dr									
(1923)	Tree Haven Lane	0.17	120	R			From: 88-1924 Ta River Dr					NA		NA		11/02/2005
							To: 88-1920 Locklear Landing Dr									
(1924)	Ta River Dr	0.22	60	R			From: Cul-de-Sac					NA		NA		11/02/2005
							To: 88-1923 Tree Haven Lane									
(1925)		0.27	160	R			From: Cul-de-Sac					NA		NA		10/24/2002
							To: Cul-de-Sac									
(1926)	Angell Ct	0.10	130	R			From: 88-748					NA		NA		08/31/2005
							To: Cul-de-Sac									
(1927)	Wickenden Court	0.12	160	R			From: Cul-de-Sac					NA		NA		08/31/2005
							To: 88-1929 Elm St									
(1928)	Cedar Ridge Lane	0.25	200	R			From: Cul-de-Sac					NA		NA		08/31/2005
							To: Cul-de-Sac									
(1929)	Elm St	0.10	310	R			From: Dead End					NA		NA		11/04/2002
							To: 88-748 Three Cedars Lane									
(1929)	Elm St	0.05	350	R			From: 88-748 Three Cedars Lane					NA		NA		08/31/2005
							To: 88-1928 Cedar Ridge Lane									
(1930)		0.05	880	R			From: 88-748					NA		NA		08/07/2002
							To: 88-1931									
(1930)		0.07	590	R			From: 88-1931					NA		NA		08/07/2002
							To: 88-1935 Stone Meadow Dr									
(1931)		0.41	290	R			From: Cul-de-Sac					NA		NA		08/07/2002
							To: 88-1930									

Virginia Department of Transportation
Traffic Engineering Division
2005
Annual Average Daily Traffic Volume Estimates By Section of Route
Spotsylvania Operational Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Spotsylvania County																
(1932) Windridge Dr	0.15	720	R				88-748					NA		NA		09/06/2005
(1932) Windridge Dr	0.05	420	R				88-1933					NA		NA		09/06/2005
(1932) Windridge Dr	0.20	160	R				88-1936 Southwick Court					NA		NA		09/06/2005
							Cul-de-Sac									
(1933)	0.10	120	R				88-1932 Windridge Dr					NA		NA		08/07/2002
							Cul-de-Sac									
(1934)	0.05	80	R				Cul-de-Sac					NA		NA		08/07/2002
							88-1931									
(1935) Stone Meadow Dr	0.14	60	R				88-1931					NA		NA		09/06/2005
(1935) Stone Meadow Dr	0.07	580	R				88-1930					NA		NA		09/06/2005
(1935) Stone Meadow Dr	0.04	480	R				88-1937 Erlwood Court					NA		NA		09/06/2005
(1935) Stone Meadow Dr	0.06	310	R				88-1939; 88-1938					NA		NA		09/06/2005
(1935) Stone Meadow Dr	0.06	220	R				88-1940 Peppermill Court					NA		NA		09/06/2005
							88-1941									
(1936) Southwick Court	0.18	150	R				88-1932 Windridge Dr					NA		NA		09/06/2005
							Cul-de-Sac									
(1937) Erlwood Court	0.04	47	R				88-1935 Stone Meadow Dr					NA		NA		08/31/2005
							Cul-de-Sac									
(1938) Wellford Court	0.05	90	R				Cul-de-Sac					NA		NA		08/31/2005
							88-1935; 88-1939									
(1939) Wellford Court	0.08	70	R				88-1935; 88-1938					NA		NA		08/31/2005
							Cul-de-Sac									
(1940) Peppermill Court	0.09	50	R				88-1935 Stone Meadow Dr					NA		NA		08/31/2005
							Cul-de-Sac									
(1941)	0.15	120	R				Dead End					NA		NA		08/07/2002
							88-1935									
(1942) Big Ben Blvd	0.30	1500	R				88-1945 Enchanted Court					NA		NA		09/08/2005
							SR 3 Plank Rd									
(1943) Governors Grant Lane	0.18	360	R				Dead End					NA		NA		09/08/2005
							88-1942 Big Ben Blvd									
(1944) Tower of London Dr	0.15	130	R				88-1946 Paddock Pl					NA		NA		09/08/2005
							88-1942 Big Ben Blvd									
(1945) Enchanted Court	0.07	70	R				Cul-de-Sac					NA		NA		09/08/2005
							88-1942 Big Ben Blvd									

Virginia Department of Transportation
Traffic Engineering Division
2005
Annual Average Daily Traffic Volume Estimates By Section of Route
Spotsylvania Operational Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Spotsylvania County																
(1946) Paddock Pl	0.16	150	R								NA			NA		09/08/2005
(1947) Brandontown Court	0.06	80	R								NA			NA		09/08/2005
(1948)	0.25	NA									NA			NA		
(1949)	0.27	NA									NA			NA		
(1950)	0.96	940	R								NA			NA		07/31/2002
(1951)	0.06	80	R								NA			NA		07/31/2002
(1952)	0.07	270	R								NA			NA		07/31/2002
(1953)	0.16	190	R								NA			NA		07/31/2002
(1954)	0.06	80	R								NA			NA		07/31/2002
(1955)	0.19	120	R								NA			NA		07/31/2002
(1956)	0.88	260	R								NA			NA		07/31/2002
(1957)	0.27	90	R								NA			NA		07/31/2002
(1958)	0.16	90	R								NA			NA		07/31/2002
(1959) Arrow Head Ct	0.29	210	R								NA			NA		07/31/2002
(1960)	0.05	70	R								NA			NA		07/31/2002
(1961)	0.03	30	R								NA			NA		07/31/2002
(1962)	0.08	930	R								NA			NA		07/31/2002
(1963) Mayflower Court	0.06	40	R								NA			NA		11/07/2005
(1964)	0.88	430	R								NA			NA		10/24/2002

Virginia Department of Transportation
Traffic Engineering Division
2005
Annual Average Daily Traffic Volume Estimates By Section of Route
Spotsylvania Operational Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Spotsylvania County																
(1965)	0.25	110	R				88-1964				NA		NA		10/24/2002	
							Cul-de-Sac									
(1966)	0.46	140	R				Cul-de-Sac				NA		NA		10/24/2002	
							88-1964; 88-1967									
(1967)	0.08	70	R				88-1964; 88-1966				NA		NA		10/24/2002	
							Cul-de-Sac									
(1970)	0.44	540	R				88-674 Chancellor Rd				NA		NA		09/19/2002	
							88-1974 N. Katie Dr									
(1971)	0.09	80	R				88-1970				NA		NA		09/19/2002	
							Dead End									
(1972)	0.10	90	R				88-1970				NA		NA		09/19/2002	
							88-1974 N. Katie Dr									
(1973)	0.04	60	R				88-1970				NA		NA		09/19/2002	
							Cul-de-Sac									
(1974) N Katie Dr	0.29	100	R				88-1971				NA		NA		09/08/2005	
							88-1970									
(1974) N. Katie Dr	0.14	140	R				Cul-de-Sac				NA		NA		09/08/2005	
(1975)	0.23	350	R				88-1974 N. Katie Dr				NA		NA		09/19/2002	
							88-1976 E. Pullen Dr									
(1976) Pullen Dr	0.26	80	R				88-1975 WEST				NA		NA		09/19/2002	
							88-1975 EAST									
(1976)	0.52	910	R				88-610; 88-1716				NA		NA		09/08/2005	
(1977) Nicholas Dr	0.21	260	R				88-1976				NA		NA		09/08/2005	
							Dead End									
(1978) Danalu Court	0.06	140	R				Cul-de-Sac				NA		NA		09/08/2005	
							88-1977 Nicholas Dr									
(1979)	0.26	NA					88-748				NA		NA			
							Dead End									
(1980)	0.23	290	R				88-1223				NA		NA		09/25/2002	
							Cul-de-Sac									
(1981)	0.10	100	R				88-1980				NA		NA		09/25/2002	
							Cul-de-Sac									
(1982)	0.32	350	R				88-1223				NA		NA		09/25/2002	
							Cul-de-Sac									
(1983)	0.05	60	R				88-1982				NA		NA		09/25/2002	
							Cul-de-Sac									

Virginia Department of Transportation
Traffic Engineering Division
2005
Annual Average Daily Traffic Volume Estimates By Section of Route
Spotsylvania Operational Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Spotsylvania County																
(1984)	0.06	70	R				88-1982					NA		NA		09/25/2002
							Dead End									
(1985) Ceventry Creek Dr	0.15	710	R				Cul-de-Sac					NA		NA		10/19/2005
							88-635 Lee Hill School Dr									
(1988)	0.34	640	R				Dead End					NA		NA		11/13/2002
							88-1989; 88-1991 SOUTH									
(1989)	0.35	70	R				88-1988; 88-1991 SOUTH					NA		NA		11/13/2002
							88-1990									
(1990)	0.05	70	R				Dead End					NA		NA		11/13/2002
							88-1989									
(1991)	0.05	80	R				88-1988; 88-1989 SOUTH					NA		NA		11/13/2002
							Dead End									
(1992)	0.07	90	R				88-1988					NA		NA		11/13/2002
							Dead End									
(1993)	0.11	30	R				88-1988					NA		NA		11/13/2002
							88-1994									
(1994)	0.15	170	R				Dead End					NA		NA		11/13/2002
							88-1993									
(1995)	0.15	240	R				Cul-de-Sac					NA		NA		09/25/2002
							88-636 Mine Rd									
(1996)	0.17	80	R				Cul-de-Sac					NA		NA		09/26/2002
							88-1995									
(1997)	0.15	130	R				88-1996					NA		NA		08/19/2002
							88-1995									
(1998)	0.07	NA					Dead End					NA		NA		
							88-723 Dovey Rd									
(2000) Farmstead Lane	0.29	330	R				Cul-de-Sac					NA		NA		08/19/2002
							88-627 Gordon Rd									
(2000) Red Rose Village Dr	0.29	830	R				88-2072 Geranium St					NA		NA		10/12/2005
							88-2000 Farmstead Lane									
(2001)	0.09	100	R				Cul-de-Sac					NA		NA		08/19/2002
							Cul-de-Sac									
(2002)	0.05	40	R				88-2001					NA		NA		08/19/2002
							88-2000 Farmstead Lane									
(2003)	0.10	210	R				88-2004					NA		NA		08/19/2002
							88-1147; 88-1279									
(2004)	0.43	1000	R				88-627 Gordon Rd					NA		NA		08/19/2002

Virginia Department of Transportation
 Traffic Engineering Division
 2005
 Annual Average Daily Traffic Volume Estimates By Section of Route
 Spotsylvania Operational Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Spotsylvania County																
(2005)	0.06	110	R				88-2004				NA			NA		08/19/2002
							Cul-de-Sac									
(2006)	0.14	210	R				88-2004				NA			NA		08/19/2002
							Dead End									
(2007)	0.19	180	R				88-2004				NA			NA		08/19/2002
							88-2009									
(2008)	0.18	180	R				88-2004				NA			NA		08/19/2002
							88-2009									
(2009)	0.15	110	R				88-2008				NA			NA		08/19/2002
							88-2006									
(2010)	0.25	260	R				Dead End				NA			NA		08/19/2002
							88-2004									
(2013)	0.46	NA					88-639 Leavells Rd				NA			NA		
							Dead End									
(2014)	0.12	NA					88-2013				NA			NA		
							Dead End									
(2015)	0.12	NA					Dead End				NA			NA		
							88-2013									
(2016)	0.11	NA					Dead End				NA			NA		
							88-2013									
(2017)	0.34	460	R				Dead End				NA			NA		09/19/2002
							88-673 Piedmont Dr									
(2018)	0.05	70	R				Cul-de-Sac				NA			NA		09/19/2002
							88-2017									
(2019)	0.05	110	R				Cul-de-Sac				NA			NA		09/19/2002
							88-2017									
(2020)	0.30	550	R				Cul-de-Sac				NA			NA		09/19/2002
							88-673 Piedmont Dr									
(2021)	0.79	290	R				Cul-de-Sac				NA			NA		09/19/2002
							88-2020									
(2022)	0.08	190	R				88-2021				NA			NA		09/19/2002
							Cul-de-Sac									
(2023)	0.20	230	R				88-2021				NA			NA		09/19/2002
							Cul-de-Sac									
(2028)	0.17	170	R				Cul-de-Sac				NA			NA		1999
							88-2029									
(2028)	0.03	270	R				88-2029				NA			NA		1999
							88-673 Piedmont Dr									

Virginia Department of Transportation
Traffic Engineering Division
2005
Annual Average Daily Traffic Volume Estimates By Section of Route
Spotsylvania Operational Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Spotsylvania County																
(2029)	0.05	80	R											NA		1999
(2030)	0.19	2800	R											NA		09/19/2002
(2031)	0.46	490	R											NA		09/19/2002
(2031)	0.17	540	R											NA		09/19/2002
(2032)	0.13	190	R											NA		09/19/2002
(2033)	0.24	30	R											NA		09/19/2002
(2034)	0.26	340	R											NA		09/19/2002
(2035)	0.19	60	R											NA		09/19/2002
(2036)	0.18	200	R											NA		09/19/2002
(2037)	0.15	60	R											NA		09/19/2002
(2040)	Lakeland Way	0.05	30	R										NA		10/05/2005
(2040)	Lakeland Way	0.08	60	R										NA		10/05/2005
(2040)	Lakeland Way	0.19	200	R										NA		10/05/2005
(2040)	Lakeland Way	0.24	700	R										NA		07/31/2002
(2041)		0.18	640	R										NA		07/31/2002
(2042)		0.10	150	R										NA		08/19/2002
(2043)		0.11	110	R										NA		07/31/2002
(2043)		0.09	240	R										NA		07/31/2002
(2043)		0.25	240	R										NA		07/31/2002
(2044)		0.16	80	R										NA		07/31/2002

Virginia Department of Transportation
Traffic Engineering Division
2005
Annual Average Daily Traffic Volume Estimates By Section of Route
Spotsylvania Operational Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Spotsylvania County																
(2045)	0.16	150	R				88-2043				NA			NA		07/31/2002
							88-2044									
(2046) Hillsborough Lane	0.09	80	R				88-2043				NA			NA		10/05/2005
							88-2040 Lakeland Way									
(2050)	0.07	160	R				Cul-de-Sac				NA			NA		09/12/2002
							88-1249									
(2051) Amherst Ct	0.05	70	R				Cul-de-Sac				NA			NA		09/12/2002
							88-2050									
(2052)	0.05	90	R				88-1249				NA			NA		09/12/2002
							Cul-de-Sac									
(2053) Amelia Dr	0.22	680	R				88-1249				NA			NA		09/12/2002
							88-2056 Augusta Ct									
(2053) Amelia Dr	0.22	330	R				88-2058 Norfolk Way				NA			NA		09/12/2002
							88-2060 N. Hampton Lane									
(2053) Amelia Dr	0.10	680	R				Cul-de-Sac				NA			NA		09/12/2002
							88-2053 Amelia Dr									
(2054)	0.07	90	R				Cul-de-Sac				NA			NA		09/12/2002
							88-2053 Amelia Dr									
(2055)	0.11	140	R				Cul-de-Sac				NA			NA		09/12/2002
							88-2053 Amelia Dr									
(2056) Augusta Ct	0.17	170	R				Cul-de-Sac				NA			NA		09/12/2002
							88-2053 Amelia Dr									
(2057) Bristol Court	0.04	40	R				88-2053 Amelia Dr				NA			NA		08/18/2005
							Cul-de-Sac									
(2058) Norfolk Way	0.04	760	R				88-2053 Amelia Dr				NA			NA		08/18/2005
							88-2059 Chris Shan Court									
(2058) Norfolk Way	0.05	860	R				88-636 Mine Rd				NA			NA		08/18/2005
							Cul-de-Sac									
(2059) Chris Shan Court	0.04	46	R				Cul-de-Sac				NA			NA		08/18/2005
							88-2058 Norfolk Way									
(2060) N. Hampton Lane	0.24	210	R				Cul-de-Sac				NA			NA		08/18/2005
							88-2061 Gloucester Lane									
(2060) N. Hampton Lane	0.11	590	R				88-2053 Amelia Dr				NA			NA		08/18/2005
							Cul-de-Sac									
(2060) N. Hampton Lane	0.05	40	R				Cul-de-Sac				NA			NA		08/18/2005
							88-2062 Bath Court									
(2061) Gloucester Lane	0.12	130	R				Cul-de-Sac				NA			NA		08/18/2005
							88-2062 Bath Court									
(2061) Gloucester Lane	0.05	230	R				88-2060 N. Hampton Lane				NA			NA		08/18/2005

Virginia Department of Transportation
 Traffic Engineering Division
 2005
 Annual Average Daily Traffic Volume Estimates By Section of Route
 Spotsylvania Operational Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Spotsylvania County																
(2062) Bath Court	0.05	100	R				From: 88-2061 Gloucester Lane				NA			NA		08/18/2005
							To: Cul-de-Sac									
(2065) Mystic Point Dr	0.60	190	R				From: Dead End				NA			NA		09/29/2005
							To: 88-714 Cloverdale St									
(2070) Apple Blossom Ct	0.05	50	R				From: 88-2000 Red Rose Village Dr				NA			NA		10/12/2005
							To: Cul-de-Sac									
(2071) Violet Dr	0.30	320	R				From: Cul-de-Sac				NA			NA		10/12/2005
							To: 88-2000 Red Rose Village Dr									
(2072) Geranium St	0.20	100	R				From: 88-2071 Violet Dr				NA			NA		10/12/2005
							To: Cul-de-Sac									
(2073) Carnation St	0.04	60	R				From: 88-2071 Violet Dr				NA			NA		10/12/2005
							To: Cul-de-Sac									
(2074) Orchard Lane	0.17	330	R				From: 88-2072 Geranium St				NA			NA		10/12/2005
							To: Cul-de-Sac									
(2075) Gardeia Dr	0.44	870	R				From: 88-2074 Orchard Lane				NA			NA		10/12/2005
							To: 88-610 Old Plank Rd									
(2076) Daisy Lane	0.10	190	R				From: 88-2077 Hyacinth Court				NA			NA		10/12/2005
							To: 88-2075 Gardeia Dr									
(2077) Hyacinth Court	0.06	70	R				From: Cul-de-Sac				NA			NA		10/12/2005
							To: 88-2076 Daisy Lane									
(2077) Hyacinth Court	0.03	20	R				From: 88-2076 Daisy Lane				NA			NA		10/12/2005
							To: Dead End									
(2078) Lilly Lane	0.04	70	R				From: 88-2075 Gardeia Dr				NA			NA		10/12/2005
							To: Cul-de-Sac									
(2079) Buttercup Lane	0.14	100	R				From: 88-2075 Gardeia Dr				NA			NA		10/12/2005
							To: Cul-de-Sac									
(2085) Sawhill Blvd	0.51	1500	R				From: 88-612 Catharpin Rd				NA			NA		10/03/2005
							To: 88-2090 Broadmore Lane									
(2086) Duck Circle	0.34	80	R				From: 88-2085 S, Sawhill Blvd				NA			NA		10/03/2005
							To: 88-2085 N, Sawhill Blvd									
(2087) Hildy Court	0.20	110	R				From: Cul-de-Sac				NA			NA		10/03/2005
							To: Cul-de-Sac									
(2088) Palmer Court	0.18	150	R				From: 88-2085 Sawhill Blvd				NA			NA		10/03/2005
							To: Cul-de-Sac									
(2089) McGee Court	0.08	60	R				From: 88-2088 Palmer Court				NA			NA		10/03/2005
							To: Cul-de-Sac									
(2090) Broadmore Lane	0.37	320	R				From: Cul-de-Sac				NA			NA		10/03/2005
							To: 88-2091 Powder Mill Court									

Virginia Department of Transportation
 Traffic Engineering Division
 2005
 Annual Average Daily Traffic Volume Estimates By Section of Route
 Spotsylvania Operational Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Spotsylvania County																
(2091) Powder Mill Court	0.17	100	R				From: Cul-de-Sac				NA			NA		10/03/2005
							To: Cul-de-Sac									
(2100) Brighten Court	0.13	80	R				From: 88-1091 Lancaster Ring Rd				NA			NA		10/26/2005
							To: Cul-de-Sac									
(2101) Cornwall Court	0.12	90	R				From: Cul-de-Sac				NA			NA		10/26/2005
							To: 88-1091 Lancaster Ring Rd									
(2102) Wexam Court	0.13	180	R				From: 88-1091 Lancaster Ring Rd				NA			NA		10/26/2005
							To: Dead End									
(2103) Caven Court S.	0.17	90	R				From: Dead End				NA			NA		10/26/2005
							To: Dead End									
(2104)	0.04	NA					From: Dead End				NA			NA		
							To: 88-2126									
(2105)	0.61	NA					From: Bus US 17				NA			NA		
							To: Dead End									
(2106)	0.10	NA					From: 88-2105				NA			NA		
							To: Cul-de-Sac									
(2107)	0.41	NA					From: Cul-de-Sac				NA			NA		
							To: 88-2105									
(2108)	0.09	NA					From: 88-2105				NA			NA		
							To: 88-2107									
(2109)	0.28	NA					From: 88-2107				NA			NA		
							To: 88-2105									
(2110)	0.04	NA					From: 88-2126				NA			NA		
							To: Dead End									
(2111)	0.09	NA					From: 88-2137				NA			NA		
							To: 88-2122									
(2112)	0.03	NA					From: 88-2137				NA			NA		
							To: Dead End									
(2113)	0.06	NA					From: Dead End				NA			NA		
							To: 88-2137									
(2114)	0.25	NA					From: 88-2137				NA			NA		
							To: Dead End									
(2115)	0.05	NA					From: 88-2119				NA			NA		
							To: Dead End									
(2116)	0.14	NA					From: Dead End				NA			NA		
							To: Dead End									
(2117)	0.05	NA					From: 88-2126 Hot Springs Lane				NA			NA		
							To: Dead End									

Virginia Department of Transportation
Traffic Engineering Division
2005
Annual Average Daily Traffic Volume Estimates By Section of Route
Spotsylvania Operational Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Spotsylvania County																
(2118)	0.27	NA					From: 88-2126				NA			NA		
							To: 88-2126									
(2118)	0.05	NA					From: 88-2126 Hot Springs Lane				NA			NA		
							To: Dead End									
(2119)	0.24	NA					From: Dead End				NA			NA		
							To: Dead End									
(2120)	Salem Fields Blvd	0.42	3100	R			From: 88-627 Gordon Rd				NA			NA		09/12/2005
							To: 88-2121 Rappahannock Dr									
(2121)	Rappahannock Dr	1.05	1900	R			From: 88-628 Smith Station Rd				NA			NA		09/12/2005
							To: 88-2126									
(2121)		0.42	NA				From: 88-627				NA			NA		
							To: 88-2135 North Lamont Court									
(2122)	Spring Meadow Blvd	0.17	560	R			From: 88-2125 Maple Court				NA			NA		09/12/2005
							To: 88-2121 Rappahannock Dr									
(2122)	Spring Meadow Blvd	0.28	1300	R			From: 88-2122 Spring Meadow Blvd				NA			NA		09/12/2005
							To: Dead End									
(2123)	Adios Ct	0.10	370	R			From: 88-2125 Maple Court				NA			NA		09/12/2005
							To: 88-2123 Adios Ct									
(2124)	Palladium Way	0.18	210	R			From: 88-2122 Spring Meadow Blvd				NA			NA		09/12/2005
							To: Cul-de-Sac									
(2125)	Maple Court	0.17	200	R			From: 88-2121 Rappahannock Dr				NA			NA		09/12/2005
							To: 88-2130 North Dewey Court									
(2126)	Hot Springs Lane	0.19	1600	R			From: 88-2104				NA			NA		09/12/2005
							To: Dead End; Gap									
(2126)	Hot Springs Lane	0.79	1100	R			From: 88-2121 Rappahannock Dr				NA			NA		09/12/2005
							To: 88-2126 Hot Springs Lane									
(2126)		0.54	NA				From: 88-2104				NA			NA		
							To: 88-2121 Rappahannock Dr									
(2127)	Sandusky Court	0.09	60	R			From: 88-2126 Hot Springs Lane				NA			NA		09/12/2005
							To: Dead End									
(2128)	Rose Hill Court	0.09	60	R			From: 88-2124 Palladium Way				NA			NA		09/12/2005
							To: Cul-de-Sac									
(2129)	Plume Court	0.12	70	R			From: 88-2131 South Dewey Court				NA			NA		09/12/2005
							To: Dead End									
(2130)	North Dewey Court	0.08	50	R			From: Dead End				NA			NA		09/12/2005
							To: Dead End									
(2131)	South Dewey Court	0.14	220	R			From: Dead End				NA			NA		09/12/2005
							To: Dead End									
(2132)	Englewood Court	0.17	70	R			From: Dead End				NA			NA		09/12/2005
							To: Dead End									

Virginia Department of Transportation
 Traffic Engineering Division
 2005
 Annual Average Daily Traffic Volume Estimates By Section of Route
 Spotsylvania Operational Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Spotsylvania County																
(2133) Jarvis Court	0.14	90	R								NA		NA			09/12/2005
(2134) Polaris Court	0.11	40	R								NA		NA			09/12/2005
(2135) North Lamont Court	0.20	200	R								NA		NA			09/12/2005
(2136) Omega Court	0.07	48	R								NA		NA			09/12/2005
(2137) Castleton Dr	0.11	930	R								NA		NA			09/12/2005
(2137)	0.29	NA									NA		NA			
(2138) Yorktown Lane	0.11	310	R								NA		NA			09/12/2005
(2139) Winthrop Court	0.20	130	R								NA		NA			09/12/2005
(2140)	0.11	NA									NA		NA			
(2140)	0.24	NA									NA		NA			
(2141)	0.20	NA									NA		NA			
(2142)	0.15	NA									NA		NA			
(2143)	0.48	NA									NA		NA			
(2143)	0.20	NA									NA		NA			
(2144)	0.04	NA									NA		NA			
(2150) Greely Court	0.05	45	R								NA		NA			10/19/2005
(2155) Hickory Hill Dr	0.86	1300	R								NA		NA			08/11/2005
(2156) Forester Ct	0.12	40	R								NA		NA			08/11/2005
(2157) Cameo St	0.20	130	R								NA		NA			08/11/2005

Virginia Department of Transportation
 Traffic Engineering Division
 2005
 Annual Average Daily Traffic Volume Estimates By Section of Route
 Spotsylvania Operational Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Spotsylvania County																
(2158) North Andover Lane	0.46	90	R									NA		NA		08/11/2005
(2159) Townsley St	0.23	80	R									NA		NA		08/11/2005
(2160) Dabney Court	0.21	90	R									NA		NA		08/11/2005
(2161) Bracken Court	0.06	50	R									NA		NA		08/11/2005
(2168)	0.35	NA										NA		NA		
(2169)	0.04	NA										NA		NA		
(2170)	0.69	NA										NA		NA		
(2171)	0.25	NA										NA		NA		
(2172)	0.11	NA										NA		NA		
(2180)	0.36	NA										NA		NA		
(2181)	0.18	NA										NA		NA		
(2182)	0.17	NA										NA		NA		
(2183)	0.11	NA										NA		NA		
(2184)	0.06	NA										NA		NA		
(2190)	0.28	NA										NA		NA		
(2191)	0.52	NA										NA		NA		
(2191)	0.15	NA										NA		NA		
(2192)	0.23	NA										NA		NA		
(2193)	0.16	NA										NA		NA		

Virginia Department of Transportation
 Traffic Engineering Division
 2005
 Annual Average Daily Traffic Volume Estimates By Section of Route
 Spotsylvania Operational Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Spotsylvania County																
(2194)	0.06	NA					From: Cul-de-Sac				NA			NA		
							To: 88-2193									
(2195)	0.10	NA					From: Cul-de-Sac				NA			NA		
							To: 88-2191									
(2196) King Eider Court	0.58	330		R			From: Dead End				NA			NA		09/29/2005
							To: 88-1712 Cinnamon Teal									
(2197) Chester Court	0.29	130		R			From: Dead End				NA			NA		09/29/2005
							To: 88-2196 King Eider Court									
(2198) Gannett Lane	0.56	160		R			From: Dead End				NA			NA		09/29/2005
							To: 88-1712 Cinnamon Teal									
(2199) Ashy Petral Way	0.09	50		R			From: Dead End				NA			NA		09/29/2005
							To: 88-2198 Gannett Lane									
(2210) HCC Dr	0.08	1000		R			From: US 17 Bus				NA			NA		10/19/2005
							To: 88-2211 Hamilton Crossing Rd									
(2211) Hamilton Crossing Rd	0.57	990		R			From: 88-2210 HCC Dr				NA			NA		10/19/2005
							To: 88-2213									
(2212) Allie Dr	0.38	490		R			From: Dead End				NA			NA		10/19/2005
							To: Dead End									
(2213)	0.12	NA					From: Cul-de-Sac				NA			NA		
							To: Cul-de-Sac									
(2220) Dogwood Tree Lane	0.60	240		R			From: Dead End				NA			NA		09/26/2005
							To: 88-719 Days Bridge Rd									
(2221) Hickory Tree Lane	0.43	120		R			From: Dead End				NA			NA		09/26/2005
							To: 88-2220 Dogwood Tree Lane									
(2222) Sycamore Tree Dr	0.18	20		R			From: 88-2221 Hickory Tree Lane				NA			NA		09/26/2005
							To: 88-2220 Dogwood Tree Lane									
(2223) Chestnut Tree Ct	0.18	90		R			From: 88-2220 Dogwood Tree Lane				NA			NA		09/26/2005
							To: Dead End									
(2224) Cedar Tree Ct	0.10	45		R			From: Dead End				NA			NA		09/26/2005
							To: 88-2220 Dogwood Tree Lane									
(2225) Loblolly Lane	0.09	30		R			From: Dead End				NA			NA		09/26/2005
							To: 88-2221 Hickory Tree Lane									
(2226) Wynd St	0.07	30		R			From: 88-2220 Dogwood Tree Lane				NA			NA		09/21/2005
							To: Dead End									
(2227)	0.12	NA					From: 88-1028				NA			NA		
							To: 88-1028									
(2228)	0.07	NA					From: Dead End				NA			NA		
							To: 88-1028									

Virginia Department of Transportation
Traffic Engineering Division
2005
Annual Average Daily Traffic Volume Estimates By Section of Route
Spotsylvania Operational Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Spotsylvania County																
(2229)	0.04	NA												NA		
(2237)	0.25	NA												NA		
(2238)	0.05	NA												NA		
(2239)	0.26	NA												NA		
(2247)	0.47	NA												NA		
(2248)	0.87	NA												NA		
(2249)	0.06	NA												NA		
(7000) State Park Lane	2.99	80	R											NA		10/07/2002
(9393) Spotswood Elementary	0.13	400	R											NA		10/31/2005
(9398)	0.26	380	R											NA		11/13/2002
(9490)	0.12	150	R											NA		11/13/2002
(9491)	0.15	250	R											NA		11/13/2002
(9803)	0.07	110	R											NA		11/13/2002
(9804)	0.05	170	R											NA		11/07/2002
(9805)	0.10	120	R											NA		11/13/2002
City of Fredericksburg																
(111) Cowan Blvd	0.61	15000	F	99%	0%	0%	0%	0%	0%	C	0.100	F	0.639	16000	F	2005
(3950) Twin Lake Dr	0.46	3400	F	99%	0%	0%	0%	0%	0%	C	0.103	F	0.558	3700	F	2005
(3952) Lansdowne Road	0.47	9000	F	93%	1%	1%	1%	3%	0%	C	0.093	F	0.508	9900	F	2005

Virginia Department of Transportation
Traffic Engineering Division
2005
Annual Average Daily Traffic Volume Estimates By Section of Route
Spotsylvania Operational Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
City of Fredericksburg																
3953 111 Stafford Avenue	0.50	2000	G	98%	1%	From: William Street				C	NA			2100	G	2005
						To: Jefferson Davis Highway										
3954 111 Howison St	0.09	640	F	93%	2%	From: Cardwell St				F	0.106	F	0.57	700	F	2005
						To: Howard Ave										
3954 111 Howison Avenue	0.16	1600	F	93%	2%	From: Howard Avenue				C	0.095	F	0.614	1800	F	2005
						To: Dixon Street										
3955 111 College Ave	0.67	8100	F	99%	0%	From: William Street				C	0.086	F	0.586	8800	F	2005
						To: Jefferson Davis Highway										
3958 111 High St	0.04	720	F	96%	1%	From: Bus SR 3 William St				F	0.13	F	0.916	780	F	2005
						To: Hanover St										
3958 111 Hanover St	0.60	2300	F	96%	1%	From: High St				C	0.095	F	0.610	2500	F	2005
						To: 111-3959 Littlepage St										
3958 111 Hanover St	0.49	1000	F	96%	1%	From: 111-3959 Littlepage St				F	0.114	F	0.934	1100	F	2005
						To: Bus US 1 Par Princess Anne St										
3958 111 Hanover St	0.12	760	F	98%	1%	From: Bus US 1 Par Princess Anne St				F	0.137	F		830	F	2005
						To: 111-3973 Sophia St										
3959 111 Littlepage St	0.44	1400	F	98%	1%	From: Bus US 1 LaFayette Blvd				C	0.09	F	0.536	1500	F	2005
						To: Bus SR 3 William St										
3961 111 Kenmore Ave	0.49	5100	F	97%	1%	From: Bus US 1 LaFayette Blvd				C	0.095	F	0.724	5500	F	2005
						To: Bus SR 3 William St										
3961 111 Kenmore Ave	0.40	1300	F	98%	1%	From: Bus SR 3 William St				C	0.104	F	0.549	1400	F	2005
						To: Mary Ball St										
3961 111 Mary Ball St	0.10	1600	F	98%	1%	From: Kenmore Ave				F	0.091	F	0.562	1800	F	2005
						To: 111-6963 Washington Ave										
3963 111 Washington Ave	0.43	2300	F	98%	1%	From: Bus SR 3 P Amelia St				C	0.11	F	0.761	2500	F	2005
						To: 111-3975 Maury St										
3963 111 Washington Ave	0.44	2300	F	98%	1%	From: 111-3975 Maury St				F	0.109	F		2500	F	2005
						To: 111-3965; Fall Hill Ave										
3965 111 Prince Edward St	0.35	2900	F	99%	1%	From: Kenmore Avenue				F	0.089	F	0.750	3100	F	2005
						To: William Street										
3965 111 Prince Edward St	0.44	2300	F	99%	1%	From: William Street				C	0.092	F	0.786	2600	F	2005
						To: Canal Street										
3965 111 Fall Hill Avenue	0.10	2400	F	99%	1%	From: Canal Street				F	0.091	F	0.879	2600	F	2005
						To: Maury Street										
3965 111 Fall Hill Avenue	0.39	3400	F	99%	1%	From: Maury Street				F	0.111	F		3700	F	2005
						To: Washington Street										
3965 111 Fall Hill Avenue	0.15	9300	F	99%	1%	From: Washington Street				F	0.083	F	0.569	10000	F	2005
						To: Jefferson Davis Highway										
3965 111 Fall Hill Avenue	1.59	16000	F	99%	0%	From: Jefferson Davis Highway				C	0.094	F	0.66	17000	F	2005
						To: I-95										
3965 111 Fall Hill Avenue	0.95	16000	F	99%	0%	From: I-95				C	0.088	F	0.676	18000	F	2005
						To: WCL Fredericksburg										
3967 111 Charles Street	0.24	6600	F	97%	1%	From: Bus 17 Dixon St				F	0.089	F	0.597	7200	F	2005
						To: Bus US 1 Lafayette Blvd										

Virginia Department of Transportation
 Traffic Engineering Division
 2005
 Annual Average Daily Traffic Volume Estimates By Section of Route
 Spotsylvania Operational Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
City of Fredericksburg																
3973 111 Sophia St	0.37	4300	F	98%	0%	From: Lafayette Blvd				C	0.089	F	0.631	4700	F	2005
						To: Bus SR 3 William St										
3975 111 Maury Street	0.14	1900	F	98%	1%	From: Washington St				C	0.1	F	2100	F	2005	
						To: Fall Hill Avenue										
3976 111 Westwood Dr	0.20	1900	G	98%	1%	From: Plank Rd				F	NA		2100	G	2005	
						To: Woodland Dr										
3976 111 Woodland Rd	0.04	1300	F	98%	1%	From: Westwood Dr				F	0.09	F	0.649	1400	F	2005
						To: Falling Creek Rd										
3976 111 Keenland Road	0.36	1200	F	98%	1%	From: Falling Creek Rd				C	0.104	F	0.654	1300	F	2005
						To: Cowan Boulevard										
3976 111 Powhatan Street	0.24	2100	F	99%	1%	From: Cowan Blvd				C	0.113	F	0.885	2300	F	2005
						To: Jefferson Davis Hwy										
Jackson Street		1500	F			From: Charlotte Street					0.111	F	0.634	1500	F	2005
						To: Wolfe Street										
Sophia St		2100	F			From: Fauquier St					0.097	F	0.948	2100	F	2005
						To: Lewis St										
Summit Street		100	F			From: Railroad Avenue					0.170	F	0.594	100	F	2005
						To: White Street										
Twin Lakes Drive		3700	F			From: Goodloe Drive					0.109	F	0.533	3700	F	2005
						To: Lafayette Blvd										
Woodland Drive		1300	F			From: Westwood Dr					0.104	F		1300	F	2005
						To: Falling Creek										