

**2004**

**Virginia Department of Transportation  
Daily Traffic Volume Estimates  
Including Vehicle Classification Estimates**

where available

**Special Locality Report**

**203**

Town of Crewe

Prepared By

**Virginia Department of Transportation  
Mobility Management Division**

In Cooperation With

**U.S. Department of Transportation  
Federal Highway Administration**

Virginia Department of Transportation  
Mobility Management Division  
Traffic Monitoring Section

The Virginia Department of Transportation (VDOT) conducts a program where traffic count data are gathered from sensors in or along streets and highways and other sources. From these data, estimates of the average number of vehicles that traveled each segment of road are calculated. VDOT periodically publishes booklets listing these estimates.

One of these booklets, titled "Average Daily Traffic Volumes with Vehicle Classification Data, on Interstate, Arterial and Primary Routes" includes a list of each Interstate and Primary highway segment with the estimated Annual Average Daily Traffic (AADT) for that segment. AADT is the total annual traffic estimate divided by the number of days in the year. This booklet also includes information such as estimates of the percentage of the AADT made up by 6 different vehicle types, ranging from cars to double trailer trucks; estimated Annual Average Weekday Traffic (AAWDT), which is the number of vehicles estimated to have traveled the segment of highway during a 24 hour weekday averaged over the year; as well as Peak Hour and Peak Direction factors used by planners to formulate design criteria.

In addition to the Primary and Interstate publication, one hundred books are published periodically, one for each of 100 areas across the state defined by VDOT for record-keeping purposes. These books include traffic volume estimates for roads within the county, cities, and towns within the area. These books are titled "Daily Traffic Volumes Including Vehicle Classification Estimates, where available; Jurisdiction Report numbers 00 through 99".

Also available are a number of reports summarizing the average Vehicle Miles Traveled (VMT) in selected jurisdictions and other categories of highways. There are many different ways to present traffic volume summary information. Because the user determines the value of each presentation, the reports have been redesigned based on user requests and feedback. The people at VDOT Mobility Management's Traffic Monitoring Section who produce these books welcome requests for other helpful ways of presenting the summary information.

A compact disc (CD) is available that includes files in the Adobe® Portable Document Format (PDF) that can be displayed, searched, and printed using common desktop computer equipment. The CD includes the publications described above as well as a number of other reports, including specialized VMT summaries and smaller AADT reports for each city and town separately.

## **Publication Notes**

### **Parallel Roads**

For road inventory and management purposes, some roadways are counted separately by direction and have separately published traffic estimates for each direction of travel. Examples of such roadways are the interstate system and routes with separated facilities and (usually) one-way traffic facilities in urban areas. In these publications, they are referred to as parallel roads. As a convenience for the users of the publication, the listing for segments of roads with parallel segments are published with both the traffic estimates for their own direction of travel (e.g. I-95 Northbound) as well as the estimate of the total of all traffic on the same route including parallel roadways (all directions of I-95). The publication will have a “Combined Traffic Estimates for Parallel Roadways on this Route” or “Combined Traffic” identifiers for the combined direction of travel estimates.

Roadways such as I-395 with a North segment, a South segment and a separate Reversible lane segment will have the estimate for more than two parallel roadways included in the entire combined traffic estimate.

Some routes have very complicated paths through cities and towns. These parallel paths may be too complex to allow a relationship between nearby sections of the opposite direction on the same route. In this case, to indicate that the traffic estimates for such a road segment may not include all directions of traffic on that route, the line that would list the combined values will indicate “NA” for not available.

---

VDOT’s traffic monitoring program includes more than 100,000 segments of roads and highways ranging from several mile sections of Interstate highways to very short sections of city streets. Due to problems experienced obtaining some traffic count data, and the level of quality necessary to maintain confidence in the data, no estimate is currently available for some segments of roadway. These segments are included in the publications indicating “NA” for not available. It is the intention of the VDOT’s Mobility Management Traffic Monitoring group to obtain the data necessary and to report traffic volume estimates on all road segments included in these publications.

Many of the road segments in this program are local secondary roads. The amount and detail of data collected on these roads are not as great as the data collected on higher volume roads. The vehicle classification, average weekday traffic volumes, and the theoretical design hour traffic volumes are not calculated for these roads. The publications indicate “NA” for the information that is not available.

This publication is based on a traffic monitoring program initiated in 1997. Because the data collection techniques and statistical evaluation processes are different than those used in previous years, comparison with previous publications may be misleading.

Glossary of Terms:

**Route:** The Route Number assigned to this segment of roadway with the master inventory route number if this is an overlapping route, with official street or highway name if available.

**Length:** Length of the traffic segment in miles.

**AADT:** Annual Average Daily Traffic. The estimate of typical daily traffic on a road segment for all days of the week, Sunday through Saturday, over the period of one year.

**QA: Quality of AADT:**

- A Average of Complete Continuous Count Data
- B Average of Selected Continuous Count Data
- F Factored Short Term Traffic Count Data
- G Factored Short Term Traffic Count Data with Growth Element
- H Historical Estimate
- M Manual Uncounted Estimate
- N AADT of Similar Neighboring Traffic Link
- O Provided By External Source
- R Raw Traffic Count, Unfactored

**4Tire:** Percentage of the traffic volume made up of motorcycles, passenger cars, vans and pickup trucks.

**Bus:** Percentage of the traffic volume made up of busses.

**2Axle Truck:** Percentage of the traffic volume made up of 2 axle single unit trucks (not including pickups and vans).

**3+Axle Truck:** Percentage of the traffic volume made up of single unit trucks with three or more axles.

**1Trail Truck:** Percentage of the traffic volume made up of units with a single trailer.

**2Trail Truck:** Percentage of the traffic volume made up of units with more than one trailer.

**QC: Quality of Classification Data:**

- A Average of Complete Continuous Count Data
- B Average of Selected Continuous Count Data
- C Short Term Classified Traffic Count Data
- F Factored Short Term Traffic Count Data
- H Historical Estimate
- M Mass Collective Average
- N Classification Estimates of Similar Neighboring Traffic Link

**K Factor:** The estimate of the portion of the traffic volume traveling during the peak hour or design hour.

**QK:** Quality of the Peak Hour estimate:

- A Factor based on 30th Highest Hour Observed During at least 250 days of Continuous Traffic Data
- B Factor based on other Hour Observed During Less than 250 days of Continuous Traffic Data
- F Factor based on Highest Hour Collected at in a 48 Hour Weekday Period
- M Factor based on Manual Estimate of design hour
- N Peak Hour Factor of Similar Neighboring Traffic Link
- O Provided by External Source

**Dir Factor:** The estimate of the portion of the traffic volume traveling in the peak direction during the peak hour..

**AAWDT:** Average Annual Weekday Traffic. The estimate of typical traffic over the period of one year for the days between Monday through Thursday inclusive.

**QW:** Quality of AAWDT:

- A Average of Complete Continuous Count Data
- B Average of Selected Continuous Count Data
- F Factored Short Term Traffic Count Data
- G Factored Short Term Traffic Count Data with Growth Element
- M Manual Uncounted Estimate
- N AAWDT of Similar Neighboring Traffic Link
- O Provided by External Source

**Year:** Year for which the published values are appropriate. If the Quality of AADT (QA) is "R", the year is the year that the raw traffic count was collected, and if available,

# Route Shield Legend

## Route Systems



Interstate Route

Traffic volume data for Interstate Routes and some other routes are reported separately by direction, as well as combined.



US Route



Virginia State Route



Secondary Route

## Special Routes



Bus - Business Route

Bypas - Bypass Route

Truck - Truck Route



ALT - Alternate Route

Wve - Wye Route connector



P - Parallel Route; Southbound or Westbound direction lanes of a numbered route where they are on a different road facility than the other direction.



The VDOT Maintenance Jurisdiction number is displayed below the Secondary Route Number if the Maintenance Jurisdiction is different than the jurisdiction in the title of the report.

Virginia Department of Transportation  
 Mobility Management Division  
 2004  
 Annual Average Daily Traffic Volume Estimates By Section of Route  
 Town of Crewe

Route	Jurisdiction	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW
							2Axle	3+Axle	1Trail	2Trail						
49	From: SCL Crewe															
	Town of Crewe (Maint: 67)	0.15	3000	N	96%	0%	1%	1%	2%	0%	N	0.095	N	0.563	3100	N
49 460	From: S US 460															
	Town of Crewe (Maint: 67)	1.80	12000	G	86%	1%	1%	1%	11%	0%	F	0.092	F	0.514	12000	G
49	From: N US 460															
	Town of Crewe (Maint: 67)	0.34	2200	G	95%	1%	1%	1%	3%	0%	C	0.097	F	0.527	2200	G
460	To: NCL Crewe															
	From: WCL Crewe															
Town of Crewe (Maint: 67)	0.76	10000	N	86%	1%	1%	1%	11%	0%	N	0.086	N	0.529	9800	N	
460 49	From: W SR 49															
	Town of Crewe (Maint: 67)	1.80	12000	G	86%	1%	1%	1%	11%	0%	F	0.092	F	0.514	12000	G
460	From: E SR 49															
	Town of Crewe (Maint: 67)	0.70	10000	G	86%	1%	1%	1%	11%	0%	F	0.085	F	0.572	10000	G
460	To: ECL Crewe															

Virginia Department of Transportation  
 Mobility Management Division  
 2004  
 Annual Average Daily Traffic Volume Estimates By Section of Route  
 Town of Crewe

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Town of Crewe</b>																
(607/67)	0.21	470	N	97%	2%	From: SCL Crewe				N	0.101	N	0.617	470	N	2004
(607/67)	0.29	440	R			From: US 460 West								NA		1999
						To: 67-630										
(618/67) Carter St	0.14	2600	G	94%	1%	From: US 460				C	0.104	F	0.642	2600	G	2004
						To: 67-1009 Tennessee Ave										
(618/67)	0.14	1400	G	97%	1%	From: 67-1009				F	0.093	F	0.508	1400	G	2004
						To: 67-1011										
(618/67)	0.13	1300	G	97%	1%	From: 67-1011				C	0.098	F	0.537	1300	G	2004
						To: 67-619; 67-1025										
(618/67)	0.29	1100	G			From: 67-619; 67-1025								1100	G	2004
						To: 67-1008										
(618/67)	0.18	850	G			From: 67-1008					0.094	F	0.524	850	G	2004
						To: ECL Crewe										
(619/67)	0.25	2000	G	98%	1%	From: 67-618; 67-1025				F	0.096	F	0.58	2000	G	2004
						To: NCL Crewe										
(630/67)	0.50	160	N	96%	3%	From: WCL Crewe				N	0.11	N	0.625	160	N	2004
						To: 67-607										
(630/67)	0.35	460	G	96%	3%	From: 67-607				F	0.12	F	0.539	460	G	2004
						To: SR 49 West										
						From: SR 49 East										
(630/67)	0.13	650	G	96%	3%	From: SR 49 East				F	0.117	F	0.612	660	G	2004
						To: 67-1044										
(630/67)	0.28	240	G	96%	3%	From: 67-1044				C	0.137	F	0.594	240	G	2004
						To: NCL Crewe										
(1001/67) E. Carolina Avenue	0.24	320	G	97%	1%	From: 67-1038 Country Club Rd				F	0.11	F	0.567	320	G	2004
						To: 67-1021 Third St										
(1001/67)	0.24	630	G	97%	1%	From: 67-1021 Third St				F	0.111	F	0.6	630	G	2004
						To: 67-1023										
(1001/67)	0.17	990	G	97%	1%	From: 67-1023				F	0.123	F	0.617	990	G	2004
						To: 67-1025										
(1001/67) Carolina Ave	0.08	1500	G	97%	1%	From: 67-1025 Tyler St				C	0.126	F	0.519	1500	G	2004
						To: 67-618 Carter St										
(1001/67)	0.16	1100	G	97%	1%	From: 67-618 Carter St				F	0.117	F	0.681	1200	G	2004
						To: 67-1027										
(1001/67)	0.28	1000	G	97%	1%	From: 67-1027				F	0.118	F	0.672	1000	G	2004
						To: 67-1033										
(1001/67)	0.59	900	G	97%	1%	From: 67-1033				F	0.113	F	0.612	910	G	2004
						To: 67-1042										
(1001/67)	0.25	640	G	97%	1%	From: 67-1042				F	0.122	F	0.607	640	G	2004
						To: 67-1044										
(1002/67)	0.07	470	R			From: US 460								NA		1999
						To: 67-1001										
(1002/67)	0.27	330	R			From: 67-1001								NA		1999
						To: 67-630										



Virginia Department of Transportation  
 Mobility Management Division  
 2004  
 Annual Average Daily Traffic Volume Estimates By Section of Route  
 Town of Crewe

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Town of Crewe</b>																
1003 67	0.09	30	R			From: 67-1002						NA		NA		1999
						To: 67-1044										
1005 67	0.30	100	N			From: SCL Crewe						NA		NA		1999
						To: US 460										
1005 67	0.07	340	R			From: 67-1001						NA		NA		1999
						To: 67-1009										
1005 67	0.20	260	R			From: 67-1046						NA		NA		1999
						To: Dead End										
1007 67	0.28	160	R			From: 67-619						NA		NA		03/11/2002
						To: 67-1008										
1008 67	0.06	30	R			From: 67-618 Carter St						NA		NA		03/11/2002
						To: 67-1007										
1009 67	0.08	230	R			From: 67-1027; 67-1028						NA		NA		1999
						To: 67-1026										
1009 67	0.34	410	R			From: 67-1023						NA		NA		1999
						To: 67-1005										
1009 67	0.13	190	R			From: 67-1038						NA		NA		1999
						To: 67-1027										
1010 67	0.08	160	R			From: 67-1026						NA		NA		1999
						To: 67-1024										
1010 67	0.25	190	R			From: 67-1022						NA		NA		1999
						To: Dead End: Gap Terminus										
1010 67	0.07	50	R			From: 67-1021 Gap Terminus						NA		NA		1999
						To: 67-1005										
1011 67	0.13	80	R			From: 67-1026						NA		NA		1999
						To: Dead End: Gap Terminus										
1011 67	0.40	580	R			From: 67-1030						NA		NA		03/18/2002
						To: 67-1028 Gap Terminus										
1012 67	0.10	60	R			From: 67-1027 Gap Terminus						NA		NA		03/18/2002
						To: 67-1026										
1012 67	0.07	230	R			From: 67-1028						NA		NA		03/18/2002
						To: 67-1026										
1013 67	0.09	70	R			From: 67-1028						NA		NA		03/18/2002
						To: 67-1026										

Virginia Department of Transportation  
 Mobility Management Division  
 2004  
 Annual Average Daily Traffic Volume Estimates By Section of Route  
 Town of Crewe

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Town of Crewe</b>																
1013 67	0.09	170	R			From: 67-1026						NA		NA		03/18/2002
						To: 67-618 Carter St										
1014 67	0.27	180	R			From: Dead End						NA		NA		03/18/2002
						To: 67-1026										
1015 67	0.17	180	R			From: 67-619						NA		NA		03/11/2002
						To: 67-1039										
1015 67	0.06	20	R			From: Dead End						NA		NA		03/11/2002
						To: Dead End										
1016 67	0.08	60	R			From: Dead End						NA		NA		03/11/2002
						To: 67-1019										
1016 67	0.10	140	R			From: 67-1019						NA		NA		03/11/2002
						To: 67-1025										
1017 67	0.10	80	R			From: 67-1019						NA		NA		03/11/2002
						To: 67-1025										
1018 67	0.09	230	R			From: 67-1011						NA		NA		03/18/2002
						To: 67-1019										
1019 67	0.07	110	R			From: 67-1018						NA		NA		03/11/2002
						To: 67-1017										
1019 67	0.05	60	R			From: 67-1016						NA		NA		03/11/2002
						To: 67-1016										
1020 67	0.06	190	R			From: US 460						NA		NA		03/18/2002
						To: 67-1023										
1020 67	0.34	190	R			From: 67-1005						NA		NA		03/18/2002
						To: 67-1005										
1021 67	0.21	210	R			From: 67-1020						NA		NA		03/18/2002
						To: 67-1009										
1021 67	0.07	100	R			From: 67-1010						NA		NA		03/18/2002
						To: 67-1010										
1022 67	0.06	600	R			From: 67-1020						NA		NA		1999
						To: US 460										
1022 67	0.14	790	R			From: 67-1009						NA		NA		1999
						To: 67-1009										
1022 67	0.26	740	R			From: 67-1047						NA		NA		1999
						To: 67-1047										
1022 67	0.03	390	R			From: 67-1050						NA		NA		1999
						To: 67-1050										
1022 67	0.03	230	R			From: Dead End						NA		NA		1999
						To: Dead End										
1023 67	0.05	190	R			From: 67-1020						NA		NA		03/18/2002
						To: US 460										
1023 67	0.34	320	R			From: 67-1046						NA		NA		03/18/2002
						To: 67-1046										

Virginia Department of Transportation  
 Mobility Management Division  
 2004  
 Annual Average Daily Traffic Volume Estimates By Section of Route  
 Town of Crewe

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Town of Crewe</b>																
1023 67	0.06	70	R			From: 67-1046						NA		NA		03/18/2002
						To: 67-1047										
1024 67	0.07	120	R			From: 67-1048						NA		NA		02/20/2002
						To: US 460										
1024 67	0.14	70	R			From: US 460						NA		NA		03/18/2002
						To: 67-1009										
1024 67	0.06	180	R			From: 67-1009						NA		NA		03/18/2002
						To: 67-1010										
1025 67	0.14	1400	R			From: US 460						NA		NA		1999
						To: 67-1009										
1025 67	0.24	1700	R			From: 67-1009						NA		NA		1999
						To: 67-1016										
1025 67	0.05	2000	R			From: 67-618; 67-619						NA		NA		1999
						To: US 460										
1026 67	0.07	950	R			From: US 460						NA		NA		1999
						To: 67-1001										
1026 67	0.43	480	R			From: 67-619						NA		NA		1999
						To: US 460										
1027 67	0.14	500	R			From: US 460						NA		NA		03/18/2002
						To: 67-1009; 67-1028										
1027 67	0.10	300	R			From: 67-1012						NA		NA		03/18/2002
						To: 67-1014										
1027 67	0.14	190	R			From: 67-1014						NA		NA		03/18/2002
						To: 67-1009; 67-1027										
1028 67	0.16	320	R			From: 67-1013						NA		NA		03/20/2002
						To: 67-1001; 67-1032										
1029 67	0.18	150	R			From: 67-1028						NA		NA		03/18/2002
						To: 67-1001										
1030 67	0.06	120	R			From: 67-1029						NA		NA		03/18/2002
						To: 67-1012										
1030 67	0.07	60	R			From: US 460						NA		NA		03/18/2002
						To: 67-1001										
1031 67	0.07	60	R			From: US 460						NA		NA		03/18/2002
						To: 67-1001										
1032 67	0.07	80	R			From: 67-1001; 67-1029						NA		NA		03/18/2002
						To: US 460										
1033 67	0.07	200	R			From: 67-1001						NA		NA		03/18/2002
						To: Dead End										
1033 67	0.29	390	R			From: US 460						NA		NA		03/18/2002
						To: 67-1001										
1034 67	0.07	120	R			From: US 460						NA		NA		03/18/2002
						To: 67-1001										

Virginia Department of Transportation  
 Mobility Management Division  
 2004  
 Annual Average Daily Traffic Volume Estimates By Section of Route  
 Town of Crewe

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Town of Crewe</b>																
1034 67	0.07	47	R			From: 67-1001						NA		NA		03/18/2002
						To: Dead End										
1035 67	0.20	80	R			From: US 460						NA		NA		03/20/2002
						To: OLD NCL Crewe										
1036 67	0.07	80	R			From: US 460						NA		NA		03/20/2002
						To: 67-1001										
1037 67	0.07	180	R			From: US 460						NA		NA		03/20/2002
						To: 67-1001										
1038 67	0.07	660	R			From: US 460						NA		NA		03/18/2002
						To: 67-1001										
1038 67	0.16	130	R			From: 67-1009						NA		NA		03/18/2002
						To: Dead End										
1039 67	0.07	60	R			From: 67-618 Carter St						NA		NA		03/11/2002
						To: 67-1007										
1039 67	0.08	49	R			From: 67-1015						NA		NA		03/11/2002
						To: 67-1015										
1040 67	0.35	90	R			From: 67-1002						NA		NA		1999
						To: 67-1043										
1041 67	0.13	90	R			From: US 460						NA		NA		03/20/2002
						To: 67-1040										
1042 67	0.13	110	R			From: US 460						NA		NA		03/20/2002
						To: 67-1040										
1043 67	0.13	290	R			From: 35-460						NA		NA		1999
						To: 67-1040										
1044 67	0.41	340	R			From: 67-630						NA		NA		03/20/2002
						To: US 460										
1046 67	0.04	60	R			From: Dead End						NA		NA		03/18/2002
						To: 67-1005										
1046 67	0.37	130	R			From: 67-1023						NA		NA		03/18/2002
						To: 67-1023										
1047 67	0.12	60	R			From: 67-1023						NA		NA		03/18/2002
						To: 67-1022										
1048 67	0.06	30	R			From: Dead End						NA		NA		02/20/2002
						To: 67-1024										
1048 67	0.04	40	R			From: 67-1024						NA		NA		02/20/2002
						To: Dead End										
1050 67	0.07	90	R			From: Dead End						NA		NA		03/18/2002
						To: 67-1022										