

2010

**Virginia Department of Transportation
Daily Traffic Volume Estimates
Including Vehicle Classification Estimates**

where available

Jurisdiction Report

65

Northampton County
Town of Cape Charles
Town of Cheriton
Town of Eastville
Town of Exmore
Town of Nassawadox

Prepared By

**Virginia Department of Transportation
Traffic Engineering Division**

In Cooperation With

**U.S. Department of Transportation
Federal Highway Administration**

Virginia Department of Transportation
Traffic Engineering Division
Traffic Monitoring Section

The Virginia Department of Transportation (VDOT) conducts a program where traffic count data are gathered from sensors in or along streets and highways and other sources. From these data, estimates of the average number of vehicles that traveled each segment of road are calculated. VDOT periodically publishes booklets listing these estimates.

One of these booklets, titled “Average Daily Traffic Volumes with Vehicle Classification Data, on Interstate, Arterial and Primary Routes” includes a list of each Interstate and Primary highway segment with the estimated Annual Average Daily Traffic (AADT) for that segment. AADT is the total annual traffic estimate divided by the number of days in the year. This booklet also includes information such as estimates of the percentage of the AADT made up by 6 different vehicle types, ranging from cars to double trailer trucks; estimated Annual Average Weekday Traffic (AAWDT), which is the number of vehicles estimated to have traveled the segment of highway during a 24 hour weekday averaged over the year; as well as Peak Hour and Peak Direction factors used by planners to formulate design criteria.

In addition to the Primary and Interstate publication, one hundred books are published periodically, one for each of 100 areas across the state defined by VDOT for record-keeping purposes. These books include traffic volume estimates for roads within the county, cities, and towns within the area. These books are titled “Daily Traffic Volumes Including Vehicle Classification Estimates, where available; Jurisdiction Report numbers 00 through 99”.

Also available are a number of reports summarizing the average Vehicle Miles Traveled (VMT) in selected jurisdictions and other categories of highways. There are many different ways to present traffic volume summary information. Because the user determines the value of each presentation, the reports have been redesigned based on user requests and feedback. The people of the VDOT Traffic Engineering Division Traffic Monitoring Section who produce these books welcome requests for other helpful ways of presenting the summary information.

A compact disc (CD) is available that includes files in the Adobe® Portable Document Format (PDF) that can be displayed, searched, and printed using common desktop computer equipment. The CD includes the publications described above as well as a number of other reports, including specialized VMT summaries and smaller AADT reports for each city and town separately.

Publication Notes

Parallel Roads

For road inventory and management purposes, some roadways are counted separately by direction and have separately published traffic estimates for each direction of travel. Examples of such roadways are the interstate system and routes with separated facilities and (usually) one-way traffic facilities in urban areas. In these publications, they are referred to as parallel roads. As a convenience for the users of the publication, the listing for segments of roads with parallel segments are published with both the traffic estimates for their own direction of travel (e.g. I-95 Northbound) as well as the estimate of the total of all traffic on the same route including parallel roadways (all directions of I-95). The publication will have a “Combined Traffic Estimates for Parallel Roadways on this Route” or “Combined Traffic” identifiers for the combined direction of travel estimates.

Roadways such as I-395 with a North segment, a South segment and a separate Reversible lane segment will have the estimate for more than two parallel roadways included in the entire combined traffic estimate.

Some routes have very complicated paths through cities and towns. These parallel paths may be too complex to allow a relationship between nearby sections of the opposite direction on the same route. In this case, to indicate that the traffic estimates for such a road segment may not include all directions of traffic on that route, the line that would list the combined values will indicate “NA” for not available.

VDOT’s traffic monitoring program includes more than 100,000 segments of roads and highways ranging from several mile sections of Interstate highways to very short sections of city streets. Due to problems experienced obtaining some traffic count data, and the level of quality necessary to maintain confidence in the data, no estimate is currently available for some segments of roadway. These segments are included in the publications indicating “NA” for not available. It is the intention of the VDOT Traffic Engineering Division Traffic Monitoring group to obtain the data necessary and to report traffic volume estimates on all road segments included in these publications.

Many of the road segments in this program are local secondary roads. The amount and detail of data collected on these roads are not as great as the data collected on higher volume roads. The vehicle classification, average weekday traffic volumes, and the theoretical design hour traffic volumes are not calculated for these roads. The publications indicate “NA” for the information that is not available.

This publication is based on a traffic monitoring program initiated in 1997. Because the data collection techniques and statistical evaluation processes are different than those used in previous years, comparison with previous publications may be misleading.

Glossary of Terms:

Route: The Route Number assigned to this segment of roadway with the master inventory route number if this is an overlapping route, with official street or highway name if available.

Length: Length of the traffic segment in miles.

AADT: Annual Average Daily Traffic. The estimate of typical daily traffic on a road segment for all days of the week, Sunday through Saturday, over the period of one year.

QA: Quality of AADT:

- A Average of Complete Continuous Count Data
- B Average of Selected Continuous Count Data
- F Factored Short Term Traffic Count Data
- G Factored Short Term Traffic Count Data with Growth Element
- H Historical Estimate
- M Manual Uncounted Estimate
- N AADT of Similar Neighboring Traffic Link
- O Provided By External Source
- R Raw Traffic Count, Unfactored

4Tire: Percentage of the traffic volume made up of motorcycles, passenger cars, vans and pickup trucks.

Bus: Percentage of the traffic volume made up of busses.

2Axle Truck: Percentage of the traffic volume made up of 2 axle single unit trucks (not including pickups and vans).

3+Axle Truck: Percentage of the traffic volume made up of single unit trucks with three or more axles.

1Trail Truck: Percentage of the traffic volume made up of units with a single trailer.

2Trail Truck: Percentage of the traffic volume made up of units with more than one trailer.

QC: Quality of Classification Data:

- A Average of Complete Continuous Count Data
- B Average of Selected Continuous Count Data
- C Short Term Classified Traffic Count Data
- F Factored Short Term Traffic Count Data
- H Historical Estimate
- M Mass Collective Average
- N Classification Estimates of Similar Neighboring Traffic Link

K Factor: The estimate of the portion of the traffic volume traveling during the peak hour or design hour.

QK: Quality of the K Factor estimate:

- A Factor based on 30th Highest Hour Observed During at least 250 days of Continuous Traffic Data
- B Factor based on other Hour Observed During Less than 250 days of Continuous Traffic Data
- F Factor based on Highest Hour Collected at in a 48 Hour Weekday Period
- M Factor based on Manual Estimate of design hour
- N Design Hour Factor (K Factor) of Similar Neighboring Traffic Link
- O Provided by External Source

Dir Factor: The estimate of the portion of the traffic volume traveling in the peak direction during the peak hour..

AAWDT: Average Annual Weekday Traffic. The estimate of typical traffic over the period of one year for the days between Monday through Thursday inclusive.

QW: Quality of AAWDT:

- A Average of Complete Continuous Count Data
- B Average of Selected Continuous Count Data
- F Factored Short Term Traffic Count Data
- G Factored Short Term Traffic Count Data with Growth Element
- M Manual Uncounted Estimate
- N AAWDT of Similar Neighboring Traffic Link
- O Provided by External Source

Year: Year for which the published values are appropriate. If the Quality of AADT (QA) is "R", the year is the year that the raw traffic count was collected, and if available,

Route Shield Legend

Route Systems

- North
 Interstate Route Traffic volume data for Interstate Routes and some other routes are reported separately by direction, as well as combined.
-  US Route
-  Virginia State Route
-  Frontage Road (F precedes frontage route number)
-  Secondary Route

Special Routes

- Bus
 Bus - Business Route
Bypas - Bypass Route
Truck - Truck Route
- ALT
 ALT - Alternate Route
Wve - Wve Route connector
-  P - Parallel Route; Southbound or Westbound direction lanes of a numbered route where they are on a different road facility than the other direction.
-  The VDOT Maintenance Jurisdiction number is displayed below the Secondary Route Number if the Maintenance Jurisdiction is different than the jurisdiction in the title of the report.

Virginia Department of Transportation
Traffic Engineering Division
2010
Annual Average Daily Traffic Volume Estimates By Section of Route
Northampton Maintenance Area

Route	Jurisdiction	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW
							2Axle	3+Axle	1Trail	2Trail						
13 Chesapeake Bay Bridge Tunnel	Northampton County (Maint: TOL)	19.14	8800	F	93%	1%	1%	1%	5%	0%	F	0.077	F	0.508	8300	F
13 Lankford Hwy	Northampton County	4.78	9400	F	93%	1%	1%	1%	5%	0%	F	0.072	F	0.507	8900	F
13 Lankford Hwy	Northampton County	4.56	11000	F	93%	1%	1%	1%	5%	0%	F	0.074	F	0.515	11000	F
13 Lankford Hwy	Northampton County	1.28	13000	F	93%	1%	1%	1%	5%	0%	F	0.076	F	0.532	12000	F
13 Lankford Hwy	Town of Cheriton (Maint: 65)	0.07	13000	N	93%	1%	1%	1%	5%	0%	N	0.076	N	0.532	12000	N
13 Lankford Hwy	Northampton County	0.29	13000	N	93%	1%	1%	1%	5%	0%	N	0.076	N	0.532	12000	N
13 Lankford Hwy	Town of Cheriton (Maint: 65)	0.07	13000	N	93%	1%	1%	1%	5%	0%	N	0.076	N	0.532	12000	N
13 Lankford Hwy	Town of Cheriton (Maint: 65)	0.48	14000	F	93%	1%	1%	1%	5%	0%	F	0.077	F	0.502	13000	F
13 Lankford Hwy	Northampton County	2.73	14000	N	93%	1%	1%	1%	5%	0%	N	0.077	N	0.502	13000	N
13 Lankford Hwy	Northampton County	1.06	13000	F	93%	1%	1%	1%	5%	0%	F	0.076	F	0.513	12000	F
13 Lankford Hwy	Town of Eastville (Maint: 65)	0.24	13000	N	93%	1%	1%	1%	5%	0%	N	0.076	N	0.513	12000	N
13 Lankford Hwy	Northampton County	1.03	13000	N	93%	1%	1%	1%	5%	0%	N	0.076	N	0.513	12000	N
13 Lankford Hwy	Northampton County	2.45	13000	F	93%	1%	1%	1%	5%	0%	F	0.088	F	0.503	13000	F
13 Lankford Hwy	Northampton County	3.29	14000	F	93%	1%	1%	1%	5%	0%	F	0.08	F	0.524	13000	F
13 Lankford Hwy	Northampton County	2.41	14000	F	93%	1%	1%	1%	5%	0%	F	0.08	F	0.51	13000	F
13 Lankford Hwy	Town of Nassawadox (Maint: 65)	0.85	14000	N	93%	1%	1%	1%	5%	0%	N	0.08	N	0.51	13000	N
13 Lankford Hwy	Town of Nassawadox (Maint: 65)	0.13	16000	F	93%	1%	1%	1%	5%	0%	F	0.079	F	0.542	15000	F
13 Lankford Hwy	Northampton County	2.63	16000	N	93%	1%	1%	1%	5%	0%	N	0.079	N	0.542	15000	N

Virginia Department of Transportation
Traffic Engineering Division
2010
Annual Average Daily Traffic Volume Estimates By Section of Route
Northampton Maintenance Area

Route	Jurisdiction	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW
							2Axle	3+Axle	1Trail	2Trail						
13 Lankford Hwy	From: Bus US 13 S of Exmore Northampton County	1.25	17000	F	93%	1%	1%	1%	5%	0%	F	0.079	F	0.558	16000	F
13 Lankford Hwy	To: SCL Exmore Town of Exmore (Maint: 65)	0.15	17000	N	93%	1%	1%	1%	5%	0%	N	0.079	N	0.558	16000	N
13 Lankford Hwy	To: SR 183 Exmore Town of Exmore (Maint: 65)	0.52	18000	F	93%	1%	1%	1%	5%	0%	F	0.080	F	0.531	17000	F
13 Lankford Hwy	To: SR 178 Belle Haven Rd Town of Exmore (Maint: 65)	0.21	16000	F	93%	1%	1%	1%	5%	0%	F	0.079	F	0.51	15000	F
13 Lankford Hwy	To: NCL Exmore Northampton County	0.14	16000	N	93%	1%	1%	1%	5%	0%	N	0.079	N	0.51	15000	N
13 Lankford Hwy	To: Bus US 13 Exmore; 65-687 From: US 13 Bus Exmore; 65-687 Accomack County (Maint: 65)	0.19	18000	F	93%	1%	1%	1%	5%	0%	F	0.079	F	0.512	17000	F
13 Lankford Hwy	To: Accomack County Line															
Bus 13 Main St	From: US 13 S of Exmore Northampton County	0.40	2400	F	97%	1%	1%	0%	0%	0%	C	0.100	F	0.508	2500	F
Bus 13 Main St	To: SCL Exmore Town of Exmore (Maint: 65)	1.10	2400	N	97%	1%	1%	0%	0%	0%	N	0.100	N	0.508	2500	N
Bus 13 Lincoln Ave	To: SR 178 Belle Haven Rd Town of Exmore (Maint: 65)	0.47	2400	N	97%	1%	1%	0%	0%	0%	N	0.100	N	0.508	2500	N
Bus 13 Lincoln Ave	To: NCL Exmore Northampton County	0.17	2400	N	97%	1%	1%	0%	0%	0%	N	0.100	N	0.508	2500	N
Bus 13 Courthouse Rd	To: US 13 N of Exmore															
Bus 13 Courthouse Rd	From: US 13 S of Eastville Northampton County	1.17	1400	F	96%	2%	1%	0%	1%	0%	C	0.112	F	0.609	1400	F
Bus 13 Courthouse Rd	To: SCL Eastville Town of Eastville (Maint: 65)	0.17	1400	N	96%	2%	1%	0%	1%	0%	N	0.112	N	0.609	1400	N
Bus 13 Courthouse Rd	To: 65-631 Eastville Town of Eastville (Maint: 65)	0.19	1700	F	96%	2%	1%	0%	1%	0%	F	0.131	F	0.542	1700	F
Bus 13 Courthouse Rd	To: NCL Eastville Northampton County	1.18	1700	N	96%	2%	1%	0%	1%	0%	N	0.131	N	0.542	1700	N
Bus 13 Bayside Dr	To: US 13 N of Eastville															
Bus 13 Bayside Dr	From: US 13 S of Cheriton Northampton County	0.80	2100	F	97%	1%	1%	1%	1%	0%	C	0.102	F	0.591	2100	F
Bus 13 Bayside Dr	To: SCL Cheriton Town of Cheriton (Maint: 65)	0.79	2100	N	97%	1%	1%	1%	1%	0%	N	0.102	N	0.591	2100	N
Bus 13 Bayside Dr	To: US 13 Cheriton															

Virginia Department of Transportation
Traffic Engineering Division
2010
Annual Average Daily Traffic Volume Estimates By Section of Route
Northampton Maintenance Area

Route	Jurisdiction	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW
							2Axle	3+Axle	1Trail	2Trail						
178 Main St	Town of Exmore (Maint: 65)	0.36	2200	F	97%	1%	1%	0%	1%	0%	C	0.101	F	0.545	2200	F
178 Belle Haven Rd	Town of Exmore (Maint: 65)	0.15	NA									NA			NA	
178 Belle Haven Rd	Town of Belle Haven (Maint: 65)	0.35	NA									NA			NA	
183 Occohannock Neck Rd	Northampton County	6.94	1700	F	96%	0%	1%	1%	2%	0%	C	0.108	F	0.505	1800	F
183 Occohannock Neck Rd	Town of Exmore (Maint: 65)	0.51	1500	F	96%	0%	1%	1%	2%	0%	F	0.14	F	0.57	1500	F
184 Bay Ave; Mason Ave	Town of Cape Charles (Maint: 65)	1.21	1600	F	97%	1%	1%	1%	1%	0%	F	0.117	F	0.542	1600	F
184 Stone Rd	Town of Cape Charles (Maint: 65)	0.21	1600	N	97%	1%	1%	1%	1%	0%	N	0.117	N	0.542	1600	N
184 Stone Rd	Town of Cape Charles (Maint: 65)	0.06	3700	F	97%	1%	1%	1%	1%	0%	C	0.104	F	0.524	3800	F
184 Stone Rd	Northampton County	1.72	3700	N	97%	1%	1%	1%	1%	0%	N	0.104	N	0.524	3800	N

Virginia Department of Transportation
Traffic Engineering Division
2010
Annual Average Daily Traffic Volume Estimates By Section of Route
Northampton Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Northampton County																
(F681) Latimers Bluff Rd	0.57	390	R											NA		07/31/2007
(F682) Morris Court	0.13	180	R											NA		07/31/2007
(600) Seaside Rd	0.20	380	R											NA		09/15/2010
(600) Seaside Rd	1.55	220	R											NA		09/15/2010
(600) Seaside Rd	1.35	350	R											NA		09/15/2010
(600) Seaside Rd	2.20	370	F	94%	1%	1%	3%	1%	0%	F	0.104	F	0.524	380	F	2010
(600) Seaside Rd	2.90	220	R											NA		09/15/2010
(600) Seaside Rd	1.30	230	R											NA		09/15/2010
(600) Seaside Rd	1.90	460	F	94%	1%	1%	3%	1%	0%	F	0.095	F	0.557	470	F	2010
(600) Seaside Rd	1.50	450	F	94%	1%	1%	3%	1%	0%	F	0.107	F	0.57	450	F	2010
(600) Seaside Rd	3.10	410	R											NA		09/15/2010
(600) Seaside Rd	2.29	280	F	94%	1%	1%	3%	1%	0%	C	0.100	F	0.567	280	F	2010
(600) Seaside Rd	1.13	280	R											NA		09/15/2010
(600) Seaside Rd	1.40	240	R											NA		10/26/2010
(600) Seaside Rd	1.76	440	R											NA		10/26/2010
(600) Seaside Rd	1.26	390	R											NA		10/26/2010
(600) Seaside Rd	1.30	550	R											NA		10/26/2010
(600) Seaside Rd	1.38	470	R											NA		09/22/2010
Town of Nassawadox																
(600) Seaside Rd	0.29	190	R											NA		10/26/2010
(600) Seaside Dr	0.20	840	F	95%	2%	2%	0%	1%	0%	C	0.103	F	0.506	860	F	2010
Northampton County																
(600) Seaside Dr	3.25	700	F	95%	2%	2%	0%	1%	0%	F	0.115	F	0.547	710	F	2010
(600) Seaside Dr	2.25	850	F	95%	2%	2%	0%	1%	0%	F	0.117	F	0.522	870	F	2010

Virginia Department of Transportation
Traffic Engineering Division
2010
Annual Average Daily Traffic Volume Estimates By Section of Route
Northampton Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Northampton County																
(601) County Line Rd	0.56	930	R											NA		09/22/2010
(602) Cemetery Rd	1.14	1500	R											NA		10/13/2010
Town of Belle Haven																
(602) Cemetery Rd	0.06	900	R											NA		10/13/2010
Northampton County																
(603) Willis Wharf Rd	0.10	30	R											NA		10/26/2010
(603) Willis Wharf Rd	0.70	480	R											NA		10/26/2010
(603) Willis Wharf Rd	0.40	850	F	97%	1%	1%	1%	1%	0%	F	0.108	F	0.553	860	F	2010
(603) Willis Wharf Rd	0.85	940	F	97%	1%	1%	1%	1%	0%	C	0.105	F	0.524	960	F	2010
Town of Exmore																
(603) Willis Wharf Rd	0.36	2400	F	97%	1%	1%	1%	1%	0%	F	0.109	F	0.612	2500	F	2010
Northampton County																
(604) Bayside Dr	0.12	2000	F	96%	2%	1%	0%	1%	0%	F	0.100	F	0.579	2100	F	2010
(604) Oakland Dr	0.08	1300	F	96%	2%	1%	0%	1%	0%	F	0.095	F	0.551	1400	F	2010
(604) Oakland Dr	0.60	1300	F	96%	2%	1%	0%	1%	0%	C	0.130	F	0.539	1300	F	2010
(605) Milton Ames Dr	1.30	380	R											NA		10/13/2010
(605) Brickhouse Dr	0.70	330	R											NA		10/13/2010
Town of Nassawadox																
(606) Rogers Dr	0.20	940	F	96%	1%	1%	0%	2%	0%	F	0.099	F	0.523	960	F	2010
(606) Rogers Dr	0.58	1500	F	96%	1%	1%	0%	2%	0%	C	0.101	F	0.548	1500	F	2010
Northampton County																
(606) Rogers Dr	0.19	1400	F	96%	1%	1%	0%	2%	0%	F	0.109	F	0.559	1400	F	2010
(606) Rogers Dr	0.60	660	R											NA		10/13/2010
(606) Wardtown Rd	1.30	580	R											NA		10/13/2010
(606) Wardtown Rd	1.20	550	R											NA		10/13/2010
(606) Wardtown Rd	1.20	570	R											NA		10/13/2010

Virginia Department of Transportation
Traffic Engineering Division
2010
Annual Average Daily Traffic Volume Estimates By Section of Route
Northampton Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Northampton County																
(606) Morleys Wharf Rd	1.00	120	R											NA		10/13/2010
(607) Stewarts Wharf Rd	1.60	48	R											NA		09/22/2010
(607) TB Rd	2.20	170	R											NA		09/22/2010
(608) Brownsville Rd	1.20	180	R											NA		09/22/2010
(609) Franktown Rd	0.67	750	R											NA		09/22/2010
Town of Nassawadox																
(609) Franktown Rd	0.15	960	R											NA		09/22/2010
(609) Franktown Rd	0.17	1500	F	98%	0%	1%	0%	0%	0%	F	0.091	F	0.568	1500	F	2010
(609) Franktown Rd	0.16	1500	F	98%	0%	1%	0%	0%	0%	C	0.094	F	0.544	1500	F	2010
(609) Franktown Rd	0.17	190	R											NA		09/22/2010
Northampton County																
(610) Short St	0.94	340	R											NA		09/22/2010
(611) Concord Wharf Rd	1.30	350	R											NA		10/13/2010
(612) Old Neck Rd	2.00	150	R											NA		10/13/2010
(613)	0.01	40	R											NA		10/13/2010
(613)	0.05	45	R											NA		10/13/2010
(613)	0.53	520	R											NA		10/13/2010
(613)	1.91	510	F	93%	1%	2%	0%	5%	0%	C	0.114	F	0.65	520	F	2010
(614) James Wharf Rd	0.45	70	R											NA		10/13/2010
(614) James Wharf Rd	0.80	490	R											NA		10/13/2010
(615) Saltworks Rd	2.50	520	R											NA		10/13/2010
(616) Cedar Cottage Rd	0.50	60	R											NA		10/13/2010

Virginia Department of Transportation
Traffic Engineering Division
2010
Annual Average Daily Traffic Volume Estimates By Section of Route
Northampton Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Northampton County																
(617) Bayford Rd	1.98	870	R								NA			NA		09/21/2010
						From: Dead End										
(617) Bayford Rd	0.72	890	R								NA			NA		09/21/2010
						From: 65-679 Denwood Rd										
(617) Bayford Rd	1.63	360	F	91%	4%	2%	2%	1%	0%	C	0.114	F	0.571	370	F	2010
						From: 65-618 Bayside Rd										
(617) Red Bank Rd	0.89	200	R								NA			NA		09/22/2010
						From: US 13 Lankford Hwy										
(617) Red Bank Rd	0.99	120	R								NA			NA		09/22/2010
						From: 65-600 Seaside Rd										
						To: Dead End										
(618) Bayside Rd	0.41	560	R								NA			NA		09/22/2010
						From: US 13 Lankford Hwy										
(618) Bayside Rd	1.56	500	R								NA			NA		09/22/2010
						From: 65-627 Young St										
(618) Johnsontown Rd	1.46	250	R								NA			NA		09/22/2010
						From: 65-622 S; Johnsontown Rd										
						To: 65-622 S, Bayside Rd										
(618) Johnsontown Rd	0.94	280	R								NA			NA		09/21/2010
						From: 65-620 Treherneville Rd										
(618) Bayside Rd	6.54	970	F	97%	1%	1%	1%	1%	0%	C	0.109	F	0.594	990	F	2010
						From: 65-619 S, Bayside Rd										
						To: 65-619 S, Johnsontown Rd										
(618) Hadlock Lane	0.16	30	R								NA			NA		09/23/2010
						From: 65-604; Hadlock Lane										
						To: 65-604 Bayside Rd										
						To: Dead End										
(619) Church Neck Rd	3.33	360	R								NA			NA		09/21/2010
						From: 65-1515 Peacock Lane										
(619) Church Neck Rd	0.85	530	R								NA			NA		09/21/2010
						From: 65-622 W, Glebe Rd										
(619) Bayside Rd	1.22	580	F	97%	1%	1%	0%	1%	0%	C	0.12	F	0.544	600	F	2010
						From: 65-622 E, Bayside Rd										
(619) Bayside Rd	0.20	610	F	97%	1%	1%	0%	1%	0%	F	0.122	F	0.544	630	F	2010
						From: 65-695 Cedar Grove Farm Rd										
						To: 65-618 S, Bayside Rd; Johnsontown Rd										
(619) Cabarrus Dr	1.30	760	R								NA			NA		09/23/2010
						From: 65-618 N, Bayside Rd										
						To: 65-617 W, Bayford Rd										
(619) Giddens Rd	0.96	1000	R								NA			NA		09/23/2010
						From: 65-617 E, Bayford Rd										
						To: SCL Nassawadox										
Town of Nassawadox																
(619) Giddens Rd	0.04	890	R								NA			NA		04/25/2001
						From: SCL Nassawadox										
						To: 65-609 Franktown Rd										
Northampton County																
(620) Birdsnest Dr	0.80	670	R								NA			NA		09/21/2010
						From: 65-618 Johnsontown Rd										
(620) Birdsnest Dr	0.80	320	R								NA			NA		09/21/2010
						From: US 13 Lankford Hwy										
						To: 65-600 S, Seaside Rd										
(620) Locust Lawn Dr	1.00	90	R								NA			NA		09/21/2010
						From: 65-600 N, Seaside Rd										
						To: Dead End										

Virginia Department of Transportation
Traffic Engineering Division
2010
Annual Average Daily Traffic Volume Estimates By Section of Route
Northampton Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Northampton County																
(621) Goshen Rd	1.04	40	R								NA			NA		09/21/2010
(622) Glebe Rd	1.23	70	R								NA			NA		09/21/2010
(622) Bayside Rd	1.58	110	R								NA			NA		09/21/2010
(622) Trehernvielle Dr	1.01	200	R								NA			NA		09/22/2010
(622) Trehernvielle Dr	1.10	190	R								NA			NA		09/22/2010
(623) Harmontown Rd	1.10	50	R								NA			NA		09/22/2010
(624) Capeville Dr	0.60	130	F	97%	1%	1%	1%	0%	0%	F	0.144	F	0.6	130	F	2010
(624) Capeville Dr	0.66	270	F	97%	1%	1%	1%	0%	0%	C	0.119	F	0.514	280	F	2010
(624) Capeville Dr	0.04	610	N	98%	1%	1%	0%	0%	0%	N	0.118	N	0.581	620	N	2010
(624) Dunton Cove Dr	0.80	120	R								NA			NA		10/14/2010
(625) Sylvan Scene Dr	1.00	60	R								NA			NA		10/14/2010
(625) Sylvan Scene Dr	1.00	390	R								NA			NA		09/22/2010
(626)	0.05	630	R								NA			NA		09/22/2010
(627) Young St	0.26	1000	R								NA			NA		10/07/2010
(627) Machipongo Dr	0.07	270	R								NA			NA		10/07/2010
(627) Machipongo Dr	1.18	350	R								NA			NA		10/07/2010
(627) Box Tree Dr	0.80	30	R								NA			NA		10/07/2010
(628) Wilsonia Neck Dr	1.50	310	R								NA			NA		10/14/2010
(628) Wilsonia Neck Dr	1.70	520	R								NA			NA		10/14/2010
(628) James Allen Dr	1.10	240	R								NA			NA		10/14/2010
(629) Webb Island Dr	1.00	190	R								NA			NA		09/22/2010

Virginia Department of Transportation
Traffic Engineering Division
2010
Annual Average Daily Traffic Volume Estimates By Section of Route
Northampton Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Northampton County																
(630) Old Town Neck Rd	2.80	320	R								NA			NA		09/22/2010
From: Dead End																
To: Bus US 13; Gap																
(630) Cherrydale Dr	1.23	460	R								NA			NA		09/22/2010
From: US 13 Lankford Hwy; Gap																
To: 65-600 Seaside Rd																
Town of Eastville																
(631) Willow Oak Rd	0.43	1200	F	97%	2%	1%	0%	0%	0%	C	0.101	F	0.535	1200	F	2010
From: Bus US 13 Courthouse Rd																
To: US 13 Lankford Hwy																
(631) Willow Oak Rd	0.42	690	F	97%	2%	1%	0%	0%	0%	F	0.113	F	0.512	700	F	2010
From: ECL Eastville																
To: ECL Eastville																
Northampton County																
(631) Indiantown Rd	0.45	510	F	97%	2%	1%	0%	0%	0%	F	0.12	F	0.508	520	F	2010
From: ECL Eastville																
To: 65-600 Seaside Rd																
(631) Indiantown Rd	1.00	130	R								NA			NA		04/22/2010
From: Dead End																
To: Dead End																
(632) Indian Walk Lane	0.70	20	R								NA			NA		09/22/2010
From: Dead End																
To: 65-600 Seaside Rd																
(633) Captain Howe Lane	0.30	370	R								NA			NA		09/22/2010
From: Dead End																
To: US 13 N, Lankford Hwy																
(633) Simpkins Dr	1.40	130	R								NA			NA		09/22/2010
From: US 13 S, Lankford Hwy																
To: 65-600 Seaside Rd																
(634) Savage Neck Dr	3.15	160	R								NA			NA		09/22/2010
From: Dead End																
To: 65-666 Smiths Beach Rd																
(634) Savage Neck Dr	1.20	540	F	96%	1%	1%	1%	1%	0%	F	0.106	F	0.536	550	F	2010
From: 65-665 Elkington Rd, Old Castle Rd																
To: 65-665 Elkington Rd, Old Castle Rd																
(634) Savage Neck Dr	1.20	660	F	96%	1%	1%	1%	1%	0%	C	0.129	F	0.506	680	F	2010
From: Bus US 13																
To: Bus US 13																
(635) Batchelers Branch Rd	0.35	150	R								NA			NA		10/13/2010
From: 65-611 Concord Wharf Rd																
To: Dead End																
(636) Mount Hebron Rd	1.60	450	F	95%	2%	2%	2%	0%	0%	C	0.125	F	0.655	460	F	2010
From: US 13																
To: 65-600 Seaside Rd																
(637) Pat Town Rd	1.50	380	R								NA			NA		10/13/2010
From: 65-639 Sunnyside Rd																
To: 65-636 Mount Hebron Rd																
Town of Cheriton																
(638) Mill St	0.46	560	R								NA			NA		10/07/2010
From: 65-639 Sunnyside Rd																
To: NCL Cheriton																
Northampton County																
(638) Mill St	0.20	150	R								NA			NA		04/18/2001
From: NCL Cheriton																
To: Dead End																
Town of Cheriton																
(639) Sunnyside Rd	0.42	1900	F	96%	1%	1%	2%	1%	0%	C	0.095	F	0.561	2000	F	2010
From: Bus US 13																
To: 65-638 Mill St																
(639) Sunnyside Rd	0.26	1600	F	96%	1%	1%	2%	1%	0%	F	0.094	F	0.624	1700	F	2010
From: 65-638 Mill St																
To: ECL Cheriton																

Virginia Department of Transportation
Traffic Engineering Division
2010
Annual Average Daily Traffic Volume Estimates By Section of Route
Northampton Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Northampton County																
(639) Sunnyside Rd	2.03	830	F	96%	1%	1%	2%	1%	0%	F	0.106	F	0.506	840	F	2010
(639) Sunnyside Rd	0.13	530	R								NA		NA			10/06/2010
(640) Bellevue Lane	0.40	47	R								NA		NA			10/06/2010
(640) Wilkins Dr	0.92	150	R								NA		NA			10/06/2010
(641) Parsons Circle	0.18	730	R								NA		NA			10/07/2010
(641) Parsons Circle	0.52	340	R								NA		NA			10/07/2010
(641) Bayview Circle	0.56	680	R								NA		NA			10/07/2010
(641) Bayview Circle	0.16	1300	F	98%	1%	1%	0%	0%	0%	C	0.103	F	0.504	1300	F	2010
(641) Culls Dr	0.77	180	R								NA		NA			09/22/2010
(641) Culls Dr	0.40	60	R								NA		NA			09/22/2010
(642) Seaview Dr	1.28	500	F	95%	0%	1%	2%	1%	0%	F	0.12	F	0.537	510	F	2010
(642) Bayville Circle	0.30	1200	F	95%	0%	1%	2%	1%	0%	F	0.099	F	0.504	1200	F	2010
(642) Parsons Circle	0.59	620	F	95%	0%	1%	2%	1%	0%	F	0.105	F	0.654	630	F	2010
(642) Old Cape Charles Rd	1.70	1100	F	95%	0%	1%	2%	1%	0%	C	0.108	F	0.708	1100	F	2010
(642) Old Cape Charles Rd	0.17	820	F	95%	0%	1%	2%	1%	0%	F	0.114	F	0.683	830	F	2010
Town of Cape Charles																
(642) Old Cape Charles Rd	0.08	980	G	95%	0%	1%	2%	1%	0%	F	0.114	N	0.683	980	G	2010
(642) Nectarine St	0.06	170	R								NA		NA			09/22/2010
(642) Nectarine St	0.06	170	R								NA		NA			09/22/2010
(642) Nectarine St	0.08	140	R								NA		NA			09/22/2010
(642) Nectarine St	0.07	100	R								NA		NA			09/22/2010
(642) Nectarine St	0.05	60	R								NA		NA			09/22/2010
(642) Nectarine St	0.07	100	R								NA		NA			09/22/2010

Virginia Department of Transportation
Traffic Engineering Division
2010
Annual Average Daily Traffic Volume Estimates By Section of Route
Northampton Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Northampton County																
(643) Plantation Dr	1.40	350	R											NA		10/07/2010
(644) Custom Tomb Dr	1.88	170	R											NA		10/06/2010
(644) Arlington Rd	0.80	630	R											NA		10/06/2010
(645) Cedar Grove Rd	0.23	260	F	97%	0%	2%	0%	1%	0%	C	0.11	F	0.667	270	F	2010
(645) Arlington Rd	0.24	190	F	97%	0%	2%	0%	1%	0%	F	0.119	F	0.559	190	F	2010
(645) Arlington Rd	3.01	390	F	97%	0%	2%	0%	1%	0%	F	0.129	F	0.515	400	F	2010
(645) Arlington Rd	0.24	490	R											NA		10/06/2010
(646) Picketts Harbor Rd	0.90	60	R											NA		10/06/2010
(646) Townsend Dr	0.74	400	F	98%	1%	1%	0%	0%	0%	F	0.126	F	0.528	410	F	2010
(646) Townsend Dr	0.56	400	F	98%	1%	1%	0%	0%	0%	C	0.094	F	0.5	410	F	2010
(646) Martins Landing Rd	0.60	1100	R											NA		09/15/2010
(647)	0.30	30	R											NA		10/06/2010
(648) Stumptown Dr	0.35	150	R											NA		10/06/2010
(648) Stumptown Dr	0.45	60	R											NA		10/06/2010
(649) Raymond Lane	0.40	60	R											NA		10/06/2010
(650) Cheapside Rd	1.10	200	R											NA		10/06/2010
(651) Chesapeake Ave	0.15	20	R											NA		10/06/2010
(652) Cathey Ave	0.23	690	R											NA		10/06/2010
(652) Broadwater Rd	1.39	890	R											NA		10/06/2010
(654) Miles Wharf Rd	0.62	140	R											NA		10/13/2010
(655) Magotha Rd	1.00	170	R											NA		10/13/2010

Virginia Department of Transportation
Traffic Engineering Division
2010
Annual Average Daily Traffic Volume Estimates By Section of Route
Northampton Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Northampton County																
(657) Sparrow Point Rd	1.75	100	R								NA		NA			10/13/2010
(658) Walnut Grove Lane	0.35	160	R								NA		NA			10/07/2010
(659) Church St	0.14	210	R								NA		NA			10/07/2010
(660) Ballard Dr	0.70	240	R								NA		NA			10/07/2010
(661) Obedience Lane	0.37	30	R								NA		NA			10/26/2010
(662) Indian Village Rd	0.82	10	R								NA		NA			10/26/2010
(663) Cherrystone Rd	1.47	140	F	98%	1%	1%	0%	0%	0%	F	0.143	F	0.6	150	F	2010
(663) Cherrystone Rd	0.55	380	F	98%	1%	1%	0%	0%	0%	C	0.114	F	0.522	390	F	2010
(664) Jacobus Creek Rd	1.50	190	R								NA		NA			11/02/2010
(665) Old Castle Rd	1.10	60	R								NA		NA			11/02/2010
(665) Elkington Rd	0.70	60	R								NA		NA			07/31/2007
(666) Smith Beach Rd	1.75	580	R								NA		NA			11/02/2010
(667) Benders Lane	0.20	80	R								NA		NA			11/02/2010
(668) Robin Rd	1.00	30	R								NA		NA			11/02/2010
(669) Vincent Lane	0.40	150	R								NA		NA			11/02/2010
(670) James Circle	0.37	80	R								NA		NA			11/09/2010
(671) Oakland Farm Rd	0.90	10	R								NA		NA			11/02/2010
(672) Johnson Cove Rd	0.70	60	R								NA		NA			10/13/2010
(673) Harrington Dr	0.40	80	R								NA		NA			10/26/2010

Virginia Department of Transportation
Traffic Engineering Division
2010
Annual Average Daily Traffic Volume Estimates By Section of Route
Northampton Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Northampton County																
(674) Kendall Grove Rd	1.25	48	R											NA		11/09/2010
(675) Press Lane	0.20	220	R											NA		10/26/2010
(676) Sturgis House Dr	0.60	120	R											NA		10/13/2010
(677) Prettyman Circle	0.16	30	R											NA		10/13/2010
(677) Prettyman Circle	1.70	90	R											NA		11/09/2010
Town of Nassawadox																
(678) Pine Ave	0.35	280	R											NA		11/09/2010
Northampton County																
(679) Denwood Rd	0.90	440	R											NA		09/21/2010
Town of Cheriton																
(680) Townfield Dr, Cherrysto	0.34	600	F	97%	2%	0%	0%	0%	0%	C	0.109	F	0.515	620	F	2010
Northampton County																
(680) Townfield Dr	0.04	600	N	97%	2%	0%	0%	0%	0%	N	0.109	N	0.515	620	N	2010
(680) Townfield Dr	0.96	460	F	97%	2%	0%	0%	0%	0%	F	0.125	F	0.655	470	F	2010
(680) Townfield Dr	0.83	690	R											NA		11/02/2010
Town of Nassawadox																
(681) Hospital Ave	0.50	3200	F	99%	0%	0%	0%	0%	0%	C	0.095	F	0.621	3300	F	2010
Northampton County																
(682) Jocabia Lane	1.10	210	R											NA		10/07/2010
(683) Siding Rd	0.40	720	R											NA		07/31/2007
(683) Capeville Dr	0.45	610	F	98%	1%	1%	0%	0%	0%	C	0.118	F	0.581	620	F	2010
(684) Fairview Rd	0.89	320	F	94%	4%	2%	0%	0%	0%	C	0.177	F	0.586	330	F	2010
(684) Bayview Circle	1.10	910	F	94%	4%	2%	0%	0%	0%	F	0.107	F	0.530	930	F	2010
(685) Deagonal St	0.13	40	R											NA		10/07/2010

Virginia Department of Transportation
Traffic Engineering Division
2010
Annual Average Daily Traffic Volume Estimates By Section of Route
Northampton Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Northampton County																
(685) Deagonal St	0.24	10	R								NA		NA			10/07/2010
(686) Kellam Dr	0.30	60	R								NA		NA			10/13/2010
Town of Belle Haven																
(687) Tower Way	0.15	290	R								NA		NA			10/13/2010
Northampton County																
(687) Tower Way	0.23	290	R								NA		NA			04/25/2001
(688) Hare Valley Dr	0.80	340	R								NA		NA			10/07/2010
(689) Pear Cottage Dr	0.28	10	R								NA		NA			10/07/2010
(690) Poplar Grove Rd	0.50	48	R								NA		NA			10/07/2010
(691) Downing Beach Rd	0.50	120	R								NA		NA			10/13/2010
(692) Happy Union Dr	1.30	60	R								NA		NA			10/13/2010
Town of Exmore																
(693) Wainhouse Rd	0.03	40	R								NA		NA			10/13/2010
Town of Belle Haven																
(693) Wainhouse Rd	0.30	110	R								NA		NA			04/25/2001
Northampton County																
(694) Terry Lane	0.10	60	R								NA		NA			10/07/2010
(695) Cedar Grove Farm Rd	0.85	40	R								NA		NA			10/07/2010
(696) Harmony Rd	0.40	20	R								NA		NA			10/07/2010
(697) Beverly Lane	0.25	670	R								NA		NA			10/07/2010
(698) Adron St	0.12	130	R								NA		NA			10/26/2010
(698) Adron St	0.08	360	R								NA		NA			10/26/2010
(699) Baxley Lane	0.11	30	R								NA		NA			10/13/2010

Virginia Department of Transportation
Traffic Engineering Division
2010
Annual Average Daily Traffic Volume Estimates By Section of Route
Northampton Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Northampton County																
(700) Cross St	0.06	80	R				From: 65-698 Adron St					NA		NA		10/26/2010
							To: 65-1042 Hadlock Rd									
Town of Nassawadox																
(701) Shell St	0.15	48	R				From: Dead End					NA		NA		10/13/2010
							To: 65-600 Seaside Rd									
Northampton County																
(702) Kelly Cove Rd	0.18	90	R				From: Dead End					NA		NA		10/13/2010
							To: 65-614 James Wharf Rd									
(703) Beetle St	0.09	250	R				From: 65-704 Kiptopeke Dr					NA		NA		10/06/2010
							To: 65-645 Arlington Rd									
(704) Kiptopeke Dr	0.21	240	R				From: Dead End					NA		NA		07/31/2007
							To: 65-645 Arlington Rd									
(704) Kiptopeke Dr	0.40	360	R				From: 65-645 Arlington Rd					NA		NA		10/06/2010
							To: US 13 Lankford Hwy									
(705) Kirwan Hall Lane	0.70	40	R				From: 65-634 Savage Neck Dr					NA		NA		11/02/2010
							To: Dead End									
Town of Nassawadox																
(706) Church Ct	0.23	180	R				From: 65-609 Franktown Rd					NA		NA		10/13/2010
							To: Dead End									
Northampton County																
(707) Mattasippy Dr	0.20	40	R				From: Dead End					NA		NA		11/09/2010
							To: 65-612 Old Neck Rd									
(708) Narrow Channel Dr	0.43	90	R				From: 65-600 Seaside Rd					NA		NA		11/09/2010
							To: Dead End									
(709) Battle Point Rd	0.91	180	R				From: Dead End					NA		NA		10/13/2010
							To: 65-719 Peaceful Lakes Dr									
(709) Battle Point Rd	0.23	290	R				From: 65-719 Peaceful Lakes Dr					NA		NA		10/13/2010
							To: SR 183 Occohannock Neck Rd									
(710) Hallidon Dr	0.25	50	R				From: Dead End					NA		NA		10/13/2010
							To: 65-616 Cedar Cottage Rd									
(711) Long Point Rd	1.00	30	R				From: Dead End					NA		NA		10/13/2010
							To: 65-613; 65-677 Prettyman Circle									
Town of Nassawadox																
(712) Mill St	0.17	190	R				From: US 13 Lankford Hwy					NA		NA		10/02/2010
							To: 65-600 Seaside Rd									
Northampton County																
(713) Mackatouces Point Rd	1.00	260	R				From: Dead End					NA		NA		10/13/2010
							To: 65-613									
Town of Nassawadox																
(714) Woodstock Dr	0.24	190	R				From: Dead End					NA		NA		10/26/2010
							To: 65-600 Seaside Dr									

Virginia Department of Transportation
Traffic Engineering Division
2010
Annual Average Daily Traffic Volume Estimates By Section of Route
Northampton Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Northampton County																
(715) Red Back Ct	0.13	20	R				From: 65-617 Red Bank Rd				NA			NA		11/09/2010
							To: Dead End									
(716) Smaw Dr	0.24	120	R				From: Dead End				NA			NA		10/06/2010
							To: 65-645 Arlington Rd									
(717) Doggett Lane	0.09	60	R				From: 65-645 Arlington Rd				NA			NA		10/06/2010
							To: Dead End									
(718) Latimer Siding Rd	0.18	160	R				From: US 13 Lankford Hwy				NA			NA		09/15/2010
							To: 65-600 Seaside Rd									
(719) Peaceful Lakes Dr	0.77	70	R				From: Cul-de-Sac				NA			NA		10/13/2010
							To: 65-724 Peaceful Pond Dr									
(719) Peaceful Lakes Dr	0.43	190	R				From: 65-724 Peaceful Pond Dr				NA			NA		10/13/2010
							To: 65-709 Battle Point Rd									
(720) Hideaway Cove Rd	0.62	70	R				From: 65-613				NA			NA		10/13/2010
							To: 65-721 Hideaway Lane									
(720) Hideaway Cove Rd	0.12	60	R				From: 65-721 Hideaway Lane				NA			NA		10/12/2010
							To: Cul-de-Sac									
(721) Hideaway Lane	0.06	6	R				From: Cul-de-Sac				NA			NA		10/13/2010
							To: 65-720 Hideaway Cove Rd									
(723) Chesawadox Dr	0.60	20	R				From: 65-713 Mactouces Point Rd				NA			NA		10/12/2010
							To: Cul-de-Sac									
(724) Peaceful Pond Dr	0.57	46	R				From: Cul-de-Sac				NA			NA		10/13/2010
							To: 65-719 Peaceful Lakes Dr									
Town of Nassawadox																
(725)	0.06	80	R				From: 65-609 Franktown Rd				NA			NA		10/13/2010
							To: Cul-de-Sac									
Northampton County																
(729) Chesapeake Dr	0.17	8	R				From: Dead End				NA			NA		10/12/2010
							To: 65-677 Prettyman Circle									
(730) Jones Cove Dr	0.70	70	R				From: 65-600 Seaside Rd				NA			NA		10/02/2010
							To: Dead End									
(735)	0.32	20	R				From: 65-642 Seaview Dr				NA			NA		09/14/2010
							To: 65-1302 Banks Rd									
(740) Clearview Rd	0.51	110	R				From: 65-635 Batchelers Branch Rd				NA			NA		10/12/2010
							To: Cul-de-Sac									
(741) Clearview Way	0.13	45	R				From: Cul-de-Sac				NA			NA		10/13/2010
							To: 65-740 Clearview Rd									
(846)	1.98	460	R				From: Dead End				NA			NA		11/09/2010
							To: 65-610 Short St									

Virginia Department of Transportation
Traffic Engineering Division
2010
Annual Average Daily Traffic Volume Estimates By Section of Route
Northampton Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Town of Exmore																
(1001) Bank Ave	0.06	80	R				From: 65-1033 Chamock St					NA		NA		10/26/2010
(1001) Bank Ave	0.05	140	R				To: 65-1009 Lee St					NA		NA		10/26/2010
(1001) Bank Ave	0.05	260	R				From: 65-1010 Jackson St					NA		NA		10/26/2010
(1001) Bank Ave	0.05	300	R				To: 65-1015 Fourth St					NA		NA		10/26/2010
(1001) Bank Ave	0.04	900	R				From: 65-1016 Third St					NA		NA		10/26/2010
(1001) Bank Ave	0.06	930	R				To: 65-1017 Broad St					NA		NA		10/26/2010
(1001) Bank Ave	0.10	900	R				From: Bus US 13					NA		NA		10/26/2010
(1002) Front St	0.03	360	R				To: 65-1002 Front St					NA		NA		10/26/2010
(1002) Front St	0.06	370	R				From: 65-603 Willis Wharf Rd					NA		NA		10/26/2010
(1002) Front St	0.22	640	R				To: 65-1003 Commercial Ave					NA		NA		10/26/2010
(1003) Commercial St	0.06	1000	R				From: 65-1003 Commercial St					NA		NA		10/26/2010
(1004) Monroe Ave	0.04	240	R				To: 65-1001 Bank Ave					NA		NA		10/26/2010
(1004) Monroe Ave	0.06	190	R				From: Bus US 13					NA		NA		10/26/2010
(1004) Monroe Ave	0.10	130	R				To: Bus US 13					NA		NA		10/26/2010
(1004) Monroe Ave	0.18	110	R				From: SR 183 Occohannock Neck Rd					NA		NA		10/26/2010
(1005) Elm St	0.09	230	R				To: 65-1024 Grayson St					NA		NA		10/26/2010
(1006) Myrtle St	0.09	360	R				From: 65-1024 Grayson St					NA		NA		10/26/2010
(1006) Myrtle St	0.10	110	R				To: 65-1030 Washington					NA		NA		10/26/2010
(1007) Browne Ave	0.08	90	R				From: 65-1031 Jefferson St					NA		NA		10/26/2010
(1007) Browne Ave	0.07	30	R				To: 65-1028 Madison Ave					NA		NA		10/26/2010
(1008) Poplar Ave	0.15	130	R				From: 65-603 Willis Wharf Rd					NA		NA		10/26/2010
(1009) Lee St	0.07	47	R				To: 65-1007 Browne Ave					NA		NA		10/26/2010
(1006) Myrtle St	0.09	360	R				From: 65-603 Willis Wharf Rd					NA		NA		10/26/2010
(1006) Myrtle St	0.10	110	R				To: 65-1007 Browne Ave					NA		NA		10/26/2010
(1007) Browne Ave	0.08	90	R				From: 65-1034 York Circle					NA		NA		10/26/2010
(1007) Browne Ave	0.07	30	R				To: 65-1011 Virginia					NA		NA		10/26/2010
(1008) Poplar Ave	0.15	130	R				From: 65-1005 Elm St					NA		NA		10/26/2010
(1009) Lee St	0.07	47	R				To: 65-1006 Myrtle St					NA		NA		10/26/2010
(1008) Poplar Ave	0.15	130	R				From: 65-1010 Jackson St					NA		NA		10/26/2010
(1009) Lee St	0.07	47	R				To: 65-1017 Broad St					NA		NA		10/26/2010
(1009) Lee St	0.07	47	R				From: 65-1014 Roosevelt Ave					NA		NA		10/26/2010
(1009) Lee St	0.07	47	R				To: 65-1001 Bank Ave					NA		NA		10/26/2010

Virginia Department of Transportation
Traffic Engineering Division
2010
Annual Average Daily Traffic Volume Estimates By Section of Route
Northampton Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Town of Exmore																
(1009) Lee St	0.09	100	R									NA		NA		10/26/2010
(1009) Lee St	0.06	160	R									NA		NA		10/26/2010
(1009) Lee St	0.10	160	R									NA		NA		10/26/2010
(1009) Lee St	0.03	50	R									NA		NA		10/26/2010
(1010) Jackson St	0.05	10	R									NA		NA		10/26/2010
(1010) Jackson St	0.07	80	R									NA		NA		10/26/2010
(1010) Jackson St	0.07	110	R									NA		NA		10/26/2010
(1010) Jackson St	0.07	180	R									NA		NA		10/26/2010
(1011) Virginia Ave	0.09	740	R									NA		NA		10/26/2010
(1011) Virginia Ave	0.39	620	R									NA		NA		10/26/2010
(1012) Stockton Lane	0.09	140	R									NA		NA		11/09/2010
(1014) Roosevelt Ave	0.05	100	R									NA		NA		10/27/2010
(1014) Roosevelt Ave	0.06	160	R									NA		NA		10/27/2010
(1014) Roosevelt Ave	0.05	240	R									NA		NA		10/27/2010
(1014) Roosevelt Ave	0.04	90	R									NA		NA		10/27/2010
(1015) Fourth St	0.08	80	R									NA		NA		10/26/2010
(1016) Third St	0.08	50	R									NA		NA		10/27/2010
(1017) Broad St	0.15	540	R									NA		NA		10/26/2010
(1017) Broad St	0.25	500	R									NA		NA		10/26/2010
(1018) Ann Ave	0.11	110	R									NA		NA		11/02/2010
(1019) Temple Dr	0.04	170	R									NA		NA		11/02/2010

Virginia Department of Transportation
Traffic Engineering Division
2010
Annual Average Daily Traffic Volume Estimates By Section of Route
Northampton Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Northampton County																
(1019) Temple Dr	0.09	40	R				From: ECL Exmore				NA		NA		11/02/2010	
							To: Dead End									
Town of Exmore																
(1021) Westmore Rd	0.05	590	N				From: 65-1050 Westmore Court				NA		NA		09/23/2010	
							To: 65-1040 Manor St									
Northampton County																
(1021) Westmore Rd	0.04	590	R				From: 65-1040 Manor St				NA		NA		09/23/2010	
							To: SCL Exmore									
Town of Exmore																
(1021) Westmore Rd	0.15	610	R				From: SCL Exmore				NA		NA		11/08/2010	
							To: SR 183 Occohannock Neck Rd									
(1022) Blunt St	0.06	60	R				From: Dead End				NA		NA		11/02/2010	
							To: SR 183 Occohannock Neck Rd									
(1023) Houston Ave	0.05	70	R				From: 65-1024 Grayson Ave				NA		NA		10/26/2010	
							To: 65-1018 Anne Ave									
(1023) Houston Ave	0.09	70	R				From: 65-1018 Anne Ave				NA		NA		10/26/2010	
							To: 65-1025 Carolyn Ave									
(1023) Houston Ave	0.19	40	R				From: 65-1025 Carolyn Ave				NA		NA		10/26/2010	
							To: 65-1032 Pacific Ave									
(1023) Houston Ave	0.02	130	R				From: 65-1032 Pacific Ave				NA		NA		10/26/2010	
							To: NCL Exmore									
(1024) Grayson Ave	0.08	90	R				From: 65-1004 Monroe Ave				NA		NA		10/26/2010	
							To: Bus US 13									
(1024) Grayson Ave	0.11	70	R				From: Bus US 13				NA		NA		10/26/2010	
							To: 65-1023 Houston Ave									
(1024) Grayson Ave	0.04	70	R				From: 65-1023 Houston Ave				NA		NA		10/26/2010	
							To: Dead End									
(1025) Carolyn Ave	0.06	30	R				From: Dead End				NA		NA		10/26/2010	
							To: 65-1039 Holman Ave									
(1025) Carolyn Ave	0.03	60	R				From: 65-1039 Holman Ave				NA		NA		10/26/2010	
							To: Bus US 13									
(1025) Carolyn Ave	0.10	90	R				From: Bus US 13				NA		NA		10/26/2010	
							To: 65-1023 Houston									
(1025) Carolyn Ave	0.09	3	R				From: 65-1023 Houston				NA		NA		10/26/2010	
							To: Dead End									
(1026) Park Ave	0.11	120	R				From: 65-1010 Jackson St				NA		NA		10/26/2010	
							To: 65-1044 Holly Circle									
(1026) Park Ave	0.04	240	R				From: 65-1044 Holly Circle				NA		NA		10/26/2010	
							To: 65-1017 Broad St									
(1027) Bright Ave	0.09	250	R				From: 65-1017 Broad St				NA		NA		10/26/2010	
							To: Bus US 13									
(1028) Madison Ave	0.08	110	R				From: 65-1004 Monroe				NA		NA		10/26/2010	
							To: SR 178 Belle Haven Rd									

Virginia Department of Transportation
Traffic Engineering Division
2010
Annual Average Daily Traffic Volume Estimates By Section of Route
Northampton Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Town of Exmore																
(1029) Vine Court	0.04	90	R											NA		10/26/2010
(1030) Washington St	0.09	70	R											NA		10/26/2010
(1030) Washington St	0.08	100	R											NA		10/26/2010
(1031) Jefferson St	0.07	150	R											NA		10/26/2010
(1031) Jefferson St	0.08	210	R											NA		10/26/2010
(1032) Houston Ave	0.09	100	R											NA		10/26/2010
(1032) Houston Ave	0.03	40	R											NA		10/26/2010
(1033) Charnock St	0.07	30	R											NA		11/02/2010
(1033) Charnock St	0.09	100	R											NA		11/02/2010
(1034) York Circle	0.06	47	R											NA		11/02/2010
(1035) York Circle	0.06	50	R											NA		11/02/2010
(1036) York Circle	0.08	60	R											NA		11/02/2010
(1037) Crown St	0.24	160	R											NA		11/02/2010
(1038) Atlantic Ave	0.05	10	R											NA		11/02/2010
(1038) Atlantic Ave	0.03	30	R											NA		11/02/2010
(1039) Holman Ave	0.13	100	R											NA		11/02/2010
(1039) Holman Ave	0.16	40	R											NA		11/02/2010
(1040) Manor St	0.11	230	R											NA		09/23/2010
(1041) Westmore Place	0.22	220	R											NA		11/08/2010
(1041) Westmore Place	0.04	48	R											NA		10/13/2010

Virginia Department of Transportation
Traffic Engineering Division
2010
Annual Average Daily Traffic Volume Estimates By Section of Route
Northampton Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Northampton County																
(1042) Hadlock Rd	0.06	1300	R				From: 65-700 Cross St				NA			NA		10/13/2010
(1042) Hadlock Rd	0.22	310	R				From: 65-652 Cathey Ave				NA			NA		07/31/2007
							To: SCL Exmore									
Town of Exmore																
(1042) Hadlock Rd	0.21	610	R				From: SCL Exmore				NA			NA		09/18/2001
							To: Bus US 13									
Northampton County																
(1043) Benjamin St	0.15	1300	R				From: US 13 Lankford Hwy				NA			NA		07/31/2007
							To: WCL Exmore									
Town of Exmore																
(1043) Benjamin St	0.14	1300	R				From: WCL Exmore				NA			NA		09/18/2001
(1043) Benjamin St	0.08	970	R				From: 65-1017 Broad St				NA			NA		11/02/2010
							To: Bus US 13									
(1044) Holly Circle	0.05	260	R				From: 65-1045 Holly Circle				NA			NA		10/26/2010
							To: 65-1026 Park Ave									
(1045) Holly Circle	0.10	80	R				From: 65-1010 Jackson St				NA			NA		11/09/2010
							To: 65-1044 Holly Circle									
(1046) Commonwealth Ave	0.20	40	R				From: 65-1011 Virginia Ave				NA			NA		11/09/2010
							To: 65-1011 Virginia Ave									
(1048)	0.03	110	R				From: Dead End				NA			NA		07/31/2007
							To: 65-1011 Virginia Ave									
(1049) Gum Tree Lane	0.05	110	R				From: 65-1011 Virginia Ave				NA			NA		07/31/2007
							To: Dead End									
(1050) Westmore Court	0.25	180	R				From: US 13 Lankford Hwy				NA			NA		07/31/2007
							To: Dead End									
(1051) Westmore Dr	0.05	160	R				From: 65-1050 Westmore Court				NA			NA		07/31/2007
							To: 65-1040 Manor St									
(1052) Westmore Lane	0.02	60	R				From: Dead End				NA			NA		07/31/2007
(1052) Westmore Lane	0.08	250	R				From: 65-1041 Westmore Place				NA			NA		11/09/2010
							To: Dead End									
Town of Nassawadox																
(1070) Rescue Lane	0.23	130	R				From: 65-678 Pine Ave				NA			NA		11/09/2010
							To: Dead End									
Northampton County																
(1080) Holly Bluff Dr	0.44	230	R				From: 65-609 Wellington Neck Rd				NA			NA		07/31/2007
							To: Dead End									
Town of Cape Charles																
(1101) Pine St	0.06	710	R				From: SR 184 S, Bay Ave; Mason Ave				NA			NA		11/09/2010
							To: 65-1112 Randolph Ave									

Virginia Department of Transportation
Traffic Engineering Division
2010
Annual Average Daily Traffic Volume Estimates By Section of Route
Northampton Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Town of Cape Charles																
(1101) Pine St	0.06	420	R								NA			NA		09/21/2010
(1101) Pine St	0.06	170	R								NA			NA		09/21/2010
(1101) Pine St	0.07	80	R								NA			NA		09/21/2010
(1101) Pine St	0.06	120	R								NA			NA		09/21/2010
(1101) Pine St	0.06	140	R								NA			NA		09/21/2010
(1102) Strawberry St	0.05	990	R								NA			NA		09/14/2010
(1102) Strawberry St	0.06	790	R								NA			NA		09/14/2010
(1102) Strawberry St	0.06	290	R								NA			NA		09/14/2010
(1102) Strawberry St	0.03	380	R								NA			NA		09/14/2010
(1102) Strawberry St	0.03	420	R								NA			NA		09/14/2010
(1102) Strawberry St	0.06	90	R								NA			NA		09/14/2010
(1102) Strawberry St	0.06	120	R								NA			NA		09/14/2010
(1103) Jefferson Ave	0.05	110	R								NA			NA		09/15/2010
(1103) Jefferson Ave	0.02	90	R								NA			NA		09/15/2010
(1103) Jefferson Ave	0.13	120	R								NA			NA		09/15/2010
(1103) Jefferson Ave	0.05	170	R								NA			NA		09/15/2010
(1103) Jefferson Ave	0.06	210	R								NA			NA		09/15/2010
(1103) Jefferson Ave	0.12	180	R								NA			NA		09/15/2010
(1103) Jefferson Ave	0.12	230	R								NA			NA		09/15/2010
(1104) Madison Ave	0.05	100	R								NA			NA		10/06/2010
(1104) Madison Ave	0.04	110	R								NA			NA		10/06/2010
(1104) Madison Ave	0.13	160	R								NA			NA		10/06/2010
(1104) Madison Ave	0.06	280	R								NA			NA		10/06/2010
(1104) Madison Ave	0.07	150	R								NA			NA		10/06/2010

Virginia Department of Transportation
Traffic Engineering Division
2010
Annual Average Daily Traffic Volume Estimates By Section of Route
Northampton Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Town of Cape Charles																
(1104) Madison Ave	0.12	200	R								NA			NA		10/06/2010
(1104) Madison Ave	0.12	700	R								NA			NA		10/06/2010
(1105) Fig St	0.10	1500	R								NA			NA		10/06/2010
(1105) Fig St	0.11	880	R								NA			NA		10/06/2010
(1105) Fig St	0.38	870	R								NA			NA		10/07/2010
(1106) Washington Ave	0.13	350	R								NA			NA		10/07/2010
(1106) Washington Ave	0.06	360	R								NA			NA		10/07/2010
(1106) Washington Ave	0.06	410	R								NA			NA		10/07/2010
(1106) Washington Ave	0.12	420	R								NA			NA		10/07/2010
(1106) Washington Ave	0.12	290	R								NA			NA		10/07/2010
(1107) Harbor Ave	0.06	340	R								NA			NA		10/07/2010
(1107) Harbor Ave	0.06	210	R								NA			NA		10/07/2010
(1107) Harbor Ave	0.06	230	R								NA			NA		10/07/2010
(1107) Harbor Ave	0.07	220	R								NA			NA		10/07/2010
(1107) Harbor Ave	0.06	190	R								NA			NA		10/07/2010
(1108) Marina Dr	0.23	90	R								NA			NA		10/07/2010
(1108) Marina Dr	0.32	1000	R								NA			NA		10/07/2010
(1109) Peach St	0.05	320	R								NA			NA		10/07/2010
(1109) Peach St	0.05	100	R								NA			NA		10/07/2010
(1109) Peach St	0.03	140	R								NA			NA		10/07/2010
(1109) Peach St	0.06	110	R								NA			NA		10/07/2010
(1109) Peach St	0.06	90	R								NA			NA		10/07/2010
(1110) Monroe Ave	0.06	180	R								NA			NA		10/07/2010

Virginia Department of Transportation
Traffic Engineering Division
2010
Annual Average Daily Traffic Volume Estimates By Section of Route
Northampton Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Town of Cape Charles																
(1110) Monroe Ave	0.03	220	R								NA			NA		10/07/2010
(1110) Monroe Ave	0.11	130	R								NA			NA		10/07/2010
(1110) Monroe Ave	0.11	150	R								NA			NA		10/07/2010
(1110) Monroe Ave	0.11	240	R								NA			NA		10/07/2010
(1110) Monroe Ave	0.09	160	R								NA			NA		10/07/2010
(1111) Tazewell Ave	0.07	130	R								NA			NA		11/02/2010
(1111) Tazewell Ave	0.05	180	R								NA			NA		11/02/2010
(1111) Tazewell Ave	0.17	230	R								NA			NA		11/02/2010
(1111) Tazewell Ave	0.07	420	R								NA			NA		11/02/2010
(1111) Tazewell Ave	0.12	310	R								NA			NA		11/02/2010
(1111) Tazewell Ave	0.12	320	R								NA			NA		11/02/2010
(1111) Tazewell Ave	0.10	310	R								NA			NA		11/02/2010
(1112) Randolph Ave	0.08	290	R								NA			NA		11/02/2010
(1112) Randolph Ave	0.06	350	R								NA			NA		11/02/2010
(1112) Randolph Ave	0.11	810	R								NA			NA		11/02/2010
(1112) Randolph Ave	0.06	1000	R								NA			NA		11/02/2010
(1112) Randolph Ave	0.07	1100	R								NA			NA		11/02/2010
(1112) Randolph Ave	0.12	1200	R								NA			NA		11/02/2010
(1112) Randolph Ave	0.12	1500	R								NA			NA		11/02/2010
(1113) Plum St	0.05	310	R								NA			NA		11/02/2010
(1113) Plum St	0.05	350	R								NA			NA		11/02/2010
(1113) Plum St	0.06	230	R								NA			NA		11/02/2010
(1113) Plum St	0.07	390	R								NA			NA		11/02/2010
(1113) Plum St	0.06	310	R								NA			NA		11/02/2010

Virginia Department of Transportation
Traffic Engineering Division
2010
Annual Average Daily Traffic Volume Estimates By Section of Route
Northampton Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Town of Cape Charles																
(1113) Plum St	0.05	270	R				From: 65-1103 Jefferson Ave				NA			NA		11/02/2010
							To: 65-1106 Washington Ave									
(1114) Fulcher St	0.08	330	R				From: SR 184 Stone Rd				NA			NA		11/02/2010
(1114) Fulcher St	0.07	170	R				From: 65-1111 Tazewell Ave				NA			NA		11/02/2010
							To: 65-1110 Monroe Ave									
(1115) Park Row	0.06	40	R				From: 65-1102 Strawberry St				NA			NA		11/02/2010
							To: Dead End									
(1116)	0.08	870	R				From: Dead End				NA			NA		11/02/2010
							To: 65-1108 Marina Dr									
(1117)	0.33	610	R				From: Dead End				NA			NA		11/02/2010
							To: 65-1108 Marina Dr									
Northampton County																
(1120) Eden Meadows Way	0.42	350	R				From: Cul-de-Sac				NA			NA		09/15/2010
							To: SR 183 Occohannock Neck Rd									
(1122) Pine Meadows Way	0.62	350	R				From: Cul-de-Sac				NA			NA		09/15/2010
							To: SR 183 Occohannock Neck Rd									
(1123) Elm Tree Ct	0.08	70	R				From: Cul-de-Sac				NA			NA		09/15/2010
							To: 65-1122 Pine Meadows Way									
(1124) Spruce Tree Ct	0.05	40	R				From: Cul-de-Sac				NA			NA		09/15/2010
							To: 65-1122 Pine Meadows Way									
(1130) Harbour Lane	0.70	100	R				From: 65-630 Old Town Neck Rd				NA			NA		09/15/2010
							To: Cul-de-Sac									
(1134) Bluff Dr	0.97	350	R				From: Dead End				NA			NA		10/06/2010
							To: 65-645 Arlington Rd									
(1135) Bluff Ct	0.12	40	R				From: 65-1134 Bluff Dr				NA			NA		10/06/2010
							To: Dead End									
(1140) Wilsonia Shore Dr	0.82	110	R				From: Cul-de-Sac				NA			NA		10/06/2010
							To: 65-664 Jacobus Creek Rd									
(1141) Wilsonia Dr	0.99	40	R				From: 65-628 Wilsonia Neck Dr				NA			NA		10/06/2010
							To: 65-1142 Wilsonia Harbor Lane									
(1142) Wilsonia Harbor Lane	0.20	30	R				From: 65-1141 Wilsonia Dr				NA			NA		10/06/2010
							To: 65-1143 Wilsonia Harbor									
(1143) Wilsonia Harbor	0.07	30	R				From: Dead End				NA			NA		10/06/2010
(1143) Wilsonia Harbor	0.23	30	R				From: 65-1142 Wilsonia Harbor Lane				NA			NA		07/31/2007
							To: Dead End									
(1144)	0.30	20	R				From: Cul-de-Sac				NA			NA		11/02/2010
							To: 65-1141 Wilsonia Dr									

Virginia Department of Transportation
Traffic Engineering Division
2010
Annual Average Daily Traffic Volume Estimates By Section of Route
Northampton Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Northampton County																
(1144)	0.25	20	R			From: 65-1141 Wilsonia Dr					NA		NA			11/02/2010
						To: Cul-de-Sac										
(1201) Major Ct	0.10	80	R			From: 65-603 Willis Wharf Rd					NA		NA			10/14/2010
						To: Dead End										
(1202) Bowen Circle	0.10	150	R			From: Dead End					NA		NA			10/14/2010
						To: 65-1204 Parting Creek Rd										
(1203) Hog Island Lane	0.12	47	R			From: 65-603 Willis Wharf Rd					NA		NA			10/14/2010
						To: Dead End										
(1204) Parting Creek Rd	0.10	310	R			From: 65-603 Willis Wharf Rd					NA		NA			10/14/2010
						To: 65-1202 Bowen Circle										
(1204) Parting Creek Rd	0.20	140	R			From: 65-1202 Bowen Circle					NA		NA			10/14/2010
						To: Dead End										
(1210) Ashby Rd	0.29	220	R			From: 65-602 Cemetery Rd					NA		NA			10/13/2010
						To: 65-1211 Occohannock Blvd										
(1211) Occohannock Blvd	0.30	210	R			From: 65-1212 Highland Ct					NA		NA			10/13/2010
						To: 65-1210 Ashby Rd										
(1212) Highland Ct	0.08	40	R			From: 65-1211 Occohannock Blvd					NA		NA			10/13/2010
						To: Cul-de-Sac										
(1230) Hare Valley Trail	0.20	220	R			From: 65-618 Bayside Rd					NA		NA			10/13/2010
						To: Cul-de-Sac										
(1231) Hare Valley Court	0.02	70	R			From: 65-1230 Hare Valley Trail					NA		NA			10/13/2010
						To: Cul-de-Sac										
Town of Cheriton																
(1301) Stoakley Rd	0.48	180	R			From: Bus US 13 : 65-680					NA		NA			10/07/2010
						To: 65-638 Mill St										
Northampton County																
(1302) Banks Rd	0.30	20	R			From: 65-684 Bayview Circle					NA		NA			09/14/2010
						To: 65-1303 Banks Rd										
(1303) Banks Rd	0.30	450	R			From: 65-642 Seaview Dr					NA		NA			10/07/2010
						To: 65-1302 Banks Rd										
Town of Cheriton																
(1304) Maple Dr	0.25	240	R			From: 65-1301 Stoakley Rd					NA		NA			10/07/2010
						To: 65-638 Mill St										
Northampton County																
(1305) Casey Lane	0.34	120	R			From: Dead End					NA		NA			10/07/2010
						To: SCL Cheriton										
Town of Cheriton																
(1305) Casey Lane	0.06	30	R			From: SCL Cheriton					NA		NA			09/27/2001
						To: 65-639 Sunnyside Rd										
(1306) Wilson Rd	0.10	320	R			From: Bus US 13					NA		NA			10/07/2010
						To: 65-1308 Holland Dr										

Virginia Department of Transportation
Traffic Engineering Division
2010
Annual Average Daily Traffic Volume Estimates By Section of Route
Northampton Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Town of Cheriton																
(1306) Wilson Rd	0.03	240	R								NA		NA			10/07/2010
(1308) Holland Dr	0.24	100	R								NA		NA			10/07/2010
(1309) Sunnyside Rd	0.05	49	R								NA		NA			10/07/2010
(1309) Sunnyside Rd	0.05	100	R								NA		NA			10/07/2010
(1309) Sunnyside Rd	0.18	410	R								NA		NA			10/07/2010
(1310) Huntington Rd	0.09	140	R								NA		NA			10/07/2010
(1310) Huntington Rd	0.08	120	R								NA		NA			10/07/2010
Northampton County																
(1311) Fisher Ct	0.34	530	R								NA		NA			10/07/2010
(1312) Mildreds Lane	0.16	50	R								NA		NA			10/07/2010
Town of Cheriton																
(1313) Pine View Rd	0.08	70	R								NA		NA			10/07/2010
(1314)	0.05	30	R								NA		NA			10/07/2010
Northampton County																
(1315) Cheriton Dr	0.11	210	R								NA		NA			10/07/2010
(1315) Cheriton Dr	0.06	40	R								NA		NA			10/07/2010
(1316) Eastway Ct	0.04	70	R								NA		NA			10/07/2010
(1317)	0.04	70	R								NA		NA			10/07/2010
Town of Cheriton																
(1318) Wilson Ct	0.50	190	R								NA		NA			10/07/2010
Northampton County																
(1320) Kings Creek Pkwy	0.12	190	R								NA		NA			09/14/2010
(1321) Tower Hill Circle	0.32	210	R								NA		NA			09/14/2010

Virginia Department of Transportation
Traffic Engineering Division
2010
Annual Average Daily Traffic Volume Estimates By Section of Route
Northampton Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year	
						2Axle	3+Axle	1Trail	2Trail								
Northampton County																	
(1322) Bunburry Plantation Lan	0.22	190	R				From: 65-1324; 65-1325 Verlinda Landing				NA			NA		09/14/2010	
							To: 65-1321 Tower Hill Circle										
(1323) Bowden Landing	0.08	8	R				From: Dead End				NA			NA		09/14/2010	
							To: 65-1325 Verlinda Landing										
(1324) Verlinda Landing S	0.18	80	R				From: Dead End				NA			NA		09/14/2010	
							To: 65-1322 Bunburry Plantation Lane										
(1325) Verlinda Landing N	0.27	190	R				From: 65-1322 Bunburry Plantation Lane				NA			NA		09/14/2010	
							To: Dead End										
(1401) Machipongo Lane	0.27	150	R				From: 65-627 Machipongo Dr				NA			NA		10/07/2010	
							To: Dead End										
(1501) Bannister St	0.20	2	R				From: Dead End				NA			NA		09/22/2010	
							To: 65-1504 Seay Rd										
(1501) Bannister St	0.20	200	R				From: 65-1504 Seay Rd				NA			NA		09/22/2010	
							To: 65-622 Trehernvielle Dr										
(1502) Kates Dr	0.20	300	R				From: 65-1503 Harmon Rd				NA			NA		09/22/2010	
							To: 65-1504 Seay Rd										
(1502) Kates Dr	0.15	520	R				From: 65-1504 Seay Rd				NA			NA		09/22/2010	
							To: US 13 Lankford Hwy										
(1503) Harmon Rd	0.15	320	R				From: Dead End				NA			NA		09/22/2010	
							To: 65-1502 Kates Dr										
(1504) Seay Rd	0.35	620	R				From: 65-1502 Kates Dr				NA			NA		09/22/2010	
							To: 65-1501 Bannister St										
(1509) Pheasant Court	0.04	40	R				From: 65-1510 Swan Dr				NA			NA		09/24/2010	
							To: Dead End										
(1510) Swan Dr	0.60	20	R				From: Dead End				NA			NA		09/24/2010	
							To: 65-1511 Swan Lane										
(1510) Swan Dr	0.17	110	R				From: 65-1511 Swan Lane				NA			NA		09/23/2010	
							To: 65-619 Church Neck Rd										
(1511) Swan Lane	0.08	45	R				From: Cul-de-Sac				NA			NA		09/24/2010	
							To: 65-1510 Swan Dr										
(1512) Heron Dr	0.58	250	R				From: Cul-de-Sac				NA			NA		09/24/2010	
							To: 65-1519 Bluefish Lane										
(1512) Heron Dr	0.56	140	R				From: 65-1519 Bluefish Lane				NA			NA		09/24/2010	
							To: 65-619 Church Neck Rd										
(1513) Trout Lane	0.66	200	R				From: Cul-de-Sac				NA			NA		09/24/2010	
							To: 65-1512 Heron Dr										
(1514) Mallard Lane	0.16	40	R				From: Cul-de-Sac				NA			NA		09/24/2010	
							To: 65-619 Church Neck Rd										
(1515) Peacock Lane	0.09	10	R				From: Cul-de-Sac				NA			NA		09/24/2010	
							To: 65-1516 Pintail Court										

Virginia Department of Transportation
Traffic Engineering Division
2010
Annual Average Daily Traffic Volume Estimates By Section of Route
Northampton Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Northampton County																
(1515) Peacock Lane	0.06	30	R				From: 65-1516 Pintail Court				NA		NA		09/24/2010	
(1515) Peacock Lane	0.07	70	R				From: 65-1517 Blue Teal Lane				NA		NA		09/24/2010	
							To: 65-619 Church Neck Rd									
(1516) Pintail Court	0.06	10	R				From: Cul-de-Sac				NA		NA		09/24/2010	
							To: 65-1515 Peacock Lane									
(1517) Blue Teal Lane	0.29	70	R				From: Cul-de-Sac				NA		NA		09/24/2010	
							To: 65-1515 Peacock Lane									
(1518) Channel Bass Lane	0.15	60	R				From: 65-1513 Trout Lane				NA		NA		09/24/2010	
							To: 65-1512 Heron Dr									
(1519) Bluefish Lane	0.06	20	R				From: Cul-de-Sac				NA		NA		09/24/2010	
							To: 65-1512 Heron Dr									
(1520) Black Drum Lane	0.13	70	R				From: 65-1512 Heron Dr				NA		NA		09/24/2010	
							To: Cul-de-Sac									
(1521) Cardinal Court	0.02	7	R				From: 65-1510 Swan Dr				NA		NA		09/23/2010	
							To: Cul-de-Sac									
(1522) Quail Lane	0.09	40	R				From: 65-1510 Swan Dr				NA		NA		09/24/2010	
							To: 65-1523 Snipe Lane									
(1523) Snipe Lane	0.06	20	R				From: Cul-de-Sac				NA		NA		09/23/2010	
							To: 65-1522 Quail Lane									
(1524) Spoon Bill Lane	0.05	10	R				From: Cul-de-Sac				NA		NA		09/23/2010	
							To: 65-1512 Heron Dr									
(1525)	0.03	3	R				From: Dead End				NA		NA		07/31/2007	
							To: 65-1510 Swan Dr; 65-1511 Swan Lane									
(1526)	0.03	280	R				From: 65-1512 Heron Dr				NA		NA		07/31/2007	
							To: Dead End									
Town of Eastville																
(1601) James St	0.13	130	R				From: 65-631 Willow Oak Rd				NA		NA		11/02/2010	
							To: ECL Eastville									
Northampton County																
(1602) Rockefeller Lane	0.15	130	R				From: 65-631 Indiantown Rd				NA		NA		11/02/2010	
							To: Dead End									
Town of Eastville																
(1603) Holland Ct	0.20	230	R				From: SCL Eastville				NA		NA		11/02/2010	
							To: 65-631 Willow Oak Rd									
(1604) Debedeavon Lane	0.08	160	R				From: WCL Eastville				NA		NA		11/02/2010	
							To: Bus US 13, Courthouse Rd									
(1605) Tyson Circle	0.38	180	R				From: 65-631 W, Crossroad Ave				NA		NA		11/02/2010	
							To: 65-631 E, Crossroad Ave									

Virginia Department of Transportation
Traffic Engineering Division
2010
Annual Average Daily Traffic Volume Estimates By Section of Route
Northampton Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Town of Eastville																
(1606)	0.14	350	R				From: 65-631 W, Willow Oak Rd				NA		NA		11/02/2010	
							To: 65-631 E, Willow Oak Rd									
Northampton County																
(1610) Meadows Dr	0.15	320	R				From: Cul-de-Sac				NA		NA		11/02/2010	
							To: 65-1611 Meadowood Lane									
(1610) Meadows Dr	0.09	170	R				From: 65-633 Captain Howe Lane				NA		NA		11/02/2010	
							To: Cul-de-Sac									
(1611) Meadowood Lane	0.06	50	R				From: 65-1610 Meadows Dr				NA		NA		11/02/2010	
							To: US 13 Lankford Hwy									
(1701) Bell Lane	0.40	80	R				From: Dead End				NA		NA		10/06/2010	
							To: US 13 Lankford Hwy									
(1702) Martins Siding Rd	0.35	100	R				From: Dead End				NA		NA		10/06/2010	
							To: US 13 Lankford Hwy									
(1703) Reedtown Lane	0.25	80	R				From: Dead End				NA		NA		10/06/2010	
							To: 65-639 W, Sunnyside Rd									
(1801) Broadwater Circle	0.36	60	R				From: 65-639 E, Sunnyside Rd				NA		NA		10/06/2010	
							To: 65-639 Sunnyside Rd									
(1802) Crumb Hill Rd	0.75	670	R				From: Dead End				NA		NA		10/06/2010	
							To: 65-639 W, Sunnyside Rd									
(1803)	0.10	230	R				From: 65-639 E, Sunnyside Rd				NA		NA		10/06/2010	
							To: 65-1904 Lake Dr									
(1901) Sand Hill Rd	1.40	310	R				From: 65-645 Arlington Rd				NA		NA		10/06/2010	
							To: 65-1903 Blueberry Dr									
(1902) Blueberry Dr	0.20	80	R				From: 65-1901 Guys Neck Rd				NA		NA		10/06/2010	
							To: 65-1902 Blueberry Dr									
(1903) Blueberry Dr	0.30	160	R				From: 65-645 Arlington Rd				NA		NA		10/06/2010	
							To: Cul-de-Sac									
(1904) Lake Dr	0.40	90	R				From: 65-1901 Sand Hill Rd				NA		NA		10/06/2010	
							To: 65-1904 Lake Dr; 65-1901 Sand Hill Rd									
(1905) Sand Hill Dr	0.62	70	R				From: Dead End				NA		NA		10/06/2010	
							To: 65-684 Fairview Rd									
(9290) Bus Loop Access Rd	0.20	420	R				From: 65-684 Fairview Rd				NA		NA		10/07/2010	
							To: 65-627 Young St									
(9291)	0.09	990	R				From: Machipongo Elem Sch				NA		NA		10/07/2010	
							To: 65-600 Seaside Dr									
(9293) Bus Loop Access Rd	0.10	90	R				From: 65-600 Seaside Dr				NA		NA		10/07/2010	
							To: US 13									
(9585)	0.25	1800	R				From: Northampton HS				NA		NA		10/07/2010	
							To:									

Virginia Department of Transportation
 Traffic Engineering Division
 2010
 Annual Average Daily Traffic Volume Estimates By Section of Route
 Northampton Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year		
						2Axle	3+Axle	1Trail	2Trail									
Northampton County																		
(9586)	0.40	580	R	From: 65-627 Young St												NA	NA	10/07/2010
				To: Northampton Jr HS														